

## Erratum to: Evaluation of safety profile of thoracoscopic esophagectomy for T1bN0M0 cancer using data from JCOG0502: a prospective multicenter study

Isao Nozaki<sup>1</sup> · Ken Kato<sup>2</sup> · Hiroyasu Igaki<sup>3</sup> · Yoshinori Ito<sup>4</sup> ·  
Hiroyuki Daiko<sup>5</sup> · Masahiko Yano<sup>6</sup> · Harushi Udagawa<sup>7</sup> · Junki Mizusawa<sup>8</sup> ·  
Hiroshi Katayama<sup>8</sup> · Kenichi Nakamura<sup>8</sup> · Yuko Kitagawa<sup>9</sup>

Published online: 1 October 2015  
© Springer Science+Business Media New York 2015

**Erratum to: Surg Endosc**  
**DOI 10.1007/s00464-015-4102-4**

In Table 2, the number of pneumonia in the open group should be corrected from 17 (15.6 %) to 18 (16.5 %) and *P* value from 0.093 to 0.063.

---

The online version of the original article can be found under  
doi:[10.1007/s00464-015-4102-4](https://doi.org/10.1007/s00464-015-4102-4).

---

✉ Isao Nozaki  
[isnozaki@shikoku-cc.go.jp](mailto:isnozaki@shikoku-cc.go.jp)

- <sup>1</sup> Department of Surgery, Shikoku Cancer Center Hospital, 160 Minami-umemoto, Matsuyama 791-0280, Japan
- <sup>2</sup> Department of Gastrointestinal Medical Oncology, National Cancer Center Hospital, Tokyo, Japan
- <sup>3</sup> Department of Esophageal Surgery, National Cancer Center Hospital, Tokyo, Japan
- <sup>4</sup> Department of Radiation Oncology, National Cancer Center Hospital, Tokyo, Japan
- <sup>5</sup> Department of Esophageal Surgery, National Cancer Center Hospital East, Chiba, Japan
- <sup>6</sup> Department of Surgery, Osaka Medical Center for Cancer and Cardiovascular Diseases, Osaka, Japan
- <sup>7</sup> Department of Gastroenterological Surgery, Toranomon Hospital, Tokyo, Japan
- <sup>8</sup> JCOG Data Center/Operations Office, Center for Research Administration and Support, National Cancer Center, Tokyo, Japan
- <sup>9</sup> Department of Surgery, Keio University School of Medicine, Tokyo, Japan