



HHS Public Access

Author manuscript

J Stud Alcohol Drugs. Author manuscript; available in PMC 2016 February 29.

Published in final edited form as:

J Stud Alcohol Drugs. 2015 January ; 76(1): 21–30.

The Role of Alcohol Policies in Preventing Intimate Partner Violence: A Review of the Literature

Megan C. Kearns, PhD, Dennis E. Reidy, PhD, and Linda Anne Valle, PhD

Centers for Disease Control and Prevention, Division of Violence Prevention

Abstract

Objective—This article summarizes existing research on the relationship between alcohol policies and intimate partner violence (IPV). Because alcohol represents an important risk factor for IPV, interventions and policies aimed at decreasing problem drinking may also lead to reductions in IPV.

Method—Electronic databases were searched to identify relevant peer-reviewed journal articles on alcohol policies and IPV, as well as reference sections of appropriate articles. Only policies that have been studied specifically for impact on IPV were included.

Results—Three alcohol policy areas (outlet density, hours and days of sale, pricing/taxation) had been studied in relation to IPV outcomes. Research on outlet density had the most consistent findings, with most studies indicating that higher densities of alcohol outlets are associated with higher rates of IPV. Fewer studies had been conducted on pricing policies and policies restricting hours/days of sale, with most studies suggesting no impact on IPV rates.

Conclusions—Higher density of alcohol outlets appears to be associated with greater rates of IPV. However, there is limited evidence suggesting that alcohol pricing policies and restrictions on hours/days of sale are associated with IPV outcomes. Knowledge about the impact of alcohol-related policies on IPV and violence in general is limited by several significant research gaps. Additional research is needed to assess the impact of alcohol policies on IPV and other forms of violence.

Approximately 80,000 deaths each year in the United States are directly or indirectly attributable to alcohol consumption, with global deaths attributable to alcohol estimated at 3.8% (CDC, 2008; Rehm et al., 2009). In 2006, the economic costs of excessive alcohol consumption (due to health care, productivity losses, and criminal justice costs, etc.) were estimated at \$223.5 billion (Bouchery et al., 2011). To protect the health and safety of all citizens, the U.S. has identified reduction of alcohol misuse as a major component of their public health agenda for 2020 (U.S. Department of Health and Human Services, n.d.). The World Health Association has also formally adopted a global strategy to reduce harmful alcohol use, due to the resultant health and economic burden worldwide (World Health

Corresponding Author: Megan Kearns, Division of Violence Prevention, Centers for Disease Control, 4770 Buford Highway NE, MS F-64, Atlanta, GA 30341, Phone: 770-488-1230, wti8@cdc.gov.

The findings and conclusions in this review are those of the authors and do not necessarily represent the views of the Centers for Disease Control and Prevention.

Organization, 2010). Many alcohol-related policies and programs have been implemented at the state and local level to improve public health (Truman et al., 2000). By examining the public health impact of alcohol-related policies, researchers and policy makers can more readily assess the value of implementing these policies and their utility at preventing harmful outcomes associated with alcohol consumption, including alcohol-related diseases, unintentional injuries, and violence.

Intimate partner violence (IPV) is another significant public health issue, with approximately 35% of women and 28% of men in the U.S. experiencing rape, physical violence, or stalking by an intimate partner in their lifetime (Black et al., 2011). The annual medical and lost productivity costs alone of IPV against women have been estimated at approximately \$5.8 billion (National Center for Injury Prevention and Control, 2003). Global estimates suggest that the lifetime prevalence of physical and/or sexual IPV against women is approximately 30% (World Health Organization, 2013). Alcohol use has been consistently linked to IPV through an abundance of evidence, including meta-analyses confirming a positive association (Devries et al., 2014; Foran and O'Leary, 2008). Approximately two-thirds of IPV victims report that their assailant was drinking at the time of the incident (Greenfield, 1998), and longitudinal data indicate alcohol use and problem drinking are predictors of IPV perpetration and victimization for men and women (White and Chen, 2002; Widom et al., 2006). Prospective studies of alcoholic patients indicated that number of days spent drinking predicted partner aggression (Murphy and Ting, 2010).

Because alcohol represents an important risk factor for IPV, interventions and policies aimed at problem drinking may also lead to reductions in IPV. For example, couples-based treatment for substance use disorders produced clinically significant reductions in violence for patients whose alcohol use remitted after treatment (Murphy and Ting, 2010; Ruff et al., 2010). These findings suggest the potential for utilizing alcohol-focused interventions to prevent IPV. At the broader community and societal level, numerous public policies have been implemented in the U.S. and abroad to reduce excess alcohol consumption and related harm. However, whether broader alcohol-related policies would similarly lead to IPV prevention is unclear. Thus, the purpose of this review is to summarize existing research on alcohol-related policies' impact on IPV. Only alcohol policies that have been studied specifically for their impact on IPV outcomes (i.e., alcohol prices and taxation, restrictions on hours and days of alcohol sales, and alcohol outlet density restrictions) were included. However, studies describing these policies and other violent outcomes (e.g., general assaults) are reviewed where limited research specifically examining IPV has been conducted, because this research may provide theoretical and empirical support to inform IPV prevention. Extensive searches were undertaken using PsycINFO and Google Scholar to identify relevant peer-reviewed journal articles on alcohol policies and IPV, with no restrictions on year of publication. In addition, reference sections of appropriate articles were examined to detect additional studies not identified in the initial database search. For each policy, research examining policy impact on IPV was first reviewed (see Table 1), followed by an overview of studies examining impact on other violence-related outcomes.

Review of Policies

Alcohol Outlet Density

Alcohol outlet density refers to the number of locations where alcohol can be purchased (calculated per area or per population) and can be differentiated into on-premise settings (e.g., bars, restaurants, ballparks) or off-premise settings (e.g., packaged liquor stores, grocery stores, convenience stores; Campbell et al., 2009). Campbell et al. (2009) outlined a theoretical model suggesting that decreases in alcohol outlets essentially decreases accessibility through increased distance to outlets, increased prices, reduced exposure to alcohol-related marketing and promotions, and decreased social aggregation in and around alcohol outlets. Gruenewald (2007) proposed that as the number of alcohol outlets in a community increases, so does the amount of competition and “niche marketing” to attract specific subgroups of patrons. Niche marketing leads to a dynamic process wherein drinkers frequent bars where they find others with similar social norms and behaviors, which can explain why problems such as aggression intensify in certain outlets more than others. Greater alcohol outlet density may also represent a sign of neighborhood disorder and limited social control, which could decrease concern of consequences associated with IPV perpetration and discourage neighbors from intervening in IPV incidents (Cunradi, 2010). In addition, outlet density may increase the physical availability and excessive alcohol consumption among at-risk couples (Cunradi, 2010).

To reduce alcohol sales and consumption, many laws and local ordinances regulate alcohol outlet density through zoning and licensing rules. In California, for example, many communities implemented zoning and conditional use permit regulations that limited the number and concentration of outlets and restricted proximity to schools and playgrounds (Ashe et al., 2003). There has been no research on the direct impact of policies restricting outlet density on indicators of alcohol-related problems (Campbell et al., 2009). However, several studies addressing the relationship between outlet density and violence, including IPV, have been conducted. In Sacramento, California, Cunradi et al. (2011) found that after controlling for neighborhood characteristics (i.e., poverty rate, unemployment rate, racial/ethnic composition), each additional off-premise alcohol outlet increased IPV-related police calls by 4% and increased IPV crime reports by 3%. Interestingly, on-premise outlet density (i.e., bars and restaurants) was not associated with IPV outcomes. Livingston (2010) found that after controlling for sociodemographic variables, outlet density was significantly related to police-reported domestic violence in Melbourne, Australia. Similar to Cunradi et al. (2011), findings varied based on outlet type, with general licenses (e.g., pubs that sell alcohol for on or off-premise consumption) showing a positive association, on-premise license density showing a negative association, and packaged liquor license density showing no relationship (Livingston, 2010). A 10-year longitudinal analysis conducted in Melbourne, Australia indicated that all types of alcohol outlet density were associated with increases in police-recorded domestic violence over time (Livingston, 2011a). When outlet type was analyzed separately, a particularly large effect was observed for packaged liquor licenses on rates of domestic violence.

In contrast, other studies have found on-premise outlets to be more relevant to IPV. McKinney et al. (2009) examined survey data from couples across 48 states and found that self-reported male-to-female IPV increased by 34% for every increase of 10 alcohol outlets (on and off-premise) per 10,000 people. An even stronger relationship was found for couples reporting alcohol-related problems. However, when outlet types were analyzed separately, only on-premise outlet density (e.g., bars, restaurants) predicted IPV rates (McKinney et al., 2009). Cunradi et al. (2012a) similarly found that on-premise outlet density was positively associated with IPV-related emergency department (ED) visits in California between 2005 and 2008. In contrast, off-premise outlets were negatively associated with IPV-related ED visits, although this relationship was weaker than that observed for bar density (Cunradi et al., 2012a). Both of these studies directly contradict the previous findings by pointing to on-premise outlets as more relevant to IPV risk.

Still other studies have identified no relationship between alcohol outlet density and IPV, regardless of outlet type. Gorman et al. (1998a) examined data from 223 New Jersey municipalities and found that after controlling for sociodemographic variables, outlet density showed no significant relationship to police-reported IPV. Similarly, utilizing a nationally representative sample of young heterosexual females (age 18–26), Waller et al. (2012a) found that there was no direct relationship between outlet density and self-reported IPV victimization and no direct relationship with outlet density and drinking behaviors when controlling for individual and neighborhood characteristics. However, using the same nationally representative dataset, another study found that off-premise outlet density was related to young women's self-reported perpetration of physical IPV (Iritani et al., 2013). Two additional studies using the same dataset, but focused on a sample of young heterosexual males, also confirmed that outlet density was associated with both self-reported physical IPV victimization by a female partner (Waller et al., 2012b) and perpetration of physical only IPV towards a female partner (Waller et al., 2013). Thus, within this nationally representative sample of young people, only self-reported IPV victimization among females was not significantly associated with outlet density.

Results from these various studies suggest that alcohol outlet density appears to be associated with IPV rates. However, findings on outlet type appear inconsistent, with some studies suggesting that higher density of on-premise outlets predicts IPV (Cunradi et al., 2012a; McKinney et al., 2009) and others suggesting that off-premise outlets are more directly related to IPV (Cunradi et al., 2011; Livingston, 2010). Although no specific patterns are evident, the inconsistent findings may result from differences in IPV data sources or different types of licenses and definitions used for off-premise versus on-premise outlets.

Looking beyond IPV-specific outcomes, studies conducted across the U.S. have identified that greater alcohol outlet density is associated with higher violent crime rates, even when controlling for sociodemographic variables (Freisthler et al., 2005; Gorman et al., 2001; Gruenewald and Remer, 2006; Gruenewald et al., 2006; Lipton and Gruenewald, 2002; Parker et al., 2011; Reid et al., 2003; Scribner et al., 1995; Scribner et al., 1999; Toomey et al., 2012; Zhu et al., 2004). International research conducted in Australia and Norway has also produced consistent findings on the relationship between alcohol outlet density and

general violence. (Livingston, 2008; Livingston, 2011b; Norstrom, 2000). Importantly, Resko et al. (2010) found that alcohol outlet density was significantly related to violent behavior among urban adolescents, even after controlling for individual alcohol use and demographic characteristics, suggesting excess consumption alone does not adequately explain the relationship between density and violence. Only one study produced contradictory findings. Gorman et al. (1998b) found that in New Jersey, sociodemographic variables accounted for 70% of the variance in assaultive violence, but no association with alcohol outlet density and violence was found. The authors suggest that their findings may be inconsistent due to methodological differences, and suggest that future studies utilize statistical approaches (i.e., spatial autocorrelation) that account for the impact of outlet density across geographic units (Gorman et al., 1998b).

Graham (2006) noted that research that identifies potential mechanisms (i.e., what is actually occurring in and around alcohol outlets and outlet characteristics) accounting for the relationship between alcohol outlet density and violent crime is greatly needed. For example, Liang and Chikritzhs (2011) found that beyond alcohol outlet density, the actual volume of alcohol sales sold from off-premise outlets was also significantly associated with higher violence rates at both licensed outlets and residential settings. Treno et al. (2008) found greater alcohol outlet densities were associated with self-reported norms that were more accepting and forgiving of alcohol-related aggression and other “foolish” behaviors. Self-reported hostility and norms for alcohol-related aggression were also directly related to drinking at bars, pubs, and private homes (Treno et al., 2008). Although these findings provide a useful start, more research addressing possible mechanisms is needed.

Policies Restricting Day and Time of Alcohol Sales

The U.S. has a long tradition of placing restrictions on days and hours of alcohol sales. Currently 14 states actively ban alcohol sales on Sunday. These bans vary in restrictiveness and whether they allow exceptions, such as local option laws permitting local governments to establish their own policy for sales under special circumstances (e.g., sales at wineries or on Super Bowl Sunday; “Retail Sales: Bans on off-premises Sunday sales,” n.d.). Additionally, different jurisdictions vary widely on restrictions placed on hours of sale for both off-premise and on-premise purchase of alcohol. Middleton et al. (2010) theorized that altering alcohol availability on specific days or times would potentially modify purchasing habits and decrease alcohol consumption and related harm.

Little research has examined the impact of restricting hours of alcohol sales on violence, with only one study looking at IPV-relevant data. In Brazil, limiting hours of alcohol sales in bars (i.e., closing at 11pm instead of previous policy allowing sales 24 hours) led to a 44% decline in general homicide rates, but there was no significant impact on assaults against women (Duailibi et al., 2007). Other studies have looked at changes in hours of sale and general violent assault rates. In Perth, Australia, Chikritzhs and Stockwell (2002) found that extending alcohol sales (typically one additional hour past the standard midnight closing time) resulted in a significant increase in police-recorded assaults at establishments with extended hours. Kypri et al. (2011) showed that after restricting pub closing times from 5am to 3am in Australia, rates of police-recorded assaults fell 37%, compared to a control

locality with no closing time restrictions. Briscoe and Donnelly (2003) found that hotels and bars with extended alcohol sales hours were disproportionately associated with violent assaults in Sydney, Australia. Rossow and Norstrom (2012) studied small changes in bar closing hours (e.g., less than 2 hours) across 18 Norwegian cities and found that each one-hour extension of closing hours led to a 16% increase in police-reported assaults. In the U.K., trends in multiple alcohol-related problems, including non-sexual violent crimes, increased following the Licensing Act of 1988, which extended hours of alcohol sales (Duffy and Pinot De Moira, 1996). However, following a new Licensing Act in 2003, which eliminated standard closing times for pubs and clubs in the U.K. (allowing sales 24 hours per day), data from crime statistics, victim surveys, and ED injuries suggested no impact on violent crimes one year after implementation, in part due to only short extensions of licensed establishments' opening hours (Hough and Hunter, 2008).

Even fewer studies have examined the impact of policies expanding or decreasing days of alcohol sales on IPV and other crime-related outcomes, with varied results. Olsson and Wikstrom (1982) examined the effect of prohibiting Saturday sales by liquor retail stores in Sweden; results suggested a 15% decrease in "domestic disturbances," with the largest declines observed on Saturdays and Sundays. However, Norstrom and Skog (2003) explored the effect of alcohol retail reopening on Saturdays in limited parts of Sweden during a one-year trial period. Alcohol sales increased by 3.3%, yet assaults increased in only one test area where alcohol sales did not dramatically change after Saturday sales were reinstated. When domestic violence assaults were examined separately, there was no indication of increases after Saturday sales were permitted (Norstrom and Skog, 2003). In a follow-up study examining lifting the Saturday ban country-wide, Norstrom and Skog (2005) concluded that expanding days of alcohol sales increased consumption but did not appear to increase police-recorded assaults, positive breathalyzer tests, or drunken driving, although there may have been insufficient power to detect smaller effects.

In summary, prior reviews have concluded that policies maintaining limits on days and hours of sale of alcoholic beverages are promising strategies for reducing excessive alcohol consumption (Stockwell and Chikritzhs, 2009; Popova et al., 2009; Hahn et al., 2010; Middleton et al., 2010). However, research examining the impact of these policies on IPV, or violence in general, is scarce. In fact, experts warn that restricting hours of sale at public locations may increase risk of off-premise consumption and displacement of problem drinking behaviors, which may limit the expected public health benefits of these policies (Graham, 2012). Recent findings suggest that drinking context (e.g., bars, parties, private homes) does predict IPV, but no study has established a temporal relationship between specific drinking contexts and actual IPV incidents (Cunradi et al., 2012b; Mair et al., 2013). Whether or not closing bars early leads to an increase in off-premise consumption in private homes is a question that requires empirical investigation, as well as whether drinking in private homes would then directly increase risk for IPV and family violence. In addition, most research on these policies has been conducted internationally, which limits the ability to draw conclusions about policy impact in the U.S. Thus, it remains unclear how effective these policies may be in preventing IPV.

Alcohol Pricing Policies

The impact of alcohol pricing policies, namely tax rates, on violence has also been examined. Alcohol taxes are typically set by the federal and state governments, with different tax rates for beer, wine, and distilled spirits (“Alcohol Beverage Taxes: Beer,” n.d.). Most research on the impact of tax policies has focused on state excise taxes as an index measure of alcohol price and economic availability, but it has been argued that a more accurate index would also incorporate ad valorem and sales tax data, which can significantly alter the total cost (Klitzner, 2012).

Increased alcohol prices have been hypothesized to decrease demand, which would reduce rates of excessive alcohol consumption and related harm, (Elder et al., 2010). Wagenaar et al. (2009) conducted a meta-analysis of 112 studies and identified a large effect between higher alcohol prices and reduced alcohol consumption across all types of beverages for both light and heavy drinkers. Specifically, a 10% increase in alcohol prices resulted in a 5% reduction in adverse drinking outcomes (Wagenaar et al., 2009). A similar systematic review of 50 articles supports the impact of alcohol prices on indicators of alcohol-related harm, including violence (Wagenaar et al., 2010). However, despite the apparent benefit of alcohol taxation on consumption, the proportion of overall cost accounted for by alcohol taxes have notably decreased over time, with the average state beer tax in 2000 representing approximately one-third of the beer tax in 1968 after adjusting for inflation (Alcohol Epidemiology Program, 2000). Since 1968, only six states have adjusted tax rates to keep up with inflation, while 35 states have tax rates that have lost over 50% of their value since that time (Alcohol Epidemiology Program, 2000).

Five studies were identified that examined the impact of changes in alcohol prices on IPV. Utilizing data from a nationally representative survey, Markowitz (2000a) found that severe male-to-female violence (e.g., kicking, hitting with a fist, beating, choking, threatening with a weapon) was significantly lower when alcohol prices were higher. However, the relationship of higher alcohol prices to lower levels of female-to-male violence was only evident when demographic characteristics were added to the model, suggesting an indirect or interactional effect that was not evident from the analyses conducted.

Other research fails to support a relationship between alcohol price and IPV outcomes. For example, researchers in Finland examined the impact of reducing alcohol taxes by an average of 33% after policies were enacted allowing unlimited importation of alcohol (Herttua et al., 2008). Interestingly, police-reported incidents of interpersonal violence in Helsinki did not increase, and rates of domestic violence actually decreased. The authors suggested these findings might be due to the policy’s impact primarily on heavy drinkers, which would mean that any impact on IPV would be confined to a small limited sample (Herttua et al., 2008). Results of a U.S. survey using a stratified random sample of new parents suggested that although higher state liquor taxes are associated with decreased alcohol consumption generally, there was no evidence of impact on self-reported rates of domestic violence against pregnant mothers (Sabia, 2004).

Zeoli and Webster (2010) found no impact of beer taxes on intimate partner homicide, while controlling for the effect of several other IPV-relevant policies, but the authors suggested the small tax increases involved would have had limited impact on purchasing behavior. Durrance et al. (2011) assessed the impact of federal and state alcohol taxes on rates of female homicide over a 15-year period in 46 states and the District of Columbia. Results suggested that while taxes reduced rates of alcohol consumption, there was no significant reduction in intimate partner homicide or female homicides in general. The authors noted that their findings were consistent with prior research identifying an effect of alcohol prices on other violent crimes, but not homicide. This may suggest the severity of violence moderates the relationship between alcohol prices and violence (Durrance et al., 2011).

Data is also available on the relationship between alcohol prices and other forms of violence. Longitudinal data from a nationally representative crime survey suggested that higher beer taxes were associated with lower rates of assault (especially alcohol and drug-involved assault), but did not impact rates of rape or robbery (Markowitz, 2005). Incidents of rape and robbery may possibly be influenced by other motives not dependent on alcohol. In a nationally representative survey of college students, rates of arguments, fights, sexual perpetration, and sexual victimization increased as the price of beer decreased (Grossman and Markowitz, 1999). Utilizing national police-reported crime statistics and state excise taxes on beer, Cook and Moore (1993) estimated that a 10% increase in beer tax would reduce homicides by 0.3%, rapes by 1.32%, assaults by 0.3%, and robberies by 0.9%. In addition, research utilizing international survey data from 16 countries also indicated that higher alcohol prices were associated with reduced rates of sexual assault, physical assault, and robbery, although the effects were small in magnitude (Markowitz, 2000b). Matthews et al. (2006) found that lower rates of violent injuries in EDs in England and Wales were related to higher beer prices. Two studies also reported results suggesting that increased beer taxes were associated with lower rates of child abuse perpetrated by females (Markowitz and Grossman, 1998; Markowitz and Grossman, 2000).

In summary, of the five studies that specifically evaluated IPV outcomes, only one found higher alcohol prices to be associated with lower IPV rates (Markowitz, 2000a). At present, there is limited evidence to support the use of alcohol pricing policies to impact rates of IPV, suggesting need for more research. Elder et al. (2010) emphasize that several gaps in the literature exist, including research that assesses whether alcohol prices differentially affect specific subgroups (e.g., underage drinkers), the impact of increasing taxes on different beverage types (e.g., beer versus wine), and different approaches to taxing beverages (e.g., excise taxes versus sales taxes, standardizing alcohol taxes across beverage types based on alcohol content, etc.). It will be important to identify the magnitude of each effect on violence and examine the mechanisms (e.g., impacts on drinking behaviors and alcohol consumption) by which effects are achieved. For example, the focus on state excise taxes may not adequately represent the total beverage cost to consumers (Klitzner, 2012), and the conclusions that may be drawn from alcohol tax research may be limited by evidence suggesting that most states have not adjusted tax rates at a rate consistent with inflation (Alcohol Epidemiology Program, 2000). Nevertheless, based on a wealth of research suggesting that increased prices reduce harmful alcohol consumption, policies increasing alcohol excise taxes are recommended as a public health intervention by numerous sources,

including the Institute of Medicine (IOM, 2004), the World Health Organization (Babor et al., 2003), and the Community Guide (Task Force on Community Preventive Services, 2010).

Summary

Alcohol-related policies may prove to be valuable population-based strategies to reduce both problem drinking and associated IPV perpetration, but only three alcohol-related policy areas have been studied in relation to IPV. Research results on alcohol outlet density have been most consistent, and suggest higher densities of alcohol outlets are associated with higher rates of IPV and other forms of violence. However, two studies found no association between outlet density and IPV, and importantly, no studies to date have directly evaluated policies that regulate outlet density and the resultant impact on violence. In addition, results on off-premise versus on-premise outlet density and the relationship with IPV are inconsistent. In contrast, although there has been extensive research suggesting that alcohol pricing policies (namely tax rates) are associated with decreased alcohol consumption and related harms, including other violence outcomes (Elder et al., 2010; Wagenaar et al., 2009), the limited research does not demonstrate an impact on IPV rates.

Policies addressing changes in restrictions on hours of sale, particularly changes greater than 2 hours, generally appear effective in reducing excessive alcohol consumption and related harm (Hahn et al., 2010; Stockwell and Chikritzhs, 2009; Popova et al., 2009) including preliminary support for general violence outcomes (e.g., Chikritzhs and Stockwell, 2002; Kypri et al., 2011; Duailibi et al., 2007). However, research on policies restricting days of sale and related impact on violence outcomes is scarce and proffers inconsistent findings. Only a small handful of studies have examined outcomes related to IPV, and most of these findings suggest no relationship between hours and days of sale with IPV rates. Consequently, there is limited evidence to determine whether changes in restrictions on hours and days of sale would have any impact on IPV prevention.

Knowledge about the impact of alcohol-related policies on IPV is limited by several significant research gaps. Although some policies (e.g., alcohol pricing policies) have been extensively studied in relationship to other health and violence-related outcomes of interest, they have not been studied in relationship to IPV outcomes. In addition, there are many other alcohol-related policies (e.g., advertising/marketing, responsible beverage service, etc.) that may have relevance for IPV and may benefit from further research, but currently have no existing evidence on IPV outcomes. Furthermore, much of the published literature has relied on police-reported incidents of IPV, making it difficult to fully assess the impact of these policies on IPV. Surveys suggest that only 17.2% of sexual assaults and 26.7% of physical assaults perpetrated against women by an intimate partner are reported to police, with an even smaller percentage of male IPV victims contacting law enforcement (Tjaden and Thoennes, 2000). It will be important to utilize alternative sources of data (e.g., victimization surveys) to avoid relying on police-reported IPV. Identifying or developing surveillance systems on IPV would allow for measurement at the level at which the policy is implemented (e.g., city, county) in order to accurately assess impact. There are also methodological variations involved in measuring alcohol consumption (e.g., length of

reference period, beverage-specific versus open-ended, standard versus actual drink size) that influence survey results, and should be factored into any interpretation of findings (Dawson, 2003).

Also, many of the studies were conducted outside the U.S. Although these studies provide valuable information, replicating the findings within the sociocultural and economic constraints of the U.S. would enhance our knowledge about the impact of alcohol-related policies on IPV outcomes. Different study designs (e.g., cross-sectional versus longitudinal) also influence interpretation of findings, as cross-sectional studies are more limited in their ability to establish causal relationships and unable to capture varying frequencies in alcohol consumption and IPV rates over time, as well as the immediate and long-term effects of a particular policy's implementation. Moreover, economic analysis of the costs and benefits of implementing these policies is important in determining their utility as IPV prevention strategies and could inform discussions by policy makers about alcohol policies as potential strategies to reduce IPV. Finally, additional research examining proposed theoretical links between alcohol-related policies and various public health outcomes (e.g., purchasing habits, alcohol availability, neighborhood disorder) is needed. Research directly testing these links would provide valuable information in determining how these policies may impact a variety of outcomes, including IPV.

In addition, there are also several challenges related to measuring the effects of alcohol-related policies on various public health outcomes such as IPV. A particular policy can only be effective if it is routinely enforced. For example, research indicates that 5 out of every 100,000 instances of underage drinking lead to an administrative action or fine against an alcohol outlet, with penalties generally appearing too lenient to act as effective deterrents for illegal sales (Wagenaar and Wolfson, 1994). When relying on police-recorded incidents of violence, it may be equally true that increased police surveillance and enforcement can make a policy appear ineffective due to increased documentation of rates of violence. Research exploring the impact of alcohol-related policies on public health outcomes could be strengthened by controlling for other simultaneous policy changes or interventions relevant to the outcome of interest. More rigorous policy evaluations that can incorporate measures of other related policy changes, response by law enforcement, and degree of public awareness and support for these policies would allow greater interpretation of findings.

In addition, research focusing specifically on mechanisms underlying the relationship between a given alcohol policy and rates of IPV would help to better understand how these policies ultimately impact problems associated with alcohol use. Determining whether a policy is creating the desired effect or leading to substitution or displacement effects would strengthen policies and improve public health outcomes. For example, Graham (2012) notes that to understand when bars should close, research is needed to determine whether individuals will adjust their drinking patterns (e.g., if bars close earlier, patrons may start drinking earlier) or if they will merely shift their drinking location to private residences. In both cases, the effect of hours of sale restrictions on problem drinking may be lessened substantially, with displacement of drinking behavior to private homes potentially increasing risk for IPV. For alcohol pricing policies, research indicates that consumers may adjust to price increases by substituting lower cost beverage options rather than decreasing alcohol

consumption (Gruenewald et al., 2006). Research directly examining the proposed mechanisms upon which these policies are based is important, as seemingly beneficial policies may have iatrogenic effects.

In conclusion, additional research is needed to assess the impact of alcohol-related policies on IPV and other forms of violence. It is important to note that while empirical data are lacking, many of these policies are being enacted in a majority of states making the field ripe for further evaluation. Although many of these policies were designed to limit excessive alcohol consumption, there is reason to believe that they may have potential to impact a number of problems associated with alcohol use (e.g., violence, accidental injuries, alcohol-impaired driving, alcohol-related diseases, sexual risk-taking, etc.). These research efforts can greatly enhance our current knowledge base and lead to the development of novel population-based strategies for improving a range of public health outcomes.

References

- Alcohol Beverages Taxes: Beer. Alcohol Policy Information System (APIS) Web site. Retrieved 02/01/2013, from http://alcoholpolicy.niaaa.nih.gov/Taxes_Beer.html
- Alcohol Epidemiology Program. Alcohol policies in the United States: Highlights from the 50 states. Minneapolis: University of Minnesota; 2000.
- Ashe M, Jernigan D, Kline R, Galaz R. Land use planning and the control of alcohol, tobacco, firearms, and fast food restaurants. *American Journal of Public Health*. 2003; 93(9):1404–1408. [PubMed: 12948952]
- Babor, TF.; Caetano, R.; Casswell, S.; Edwards, G.; Giesbrecht, N.; Graham, K., et al. Alcohol: No ordinary commodity: Research and public policy. New York: Oxford University Press; 2003.
- Black, MC.; Basile, KC.; Breiding, MJ.; Smith, SG.; Walters, ML.; Merrick, MT.; Stevens, MR. The National Intimate Partner and Sexual Violence Survey (NISVS): 2010 Summary Report. Atlanta, GA: National Center for Injury Prevention and Control, Centers for Disease Control and Prevention; 2011.
- Bouchery EE, Harwood HJ, Sacks JJ, Simon CJ, Brewer RD. Economic costs of excessive alcohol consumption in the United States, 2006. *American Journal of Preventive Medicine*. 2011; 41:516–524. [PubMed: 22011424]
- Briscoe S, Donnelly N. Problematic licensed premises for assault in inner Sydney, Newcastle, and Wollongong. *Australian & New Zealand Journal of Criminology*. 2003; 36(1):18–33.
- Campbell CA, Hahn RA, Elder R, Brewer R, Chattopadhyay S, Fielding J, Middleton JC. The effectiveness of limiting alcohol outlet density as a means of reducing excessive alcohol consumption and alcohol-related harms. *American Journal of Preventive Medicine*. 2009; 37(6): 556–569. [PubMed: 19944925]
- Centers for Disease Control and Prevention. Alcohol-Related Disease Impact (ARDI) application. 2008. Available at http://apps.nccd.cdc.gov/DACH_ARDI/Default.aspx
- Chikritzhs T, Stockwell T. The impact of later trading hours for Australian public houses (hotels) on levels of violence. *Journal of Studies on Alcohol*. 2002; 63(5):591–599. [PubMed: 12380856]
- Cook PJ, Moore MJ. Violence reduction through restrictions on alcohol availability. *Alcohol Health and Research World*. 1993; 17:151–156.
- Cunradi CB. Neighborhoods, alcohol outlets and intimate partner violence: Addressing research gaps in explanatory mechanisms. *International Journal of Environmental Research and Public Health*. 2010; 7:799–813. [PubMed: 20617004]
- Cunradi CB, Mair C, Ponicki W, Remer L. Alcohol outlets, neighborhood characteristics, and intimate partner violence: Ecological analysis of a California City. *Journal of Urban Health*. 2011; 88(2): 191–200. [PubMed: 21347557]

- Cunradi CB, Mair C, Ponicki W, Remer L. Alcohol outlet density and intimate partner violence-related emergency department visits. *Alcoholism: Clinical and Experimental Research*. 2012a; 36(5):847–853.
- Cunradi CB, Mair C, Todd M, Remer L. Drinking context and intimate partner violence: Evidence from the California Community Health Study of Couples. *Journal of Studies on Alcohol and Drugs*. 2012b; 73:731–739. [PubMed: 22846237]
- Dawson DA. Methodological issues in measuring alcohol use. *Alcohol Research and Health*. 2003; 27:18–29. [PubMed: 15301397]
- Devries KM, Child JC, Bacchus LJ, Mak J, Falder G, Graham K, Heise L. Intimate partner violence victimization and alcohol consumption in women: a systematic review and meta-analysis. *Addiction*. 2014; 109(3):379–391. [PubMed: 24329907]
- Duailibi S, Ponicki W, Grube J, Pinsky I, Laranjeira R, Raw M. The effect of restricting opening hours on alcohol-related violence. *American Journal of Public Health*. 2007; 97:2276–2280. [PubMed: 17971559]
- Duffy JC, Pinot De Moira AC. Changes in licensing law in England and Wales and indicators of alcohol-related problems. *Addiction Research and Theory*. 1996; 4:245–271.
- Durrance CP, Golden S, Perreira K, Cook P. Taxing sin and saving lives: Can alcohol taxation reduce female homicides? *Social Science & Medicine*. 2011; 73:169–176. [PubMed: 21664738]
- Elder RW, Lawrence B, Ferguson A, Naimi TS, Brewer RD, Chattopadhyay SK, Fielding JE. The effectiveness of tax policy interventions for reducing excessive alcohol consumption and related harms. *American Journal of Preventive Medicine*. 2010; 38(2):217–229. [PubMed: 20117579]
- Foran HM, O’Leary KD. Alcohol and intimate partner violence: A meta-analytic review. *Clinical Psychology Review*. 2008; 28(7):1222–1234. [PubMed: 18550239]
- Freisthler B, Needell B, Gruenewald PJ. Is the physical availability of alcohol and illicit drugs related to neighborhood rates of child maltreatment? *Child Abuse and Neglect*. 2005; 29:1049–1060. [PubMed: 16168479]
- Gorman DM, Labouvie EW, Speer PW, Subaiya AP. Alcohol availability and domestic violence. *The American Journal of Drug and Alcohol Abuse*. 1998a; 24(4):661–673. [PubMed: 9849776]
- Gorman DM, Speer PW, Gruenewald PJ, Labouvie EW. Spatial dynamics of alcohol availability, neighborhood structure and violent crime. *Journal of Studies on Alcohol*. 2001; 62(5):628–636. [PubMed: 11702802]
- Gorman DM, Speer PW, Labouvie EW, Subaiya AP. Risk of assaultive violence and alcohol availability in New Jersey. *American Journal of Public Health*. 1998b; 88(1):97–99. [PubMed: 9584042]
- Graham K. Isn’t it time we found out more about what the heck happens around American liquor stores? *Addiction*. 2006; 101(5):619–620. [PubMed: 16669880]
- Graham K. Commentary on Rossow and Norstrom (2012): When should bars close? *Addiction*. 2012; 107(3):538–539. [PubMed: 22313106]
- Greenfield, LA. Report prepared for the Assistant Attorney General’s National Symposium on Alcohol Abuse and Crime. Washington, DC: U.S. Department of Justice; 1998. Alcohol and crime: An analysis of national data on the prevalence of alcohol involvement in crime.
- Grossman, M.; Markowitz, S. Alcohol regulation and violence on college campuses. Cambridge, MA: National Bureau of Economic Research; 1999. NBER working paper W7129
- Gruenewald PJ. The spatial ecology of alcohol problems: niche theory and assortative drinking. *Addiction*. 2007; 102:870–878. [PubMed: 17523980]
- Gruenewald PJ, Freisthler B, Remer L, LaScala EA, Treno A. Ecological models of alcohol outlets and violent assaults. Crime potentials and geospatial analysis. *Addiction*. 2006; 101(5):666–677. [PubMed: 16669900]
- Gruenewald PJ, Remer L. Changes in outlet densities affect violence rates. *Alcoholism: Clinical and Experimental Research*. 2006; 30(7):1184–1193.
- Hahn RA, Kuzara JL, Elder R, Brewer R, Chattopadhyay S, Fielding J, et al. Effectiveness of policies restricting hours of alcohol sales in preventing excessive alcohol consumption and related harms. *American Journal of Preventive Medicine*. 2010; 39(6):590–604. [PubMed: 21084080]

- Herttua K, Makela P, Martikainen P. The impact of a large reduction in the price of alcohol on area differences in interpersonal violence: A natural experiment based on aggregate data. *Journal of Epidemiology and Community Health*. 2008; 62(11):995–1001. [PubMed: 18854505]
- Hough M, Hunter G. The 2003 Licensing Act's impact on crime and disorder: An evaluation. *Criminology & Criminal Justice*. 2008; 8(3):239–260.
- Institute of Medicine. Reducing underage drinking: A collective responsibility. Washington, DC: National Academies Press; 2004.
- Iritani BJ, Waller MW, Halpern CT, Moracco KE, Chris SL, Flewelling RL. Alcohol outlet density and young women's perpetration of violence toward male intimate partners. *Journal of Family Violence*. 2013; 28:459–470. [PubMed: 23914050]
- Klitzner, M. Improving the measurement of state alcohol taxes. Alcohol Policy Information (APIS) Web site. 2012. Retrieved 02/01/2013, from http://alcoholpolicy.niaaa.nih.gov/uploads/improving_the_measurement_of_state_alcohol_taxes.pdf
- Kypri K, Jones C, McElduff P, Barker D. Effects of restricting pub closing times on night-time assaults in an Australian city. *Addiction*. 2011; 106(2):303–310. [PubMed: 20840191]
- Liang W, Chikritzhs T. Revealing the link between licensed outlets and violence: Counting venues versus measuring alcohol availability. *Drug and Alcohol Review*. 2011; 30(5):524–535. [PubMed: 21896075]
- Lipton R, Gruenewald P. The spatial dynamics of violence and alcohol outlets. *Journal of Studies on Alcohol*. 2002; 63(2):187–195. [PubMed: 12033695]
- Livingston M. Alcohol outlet density and assault: A spatial analysis. *Addiction*. 2008; 103(4):619–628. [PubMed: 18339106]
- Livingston M. The ecology of domestic violence: The role of alcohol outlet density. *Geospatial Health*. 2010; 5(1):139–149. [PubMed: 21080328]
- Livingston M. A longitudinal analysis of alcohol outlet density and domestic violence. *Addiction*. 2011a; 106(5):919–925. [PubMed: 21205052]
- Livingston M. Alcohol outlet density and harm: Comparing the impacts on violence and chronic harms. *Drug and Alcohol Review*. 2011b; 30(5):515–523. [PubMed: 21896074]
- Mair C, Cunradi CB, Gruenewald PJ, Todd M, Remer L. Drinking context-specific associations between intimate partner violence and frequency and volume of alcohol consumption. *Addiction*. 2013; 108:2102–2111. [PubMed: 24112796]
- Markowitz S. The price of alcohol, wife abuse, and husband abuse. *Southern Economic Journal*. 2000a; 67(2):279–303.
- Markowitz, S. Criminal violence and alcohol beverage control: Evidence from an international study. Cambridge, MA: National Bureau of Economic Research; 2000b. NBER working paper W7481
- Markowitz S. Alcohol, drugs, and violent crime. *International Review of Law and Economics*. 2005; 25:20–44.
- Markowitz S, Grossman M. Alcohol regulation and domestic violence towards children. *Contemporary Economic Policy*. 1998; 16:309–320.
- Markowitz S, Grossman M. The effects of beer taxes on physical child abuse. *Journal of Health Economics*. 2000; 19:271–282. [PubMed: 10947580]
- Matthews K, Shepherd J, Sivarajasingham V. Violence-related injury and the price of beer in England and Wales. *Applied Economics*. 2006; 38(6):661–670.
- McKinney CM, Caetano RH. Alcohol availability and intimate partner violence among US couples. *Alcoholism: Clinical and Experimental Research*. 2009; 33(1):169–176.
- Middleton JC, Hahn RA, Kuzara JL, Elder R, Brewer R, Chattopadhyay S, et al. Effectiveness of policies maintaining or restricting days of alcohol sales on excessive alcohol consumption and related harms. *American Journal of Preventive Medicine*. 2010; 39(6):575–589. [PubMed: 21084079]
- Murphy CM, Ting L. The effects of treatment for substance use problems on intimate partner violence: A review of empirical data. *Aggression and Violent Behavior*. 2010; 15(5):325–333.
- National Center for Injury Prevention and Control. Costs of Intimate Partner Violence Against Women in the United States. Atlanta (GA): Centers for Disease Control and Prevention; 2003.

- Norstrom. Outlet density and criminal violence in Norway, 1960–1995. *Journal of Studies on Alcohol*. 2000; 61(6):907–911. [PubMed: 11188497]
- Norstrom T, Skog OJ. Saturday opening of alcohol retail shops in Sweden: An impact analysis. *Journal of Studies on Alcohol*. 2003; 64(3):393–401. [PubMed: 12817829]
- Norstrom T, Skog OJ. Saturday opening of alcohol retail shops in Sweden: An experiment in two phases. *Addiction*. 2005; 100(6):767–776. [PubMed: 15918807]
- Olsson O, Wikstrom PH. Effects of the experimental Saturday closing of liquor retail stores in Sweden. *Contemporary Drug Problems*. 1982; 11:325–353.
- Parker RN, Williams KR, Mccaffree KJ, Acensio EK, Browne A, Strom KJ, Barrick K. Alcohol availability and youth homicide in the 91 largest U.S. cities, 1984–2006. *Drug and Alcohol Review*. 2011; 30(5):505–514. [PubMed: 21896073]
- Popova S, Giesbrecht N, Bekmuradov D, Patra J. Hours and days of sale and density of alcohol outlets: Impacts on alcohol consumption and damage: A systematic review. *Alcohol & Alcoholism*. 2009; 44(5):500–516. [PubMed: 19734159]
- Rehm J, Mathers C, Popova S, Thavorncharoensap M, Teerawattananon Y, Patra J. Global burden of disease and injury and economic cost attributable to alcohol use and alcohol-use disorders. *Lancet*. 2009; 373:2223–2233. [PubMed: 19560604]
- Reid RJ, Hughey J, Peterson NA. Generalizing the alcohol outlet-assaultive violence link: Evidence from a U.S. Midwestern city. *Substance Use & Misuse*. 2003; 38(14):1971–1982. [PubMed: 14677778]
- Resko SM, Walton MA, Bingham CR, Shope JT, Zimmerman MC. Alcohol availability and violence among inner-city adolescents: A multi-level analysis of the role of alcohol outlet density. *American Journal of Community Psychology*. 2010; 46(3–4):253–262. [PubMed: 20857328]
- Retail sales: Bans on off-premises Sunday sales. Alcohol Policy Information System (APIS) Web site. Retrieved 02/01/2013, from www.alcoholpolicy.niaaa.nih.gov/Bans_on_Off-Premises_Sunday_Sales.html
- Rossow I, Norstrom T. The impact of small changes in bar closing hours on violence. The Norwegian experience from 18 cities. *Addiction*. 2012; 107(3):530–537. [PubMed: 21906198]
- Ruff S, McComb JL, Coker CJ, Sprenkle DH. Behavioral couples therapy for the treatment of substance abuse: A substantive and methodological review of O'Farrell, Fals-Stewart, and colleagues' program of research. *Family Process*. 2010; 49(4):439–456. [PubMed: 21083548]
- Sabia JJ. Alcohol consumption and domestic violence against mothers. *The Journal of Mental Health Policy and Economics*. 2004; 7:191–205. [PubMed: 15701934]
- Scribner R, Cohen D, Kaplan S, Allen SH. Alcohol availability and homicide in New Orleans: Conceptual considerations for small area analysis of the effect of alcohol outlet density. *Journal of Studies on Alcohol*. 1999; 60(3):310–316. [PubMed: 10371257]
- Scribner RA, MacKinnon DP, Dwyer JH. The risk of assaultive violence and alcohol availability in Los Angeles County. *American Journal of Public Health*. 1995; 85(3):335–340. [PubMed: 7892915]
- Stockwell T, Chikritzh T. Do relaxed trading hours for bars and clubs mean more relaxed drinking? A review of international research on the impacts of changes to permitted hours of drinking. *Crime Prevention and Community Safety*. 2009; 11:153–170.
- Task Force on Community Preventive Services. Increasing alcohol beverage taxes is recommended to reduce excessive alcohol consumption and related harms. *American Journal of Preventive Medicine*. 2010; 38(2):230–232.
- Tjaden, P.; Thoennes, N. Extent, nature, and consequences of intimate partner violence: Findings from the National Violence Against Women Survey. U.S. Department of Justice, National Institute of Justice. 2000. <https://www.ncjrs.gov/pdffiles1/nij/181867.pdf>
- Toomey TL, Erickson DJ, Carlin BP, Lenk KM, Quick HS, Jones AM, Harwood EM. The association between density of alcohol establishments and violent crime within urban neighborhoods. *Alcoholism: Clinical and Experimental Research*. 2012; 36(8):1468–1473.
- Treno AJ, Gruenewald PJ, Remer LG, Johnson F, LaScala EA. Examining multi-level relationships between bars, hostility, and aggression: Social selection and social influence. *Addiction*. 2008; 103(1):66–77. [PubMed: 18028523]

- Truman BI, Smith-Akin CK, Hinman AR, Gebbie KM, Brownson R, Novick LF, Zaza S. Developing the Guide to Community Preventive Services: Overview and rationale. *American Journal of Preventive Medicine*. 2000; 18(1S):18–26. [PubMed: 10806976]
- U.S. Department of Health and Human Services. Office of Disease Prevention and Health Promotion. Healthy People 2020. Washington, DC: Available at <http://www.healthypeople.gov/2020/default.aspx>
- Wagenaar AC, Salois MJ, Komro KA. Effects of beverage alcohol price and tax levels on drinking: A meta-analysis of 1003 estimates from 112 studies. *Addiction*. 2009; 104(2):179–190. [PubMed: 19149811]
- Wagenaar AC, Tobler AL, Komro KA. Effects of alcohol tax and price policies on morbidity and mortality: A systematic review. *American Journal of Public Health*. 2010; 100(11):2270–2278. [PubMed: 20864710]
- Wagenaar AC, Wolfson M. Enforcement of the legal minimum drinking age in the United States. *Journal of Public Health Policy*. 1994; 15:37–53. [PubMed: 8027360]
- Waller MW, Iritani BJ, Christ SL, Clark HK, Moracco KE, Halpern CT, Flewelling RL. Relationship among alcohol outlet density, alcohol use, and intimate partner violence. *Journal of Interpersonal Violence*. 2012a; 27(10):2062–2086. [PubMed: 22204949]
- Waller MW, Iritani BJ, Flewelling RL, Christ SL, Halpern CT, Moracco KE. Violence victimization of young men in heterosexual relationships: Does alcohol outlet density influence outcomes? *Violence and Victims*. 2012b; 27(4):527–547. [PubMed: 22978073]
- Waller MW, Iritani BJ, Christ SL, Halpern CT, Moracco KE, Flewelling RL. Perpetration of intimate partner violence by young adult males: The association with alcohol outlet density and drinking behavior. *Health & Place*. 2013; 21:10–19. [PubMed: 23395919]
- White HR, Chen P. Problem drinking and intimate partner violence. *Journal of Studies on Alcohol and Drugs*. 2002; 63(2):205–214.
- Widom CS, Schuck AM, White HR. An examination of pathways from childhood victimization to violence: The role of early aggression and problematic alcohol use. *Violence and Victims*. 2006; 21(6):675–690. [PubMed: 17220013]
- World Health Organization. Global strategy to reduce the harmful use of alcohol. Geneva, Switzerland: World Health Organization; 2010.
- World Health Organization. Global and regional estimates of violence against women: Prevalence and health effects of intimate partner violence and non-partner sexual violence. Geneva, Switzerland: World Health Organization; 2013.
- Zeoli AM, Webster DW. Effects of domestic violence policies, alcohol taxes, and police staffing levels on intimate partner homicide in large U.S. cities. *Injury Prevention*. 2010; 16:90–95. [PubMed: 20363814]
- Zhu L, Gorman DM, Horel S. Alcohol outlet density and violence: A geospatial analysis. *Alcohol and Alcoholism*. 2004; 39(4):369–375. [PubMed: 15208173]

Table 1

Summary of Studies Examining Alcohol Policies and Intimate Partner Violence Outcomes.

Study	Policy Area	Location	IPV Outcome	Results
Cunradi et al. (2011)	Alcohol Outlet Density	Sacramento, California	IPV-related police calls and crime reports	Each additional off-premise outlet was associated with a 4% increase in IPV-related police calls and 3% increase in IPV-related crime reports. Bar and restaurant density was not associated with IPV outcomes.
Iritani et al.(2013)	Alcohol Outlet Density	Population-based national U.S. survey	Self-reported IPV perpetration among young heterosexual females	Higher off-premise alcohol outlet density was found to be associated with self-reported perpetration of physical only IPV.
Livingston(2010)	Alcohol Outlet Density	Melbourne, Australia	Police-reported domestic violence	General license outlet density (pubs, taverns; alcohol is sold for both off-premise and on-premise consumption) was associated with increased IPV rates. Bar/restaurant density and packaged liquor outlet density were not associated with IPV rates.
Livingston (2011a)	Alcohol Outlet Density	Melbourne, Australia	Police-reported domestic violence	Longitudinal analysis indicated that all types of alcohol outlets (general/pubs, on-premise, and packaged liquor licenses) were associated with increased IPV rates. Largest effect was for packaged liquor licenses for off-premise consumption.
McKinney et al. (2009)	Alcohol Outlet Density	Population-based survey of U.S. couples	Self-reported IPV by U.S. couples	An increase of 10 alcohol outlets per 10,000 persons was associated with 34% increase in male-to-female partner violence. Relationship between outlet density and IPV was stronger for on-premise outlet density and for couples reporting alcohol-related problems.
Cunradi et al. (2012a)	Alcohol Outlet Density	California	IPV-related emergency department visits	Bar density was positively associated with IPV-related emergency department (ED) visits. Off-premise outlets were negatively associated with IPV ED visits. Restaurant density showed no significant association with IPV ED visits.
Gorman et al. (1998)	Alcohol Outlet Density	223 municipalities in New Jersey	Police-reported domestic violence	Alcohol outlet density failed to predict rates of domestic violence and was unrelated to any socio-demographic predictors of domestic violence.
Waller et al. (2012a)	Alcohol Outlet Density	Population-based national U.S. survey	Self-reported IPV victimization among young heterosexual females	Alcohol outlet density failed to predict IPV victimization or drinking behaviors.
Waller et al. (2012b)	Alcohol Outlet Density	Population-based national U.S. survey	Self-reported IPV victimization among young heterosexual males	Alcohol outlet density increased risk for physical IPV only.

Study	Policy Area	Location	IPV Outcome	Results
Waller et al. (2013)	Alcohol Outlet Density	Population-based national U.S. survey	Self-reported IPV perpetration by young heterosexual males	High alcohol outlet density increased risk for perpetration of physical IPV only.
Duailibi et al. (2007)	Hours/Days of Sale	Brazil	Police-recorded assaults against women	No significant impact on assaults against women was detected after on-premise alcohol sales were restricted after 11pm. General homicide rates significantly decreased by 44% after the law was enacted.
Olsson & Wikstrom (1982)	Hours/Days of Sale	Sweden	Police-recorded domestic disturbances	Domestic disturbances decreased in all 24 counties during an experimental period evaluating the effects of closing liquor retail stores on Saturdays.
Norstrom et al. (2003)	Hours/Days of Sale	Sweden	Police-recorded domestic violence assaults	Liquor stores in an experimental area (six counties) were reopened on Saturdays, with a control area (seven counties) remaining closed. Alcohol sales significantly increased by 3.3% in the experimental areas. No differences in domestic violence rates were detected in the experimental areas after alcohol sales were allowed on Saturdays.
Markowitz (2000a)	Alcohol Price/Taxation	Population-based national survey	Self-reported IPV	Increases in the pure price of alcohol (weighted average across beer, wine, and liquor prices) was associated with decreases in severe violence aimed at wives. Alcohol price did not predict violence aimed at husbands unless individual level characteristics were controlled, which revealed a negative relationship between price and violence.
Herttua et al. (2008)	Alcohol Price/Taxation	Helsinki, Finland	Police-reported interpersonal violence	An average alcohol tax decrease of 33% resulted in increased alcohol consumption, but interpersonal violence rates did not increase. Data on domestic violence-related emergency call-outs by police decreased by approximately 7% after the policy change.
Sabia (2004)	Alcohol Price/Taxation	Population-based U.S. survey of pregnant women	Self-reported domestic violence	No significant association was found between state liquor taxes and domestic violence.
Zeoli & Webster (2010)	Alcohol Price/Taxation	46 large U.S. cities	Intimate partner homicide rates	Beer excise taxes did not significantly predict intimate partner homicide rates.
Durrance et al. (2011)	Alcohol Price/Taxation	46 U.S. states and District of Columbia	Female homicide rates and intimate partner homicide rates	No significant relationship was identified between alcohol tax policy and female homicide or intimate partner homicide rates.