

- 13 Castaño C, Serena J, Dávalos A: Use of the new Solitaire™ AB device for mechanical thrombectomy when Merci Clot Retriever has failed to remove the clot. A case report. *Interv Neuroradiol* 2009;15:209–214.
- 14 Nogueira RG, Levy EI, Gounis M, Siddiqui AH: The Trevo device: preclinical data of a novel stroke thrombectomy device in two different animal models of arterial thrombo-occlusive disease. *J Neurointerv Surg* 2012;4:295–300.
- 15 Mokin M, Dumont TM, Veznedaroglu E, Binning MJ, Liebman KM, et al: Solitaire FR thrombectomy for acute ischemic stroke: retrospective multicenter analysis of early postmarket experience after FDA approval. *Neurosurgery* 2013, Epub ahead of print.
- 16 Zaidat OO, Castonguay AC, Gupta R, et al: North American Solitaire Stent Retriever Acute Stroke registry: post-marketing revascularization and clinical outcome results. *J Neurointerv Surg* 2014;6:584–588.
- 17 Zaidat O, Castonguay A, Veznedaroglu E, et al: P-021 TREVO Stent-Retriever Acute Stroke (TRACK) Post-Marketing Registry: interim revascularization and clinical outcome results compared to TREVO-2 and NASA Registry. *J Neurointerv Surg* 2014;6(suppl 1):A31–A32.
- 18 Dorn F, Stehle S, Lockau H, Zimmer C, Liebig T: Endovascular treatment of acute intracerebral artery occlusions with the Solitaire stent: single-centre experience with 108 recanalization procedures. *Cerebrovasc Dis* 2012;34:70–77.
- 19 Miteff F, Faulder KC, Goh ACC, Steinfors BS, Sue C, Harrington TJ: Mechanical thrombectomy with a self-expanding retrievable intracranial stent (Solitaire AB): experience in 26 patients with acute cerebral artery occlusion. *AJNR Am J Neuroradiol* 2011;32:1078–1081.
- 20 Youn SW, Kim HK: Refinement of a thrombectomy technique to treat acute ischemic stroke: technical note on microcatheter advance during retrieving self-expandable stent. *J Korean Soc Radiol* 2012;67:1–6.
- 21 Kwon HJ, Chueh JY, Puri AS, Koh HS: Early detachment of the Solitaire stent during thrombectomy retrieval: an in vitro investigation. *J Neurointerv Surg* 2015;7:114–117.
- 22 Akpınar S, Yılmaz G: Spontaneous Solitaire™ AB thrombectomy stent detachment during stroke treatment. *Cardiovasc Intervent Radiol* 2015;38:475–478.
- 23 Heck DV, Brown MD: Carotid stenting and intracranial thrombectomy for treatment of acute stroke due to tandem occlusions with aggressive antiplatelet therapy may be associated with a high incidence of intracranial hemorrhage. *J Neurointerv Surg* 2015;7:170–175.
- 24 Liu KC, Ding D, Starke RM, Geraghty SR, Jensen ME: Intraprocedural retrieval of migrated coils during endovascular aneurysm treatment with the Trevo Stentriever device. *J Clin Neurosci* 2014;21:503–506.
- 25 Kabbani MR, Smith A, Leider M: Endovascular coil retrieval using a TrevoProVue stentriever. *BMJ Case Rep* 2014;2014:bcr2014011181.
- 26 Kang DH, Park J, Hwang YH, Kim YS: Inadvertent self-detachment of Solitaire AB stent during the mechanical thrombectomy for recanalization of acute ischemic stroke: lessons learned from the removal of stent via surgical embolectomy. *J Korean Neurosurg Soc* 2013;53:360–363.
- 27 Adams H, Effron M, Torner J, et al: Emergency administration of abciximab for treatment of patients with acute ischemic stroke: results of an international phase III trial: AbESST-II. *Stroke* 2008;39:87–99.

Erratum

In the article by Masoud et al., entitled 'Inadvertent stent retriever detachment: a multicenter case series and review of device experience FDA reports' [*Intervent Neurol* 2015;4:75–82, DOI: 10.1159/000441920], the first name of the 11th co-author Quateen needs to be corrected to Aiman.