


SCIENTIFIC REPORTS



OPEN

Corrigendum: Lipoteichoic acid of *Streptococcus oralis* Uo5: a novel biochemical structure comprising an unusual phosphorylcholine substitution pattern compared to *Streptococcus pneumoniae*

Nicolas Gisch, Dominik Schwudke, Simone Thomsen, Nathalie Heß, Regine Hakenbeck & Dalia Denapaité

Scientific Reports 5:16718; doi: 10.1038/srep16718; published online 18 November 2015; updated 22 April 2016

In Table 1 the ^1H NMR resonances for glycerol (Gro) positions 2 and 3 are incorrect. In the corresponding Figure 5A the respective signals have been assigned correctly.

The correct chemical shift of Gro2 in ^1H NMR is δ_{H} 3.97–3.94*, for Gro3' and Gro3 δ_{H} 3.70–3.66* and δ_{H} 3.62–3.58*, respectively.

These errors do not affect the structural determination published in the paper or the interpretation of the results or the conclusions of the work.



This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>