

CORRECTION

## Correction: The Cotton WRKY Gene GhWRKY41 Positively Regulates Salt and Drought Stress Tolerance in Transgenic Nicotiana benthamiana

Xiaoqian Chu, Chen Wang, Xiaobo Chen, Wenjing Lu, Han Li, Xiuling Wang, Lili Hao, Xingqi Guo

The authors would like to correct Figs <u>6</u> and <u>8</u>, as errors were introduced in the preparation of these figures for publication. In Figs 4A and <u>6A</u>, the same image was used to represent the MS control in both figures. The authors have provided a corrected <u>Fig 6</u> here with a new MS image from another biological replicate. In <u>Fig 8A</u>, the same image was inadvertently used to represent both the WT Control and OE2 Control conditions. The authors have provided a corrected <u>Fig 8</u> here with the correct OE2 Control image. The authors confirm that these changes do not alter their findings and have provided the underlying images for <u>Fig 8</u> as Supporting Information.




## OPEN ACCESS

Citation: Chu X, Wang C, Chen X, Lu W, Li H, Wang X, et al. (2016) Correction: The Cotton WRKY Gene *GhWRKY41* Positively Regulates Salt and Drought Stress Tolerance in Transgenic *Nicotiana benthamiana*. PLoS ONE 11(6): e0157026. doi:10.1371/journal.pone.0157026

Published: June 2, 2016

Copyright: © 2016 Chu et al. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.





**Fig 6. Salt tolerance of WT and** *GhWRKY41***-overexpressing** *N. benthamiana* **plants.** (A, B) Seed germination assay. (C) Photograph of representative 8-week-old WT and OE plants watered with 200 mM NaCl for 1 month.

doi:10.1371/journal.pone.0157026.g001






Fig 8. GhWRKY41 regulates stomatal movement. (A) Comparison of stomatal aperture in response to salt and drought. (B) Stomatal aperture data were calculated from 50 stomata from the leaves of three different plants. Values are the mean ± SD. (C) GUS staining of leaves from transgenic Arabidopsis exposed to salt and drought treatments.

doi:10.1371/journal.pone.0157026.g002

## **Supporting Information**

S1 File. Raw images used to create  $\underline{\text{Fig 8}}$ . (ZIP)

## Reference

Chu X, Wang C, Chen X, Lu W, Li H, Wang X, et al. (2015) The Cotton WRKY Gene GhWRKY41 Positively Regulates Salt and Drought Stress Tolerance in Transgenic Nicotiana benthamiana. PLoS ONE 10(11): e0143022. doi:10.1371/journal.pone.0143022 PMID: 26562293