

## ERRATUM

# Inactivation of Cdc42 in embryonic brain results in hydrocephalus with ependymal cell defects in mice

Xu Peng<sup>1✉</sup>, Qiong Lin<sup>2</sup>, Yang Liu<sup>1</sup>, Yixin Jin<sup>1</sup>, Joseph E. Druso<sup>2</sup>, Marc A. Antonyak<sup>2</sup>, Jun-Lin Guan<sup>3</sup>, Richard A. Cerione<sup>2✉</sup>

<sup>1</sup> Department of Systems Biology and Translational Medicine, College of Medicine, Texas A&M Health Science Center, Temple, TX 76504, USA

<sup>2</sup> Department of Molecular Medicine, Cornell University, Ithaca, NY 14853, USA

<sup>3</sup> Department of Internal Medicine-Division of Molecular Medicine and Genetics and Department of Cell and Developmental Biology, University of Michigan Medical School, Ann Arbor, MI 48109, USA

✉ Correspondence: xpeng@medicine.tamhsc.edu (X. Peng), rac1@cornell.edu (R. A. Cerione)

---

**Erratum to:** Protein Cell 2013, 4(3): 231–242  
DOI 10.1007/s13238-012-2098-2

The authors would like to request the following addition to the Acknowledgements: We would like to acknowledge contributions of Drs. Andrea Flesken-

Nikitin and Alexander Nikitin in the early stages of the project. ES cells and chimeric mice carrying the Cdc42-flox construct were generated in their laboratory.

We also would like to acknowledge Dr. Jason Boehm and Kathy Rojas for their efforts on the project.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s13238-012-2098-2>