

ERRATUM

Small GTPases and cilia

Yujie Li¹, Jinghua Hu^{1,2,3}✉

¹ Department of Nephrology and Hypertension, Mayo Clinic, Rochester, Minnesota, USA

² Translational PKD Center, Mayo Clinic, Rochester, Minnesota, USA

³ Department of Biochemistry and Molecular Biology, Mayo Clinic, Rochester, Minnesota, USA

✉ Correspondence: Hu.jinghua@mayo.edu

Received January 3, 2011 Accepted January 6, 2011

Erratum to: Protein Cell 2011, 1(1): 13–25
DOI 10.1007/s13238-011-1004-7

Two references were missed on left column of page 16.

The original sentence is:

Arl3 has been shown to interact with the X-linked retinitis pigmentosa protein (RP2), which is demonstrated to act as the GAP for Arl3 (Grayson et al., 2002).

The corrected sentence is:

Arl3 has been shown to interact with the X-linked retinitis pigmentosa protein (RP2), which is demonstrated to act as the GAP for Arl3 (Bartolini et al., 2002; Grayson et al., 2002; Veltel et al., 2008).

REFERENCES

Bartolini, F., Bhamidipati, A., Thomas, S., Schwahn, U., Lewis, S.A., and Cowan, N.J. (2002). Functional overlap between retinitis pigmentosa 2 protein and the tubulin-specific chaperone cofactor C. *J Biol Chem* 277, 14629–14634.

Veltel, S., Gasper, R., Eisenacher, E., and Wittinghofer, A. (2008). The retinitis pigmentosa 2 gene product is a GTPase-activating protein for Arf-like 3. *Nat Struct Mol Biol* 15, 373–380.

The online version of the original article can be found at
<http://dx.doi.org/10.1007/s13238-011-1004-7>