

AUTHOR CORRECTION

Correction for Chen et al., Rolling Circle Amplification for Direct Detection of *rpoB* Gene Mutations in *Mycobacterium tuberculosis* Isolates from Clinical Specimens

Xiaoyou Chen,^a Bin Wang,^b Wen Yang,^c Fanrong Kong,^d Chuanyou Li,^a Zhaogang Sun,^a Peter Jelfs,^d Gwendolyn L. Gilbert^{d,e}

Department of Tuberculosis, Beijing Chest Hospital, Capital Medical University, Beijing Tuberculosis and Thoracic Tumour Research Institute, Beijing, China^a; Gastrointestinal Viral Oncology Group, Ingham Institute for Applied Medical Research, University of New South Wales, Sydney, Australia^b; Beijing Key Laboratory of Drug Resistance Tuberculosis Research, Department of Pharmacology, Beijing Chest Hospital, Capital Medical University, Beijing Tuberculosis and Thoracic Tumour Research Institute, Beijing, China^c; Centre for Infectious Diseases and Microbiology-Public Health, Institute of Clinical Pathology and Medical Research, Westmead, New South Wales, Australia^d; Marie Bashir Institute for Emerging Infections and Biosecurity, University of Sydney, New South Wales, Australia^e

Volume 52, no. 5, p. 1540–1548, 2014. Page 1547: The addendum shown below should be added.

ADDENDUM

Notice of redundant publication. A paper published in Chinese in the *Chinese Journal of Antibiotics* in November 2014 (W. Yang, B. Wang, L. Hao, X. Chen, and Y. Lu, *Chin J Antibiot* 2014:849–855) describes the same methodology and much of the same data as were originally published, in English, in May 2014, in this article.

Citation Chen X, Wang B, Yang W, Kong F, Li C, Sun Z, Jelfs P, Gilbert GL. 2016. Correction for Chen et al., Rolling circle amplification for direct detection of *rpoB* gene mutations in *Mycobacterium tuberculosis* isolates from clinical specimens. *J Clin Microbiol* 54:1931. doi:10.1128/JCM.00536-16.

Copyright © 2016, American Society for Microbiology. All Rights Reserved.