



AUTHOR CORRECTION

Correction for Aamot et al., Genotyping of 353 *Staphylococcus aureus* Bloodstream Isolates Collected between 2004 and 2009 at a Norwegian University Hospital and Potential Associations with Clinical Parameters

Hege Vangstein Aamot, a Anita Blomfeldt, a,b Arne N. Eskesenc

Department of Microbiology and Infection Control, Division of Diagnostics and Technology, Akershus University Hospital, Lørenskog, Norway^a; Department of Clinical Molecular Biology and Laboratory Sciences (EpiGen), Division of Medicine, Akershus University Hospital, University of Oslo, Oslo, Norway^b; and Department of Infectious Diseases, Division of Medicine, Akershus University Hospital, Lørenskog, Norway^c

Volume 50, no. 9, p. 3111–3114, 2012. Page 3112, Table 1: For the sixth entry in the "CC" section of the first column, "spa C304/024" should read "spa CC304/024," and owing to misclassification of infections as hospital acquired (HA) or community acquired (CA), several entries in the third and fourth columns were wrong. The conclusions of the paper are unchanged, as the misclassifications went in both directions. The first four columns of the table should appear as follows.

spa type, spa CC, PVL, or tst	No. (%) of isolates	No. (%) with:	
		CA infection	HA infection
spa type			
t084	46 (13.0%)	27 (58.7%)	19 (41.3%)
t002	18 (5.1%)	11 (61.1%)	7 (38.9%)
t065	15 (4.2%)	11 (73.3%)	4 (26.7%)
t012	14 (4.0%)	7 (50.0%)	7 (50.0%)
Other spa types ^c	260 (73.7%)	158 (60.8%)	102 (39.2%)
Total	353	214 (60.6%)	139 (39.4%)
CC			
spa CC084	69 (20.7%)	38 (55.1%)	31 (44.9%)
spa CC021	55 (16.5%)	36 (65.5%)	19 (34.5%)
spa CC133	32 (9.6%)	24 (75.0%)	8 (25.0%)
spa CC065	30 (9.0%)	19 (63.3%)	11 (36.7%)
spa CC002	22 (6.6%)	14 (63.6%)	8 (36.4%)
spa CC304/024	22 (6.6%)	15 (68.2%)	7 (31.8%)
spa CC359	20 (6.0%)	12 (60.0%)	8 (40.0%)
Other spa CCs ^e	83 (24.9%)	49 (59.0%)	34 (41.0%)
Total	333	207 (62.2%)	126 (37.8%)
PVL	11 (3.1%) ^f	11 (100%)	0
tst	54 (15.3%)	33 (61.1%)	21 (38.9%)

Page 3112, Table 1: Footnote f should read "P = 0.004 for PVL in CA infection versus HA infection: 100% versus 0%."

Page 3113, Fig. 1, second row: "spa-CC304/204" should read "spa CC304/024."

Citation Aamot HV, Blomfeldt A, Eskesen AN. 2016. Correction for Aamot et al., Genotyping of 353 *Staphylococcus aureus* bloodstream isolates collected between 2004 and 2009 at a Norwegian university hospital and potential associations with clinical parameters. J Clin Microbiol 54:2403. doi:10.1128/JCM.01434-16. Copyright © 2016, American Society for Microbiology. All Rights Reserved.