



Published in final edited form as:

Ann Plast Surg. 2016 January ; 76(1): 108–110. doi:10.1097/SAP.0000000000000557.

The Effect of Web-Based Education on Patient Satisfaction, Consultation Time and Conversion to Surgery

David J. Boudreault, MD¹, Chin-Shang Li, PhD², and Michael S. Wong, MD¹

¹Division of Plastic Surgery, UC Davis Medical Center, Sacramento, CA

²Division of Biostatistics, University of California, Davis, CA

Abstract

Introduction—To evaluate the effect of web-based education on 1) patient satisfaction, 2) consultation times, and 3) conversion to surgery.

Methods—Retrospective review of 767 new patient consultations seen by 4 university based plastic surgeons, between May 2012 and August 2013. Evaluated to determine the effect a web-based education program has on patient satisfaction and consultation time. A standard 5-point Likert scale survey completed at the end of the consultation was used to assess satisfaction with their experience. Consult times were obtained from the electronic medical record. All analyses were done with Statistical Analysis Software (SAS) version 9.2 (SAS Inc., Cary, NC). A p-value < 0.05 was considered statistically significant.

Results—Those who viewed the program prior to their consultation were more satisfied with their consultation compared to those who did not (satisfaction scores, mean \pm SD: 1.13 ± 0.44 vs. 1.36 ± 0.74 ; $p=0.02$) and more likely to rate their experience as excellent (92% vs. 75%; $p=0.02$). Contrary to the claims of Emmi Solutions, patients who viewed the educational program prior to consultation trended towards longer visits compared to those who did not (mean time \pm SD: 54 ± 26 vs. 50 ± 35 mins; $p=0.10$). More patients who completed the program went on to undergo a procedure (44% vs. 37%; $p=0.16$), but this difference was not statistically significant.

Discussion—Viewing web-based educational programs significantly improved plastic surgery patients' satisfaction with their consultation, but patients who viewed the program also trended towards longer consultation times. While there was an increase in converting to surgical procedures, this did not reach statistical significance.

Correspondence: David Boudreault, 2221 Stockton Blvd, Room 2125, Sacramento, CA 95817, Fax: (916) 734-7289, david.boudreault@ucdmc.ucdavis.edu.

Conflict of Interest:

We have no conflict of interest regarding the subject matter of this paper.

Imaging Consent:

No imaging is used in this paper

IRB:

IRB#382605-1, approved 2/19/2013

Introduction

Patients expect their healthcare system to be both efficient and provide them with the highest quality of care. Through an independent survey published by Grote, patients report that the quality of education they received regarding their procedure or treatment was the most influential factor in their decision to choose a hospital or physician. The implications of an “excellent” versus a “very good” rating had significant effects on this choice. After reviewing 176,000 surveys performed through Physician Research Consultants, a significant decrease in patients’ willingness to recommend the service to family and friends was found between those rating their experience as “excellent” vs “very good” (86% vs 23%).¹ Many healthcare systems have targeted improved patient education through the use of various educational tools. Emmi Solutions report improved satisfaction and decreased consultation time by better preparing patients for consultation. Traditional consultations are filled with opportunities for omission of information, either from the patients’ failure to remember the details of the discussion or the physician’s failure to present all the necessary information in a way that a lay person can understand. Although patient education does improve patient knowledge, it may not always lead to improved patient satisfaction.²⁻⁵

EmmiEngage™ (EE), a web-based, interactive educational program designed to prepare patients for consultation, supports the clinical conversations with easy to understand audiovisual aids that involve the patient in the learning process. These procedure specific modules can be completed and repeated as often as a patient desires through an online interface. The structure of these modules covers basic anatomy, expectations, pre- and post-operative considerations, overview of the procedure, common risks and benefits, as well as alternatives to the procedure. The modules take approximately 20–30 minutes to complete. EE allows patients to stop the module at any time to take notes within the program and print these for their consultation.

In a paper published by Emmi Solutions, survey data comparing patients who used EE were found to have greater satisfaction and decreased consult times.⁶ The division of Plastic Surgery at UC Davis Medical Center has been using EE since May 2012. We hypothesize that patient use of EE prior to consultation will lead to greater patient satisfaction with their consultation and decreased consultation times. We review our early experience with this patient education tool.

METHODS

Study Design

After formal IRB review and approval of our study protocol, the records of new patient consults, were retrospectively reviewed.

Participants

Between May 2012 and August 2013, patients seen at our aesthetics clinic were offered EE for any consult covered in their available modules: abdominoplasty, blepharoplasty, breast augmentation, breast reduction, facelift, liposuction, rhinoplasty, and breast reconstruction.

The EE modules are available to patients through an online link and can be accessed and completed at times most convenient and comfortable for patients.

Exposure

Those who received EE prior to consultation were the intervention group and those who did not were the control group. Viewing of EE was confirmed through records obtained from Emmi Solutions.

Outcome Measures

Patient satisfaction was determined using a standard Likert scale survey completed at the end of their consultation. A score of 1 was excellent, 2 was very good, 3, was good, 4 was fair, and 5 was poor. Consultation times were calculated from the time interval between when vitals were electronically charted to when the After Visit Summaries were printed. Conversion to surgery was determined through the EMR looking for patients seen for follow up postoperative visits.

Statistical Analysis

Satisfaction and consultation time data were analyzed using a two-sided Wilcoxon rank-sum test. When comparing the two groups with regards to ultimately undergoing surgery, a two-sided Fisher's exact test was used. All analyses were done with Statistical Analysis Software (SAS) version 9.2 (SAS Inc., Cary, NC). A p-value < 0.05 was considered statistically significant.

Results

Between May 2012 and August 2013, 767 new patient consultations were completed by 4 plastic surgeons at the UC Davis Medical Center Plastic Surgery Center. Our surgeon performing satisfaction surveys produced one-hundred and thirty-nine surveys completed after their consultation, of which 37 had completed EE prior to their visit. The average satisfaction score \pm SD in the EE group was 1.13 ± 0.44 compared to 1.36 ± 0.74 in the control group ($p = 0.02$) (Table 1).

Of the 767 patients seen in clinic, 368 patients had proxy times available for review. Of those, 54 had completed EE prior to their consultation. The EE group had an average consultation time of 54 minutes \pm 26 min and the control group 50 minutes \pm 35 min ($p = 0.10$). Information regarding conversion was available for 687 consultations, of which 262 converted to surgery, with 44% of the EE group and 37% in the control group ($p=0.16$) (Table 1). When stratifying the EE group based on patient satisfaction score, it can be seen that 89% of the intervention group rated their consultation as excellent, compared with 76% in the control ($P=0.02$)(Table 2).

Discussion

With continued financial pressure on our health care system, it is necessary to evaluate the effectiveness of our interventions. Additionally, since the release of Hospital Consumer Assessment of Healthcare Providers Survey, the public can see hospitals' patient satisfaction

ratings. In a report by Grote, the number one influential factor in choosing a provider or hospital is patient experience. He further pointed out that 77% of patients would be willing to switch to a hospital where they felt better informed before and after their procedure. The next most significant factor affecting patient experience was having their appointment be on time.¹ Emmi Solutions reports that using EE will increase patient satisfaction and decrease consultation time.⁶

Patient satisfaction is a subjective measure influenced by many variables of a patient's experience. It is a blend of cognitive and emotional experience, which may or may not be modifiable. These factors are referred to as "constructs," and their relationship is complex.^{7, 8} Regardless, satisfaction is an important metric to target and directly effects a hospital's bottom line. Patients may perceive the quality of their care based on their interaction with staff, their environment, continuity of care, communication with their physicians, and wait times, as well as many non-modifiable factors such as socioeconomic status, race, sex, etc.⁹ It would be impossible to take in to account all the variables which effect patient satisfaction, but during our study period the only change instituted was EE.

In our retrospective review, we found that those patients who had completed EE prior to their consultation had greater satisfaction. When looking closer at the scoring, we found a trend towards increased excellence, with 13% more EE-viewing patients rating their experience as excellent compared to those patients who did not view EE prior to their consultation. Patient satisfaction is subjective and many factors weigh into the patient's overall experience. Within our institution, four plastic surgeons use the same staff and perform their consultations in the same facility. Individual consultations are subject to each practitioner's style. As only one of our plastic surgeons solicited satisfaction feedback, these results are reflective of one plastic surgeon's experience. For this reason, the change in satisfaction scores reflects the effect of introducing EE to his consultation.

Although the results of this study come from satisfaction surveys used by one of four plastic surgeons, UC Davis Medical Center uses an independent agency to perform satisfaction surveys. Their surveys are random and insufficient in number to use their data for analysis. This agency reviewed nearly 180,000 patient surveys and found that a rating of excellent and very good had dramatic differences in a patient's willingness to recommend a physician, hospital or service. Those patients who rated their experience as excellent were 87% likely to recommend the associated service to their friends and family, while those who rated very good were only 23% likely.¹⁰ This finding emphasizes the importance of striving for "excellent" ratings by our patients. It also reminds that "very good" ratings are not good enough to promote word-of-mouth advertising, which can have profound implications on a hospital's reputation and ultimate profitability.

This retrospective review of our early experience with use of EE revealed a 13% increase in satisfaction scores of "excellent," as well as a statistically significant increase in overall satisfaction. There was no statistical difference in consultation time or conversion to surgery due to several limitations of our study. These limitations include retrospective study design, unmatched groups, comparing four surgeons with varying practices, small sample size,

insufficient or missing data, patient compliance, and satisfaction surveys collected by only one physician.

With regard to consultation time, we did not reach statistical significance. The data might suggest that patients in the EE group require more time for consultation. Aside from the same limitations noted with the satisfaction data, these data should be interpreted cautiously, since no direct measurement for consultation time was obtained. By using a proxy for consultation, additional time outside of the direct consultation time could not be verified. These include: time waiting for the physician to start the consultation, changing in and out of an exam robe, and administrative timing of AVS printing. There is no system in place to ensure consultation times are recorded for each surgeon, so further studies are likely to be limited by the same proxy time. Overall, our administrative staff is better educated about printing the AVS summary, helping improve data collection in the future.

In our early experience with EE we found patients had higher levels of satisfaction. While longer consultation times and higher rates of conversion to surgery were seen with those who viewed EE prior to consultation, these differences did not reach a level of statistical significance. Due to the limitations of this trial, a prospective randomized control trial has been devised and powered to reach statistical significance and address the shortcomings and biases noted above. This study will target 4 clinical endpoints: 1. Patient satisfaction, 2. Consultation time, 3. Litigious behavior, and 4. Conversion to surgery.

Acknowledgments

Grants:

GME Scholarly Activities

References

1. Grote KD, Newman J. A better hospital experience. *The McKinsey*. 2007
2. Disseminaton NCFRA. Centre for Reviews and Dissemination. 2014. p. 1-4.
3. Kupke J, Wicht MJ, Stützer H, Derman SHM, Lichtenstein NV, Noack MJ. Does the use of a visualised decision board by undergraduate students during shared decision-making enhance patients' knowledge and satisfaction? - A randomised controlled trial. *Eur J Dent Educ*. 2013; 17(1): 19–25. [PubMed: 23279388]
4. Crabtree TD, Puri V, Bell JM, et al. Outcomes and Perception of Lung Surgery with Implementation of a Patient Video Education Module: A Prospective Cohort Study. *J Am Coll Surg*. 2012; 214(5): 816.e2–821.e2. [PubMed: 22464659]
5. Pager CK. Randomised controlled trial of preoperative information to improve satisfaction with cataract surgery. *British Journal of Ophthalmology*. 2005; 89(1):10–13. [PubMed: 15615737]
6. The Value of an Engaged Patient. 2009. p. 1-8.
7. Williams B. Patient satisfaction: a valid concept? *Social Science & Medicine*. 1994
8. Urden LD. Patient satisfaction measurement: current issues and implications. *Lippincotts Case Manag*. 2002; 7(5):194–200. [PubMed: 12394558]
9. Shirley ED, Sanders JO. Patient satisfaction: Implications and predictors of success. *J Bone Joint Surg Am*. 2013; 95(10):e69. [PubMed: 23677370]
10. Huff C. How “wowed” are your patients. *Hospitals & Health Networks*. 2007

Table 1

Results

| | EE | Control | P-Value | Patients |
|---------------------------------|------|---------|---------|----------|
| Patients | 114 | 653 | n/a | 767 |
| Average Satisfaction Score | 1.13 | 1.36 | 0.02 | 139 |
| Average Consultation Time (min) | 54 | 50 | 0.10 | 422 |
| Conversion (%) | 44 | 37 | 0.16 | 687 |

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

Table 2

Score Subgroup Analysis

| | Emmi (%) | No Emmi (%) |
|-------------|-----------------|--------------------|
| 1-Excellent | 33(89) * | 78(76) |
| 2-Very Good | 2(5) | 11(16) |
| 3-Good | 1(3) | 4(7) |
| 4-Fair | 0 | 1(1) |
| 5-Poor | 1(3) | 0 |

* p-value < 0.05 when comparing excellent vs not excellent

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript