

Genome Sequence of a Novel Multiple-Antibiotic-Resistant Member of the *Erysipelotrichaceae* Family Isolated from a Swine Manure Storage Pit

Bradd J. Haley,^a Seon Woo Kim,^a  Terence R. Whitehead^b

Environmental Microbial and Food Safety Laboratory, Beltsville Agricultural Research Center, USDA, Agricultural Research Service, Beltsville, Maryland, USA^a; National Center for Agricultural Utilization Research, Bioenergy Research Unit, USDA, Agricultural Research Service, Peoria, Illinois, USA^b

The swine gastrointestinal tract and stored swine manure may serve as reservoirs of antibiotic resistance genes, as well as sources of novel bacteria. Here, we report the draft genome sequence of a novel taxon in the *Erysipelotrichaceae* family, isolated from a swine manure storage pit that is resistant to multiple antibiotics.

Received 19 July 2016 Accepted 3 August 2016 Published 22 September 2016

Citation Haley BJ, Kim SW, Whitehead TR. 2016. Genome sequence of a novel multiple-antibiotic-resistant member of the *Erysipelotrichaceae* family isolated from a swine manure storage pit. *Genome Announc* 4(5):e00978-16. doi:10.1128/genomeA.00978-16.

Copyright © 2016 Haley et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/).

Address correspondence to Terence R. Whitehead, terry.whitehead@ars.usda.gov.

Subtherapeutic feeding of various antibiotics to domesticated food animals has been commonly practiced to promote better health and animal performance. This practice has come under intense scrutiny in the United States and worldwide due to the role it might have on the increased development of bacterial antibiotic resistance and potential impact on human health (1). Research in our laboratories has focused on the study of commensal microbial populations of swine feces and manure stored in underground pits in the Midwest United States, in order to better understand their role as potential reservoirs of antibiotic-resistant bacteria and genes (2–4). To further delineate the antibiotic-resistant populations of these ecosystems, strictly anaerobic bacterial strains were isolated on media containing tetracycline and/or erythromycin. One strain was isolated and found to be resistant to these and other antibiotics.

Genomic DNA from strain MTC7 was extracted from an overnight culture using a DNeasy blood and tissue kit (Qiagen, Valencia, CA, USA). The extracted DNA was then cleaned using a Genomic DNA Clean and Concentrator-10 kit (ZymoResearch, Irvine, CA, USA). For whole-genome shotgun sequencing, DNA libraries were constructed using the Nextera XT kit (Illumina, La Jolla, CA, USA) according to the manufacturer's protocol. The libraries were then sequenced using the Illumina NextSeq500 platform (Illumina). Raw reads were demultiplexed and cleaned of sequencing adaptors using the bcl2fastq software and then further cleaned for quality; contaminants were removed using Trimmomatic version 0.35 (5). A draft genome of the organism was assembled using SPAdes version 3.6.2 (6) and annotated using the NCBI Prokaryotic Genome Annotation Pipeline (PGAP) version 3.1 (http://www.ncbi.nlm.nih.gov/genome/annotation_prok). Based on the results of the genome sequencing and assembly, the genome size is estimated to be approximately 2.5 Mb, containing an estimated 2,428 total genes. The G+C content is 37 mol%. Analysis of the 16S rRNA gene indicates that this strain is a novel genus within the family *Erysipelotrichaceae*, most closely related to type strains of *Eubacterium tortuosum*, *Faecalicoccus pleomorphus*, and

Eubacterium dolichum, among several others. A comparison of the 16S rRNA gene against the nucleotide database hosted by NCBI identified three taxa with 99% similarity to that of MTC7. These are identified as an uncultured bacterium clone CR_52, *Erysipelotrichaceae bacterium* ErySL, and the uncultured *Erysipelotrichi bacterium* clone SL122.

The presence of genes conferring antibiotic resistance was evaluated by two methods. Using the ResFinder function on the Center for Genomic Epidemiology web server (<http://www.genomicepidemiology.org>), *aph(3')-III*, *ant(6)-Ia*, *aadE* (aminoglycoside resistance), *lnu(B)* (lincosamide resistance), *erm(B)* (macrolide resistance), and *tet(M)* (tetracycline resistance) were identified. Similarly, *ermB*, *aph(3')-III*, *ant(6)-Ia*, *lnuB*, *tetM*, *lsa(E)* (lincosamide and pleuromutilin resistance), *sat-4* (streptomycin resistance), and ANT(9)-Ia (aminoglycoside resistance) were identified using the Resistance Gene Identifier (RGI) program hosted by the Comprehensive Antibiotic Resistance Database (CARD) (7).

Accession number(s). The draft genome sequences for the MTC7 strain have been deposited in NCBI GenBank under accession number [LVZN00000000](https://www.ncbi.nlm.nih.gov/nuclink/LVZN00000000).

ACKNOWLEDGMENT

No outside funding was received for this work. The mention of a trade name, proprietary product, or specific equipment does not constitute a guarantee or warranty by the USDA and does not imply approval to the exclusion of other products that might be suitable.

REFERENCES

1. Marshall BM, Levy SB. 2011. Food animals and antimicrobials: impacts on human health. *Clin Microbiol Rev* 24:718–743. <http://dx.doi.org/10.1128/CMR.00002-11>.
2. Cotta MA, Whitehead TR, Zeltwanger RL. 2003. Isolation, characterization and comparison of bacteria from swine faeces and manure storage pits. *Environ Microbiol* 5:737–745. <http://dx.doi.org/10.1046/j.1467-2920.2003.00467.x>.
3. Whitehead TR, Cotta MA. 2013. Stored swine manure and swine faeces as

- reservoirs of antibiotic resistance genes. *Lett Appl Microbiol* 56:264–267. <http://dx.doi.org/10.1111/lam.12043>.
4. Whitehead TR, Cotta MA. 2016. Examination of the aerobic microflora of swine feces and stored swine manure. *J Environ Qual* 45:604–608. <http://dx.doi.org/10.2134/jeq2015.05.0248>.
 5. Bolger AM, Lohse M, Usadel B. 2014. Trimmomatic: a flexible trimmer for Illumina sequence data. *Bioinformatics* 30:2114–2120. <http://dx.doi.org/10.1093/bioinformatics/btu170>.
 6. Bankevich A, Nurk S, Antipov D, Gurevich AA, Dvorkin M, Kulikov AS, Lesin VM, Nikolenko SI, Pham S, Prjibelski AD, Pyshkin AV, Sirotkin AV, Vyahhi N, Tesler G, Alekseyev MA, Pevzner PA. 2012. SPAdes: a new genome assembly algorithm and its applications to single-cell sequencing. *J Comput Biol* 19:455–477. <http://dx.doi.org/10.1089/cmb.2012.0021>.
 7. McArthur AG, Waglechner N, Nizam F, Yan A, Azad MA, Baylay AJ, Bhullar K, Canova MJ, De Pascale G, Ejim L, Kalan L, King AM, Koteva K, Morar M, Mulvey MR, O'Brien JS, Pawlowski AC, Piddock LJ, Spanogiannopoulos P, Sutherland AD, Tang I, Taylor PL, Thaker M, Wang W, Yan M, Yu T, Wright GD. 2013. The comprehensive antibiotic resistance database. *Antimicrob Agents Chemother* 57:3348–3357. <http://dx.doi.org/10.1128/AAC.00419-13>.