


SCIENTIFIC REPORTS



OPEN

Corrigendum: Increased water salinity applied to tomato plants accelerates the development of the leaf miner *Tuta absoluta* through bottom-up effects

Peng Han, Zhi-jian Wang, Anne-Violette Lavois, Thomas Michel, Aurélie Seassau, Wen-yan Zheng, Chang-ying Niu & Nicolas Desneux


Scientific Reports 6:32403; doi: 10.1038/srep32403; published online 13 September 2016; updated on 13 December 2016

This Article contains typographical errors. In the Results section under subheading ‘*T. absoluta* development’, “The average pupal weight of the individual feeding on plants treated with OW, OW S+, LW and LW S+ was 3.91 g, 3.58 g, 3.15 g and 3.27 g, respectively”.

should read:

“The average pupal weight of the individual feeding on plants treated with OW, OW S+, LW and LW S+ was 3.91 mg, 3.58 mg, 3.15 mg and 3.27 mg, respectively”.

In Figure 4, the y-axis ‘Pupal weight (mg)’ is incorrectly given as ‘Pupal weight (g)’. The correct Figure 4 appears below as Figure 1.

**Figure 1.**

This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>

© The Author(s) 2016