Innovation Report OPEN BLOG

Helping Basic Scientists Engage With Community Partners to Enrich and Accelerate Translational Research

Rhonda G. Kost, MD, Andrea Leinberger-Jabari, MPH, Teresa H. Evering, MD, MS, Peter R. Holt, MD, Maija Neville-Williams, MPH, Kimberly S. Vasquez, MPH, Barry S. Coller, MD, and Jonathan N. Tobin, PhD

Abstract

Problem

Engaging basic scientists in communitybased translational research is challenging but has great potential for improving health.

Approach

In 2009, The Rockefeller University Center for Clinical and Translational Science partnered with Clinical Directors Network, a practice-based research network (PBRN), to create a community-engaged research navigation (CEnR-Nav) program to foster research pairing basic science and community-driven scientific aims. The program is led by an academic navigator and a PBRN navigator. Through meetings and joint activities, the program

facilitates basic science–community partnerships and the development and conduct of joint research protocols.

Outcomes

From 2009–2014, 39 investigators pursued 44 preliminary projects through the CEnR-Nav program; 25 of those became 23 approved protocols and 2 substudies. They involved clinical scholar trainees, early-career physician–scientists, faculty, students, postdoctoral fellows, and others. Nineteen (of 25; 76%) identified community partners, of which 9 (47%) named them as coinvestigators. Nine (of 25; 36%) included T3–T4 translational aims. Seven (of 25; 28%) secured external funding, 11 (of 25; 44%) disseminated

results through presentations or publications, and 5 (71%) of 7 projects publishing results included a community partner as a coauthor. Of projects with long-term navigator participation, 9 (of 19; 47%) incorporated T3–T4 aims and 7 (of 19; 37%) secured external funding.

Next Steps

The CEnR-Nav program provides a model for successfully engaging basic scientists with communities to advance and accelerate translational science. This model's durability and generalizability have not been determined, but it achieves valuable short-term goals and facilitates scientifically meaningful community—academic partnerships.

Problem

Basic science research and communityengaged translational research are commonly viewed as polar opposites on the translational spectrum and are rarely integrated in a single project. As leaders of The Rockefeller University Center for Clinical and Translational Science (RU-CCTS), which is supported by a Clinical

Please see the end of this article for information about the authors.

Correspondence should be addressed to Rhonda G. Kost, The Rockefeller University Center for Clinical and Translational Science, 1230 York Ave., New York, NY 10065; telephone: (212) 327-8408; e-mail: kostr@rockefeller.edu.

This is an open-access article distributed under the terms of the Creative Commons Attribution-Non Commercial-No Derivatives License 4.0 (CCBY-NC-ND), where it is permissible to download and share the work provided it is properly cited. The work cannot be changed in any way or used commercially.

Acad Med. 2017;92:374-379.

First published online April 26, 2016 doi: 10.1097/ACM.0000000000001200

Supplemental digital content for this article is available at http://links.lww.com/ACADMED/A349.

An AM Rounds blog post on this article is available at academicmedicineblog.org.

and Translational Science Award (CTSA) from the National Institutes of Health, we sought to identify opportunities to align rigorous basic science investigation with research that broadly engages communities, community clinicians, patients, and other stakeholders. We hypothesized that such integration would be synergistic, resulting in projects with broader goals and participation, whose results could have a greater impact and likelihood of dissemination and implementation. We therefore sought to develop a process to facilitate the collaboration of researchers with expertise in basic mechanistic science with individuals representing the aims and health priorities of communities to develop joint projects that integrate basic science (T0) aims with early translational (T1–T2) aims and community, clinical, or public health (T3–T4) aims. To this end, the Community Engagement Core of the RU-CCTS partnered with Clinical Directors Network (a primary care practice-based research network [PBRN] designated by the Agency for Healthcare Research and Quality as a Center of Excellence [P30] in Primary Care Practice-

Based Research and Learning) to develop a multidisciplinary supportive framework and process we have termed communityengaged research navigation (CEnR-Nav). CEnR-Nav uses expert intermediary CEnR navigators (navigators) to explicitly "reach in" to basic scientists and "reach out" to community clinicians, patients, and other collaborators, to foster the development of interdisciplinary research teams and to facilitate the conduct of research projects that address both scientific and community health aims. In this article, we describe our approach, the projects, and interim outcomes from this initiative and present recommendations for broader application of our approach.

Approach

This work was reviewed by the Institutional Review Board of The Rockefeller University and deemed exempt from board review.

Overview of the CEnR-Nav process

CEnR-Nav is an interdisciplinary framework consisting of a series of

collaborative participatory meetings or consultations facilitated by expert navigators that progress through a set of conceptual and operational stages of project development (see Figure 1).

Optimally, an investigator or other stakeholder enters the CEnR-Nav process while the research concept is still being formulated. Under the guidance of the navigators, the basic science investigator and other stakeholders then move sequentially through the stages of building a partnership, aligning aims, jointly developing protocols and funding applications, conducting the study, analyzing and disseminating the results, and preparing applications for additional funding to sustain the partnership into subsequent projects.

In practice, requests for CEnR-Nav originate from several mechanisms. In the case of "bottom-up" requests, academic investigators or other stakeholders at any project stage seek to foster a new partnership, develop a new concept, enhance a project already under way, or engage stakeholders from a target population to enhance the design or conduct of their study. In the case

of "top-down" requests, the RU-CCTS Action Committee for Community-Engaged Research (ACCER), which consists of RU-CCTS leadership, navigators, Community Engagement Core staff, faculty, scientific liaisons, and the director of the partnering PBRN, proactively reviews the research programs of investigators on the Rockefeller campus along with the interests of patients and clinicians at Community Health Centers or advocacy groups that are potential partners to identify research projects for which the goals of all stakeholders might be aligned. In the case of "middle-out" requests, the navigator, participant recruitment staff, institutional review board, and/or the research protocol navigation² staff monitor other projects to identify those that might be enhanced by community engagement and recommend to the investigator that she or he enter the CEnR-Nav process.

The number and duration of the CEnR-Nav meetings for each project depend on the complexity of the project; projects are categorized as brief (1–3 meetings), moderate (4–10 meetings), or extended (> 10 meetings). For extended

projects, the navigator often becomes a collaborator on the project to assist the partners in developing, practicing, and refining the skills needed for successful team science and participatory community-engaged research.

CEnR-Nav expands the multidisciplinary model of mentored research protocol navigation, which we have previously reported on,² and incorporates the principles of community engagement, team science, and community-engaged participatory research.3 Often, CEnR-Nav participants have not previously engaged in transdisciplinary collaborations, and so a series of CEnR-Nav meetings may form the first introduction to the principles of community engagement for a basic science investigator and the first introduction to scientific project development (including hypothesisgenerating clinical research, involving the design of a clinical protocol and human subject protections and regulations) for the community partners. Thus, CEnR-Nav functions as a critical bridge to facilitate communication and explicitly translate principles between the clinical, scientific, public health, and lay community cultures to foster the development of sustainable partnerships.

Leadership, personnel, and support in the CEnR-Nav process

The CEnR-Nav program is led by two navigators (0.20 full-time equivalents each) who work closely with the CTSA principal investigator (B.S.C.). The academic navigator (R.G.K.), who serves as the codirector of the Community Engagement Core, is a translational research-trained physician with expertise in human subject protections, participant advocacy, patient engagement, and scientific and ethical review of research projects; she has eight years of experience fostering community-engaged research among basic scientists at the RU-CCTS. The PBRN navigator (J.N.T.) serves both as codirector of the Community Engagement Core and as president/ CEO of Clinical Directors Network. He is a PhD-trained epidemiologist with extensive experience partnering with Community Health Centers and academic health centers to conduct community-engaged, comparative effectiveness, and health disparities research. The RU-CCTS and Clinical Directors Network entered into a memorandum of agreement for this




Figure 1 The stages and associated activities of the community-engaged research navigation (CEnR-Nav) process. (1) Building collaborations: meeting to identify the right community research partners; engaging with stakeholders to understand research priorities, concerns, and training needs; and developing research agreements or memoranda of understanding. (2) Developing proposals/concepts: articulating scientific and community aim(s); incorporating community-oriented research design; and reviewing ethical considerations of agency and human protections. (3) Protocol navigation²: refining protocol design for institutional review board and scientific review. (4) Starting up a study: developing data use agreements and data sharing tools; coordinating multisite approvals; and training study staff. (5) Conducting protocol: monitoring operations and informed consent; holding team meetings; engaging in scientific and operational problem solving; and facilitating communication. (6) Dissemination: developing a dissemination plan; and reaching community and academic stakeholders.

codirector to (1) provide representation on RU-CCTS and CTSA committees; (2) mentor and teach epidemiology, research design, and community-based comparative effectiveness research to clinical scholars master's degree program students and postdoctoral fellows; and (3) provide CEnR-Nav services to faculty and trainees. The third Community Engagement Core member is the community engagement specialist (1.0 full-time equivalent) (A.L.-J.) who has an MPH and is trained in health disparities research, public-health-based research, and evaluation; she has 10 years of experience building collaborations among diverse stakeholder groups.

Oversight of CEnR-Nav is provided by ACCER, which is a subcommittee of and reports to the RU-CCTS governance committee. ACCER provides guidance on community engagement programming, the identification of scientific faculty for the evaluation of partnership and funding opportunities, and targeted assistance in developing and facilitating individual research collaborations. For the complete CEnR-Nav organizational chart, see Supplemental Digital Appendix 1 at http://links.lww.com/ACADMED/A349.

Funding, services, pilot grant opportunities, and scientific and institutional review board review for CEnR-Nav programs are supported by the CTSA grant, The Rockefeller University, and targeted philanthropic gifts. In addition to CEnR-Nav consultations, investigators and community partners receive assistance in protocol submission,2 biostatistics, and medical informatics from the RU-CCTS. Investigators are also eligible to compete annually for RU-CCTS pilot award funding, some of which is specifically designated for community-engaged research. The PBRN staff, who are supported by funding from the National Institutes of Health, the Centers for Disease Control and Prevention, the Patient-Centered Outcomes Research Institute, and the Agency for Healthcare Research and Quality P30 program, provide research assistance and data management support during the partnership development phase. The Rockefeller University Institutional Review Board reviews protocols involving Rockefeller investigators, and Clinical Directors Network has agreements in place to act as the institutional review board of record for the Community

376

Health Centers in the PBRN. Both institutions have agreements in place to use single-institutional-review-board review platforms.

Evaluation of the CEnR-Nav process

We reviewed meeting notes, minutes, navigators' notes, and project protocols to track the process and progress of CEnR-Nav teams and projects. We analyzed for (1) the scientific and community engagement content, (2) stakeholder engagement, (3) the community engagement content of public health impact statements, (4) the research hypothesis and objectives, (5) the target populations, and (6) the protocol-specific aims. Each protocol aim was assigned a location along the translational continuum using the definitions proposed in the Institute of Medicine report on the CTSA program.1 Finally, we collected presentations, publications, and internal and external funding award data from RU-CCTS metric-tracking sources and public records. We provide descriptive data for those projects begun from 2009 to 2014.

Outcomes

Descriptive data

From 2009 to 2014, we provided CEnR-Nav services to 44 unique collaborative projects involving 39 individual principal investigators (15 PhDs, 10 MDs, 11 MD/ PhDs, 2 students, and 1 MS/genetic counselor). These principal investigators were clinical scholar trainees and earlycareer physician–scientists (15), faculty (12), students or postdoctoral fellows (6), and other (6). Twenty-five projects involving 23 investigators developed into 23 institutional-review-board-approved clinical and translational protocols and 2 substudies. Characteristics and outcomes of these 25 projects are detailed in Appendix 1. (The 19 projects that did not lead to approved protocols are detailed in Supplemental Digital Appendix 2 available at http://links.lww.com/ACADMED/A349.)

Nineteen of these 25 protocols (76%) identified community partners, of which 9 (47%) named them as coinvestigators; 9 protocols (36%) included a T3 or T4 translational aim. Clinical scholars were less likely than investigators at other career stages to incorporate T3 or T4 aims. All protocols secured at least one round of internal institutional pilot award funding. External funding was secured for

5 (26%) of the 19 projects that identified a community partner in the protocol and for 2 (33%) of the 6 projects that did not name a community partner. Of projects with long-term navigator participation, 9 (of 19; 47%) incorporated T3 or T4 aims and 7 (of 19; 37%) secured external funding. As of November 2015, 12 (48%) of the 25 projects have been completed, and 11 (44%) have disseminated their results through presentations or publications. Five (71%) of 7 projects with published or submitted manuscripts included at least one community coauthor (see Appendix 1).

Case studies

In Supplemental Digital Appendix 3, we describe in detail four projects with T0 or T1 aims, investigators at different career stages, and different initial goals (available at http://links.lww.com/ACADMED/A349). Two of the projects resulted in comparative effectiveness research trials incorporating mechanistic aims and earning support from the Patient-Centered Outcomes Research Institute and other external funding sources.

Next Steps

The 2013 Institute of Medicine report on the CTSA program identified five phases of translational science, depicted as a spectrum from T0 or basic/mechanistic science research to T4 or community/population health research.1 Community-engaged research offers a cross-cutting strategy to promote and accelerate the effective translation of research from discovery to practice. Because it has the potential to span the translational spectrum, it avoids both the delays in translation that are associated with research that is positioned narrowly on the spectrum⁴ and the tendency to focus community engagement research only on T3 or T4 aims.5

The Federation of American Societies for Experimental Biology produced a report in 2012 that offered recommendations to increase the engagement of basic scientists in translational research. These recommendations included the following: (1) Learn to define a health need with the same precision as a basic science hypothesis; (2) seek mentors and collaborators from different disciplines; and (3) seek funding to work in the translational space.⁶ The CEnR-Nav program addresses all three of these goals

by catalyzing relationships between basic scientists and community clinicians at crucial points in protocol development, with the potential for research, clinical, and public health synergy. Further, the CEnR-Nav infrastructure and navigators nurture relationships with community partners as collaborators and coauthors and have demonstrated success at securing external funding.

Although The Rockefeller University is structured as a research institute, we believe that larger academic health centers can develop CEnR-Nav programs similar to ours. On the basis of our experience, we identified five factors that are important for the success of a CEnR-Nav program in facilitating engagement between basic scientists, community members, clinicians, and patient advocates. First, senior leadership must support and actively encourage collaborations with basic scientists. Second, the CEnR-Nav process itself, as a multistep iterative program that focuses on mentored partnership skills, tangible benefits for all partners, aligned aims, and aggressive identification of funding opportunities, is key to the program's success. Third, the collective expertise of the navigators must span the full range of translational science from T0 to T4 so that they are able to reach in to basic scientists and reach out to clinicians and communities to connect cultures and foster partnerships. Fourth, funding from the institution (e.g., from the CTSA or university) is needed to support the navigators, the protocol development infrastructure, and pilot project funding and can act as a stepping stone to external funding.

The fifth factor that can contribute to the success of a CEnR-Nav program is an established community-based partner with academic-community research experience and expertise. PBRNs in particular are well suited for this role, as are networks of PBRNs. Other entities, such as clinical research networks supported by the National Institutes of Health, Clinical Data Research Networks and Patient-Powered Research Networks supported by the Patient-Centered Outcomes Research Institute, Health Center-Controlled Networks supported by the Health Resources and Services Administration, and Prevention Research Centers supported by the Centers for Disease Control and Prevention, contain similar elements

and goals. These entities can also serve as strong partner organizations with CTSAs given their shared commitment to research and experience in competing for National Institutes of Health funding. Senior leaders at these organizations are likely to have the requisite expertise and experience to serve as excellent navigators, providing them with the opportunity to participate in high-quality community-engaged research and a meaningful academic career that bridges the spectrum of translational science.

In conclusion, we anticipate that the rigorous, ongoing assessment of CEnR-Nav projects as they mature will provide insight into additional predictors of success, durability, and generalizability of partnerships, as well as new models for integrated full-spectrum translational research

Acknowledgments: The authors would like to acknowledge the participation of the many scientists, community clinicians, community partners, patients, support staff, and other colleagues who by their participation in the community-engaged research navigation (CEnR-Nav) process enabled the development and refinement of this model. The authors also would like to thank Dr. J. Lloyd Michener for his thoughtful advice and encouragement.

Funding/Support: This work was supported in part by grant #UL1 TR000043 (Barry S. Coller) from the National Center for Advancing Translational Sciences (NCATS), National Institutes of Health (NIH) Clinical and Translational Science Award (CTSA) program, and by a 2011 CTSA Community Engagement Administrative Supplement Award NIH-NCATS grant #UL1 TR000043-07S1 (Barry S. Coller/Jonathan N. Tobin), as well as by funding from the Agency for Healthcare Research and Quality grant #1 P30-HS-021667 (Jonathan N. Tobin) and from the Patient-Centered Outcomes Research Institute grant #CER-1402-10800 (Jonathan N. Tobin).

Other disclosures: None reported.

Ethical approval: The program evaluation work reported here was reviewed by The Rockefeller University Institutional Review Board and was found to not constitute human subjects research and, therefore, to be exempt from further review.

Previous presentations: Some aspects of the community-engaged research navigation model were presented at the 2015 Annual Conference of the Association for Clinical and Translational Research, April 16–18, Washington, DC, by Andrea Leinberger-Jabari, Rhonda G. Kost, Joel Correa da Rosa, Teresa H. Evering, Maija Neville-Williams, Peter R. Holt, Jonathan N. Tobin, and Barry S. Coller, as a poster entitled "Fostering collaborations among basic scientists and community-engaged researchers across the translational spectrum."

R.G. Kost is clinical research officer, Community Engagement Core codirector, and clinical research support office director, The Rockefeller University Center for Clinical and Translational Science, New York. New York.

A. Leinberger-Jabari was community engagement specialist, The Rockefeller University Center for Clinical and Translational Science, New York, New York, at the time this work was done.

T.H. Evering is assistant professor of clinical investigation, Aaron Diamond AIDS Research Center and The Rockefeller University, and associate attending physician, The Rockefeller University Hospital, New York, New York.

P.R. Holt is senior research associate, Laboratory of Biochemical Genetics and Metabolism, and chair, Advisory Committee for Clinical and Translational Science, The Rockefeller University Center for Clinical and Translational Science, New York, New York.

M. Neville-Williams is administrative director, The Rockefeller University Hospital, and The Rockefeller University Center for Clinical and Translational Science, New York, New York.

K.S. Vasquez is community engagement specialist, The Rockefeller University Center for Clinical and Translational Science, New York, New York.

B.S. Coller is physician-in-chief, The Rockefeller University Hospital, and vice president for medical affairs and director, The Rockefeller University Center for Clinical and Translational Science, New York, New York.

J.N. Tobin is president and chief executive officer, Clinical Directors Network, Inc., and Community Engagement Core codirector, The Rockefeller University Center for Clinical and Translational Science, New York, New York.

References

- Leshner AI, Terry SF, Schultz AM, Liverman CT, eds. The CTSA Program at NIH: Opportunities for Advancing Clinical and Translational Research. Washington, DC: National Academies Press; 2013.
- 2 Brassil D, Kost RG, Dowd KA, Hurley AM, Rainer TL, Coller BS. The Rockefeller University Navigation Program: A structured multidisciplinary protocol development and educational program to advance translational research. Clin Transl Sci. 2014;7:12–19.
- 3 Eder MM, Carter-Edwards L, Hurd TC, Rumala BB, Wallerstein N. A logic model for community engagement within the Clinical and Translational Science Awards consortium: Can we measure what we model? Acad Med. 2013;88:1430–1436.
- 4 Westfall JM, Mold J, Fagnan L. Practice-based research—"blue highways" on the NIH roadmap. JAMA. 2007;297:403–406.
- 5 Michener L, Scutchfield FD, Aguilar-Gaxiola S, et al. Clinical and translational science awards and community engagement: Now is the time to mainstream prevention into the nation's health research agenda. Am J Prev Med. 2009;37:464–467.
- 6 Federation of American Societies for Experimental Biology. Engaging Basic Scientists in Translational Research: Identifying Opportunities, Overcoming Obstacles. Bethesda, Md: Federation of American Societies for Experimental Biology; 2012. http://www.faseb.org/portals/2/PDFs/opa/ TranslationalReportFINAL.pdf. Accessed March 3, 2016.

Characteristics of Investigators and Research Protocols in the Community-Engaged Research Navigation (CEnR-Nav) Program at The Rockefeller University Center for Clinical and Translational Science and Clinical Directors Network, 2009 to 2014, With Outcomes Through 2015 Appendix 1

	tations, ations ith unity ors)°			(1)			, 1 (1)*								
	No. of present no. of publica (no. wi commuc coauth	No	N O	1 (1), 3 (1)	No No	S N	No data, 1 (1)*	No	o N	No	N _O	S N	3, 3 (0)	2 (1), 0	1 (0), 0
	External funding since CEnR-Nav (directly related)	9N	No	No	9	No No	No No	Yes (yes)	ON	<u>%</u>	Yes (yes)	Yes (yes)	Yes (yes)	Yes (no)	<u>8</u>
	Community partner identified in protocol (as	Community hospital (yes)	No	FQHCs (no)	ON	Registry patients (no)	Community clinician (yes)	Down syndrome advocates (no)	PBRN (no)	No	Transit union (no)	No	Fibrolamellar community (yes)	No	Advocacy group (yes)
	Location of protocol-specific aims on translational continuum ^d	,	`	`	,	` <u>`</u>	,	`	,	`		`	,	`	•
	Extent 1	Brief	Brief	Brief	Brief	Brief	Brief	Moderate	Moderate	Moderate	Moderate	Moderate	Moderate	Moderate	Moderate
	Origin ^b	Bottom-up team	Middle-out	Middle-out	Top-down ACCER	Bottom-up team	Bottom-up team	Middle-out	Middle-out	Middle-out	Top-down ACCER	Middle-out	Bottom-up team	Bottom-up team	Bottom-up team
1	Subject group	MRSA patients	Minority patients	FQHC patients	FQHC patients	Fanconi anemia registry	Asians with psoriasis	Patients with Down syndrome	Patients with chronic hepatitis B virus	Patients taking statins	Shift workers	Patients with pigmented nevi	Patients with fibrolamellar hepatocellular carcinoma	Patients with eczema	Patients with psoriasis
	Area of inquiry	Surveillance network to compare HA-MRSA and CA-MRSA	Increase diversity of polycystic kidney disease registry	Development of bleeding phenotyping instrument	Engaging patients with obesity or diabetes [†]	Engaging patients' families to upload data to registry	Mechanistic study of psoriasis in Asians; engage stakeholders	Engagement of Down syndrome patients for mechanistic study ^f	Immunologic defects in chronic hepatitis B virus infection; mechanistic study	Quality of life and metabolic alterations in statin therapy	Biology of stress related to shifted circadian rhythm (shift work) [†]	Development of investigational device to detect melanoma	Registry and biorepository; fibrolamellar cancer patients	Community forum on advances in eczema treatment	Qualitative research to support design of patient decision aid
	Status	Ongoing	Completed	Completed	Ongoing	Ongoing	Completed	Completed	Ongoing	Completed	Completed	Ongoing	Ongoing	Ongoing	Completed
	Year of initial CEnR- Nav (PI career stage ^a)	2013 (H)	2014 (F)	2009 (C)	2013 (C)	2013 (N)	2014 (C)	2013 (C)	2014 (C)	2013 (C)	2013 (P)	2013 (C)	2013 (H)	2013 (F)	2013 (S)

(Appendix continues)

Appendix 1 (Continued)

Year of initial CEnR- Nav						Local protoco aim transl	Location of otocol-specifains on translational continuum ^d	.≝ _	Community partner identified in	External funding since CEnR-Nav	No. of presentations, no. of publications (no. with one publications)
(PI career stage ^a)	Status	Area of inquiry	Subject group	Origin ^b	Extent [€]	TO T1	T2 T3	1	protocol (as coinvestigator)	(directly related)	community coauthors) ^e
2012 (N)	Completed	CA-MRSA surveillance at ambulatory surgery centers	Patients utilizing ambulatory surgery centers	Bottom-up team	Moderate		`		O Z	O _N	No
2013 (N)	Completed	Hepatitis C virus education in barbershops	FQHC patients	Top-down ACCER	Moderate			`	Local educator, barbers (no)	٥ ٧	1 (0), 1 (1)**
2013 (C)	Ongoing	Study of virulence factors and MRSA recurrence	FQHC patients	Middle-out	Extended	``			FQHC clinicians (no)	ON No	No
2011 (H)	Ongoing	Mechanism and pathobiology of keloid formation	Minority patients with keloid	Bottom-up team	Extended	`>	`		Community clinician (yes)	o N	No
2011 (C)	Ongoing	Recruitment to Alzheimer disease study	Patients with Alzheimer disease	Middle-out Extended	Extended	`` ``	`		Alzheimer foundation (no)	<u>0</u>	No
2013 (F)	Ongoing	Critical thinking outcomes for science outreach participants	Science Outreach students	Bottom-up team	Extended		`		Educator evaluators (no)	o N	1, 0
2011 (N)	Completed	Assessing the community research participant's experience	FQHC patients	Bottom-up team	Extended		`		PBRN FQHC clinicians (yes)	o N	2 (2), 0
2014 (S)	Completed	Qualitative research to understand treatment preference in psoriasis	Psoriasis patients	Middle-out	Extended		`		Patients (no)	o N	No, 1 (0)*
2014 (R)	Ongoing	Metabolic outcomes related to bariatric surgical technique	Bariatric surgery patients	Top-down ACCER	Extended		` `		Clinicians, surgeon (yes)	Yes (yes)	No
2012 (N)	Completed	Educating barbers and aesthetic workers to identify MRSA	Aesthetic care workers	Bottom-up team	Extended			`	Community educator, barbers (yes)	ON.	1 (1), 1 (1)**
2009 (H)	Ongoing	Infrastructure for surveillance network of CA-MRSA in FQHCs ^f	FQHC patients	Top-down ACCER	Extended	`	`,	`	FQHC clinicians (yes)	Yes (yes)	15 (15), 3 (3)

Abbreviations: HA-MRSA indicates hospital-acquired methicillin-resistant Staphylococcus aureus; CA-MRSA, community-acquired methicillin-resistant S. aureus; FQHC, Federally Qualified Health Center; ACCER, Action Committee for Community-Engaged Research; PBRN, practice-based research network. Phincipal investigator (Pl) career stage: C, clinical scholar; F, faculty member; H, head of laboratory; R, early-career scientist; S, student; P, postdoctoral

student; N, other.

Top-down, initiated by leadership; bottom-up, initiated by research team; middle-out, initiated after self-referral or staff referral for protocol barrier.

^{*}Brief, 1–3 meetings; moderate, 4–10 meetings; extended, > 10 meetings.

**Translational spectrum: T0, basic science; T1, translation to humans; T2, translation to patients; T3, translation to practice; T4, translation to community.

**Manuscript under review; ** manuscript in press.

This research protocol is detailed in vignette form in Supplemental Digital Appendix 3, available at http://links.lww.com/ACADMED/A349