



Corrigendum

Corrigendum to “First contiguous gene deletion causing biotinidase deficiency: The enzyme deficiency in three Sri Lankan children”
[Mol. Genet. Metab. Rep. 2 (2016) 81–84]



Danika Nadeen Senanayake^a, Eresha A. Jasinge^b, Kirit Pindolia^{c,d}, Jithangi Wanigasinghe^e,
Kristin Monaghan^{f,*}, Sharon F. Suchy^f, Sainan Wei^g, Subashini Jaysena^b, Barry Wolf^{c,d}

^a Department of Chemical Pathology, North Colombo Teaching Hospital, Colombo, Sri Lanka

^b Chemical Pathology, Lady Ridgeway Hospital for Children, Colombo, Sri Lanka

^c Department of Research Administration, Henry Ford Health System, Detroit, MI 48202, United States

^d Center for Molecular Medicine and Genetics, Wayne State University School of Medicine, Detroit, MI 48201, United States

^e Pediatric Neurology, University of Colombo, Colombo, Sri Lanka

^f GeneDx, Gaithersburg, MD 20877, United States

^g Department of Pediatrics and Human Development, Michigan State University, East Lansing, MI 48824, United States

The authors regret that we stated that Patient 2 has the mutation c.1316T>C, p.A439D; however, the patient actually has the mutation c.1316C>A; p.A439D.

The authors would like to apologise for any inconvenience caused.

DOI of original article: <http://dx.doi.org/10.1016/j.ymgmr.2015.01.005>.

* Corresponding author at: GeneDx, Gaithersburg, MD, United States.