

ERRATUM

Open Access



Erratum to: Quantitative ^{18}F -fluorocholine positron emission tomography for prostate cancer: correlation between kinetic parameters and Gleason scoring

Joshua D. Schaefferkoetter^{1,2*}, Ziting Wang³, Mary C. Stephenson¹, Sharmili Roy¹, Maurizio Conti⁴, Lars Eriksson⁴, David W. Townsend^{1,2}, Thomas Thamboo⁵ and Edmund Chiong³

Erratum

Upon publication of the original article [1], it was noticed that the author “Joshua D. Schaefferkoetter” was incorrectly included as “Joshua J.D. Schaefferkoetter”.

Author details

¹A*STAR-NUS Clinical Imaging Research Centre, Centre for Translational, Medicine (MD6), 14 Medical Drive, #B1-01, Singapore 117599, Singapore.

²Department of Diagnostic Radiology, National University Hospital, Singapore, Singapore. ³Department of Urology, National University Health System, Singapore, Singapore. ⁴Siemens Healthcare Molecular Imaging, Knoxville, TN 37919, USA. ⁵Department of Pathology, National University, Health System, Singapore, Singapore.

Received: 2 June 2017 Accepted: 2 June 2017

Published online: 21 June 2017

Reference

1. Schaefferkoetter JD, et al. Quantitative ^{18}F -fluorocholine positron emission tomography for prostate cancer: correlation between kinetic parameters and Gleason scoring. *EJNMMI Research*. 2017;7:25. doi:10.1186/s13550-017-0269.

* Correspondence: dnrjds@nus.edu.sg

¹A*STAR-NUS Clinical Imaging Research Centre, Centre for Translational, Medicine (MD6), 14 Medical Drive, #B1-01, Singapore 117599, Singapore

²Department of Diagnostic Radiology, National University Hospital, Singapore, Singapore

Full list of author information is available at the end of the article