

Complete Genome Coding Sequences of Artashat, Burana, Caspiy, Chim, Geran, Tamdy, and Uzun-Agach Viruses (Bunyavirales: Nairoviridae: Orthonairovirus)

Sergey V. Alkhovsky,^a
Dmitry K. Lvov,^a
Alexey M. Shchetinin,^a
Petr G. Deriabin,^a
Mikhail Y. Shchelkanov,^a Valeriya A. Aristova,^a
Tatyana N. Morozova,^a Asya K. Gitelman,^a
Gustavo F. Palacios,^b
Jens H. Kuhn^c

D. I. Ivanovsky Institute of Virology, N. F. Gamaleya Federal Research Center for Epidemiology and Microbiology, Ministry of Health of the Russian Federation, Moscow, Russia^a; Center for Genome Sciences, United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, Maryland, USA^b; Integrated Research Facility at Fort Detrick, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Fort Detrick, Frederick, Maryland, USA^c

ABSTRACT The bunyaviral monogeneric family *Nairoviridae* currently includes 12 species for 35 distinct viruses. Here, we present the complete genome coding sequences of an additional seven nairoviruses. Five of them can be assigned to established species, whereas two of them (Artashat and Chim viruses) ought to be assigned to two novel species.

n 2016, the family *Bunyaviridae* was thoroughly revised into an order (*Bunyavirales*) including nine families. In parallel, the bunyaviral genus *Nairovirus* (*Nairoviridae*: *Orthonairovirus*) has been expanded by the creation of 5 novel species and now includes 12 species for 35 distinct viruses (1, 2). Partial genomic sequences have been published for numerous tentative orthonairoviruses (2), but their classification requires the determination of complete genome coding sequences. Here, we report the complete coding sequences of seven putative orthonairoviruses.

We obtained Artashat, Burana, Caspiy, Chim, Geran, Tamdy, and Uzun-Agach viruses (3-9) from the Russian State Collection of Viruses in the form of a lyophilized 10% (wt/vol) suspension of infected suckling mouse brain tissue. The viruses were recovered by intracerebral infection of 1- to 2-day-old mice. We isolated total RNA from the brains of infected mice with 1 ml of TRI reagent (Molecular Research Center, Cincinnati, OH, USA), purified RNA with the RNeasy MinElute cleanup kit (Qiagen, Hilden, Germany), and depleted rRNA with the GeneRead rRNA depletion kit (Qiagen). Depleted RNA was fragmented at 85°C for 5 min in $2 \times$ reverse transcriptase buffer (Thermo Fisher Scientific, Grand Island, NY, USA). Reverse transcription was performed with hexameric random primers (Promega, Madison, WI, USA) and RevertAid reverse transcriptase (Thermo Fisher Scientific). We used the NEBNext second-strand synthesis module (New England BioLabs, Ipswich, MA, USA) to convert first-strand cDNA to double-stranded cDNA, which was used to prepare next-generation sequencing libraries with the TruSeq DNA LT library prep kit (Illumina, San Diego, CA, USA). Sequencing of indexed libraries was done on an Illumina MiSeq instrument with a paired-end 250-bp protocol, followed by de novo genome assembly with CLC Genomics Workbench 7.0 (CLC bio, Waltham, MA, USA).

Genetic and phylogenetic analyses were performed as outlined by Kuhn et al. (2). Briefly, genomes were aligned using the CLUSTAL algorithm at the amino acid level

Received 1 September 2017 Accepted 1 September 2017 Published 5 October 2017

Citation Alkhovsky SV, Lvov DK, Shchetinin AM, Deriabin PG, Shchelkanov MY, Aristova VA, Morozova TN, Gitelman AK, Palacios GF, Kuhn JH. 2017. Complete genome coding sequences of Artashat, Burana, Caspiy, Chim, Geran, Tamdy, and Uzun-Agach viruses (*Bunyavirales: Nairoviridae: Orthonairovirus*). Genome Announc 5:e01098-17. https://doi.org/10.1128/ genomeA.01098-17.

This is a work of the U.S. Government and is not subject to copyright protection in the United States. Foreign copyrights may apply. Address correspondence to Sergey V. Alkhovsky, salkh@yandex.ru, or Jens H. Kuhn, kuhnjens@mail.nih.gov.



using MEGA6 (10). Neighbor-joining (NJ) analysis at the amino acid level was performed due to the observed high variability of the underlying nucleotide sequences. The statistical significance of the tree topology was evaluated by bootstrap resampling of the sequences 1,000 times. Phylogenetic analyses were performed using MEGA6 (2). These analyses indicate that Artashat virus and Chim virus ought to be assigned to novel species (proposed to be named "Artashat orthonairovirus" and "Chim orthonairovirus," respectively). Furthermore, the analysis suggests that Burana virus and Tamdy virus are both members of the species Burana orthonairovirus (proposed to be renamed "Tamdy orthonairovirus"), Caspiy virus is a member of the species Hughes orthonairovirus, Uzun-Agach virus is a member of the species Keterah orthonairovirus, and Geran virus is a member of the species Qalyub orthonairovirus. An official taxonomic proposal to this effect was submitted on 8 June 2017 to the International Committee on Taxonomy of Viruses (ICTV). This proposal (2017.008 M) has been accepted by the ICTV Executive Committee and is now awaiting ratification.

Accession number(s). The GenBank accession numbers for the determined complete genome coding sequences of S, M, and L segments are KP792746, KP792745, and KP792744 (Artashat virus), KP792707, KP792706, and KP792705 (Burana virus), KP792710, KP792709, and KP792708 (Caspiy virus), KP792713, KP792712, and KP792711 (Chim virus), KP792716, KP792715, and KP792714 (Geran virus), KP792728, KP792727, and KP792726 (Tamdy virus), and KP792743, KP792742, and KP792741 (Uzun-Agach virus), respectively.

ACKNOWLEDGMENTS

We thank Andrey Botikov for technical assistance in sequencing on the MiSeq device and are grateful to Laura Bollinger (IRF-Frederick) for editing the manuscript.

The content of this publication does not necessarily reflect the views or policies of the U.S. Department of the Army, the U.S. Department of Defense, the U.S. Department of Health and Human Services, or the institutions and companies affiliated with the authors.

This work was partially funded by the Russian Foundation for Basic Research (research project 13-04-01749a) and partially by the U.S. Defense Threat Reduction Agency (DTRA) (project 31743628). This work was also supported in part through Battelle Memorial Institute's prime contract with the U.S. National Institute of Allergy and Infectious Diseases (NIAID) under contract HHSN272200700016I. A subcontractor to Battelle Memorial Institute who performed this work is J.H.K., an employee of Tunnell Government Services, Inc.

REFERENCES

- Adams MJ, Lefkowitz EJ, King AMQ, Harrach B, Harrison RL, Knowles NJ, Kropinski AM, Krupovic M, Kuhn JH, Mushegian AR, Nibert M, Sabanadzovic S, Sanfaçon H, Siddell SG, Simmonds P, Varsani A, Zerbini FM, Gorbalenya AE, Davison AJ. 2016. Ratification vote on taxonomic proposals to the International Committee on Taxonomy of Viruses (2016). Arch Virol 161:2921–2949. https://doi.org/10.1007/s00705-016 -2977-6.
- Kuhn JH, Wiley MR, Rodriguez SE, Bào Y, Prieto K, Travassos da Rosa APA, Guzman H, Savji N, Ladner JT, Tesh RB, Wada J, Jahrling PB, Bente DA, Palacios G. 2016. Genomic characterization of the genus *Nairovirus* (family *Bunyaviridae*). Viruses 8:E164. https://doi.org/10.3390/v8060164.
- Al'khovskii SV, L'vov DK, Shchelkanov Mlu, Deriabin PG, Shchetinin AM, Samokhvalov EI, Aristova VA, Gitel'man AK, Botikov AG. 2014. Genetic characterization of the Uzun Agach virus (UZAV, *Bunyaviridae, Nairovirus*), isolated from bat *Myotis blythii oxygnathus* Monticelli, 1885 (Chiroptera; Vespertilionidae) in Kazakhstan. Vopr Virusol 59:23–26.
- 4. Al'khovskii SV, L'vov DK, Shchelkanov Mlu, Shchetinin AM, Deriabin PG, Gitel'man AK, Botikov AG, Samokhvalov EI, Zakarian VA. 2014. Taxonomic status of the Artashat virus (ARTSV) (*Bunyaviridae, Nairovirus*) isolated from the ticks *Ornithodoros alactagalis* Issaakjan, 1936 and *O. verrucosus* Olenev, Sassuchin et Fenuk, 1934 (Argasidae Koch, 1844) collected in Transcaucasia. Vopr Virusol 59:24–28.

- L'vov DK, Al'khovskiĭ SV, Shchelkanov Mlu, Deriabin PG, Shchetinin AM, Samokhvalov El, Aristova VA, Gitel'man AK, Botikov AG. 2014. Genetic characterization of the Geran virus (GERV, *Bunyaviridae, Nairovirus*, Qalyub group) isolated from the ticks *Ornithodoros verrucosus* Olenev, Zasukhin and Fenyuk, 1934 (Argasidae) collected in the burrow of *Meriones erythrourus* Grey, 1842 in Azerbaijan. Vopr Virusol 59:13–18.
- L'vov DK, Al'khovskii SV, Shchelkanov MY, Shchetinin AM, Aristova VA, Gitel'man AK, Deriabin PG, Botikov AG. 2014. Taxonomy of previously unclassified Tamdy virus (TAMV) (*Bunyaviridae*, *Nairovirus*) isolated from the *Hyalomma asiaticum asiaticum* Schulce et Schlottke, 1929 (Ixodidae, Hyalomminae) in the Middle East and Transcaucasia. Vopr Virusol 59: 15–22.
- L'vov DK, Al'khovskiĭ SV, Shchelkanov Mlu, Shchetinin AM, Aristova VA, Morozova TN, Gitel'man AK, Deriabin PG, Botikov AG. 2014. Taxonomic status of the Chim virus (CHIMV) (*Bunyaviridae*, *Nairovirus*, Qalyub group) isolated from the Ixodidae and Argasidae ticks collected in the great gerbil (*Rhombomys opimus* Lichtenstein, 1823) (Muridae, Gerbillinae) burrows in Uzbekistan and Kazakhstan. Vopr Virusol 59:18–23.
- L'vov DK, Al'khovskiĭ SV, Shchelkanov Mlu, Shchetinin AM, Deriabin PG, Gitel'man AK, Aristova VA, Botikov AG. 2014. Taxonomic status of the Burana virus (BURV) (*Bunyaviridae*, *Nairovirus*, Tamdy group) isolated from the ticks *Haemaphysalis punctata* Canestrini et Fanzago, 1877 and

Haem. Concinna Koch, 1844 (Ixodidae, Haemaphysalinae) in Kyrgyzstan. Vopr Virusol 59:10–15.

9. L'vov DK, Al'khovskiĭ SV, Shchelkanov Mlu, Shchetinin AM, Deriabin PG, Samokhvalov El, Gitel'man AK, Botikov AG. 2014. Genetic characterization of the Caspiy virus (CASV) (*Bunyaviridae*, *Nairovirus*) isolated from the Laridae (Vigors, 1825) and Sternidae (Bonaparte, 1838)

birds and the Argasidae (Koch, 1844) ticks *Ornithodoros capensis* Neumann, 1901, in Western and Eastern coasts of the Caspian Sea. Vopr Virusol 59:24–29.

 Tamura K, Stecher G, Peterson D, Filipski A, Kumar S. 2013. MEGA6: molecular evolutionary genetics analysis version 6.0. Mol Biol Evol 30: 2725–2729. https://doi.org/10.1093/molbev/mst197.