

Correction



**Cite this article:** Rutledge LY, Devillard S, Boone JQ, Hohenlohe PA, White BN. 2017 Correction to 'RAD sequencing and genomic simulations resolve hybrid origins within North American *Canis*'. *Biol. Lett.* **13**: 20170594. <http://dx.doi.org/10.1098/rsbl.2017.0594>

## Evolutionary biology

# Correction to 'RAD sequencing and genomic simulations resolve hybrid origins within North American *Canis*'

L. Y. Rutledge, S. Devillard, J. Q. Boone, P. A. Hohenlohe and B. N. White

*Biol. Lett.* **11**, 20150303. (Published online 8 July 2015) (doi:10.1098/rsbl.2015.0303)

The data associated with Rutledge *et al.* [1] are now available on the Dryad Digital Repository at <http://dx.doi.org/10.5061/dryad.pr318> [2].

## References

1. Rutledge LY, Devillard S, Boone JQ, Hohenlohe PA, White BN. 2015 RAD sequencing and genomic simulations resolve hybrid origins within North American *Canis*. *Biol. Lett.* **11**, 20150303. (doi:10.1098/rsbl.2015.0303)
2. Rutledge LY, Devillard S, Boone JQ, Hohenlohe PA, White BN. 2015 Data from: RAD sequencing and genomic simulations resolve hybrid origins within North American *Canis*. Dryad Digital Repository. (<http://dx.doi.org/10.5061/dryad.pr318>)