

CORRECTION

Correction: Clinical validation of a highly sensitive assay to detect EGFR mutations in plasma cell-free DNA from patients with advanced lung adenocarcinoma

The *PLOS ONE* Staff

There is an error in the XML that is causing the designation of the Corresponding Author to be indexed incorrectly. Chengshui Chen should be designated as the Corresponding Author, and his email is: wzchencs1@163.com. The publisher apologizes for the error.

Reference

1. Li Y, Xu H, Su S, Ye J, Chen J, Jin X, et al. (2017) Clinical validation of a highly sensitive assay to detect EGFR mutations in plasma cell-free DNA from patients with advanced lung adenocarcinoma. *PLoS ONE* 12(8): e0183331. <https://doi.org/10.1371/journal.pone.0183331> PMID: [28829813](https://pubmed.ncbi.nlm.nih.gov/28829813/)



OPEN ACCESS

Citation: The *PLOS ONE* Staff (2017) Correction: Clinical validation of a highly sensitive assay to detect EGFR mutations in plasma cell-free DNA from patients with advanced lung adenocarcinoma. *PLoS ONE* 12(12): e0189549. <https://doi.org/10.1371/journal.pone.0189549>

Published: December 7, 2017

Copyright: © 2017 The PLOS ONE Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.