Physiological Reports



Physiological Reports ISSN 2051-817X

ORIGINAL RESEARCH

Mechanical ventilation strategies alter cardiovascular biomarkers in an infant rat model

Philipp Baumann^{1,2} , Susanne Wiegert^{1,2,3}, Francesco Greco^{1,2,3}, Sven Wellmann⁴, Pietro L'Abate^{1,2} Vincenzo Cannizzaro^{1,2,3}

- 1 Department of Intensive Care Medicine and Neonatology, University Children's Hospital of Zurich, Zurich, Switzerland
- 2 Children's Research Centre, University Children's Hospital of Zurich, Zurich, Switzerland
- 3 Zurich Centre for Integrative Human Physiology, Zurich, Switzerland
- 4 Department of Neonatology, University Children's Hospital of Basel, Basel, Switzerland

Keywords

Biomarker, hyperoxia, hypoxia, positive endexpiratory pressure.

Correspondence

Vincenzo Cannizzaro, Department of Intensive Care Medicine and Neonatology, University Children's Hospital of Zurich, Steinwiesstrasse 75, CH-8032 Zurich, Switzerland

Tel: +41 44 266 7111 Fax: +41 44 266 7168

E-mail: vincenzo.cannizzaro@kispi.uzh.ch

Funding Information

V. Cannizzaro was in part supported by the Hartmann Müller-Foundation (Zurich) (#1296), a project grant by the Zurich Center for Integrative Human Physiology* (ZIHP), and the Heartbay Foundation* (Vaduz).
S. Wiegert was supported by the EMDO Foundation (Zurich) (grant #690), a donation made by UBS AG by order of a client*, and by a cooperative project grant of ZIHP*.
S. Wellmann was supported by the Gottfried and Julia Bangerter-Rhyner-Foundation, Bern (#8472/HEG-DSV). F. Greco was supported by a project grant of ZIHP* (*no grant number provided by funding organization).

Received: 4 September 2017; Revised: 23 November 2017; Accepted: 29 November 2017

doi: 10.14814/phy2.13553

Physiol Rep, 6 (2), 2018, e13553, https://doi.org/10.14814/phy2.13553

Philipp Baumann and Susanne Wiegert contributed equally to this work.

Abstract

Mechanical ventilation (MV) is routinely used in pediatric general anesthesia and critical care, but may adversely affect the cardiocirculatory system. Biomarkers are increasingly measured to assess cardiovascular status and improve clinical treatment decision-making. As the impact of mechanical ventilation strategies on cardiovascular biomarkers in ventilated infants is largely unknown, we conducted this retrospective study in a healthy in vivo infant rat ventilation model using 14-days old Wistar rats. We hypothesized that 2 h of mechanical ventilation with high and low positive end-expiratory pressure (PEEP), hyperoxemia, hypoxemia, hypercapnia, and hypocapnia would significantly impact B-type natriuretic peptide (BNP), vascular endothelial growth factor (VEGF), and endothelin-1 (ET-1). We found BNP to be driven by both high (9 cmH₂O) and low (1 cmH₂O) PEEP compared to ventilated control animals (P < 0.05). VEGF concentrations were associated with high PEEP, hyperoxemia, hypoxemia, and hypoxapnia (P < 0.05), whereas ET-1 levels were changed only in response to hypoxemia (P < 0.05). In conclusion, the mode of mechanical ventilation alters plasma biomarker concentrations. Moreover, BNP and VEGF might serve as surrogate parameters for ventilation induced cardiovascular compromise and lung tissue damage. Furthermore, our data support the hypothesis, that sudden onset of hyperoxemia may trigger a quick VEGF release as a possible cellular survival reflex.

Introduction

Invasive mechanical ventilation (MV) is one of the most frequent interventions in pediatric anesthesia and critical care (Kambas et al. 2011; Barreira et al. 2015). MV is lifesaving for the vast majority of children and has a broad acknowledged spectrum of treatment indications including surgical peri- and postoperative general anesthesia as well as acute respiratory and cardiovascular failure (Mehta et al. 2015). Its main therapeutic functions are to reduce or eliminate work of breathing, permit adequate oxygenation, and remove carbon dioxide. Modern concepts of invasive MV mainly involve different modes of positive pressure ventilation alongside with oxygen supply, which induce several changes to the patient's cardiovascular system (Pinsky 2005; Frazier 2008). The transition from negative pleural pressure throughout the spontaneous breath cycle to nonphysiological positive intrathoracic pressure under MV compromises venous blood return to the right atrium (Pinsky 2005; Berger et al. 2016). Furthermore, hyperinflation of alveoli and compression of small pulmonary vessels increase pulmonary vascular resistance (PVR) and right ventricular afterload leading to elevated right atrial pressure, myocardial stretch, workload, and oxygen demand (Cherpanath et al. 2016). In addition, high PVR and mechanical compression of the cardiac chambers diminish pulmonary venous return to the left atrium reducing left ventricular output (Orde et al. 2015).

Despite the risks associated with MV per se certain clinical situations require rather unusual ventilation strategies that further increase the risk for adverse effects: For example, a higher mean airway pressure (MAP) may be needed for the recruitment of closed alveoli to improve gas exchange and work of breathing. This is particularly important, as currently recommended protective ventilation strategies with low tidal volumes (V_T) bear the risk of both alveolar derecruitment and hypercapnia, the latter being associated with acidosis, pulmonary vasoconstriction, and cerebral vasodilatation (Adrogué and Madias 1998a,b; Ito et al. 2003). The contrary, a low MAP and a low positive end-expiratory pressure (PEEP) might be indicated to facilitate passive pulmonary blood flow after palliative surgery in children with univentricular hearts. In addition, high fractions of inspired oxygen (FiO₂) are often applied for the treatment of persistent pulmonary hypertension of the newborn to decrease PVR and improve oxygenation, pulmonary blood flow, and eventually cardiac output (Lakshminrusimha et al. 2007; Kheir et al. 2013).

Hence, MV clearly affects the cardiovascular system both under physiological and pathophysiological conditions. Determination of biomarkers is increasingly used and advocated for detection, diagnosis, treatment decision-making, and even prediction of morbidity and mortality in a variety of cardiovascular pathologies (Domico and Allen 2016; Felker et al. 2017). Though the measurement of a cardiovascular biomarker is quite easy to perform and has the potential to provide valuable additional information for optimal patient treatment, it needs to be emphasized that confounding factors such as MV have not been systematically investigated in standardized settings for the field of pediatric critical care. Moreover, an ideal biomarker should alter decision-making, have a high sensitivity and specificity, and discriminate between the condition of interest and other confounding factors that may be especially encountered in critically ill children (Pletcher and Pignone 2011).

Standardized in vivo animal models provide a unique opportunity to investigate the influence of different ventilatory strategies on the cardiovascular system and its related plasma biomarkers. Thus, we performed this retrospective study in a healthy (non-neonatal) infant rat ventilation model. We used remaining plasma samples from a former ventilation experiment (L'Abate et al. 2013) to evaluate effects of short term cardiovascular changes induced by high and low PEEP, hyper- and hypoxemia as well as hyper- and hypoxapnia under highly standardized conditions on a set of plasma biomarkers representative for different aspects of cardiovascular compromise: B-type natriuretic peptide (BNP) for strain of cardiomyocytes (de Bold et al. 1981; Haug et al. 1993), vascular endothelial growth factor (VEGF) for lung tissue damage and induction of angiogenesis in hypoxia (Yancopoulos et al. 2000; Choi et al. 2003), and endothelin-1 (ET-1) for pulmonary vasoconstriction (Fagan et al. 2001). Based on the available literature and the expected pathophysiological effects described above, we hypothesized that 2 h of positive-pressure ventilation with different ventilator settings would have a significant impact on plasma BNP, VEGF, and ET-1.

Methods

Ethical approval

The cantonal authority of Zurich approved all animal experimental protocols according to the Swiss Animal Welfare Legislation (reference number 50/2010).

Animals

Infant Wistar rats of either sex together with their dams were supplied by Charles River Laboratories International, Inc. (Sulzfeld, Germany) at the age of \sim 7 days. The animals were allowed to acclimatize for further 7 days before

the experiments. Dams were kept under 12 h light-dark cycles receiving food and water ad libitum.

Experimental design

The animal experiments were performed between February and July 2011. The protocols for animal preparation, allocation to study groups, and MV were reported previously (L'Abate et al. 2013). Briefly, at the day of the experiment, anesthesia was induced with inhalative isoflurane followed by an intraperitoneal (IP) injection of ketamine (75 μ g/g body weight, BW) and xylazine (12 μ g/g BW) solution. A tracheostomy was conducted by insertion of a tracheal tube and the infant rats were connected to a computer-controlled ventilator (flexiVent®, Scireq, Montreal, Canada) using the following baseline settings: $V_{\rm T} \sim 8.0$ mL/kg, PEEP 5 cmH₂O, respiratory rate (RR) 90 min⁻¹, and inspired oxygen fraction (FiO₂) 0.4. Lung volume history was standardized by two lung volume recruitment maneuvers (up to 40 cmH₂O with 9-s ramp and 3-s plateau) separated by a pressure-volume (PV) maneuver (from 0 cmH₂O to 25 cmH₂O, 7-s ramp and 7-s decrease) within 2 min. Heart rate (HR) and peripheral oxygen saturation (SpO₂) were monitored via an animal pulse oximeter (MouseOxTM, STARR Life Sciences Corporation™, Oakmont, PA, USA). Body temperature was controlled and kept constant at 38°C by a thermocouple feedback rectal sensor connected to a heating mat (Physitemp Instruments, Incorporation, TCAT-2LV Temperature Controller, Clifton, NJ, USA).

We randomly allocated the animals to the following groups. "Control" (i.e. MV with $V_{\rm T} \sim 8~{\rm mL/kg}$, PEEP 5 cmH₂O, FiO₂ 0.4, RR 90 min⁻¹), "PEEP 1" (PEEP 1 cmH₂O, rest of settings unchanged) and "PEEP 9" (PEEP 9 cmH₂O, RR 120 min⁻¹, rest of settings unchanged). RR in the "PEEP 9" group was set at 120 min⁻¹ in order to achieve standard blood gas values. PEEP levels were regulated by submerging the distal part

of the expiratory tube into a water column. "Hypoxemia" and "hyperoxemia" were induced by FiO₂ of 0.21 and 1.0, respectively, with the rest of ventilator settings as set at baseline. Lastly, "hypocapnia" and "hypercapnia" were induced by RR of 180 min⁻¹ and 60 min⁻¹, respectively, with the rest of ventilator settings unchanged. After 30 min of MV, all animals were IP injected with 0.5 mL 0.9% NaCl to avoid dehydration. Approximately 15 min before the end of the ventilation protocol, animals were IP anaesthetized with a ketamine/xylazine top-up. The cause of death in animals used for experiments was exsanguination under full sedation. Dams were culled via exposure to carbon dioxide.

Verification of the experimental conditions

Values of SpO₂, HR and partial pressure of carbon dioxide (pCO₂) for the experimental groups are shown in Table 1. The respective condition could be evidenced by the following mixed blood gas parameters measured at the end of the experiment: low O₂ saturations (mean \pm SD: 77.6 \pm 12.6%) for hypoxemia, low pCO₂ (3.5 \pm 0.7 kPa) for hypoxemia, and elevated pCO₂ (8.0 \pm 1.4 kPa) for hypoxemia when compared to controls. In addition, the linear decrease in SpO₂ for the hypoxemic conditions was determined throughout the ventilation protocol by peripheral pulse oximetry: 98.4 \pm 0.3% at baseline, 96.8 \pm 2.8% at allocation, and 73.8 \pm 17.0% at the end of ventilation (Fig. 1).

Sampling and processing of blood for biomarker and blood gas analyses

Blood sampling and blood gas analyses were performed as described by L'Abate et al. (2013). Blood was withdrawn by direct cardiac puncture after a partial laparotomy and sternotomy before disconnection from the ventilator. Blood gas analysis was conducted via a portable blood

Table 1. SpO₂, heart rate, pCO₂, lactate, and pH after 120 min of mechanical ventilation.

Groups	SpO ₂ (%)	Heart rate (beats/min)	pCO ₂ (kPa)	Lactate (mmol/L)	рН
Control $(n = 7)$	98.5 (0.5)	292 (17)	5.2 (0.3)	0.8 (0.2)	7.42 (0.03)
PEEP 1 $(n = 8)$	98.3 (0.2)	296 (13)	5.0 (0.3)	0.9 (0.1)	7.42 (0.03)
PEEP 9 $(n = 9)$	98.6 (0.5)	284 (25)	4.9 (0.5)	1.1 (0.3)	7.41 (0.05)
Hypoxemia ($n = 10$)	77.6 (12.6) ¹	297 (17)	5.2 (0.8)	2.0 (0.6) ^{1,2}	7.39 (0.07)
Hyperoxia $(n = 9)$	98.9 (0.4)	291 (19)	6.1 (1.2)	0.8 (0.2) ²	7.38 (0.06)
Hypocapnia ($n = 10$)	98.5 (0.5)	306 (18)	3.5 (0.7) ^{1,2}	2.4 (1.1) ^{1,2}	7.54 (0.07) ^{1,2}
Hypercapnia ($n = 10$)	98.2 (0.8)	281 (23)	8.0 (1.4) ^{1,2}	0.7 (0.2) ²	7.25 (0.08) ^{1,2}

Data are expressed as group means \pm standard deviation.

Bold highlights general statistical significance.

¹Indicates statistically significant differences compared to control only.

²Indicates statistically significant differences between pairs.




Figure 1. Pulse oximetric oxygen saturation (SpO₂) of 2-week-old Wistar rats during mechanical ventilation with FiO₂ 0.21 for 2 h. Data are expressed as scatter plot with regression line and corresponding equation.

analyzer (i-STAT®, Axonlab, Abbott Laboratories, IL, USA) using few drops of whole blood. The rest of the blood was collected in EDTA tubes for centrifugation at 3000g for 10 min. Plasma was transferred into a new EDTA tube and stored at -80° C until further analyses.

Analysis of cardiovascular biomarkers

Plasma samples for this study were assayed between November 2014 and January 2015 in triplets in a blinded fashion according to manufacturer's instructions. BNP plasma concentrations were measured via a commercial enzyme-linked immunosorbent assay (ELISA) kit (catalog no. 20867, Bio-Medical Assay Co., Ltd) using a 1:10 dilution in a sample diluent provided with the kit. Determination of plasma concentrations of VEGF was performed using Rat Vascular Injury Magnetic Bead Panel 1 (RV1MAG-26K) along with Luminex[®] xMAP[®] technology by EMD Millipore MILLIPLEX[®] system. Plasma samples were diluted 1:4 in the serum matrix provided in the kit. ET-1 plasma quantity was measured with a rat ET-1 ELISA kit (catalog no. CSB-E06979r, Cusabio Biotech Co.) in a 1:10 dilution in a sample diluent supplied with the kit.

Statistical analysis

All statistical analyses were performed using the software package SigmaStat 3.5, SigmaPlot 10.0 was used for figures (Systat Software, Inc., Point Richmond, CA, USA). An unpaired *t*-test was applied for group comparison of

cardiovascular biomarkers. One-way ANOVA was used for group comparison of HR, pCO₂, and weight. Where appropriate, that is if group means were significantly different, Holm-Sidak post hoc test was used for pairwise comparison of means. Transformation of data was used where suitable to ensure assumptions of normality and or equal variance. Values are reported as means \pm standard deviation (SD), unless otherwise stated. Statistically significant data are additionally expressed as vertical box plots with median, 10th, 25th, 75th, and 90th percentiles. SpO₂ progression with FiO₂ 0.21 was formulated as scatter plot with regression line. Statistical difference was set at P < 0.05.

Results

At the age of 14 days of life, animals weighed (mean) 36.2 g (SD \pm 3.6 g) before being used for the ventilation experiments. The number of animals in the respective ventilation strategy is shown in Table 2.

B-type natriuretic peptide

BNP plasma concentrations were significantly higher in both PEEP 1 and PEEP 9 groups when compared to control animals (Table 2, Fig. 2). Furthermore, no significant difference was found for hyperoxemia and hypoxemia when compared with the control group. There was also no statistically significant difference between hyper-, hypocapnia, and control groups (Table 2).

Vascular endothelial growth factor

VEGF protein in blood plasma was significantly elevated in the PEEP 9 group when compared to the control group, whereas the PEEP 1 group demonstrated statistically not significant higher VEGF values when compared with controls (Table 2, Fig. 3). Nevertheless, we observed significantly higher concentrations of plasma VEGF in both hyper- and hypoxemia groups when compared with normoxemia (Table 2, Fig. 3). Furthermore, hypocapnia induced significantly higher levels of plasma VEGF, while hypercapnia did not significantly change VEGF concentration when compared with control (Table 2, Fig. 3).

Endothelin-1

ET-1 plasma levels were significantly lower in the hypoxemia group when compared to normoxemia (Table 2, Fig. 4). PEEP changes and hyperoxemia did not influence ET-1 levels. ET-1 concentrations in hyper- and hypocapnia groups were not measured due to low sample volumes.

Discussion

This retrospective study confirmed the expected impact of different mechanical ventilation strategies on plasma biomarkers. Plasma BNP was high following MV with high PEEP, but low after hypoxemic and hypercapnic ventilation. Furthermore, BNP concentration was found to be higher under low PEEP. VEGF was elevated in hypoxemia and surprisingly in hyperoxemia, too. In addition, high PEEP and hypoxapnia induced unforeseen high VEGF plasma concentrations. A further

unexpected finding were low ET-1 concentrations after hypoxemia.

B-type natriuretic peptide

BNP is produced by the human heart in response to myocardial stretch and has diuretic, natriuretic, and vasodilating properties (de Bold et al. 1981). BNP plasma levels correlate well with left ventricular end-diastolic pressure, pulmonary capillary wedge pressure, and right atrial pressure (Haug et al. 1993). BNP signals severity of ventricular wall stress and heart failure in children and adults (Sahingozlu et al. 2015; Xu et al. 2017). Therefore, it may serve as a proxy for ventricular strain and afterload elevation by MV. The well-designed in vivo animal study by Kobr et al. (2011) investigated the isolated influence of injurious high V_T ventilation (V_T 10 mL/kg body weight vs. 6 mL/kg on top of PEEP 6 cm H₂O) in healthy 7-week-old piglets. The investigators found a positive correlation of echocardiographically assessed left and right ventricular deterioration with plasma BNP after 12 h of ventilation. Our findings might correspond to those results and suggest that the cyclic application of high peak and mean airway pressures might impair the ventricular performance comparably to a constant application of high PEEP, although we did not perform echocardiographic measurements. We assumed that the BNP elevation in the PEEP 9 group in our study could most likely be attributed to the right ventricular afterload increase. The significant BNP elevation in the PEEP 1 group was somewhat more challenging to explain. The low PEEP should not hinder the right ventricle to eject blood, but it may be too low to avoid lung atelectasis. Several ex vivo and

 Table 2. Cardiovascular biomarker concentrations in plasma after 2 h of different ventilation strategies.

		Biomarker							
	BNP [pg/mL)	VEGF [pg/mL]		ET-1 [pg/mL]				
Group	Median (IQR)	P value	Median (IQR)	P value	Median (IQR)	P value			
Control $(n = 7)$	26.7 (22.5–34.2)	n. a.	328.0 (298.0–350.0)	n. a.	22.3 (21.3–24.1)	n. a.			
PEEP1 $(n = 8)$	38.3 (32.5-44.2)*	0.04	480.0 (378.0-586.0)	0.10	19.9 (16.9–23.8)	0.33			
PEEP9 $(n = 9)$	43.3 (35.8-53.3)*	0.03	628.0 (360.0-762.0)*	0.01	23.1 (18.5–25.9)	0.31			
Hypoxemia ($n = 10$)	26.7 (18.4-29.2)	0.40	488.0 (454.0-556.0)*	0.01	15.0 (11.8-18.4)*	0.03			
Hyperoxemia ($n = 9$)	33.3 (26.7–36.7)	0.17	468.0 (382.0-514.0)*	0.03	19.5 (14.1–22.8)	0.27			
Hypocapnia ($n = 10$)	25.0 (19.2–31.7)	0.90	488.0 (336.0-626.0)*	0.02	n. a.	n. a.			
Hypercapnia ($n = 10$)	20.0 (9.2–40.0)	0.80	300.0 (236.0–412.0)	0.37	n. a.	n. a.			

Data are expressed as group medians (interquartile range, IQR). Control animals were exposed to fraction of inspired oxygen (FiO_2) 0.4, positive end-expiratory pressure 5 cmH₂O (PEEP 5), and normocapnia. ET-1 concentrations in hyper- and hypocapnia groups were not measured due to low sample volumes. BNP, B-type natriuretic peptide; ET-1, endothelin-1; VEGF, vascular endothelial growth factor; IQR, interquartile range; n. a., not applicable.

Bold highlights statistical significance.

 $^*P < 0.05$ was considered as significant when compared to control.




Figure 2. BNP concentrations in plasma of 2-week-old Wistar rats after exposure to different modes of mechanical ventilation for 2 h. Control: PEEP 5 cmH₂O, FiO₂ 0.4, RR 90 min⁻¹; PEEP 1: PEEP 1 cmH₂O; PEEP 9: PEEP 9 cmH₂O; hypoxemia: FiO₂ 0.21; hyperoxemia: FiO₂ 1.0, hyperoxemia: FiO₂ 1.0; hypocapnia: RR 180 min⁻¹; and hypercapnia: RR 60 min⁻¹. Data are expressed as vertical box plots with median, 10th, 25th, 75th, and 90th percentiles. *P < 0.05 was considered as significantly different when compared to control.

in vivo models have shown that low PEEP levels of 0 and 2 cm H₂O led to larger fractions of nonventilated lung areas (Eyal et al. 1996; Luecke et al. 2003; Crespo et al. 2006). In these studies, lung collapse was accompanied by increases in PVR and PAP and consecutively by an increased burden for the right ventricle. We speculate, that this was most likely the reason for the elevated plasma concentrations of BNP in our study. Unexpectedly, we could not find an influence of hypoxemia and hypercapnia on plasma BNP concentrations. Ventilation with FiO₂ 0.21 over 2 h caused a gradual decrease in oxygen saturation (Fig. 1) leading to SpO₂ 78 \pm 13% at the end of the experiment. This hypoxemic stimulus with a rather slow progression and a modest degree of hypoxemia after 2 h was presumably not strong enough to cause relevant pulmonary vasoconstriction and right ventricular afterload increase. Similarly, hypercapnia with a mean pCO₂ of 8.0 kPa and a modest respiratory acidosis of pH 7.25 (Table 1) was most likely not strong enough to induce relevant pulmonary vasoconstriction with a consecutive BNP increase.

As a limitation, we did not assess ventricular function or changes in pulmonary blood flow by echocardiography. Besides that, the lack of invasive arterial pressure measurements and assessments of the PVR limited conclusions on PAP-related BNP-changes. Furthermore, we did not determine the BNP trajectory over time, which would have been useful to generate a time threshold when positive-pressure ventilation becomes harmful for the right ventricle.

In summary, BNP was elevated after application of both high and low PEEP for 2 h. This was most likely due to the right ventricular compromise caused by MV and atelectasis induced right ventricular afterload elevation. BNP assessment over time in animals under MV in parallel to echocardiographic or invasive blood pressure assessments would provide further insights into the time course of the BNP elevation under the influence of MV.

Vascular endothelial growth factor

The VEGF-family includes five signal proteins (VEGF-A (i.e., VEGF), VEGF-B, VEGF-C, VEGF-D, and placental




Figure 3. VEGF concentrations in plasma of 2-week-old Wistar rats after exposure to different modes of mechanical ventilation for 2 h. Control: PEEP 5 cmH₂O, FiO₂ 0.4, RR 90 min⁻¹; PEEP 1: PEEP 1 cmH₂O; PEEP 9: PEEP 9 cmH₂O; hypoxemia: FiO₂ 0.21; hyperoxemia: FiO₂ 1.0, hyperoxemia: FiO₂ 1.0; hypocapnia: RR 180 min⁻¹; and hypercapnia: RR 60 min⁻¹. Data are expressed as vertical box plots with median, 10th, 25th, 75th, and 90th percentiles. *P < 0.05 was considered as significantly different when compared to control.

growth factor (PIGF)) with strong endothelial-cell-specific mitogenic and angiogenic properties (Yancopoulos et al. 2000). These VEGFs are found throughout both the human and rodent body with the highest presence in lung tissues (Monacci et al. 1993). PEEP exposes lung tissues to a certain degree of baseline stretch on top of which tidal volumes are added. To the best of our knowledge, no systematic investigation on the isolated influence of PEEP on VEGF has been published, so far. Nevertheless, an in vivo study with 7-day-old rat pups by Kroon et al. (2015) found an induction of VEGF-gene expression following MV for 8 h with high $V_{\rm T}$ (25 mL/kg body weight) when compared to lower $V_{\rm T}$ (3.5–8.5 mL/kg). Furthermore, Choi et al. (2003) demonstrated in adult rats elevated serum VEGF concentrations after MV for 2 h with high $V_{\rm T}$ of 20 mL/kg. In light of these studies, we speculate that application of PEEP 9 cmH₂O for 2 h was injurious enough to cause a plasma VEGF protein elevation, most likely due to the onset of lung tissue damage.

In addition, we observed high plasma VEGF protein concentrations in the hypoxemia group, as expected,

according to the extended body of available evidence. The binding of HIF-1α to the hypoxia response element of VEGF results in increased transcriptional activity as Ozaki et al. (1999) and Chen et al. (2012) have shown in mice models for ischemic retina and hypoxic cornea, respectively. In our study, we were able to show high plasma VEGF values after 2 h of hypoxemic MV, in line with the previously published results on hypoxia-driven VEGF activity. However, in our study, the plasma VEGF concentration also showed a significant elevation after 2 h of hyperoxemic mechanical ventilation. This was an unexpected finding, because VEGF-mRNA expression seems to be downregulated in hyperoxia (Alon et al. 1995; Klekamp et al. 1999). An explanation for the VEGF elevation might be the sudden impact of high oxygen concentrations on epithelial cells. Interestingly, the VEGF concentration in the epithelial lining fluid was found to increase paradoxically after hyperoxic exposure (Watkins et al. 1999; Ekekezie et al. 2003). In addition, Shenberger et al. (2007) were able to demonstrate in vitro in human lung adenocarcinoma cells and normal fibroblasts that incubation with 95% oxygen for 48 h led to a 2-3 fold increase




Figure 4. ET-1 concentrations in plasma of 2-week-old Wistar rats after exposure to different modes of mechanical ventilation for 2 h. Control: PEEP 5 cmH₂O, FiO₂ 0.4, RR 90 min⁻¹; PEEP 1: PEEP 1 cmH₂O; PEEP 9: PEEP 9 cmH₂O; hypoxemia: FiO₂ 0.21; hyperoxemia: FiO₂ 1.0, hyperoxemia: FiO₂ 1.0; hypocapnia: RR 180 min⁻¹; and hypercapnia: RR 60 min⁻¹. Data are expressed as vertical box plots with median, 10th, 25th, 75th, and 90th percentiles. *P < 0.05 was considered as significantly different when compared to control.

in VEGF protein in the surrounding medium. However, VEGF-mRNA decreased significantly in hyperoxic cells compared to normoxic controls. These findings led the group to the conclusion, that hyperoxic exposure may cause a release of VEGF protein from cell-associated stores in the extracellular matrix to the surroundings rather than an immediate increase in mRNA-transcription. In line with these previous studies and our results, Sato et al. (2016) could provoke a significant increase in VEGF-C and VEGF-D expression in mouse lung tissue by 60 h of hyperoxic exposure (FiO₂ 0.95). A rapid initial release of preformed VEGF protein to the epithelium might happen, as already Shenberger et al. concluded, as a form of cellular survival reflex to a sudden hyperoxic exposure. The time of onset of VEGF-release into the blood is not clear, but it may occur already within minutes after the beginning of hyperoxic exposure. Yet, Gonçalves et al. (2014) did not observe an immunohistochemical VEGF protein increase in lung tissues of newborn rat pups after 30 min of hyperoxic MV (FiO₂ 1.0, $V_{\rm T}$ 9 mL/kg, PEEP 0 cmH₂O). If the previously published

time points of plasma VEGF measurements are hypothetically merged with our results, one can speculate on the trajectory of VEGF appearance in tissues and blood after the onset of hyperoxic exposure: the VEGF-release from cell-associated stores might start immediately after oxygen exposure, with VEGF protein being primarily undetectable in lung tissue at 30 min (Gonçalves et al. 2014), then being detectable and reaching significantly increased concentrations in blood plasma at 120 min, as in our study, and persistently elevated up to 48 h and more (Sato et al. 2016).

As a limitation, we did assess neither intracellular or extracellular matrix VEGF-mRNA nor plasma VEGF protein concentration over time. Therefore, it remains unclear, if the plasma VEGF protein would have risen or fallen under continued hyperoxemic MV. A structured time-dependent evaluation of early intracellular VEGF transcription, VEGF protein concentrations in cell-associated stores in lung tissues and in plasma would shed further light on cellular VEGF-reactions in case of sudden hyperoxic impacts.

Lastly, hypocapnia induced a positive VEGF response in blood. As it is known that hypocapnia causes cerebral vasoconstriction resulting in reduced cerebral blood flow and reduced cerebral blood volume (Ito et al. 2003), it is suggestive, that the consecutively reduced cerebral oxygen delivery caused cerebral tissue hypoxia. This might be reflected by the significantly elevated plasma lactate in this group (mean 2.4 mmol (±SD 1.1), Table 1) compared to ventilated control animals, while the peripherally measured oxygen saturation remained perfectly stable in the normal range at 98.5% (± 0.5). As to the best of our knowledge, no studies were published so far associating hypocapnia with VEGF. However, hypocapnia has been identified as an independent risk factor for cerebral leukomalacia in the preterm birth child and was linked to poor neurodevelopmental outcome (Resch et al. 2012). Therefore, we might speculate that an elevated plasma VEGF during hypocapnic episodes in ventilated children could be used as an early proxy for cerebral hypoperfusion and cerebral tissue hypoxia. This conclusion is limited by the lack of long-term neurological and histological follow-up in our study leaving the developmental relevance of this finding undetermined.

In summary, we could show a significantly elevated VEGF in plasma after 2 h of MV with PEEP 9 cm H_2O , hyper- and hypoxemia, and with hypoxapnia. Whether and when VEGF is released after sudden hyperoxemic exposure remains the matter of future research.

Endothelin-1

ET-1 is an endogenous peptide with strong vasoactive properties involved in various lung disorders such as pulmonary hypertension, acute respiratory failure and development of bronchopulmonary dysplasia (Fagan et al. 2001; Kambas et al. 2011). A broad spectrum of studies have shown hypoxia to be a strong stimulus for the HIF-1α mediated ET-1 transcription (Hu et al. 1998; Paradis et al. 2015). However, in our study, ET-1 was significantly lower after 120 min of hypoxemic ventilation, which is in contrast to the generally assumed stimulating effect of hypoxia on plasma ET-1. Nevertheless, our results do not have to be necessarily contradictory to the previously published studies when taking into account the dose-dependency of ET-1 protein appearance in blood after onset of hypoxia. Shirakami et al. (1991) exposed rats to FiO₂ 0.1 and observed an increase in ET-1 protein in lungs and peripheral plasma after 60 min of exposure. The effect appeared significantly earlier (already after 10 min) and stronger, if the rats were exposed to FiO2 0.05. Helset et al. (1995) found increased ET-1 protein levels in the perfusate of isolated rat lungs even earlier, that is after 5 min exposure to FiO₂ 0.02. FiO₂ 0.21 in our study was not sufficient to maintain adequate

oxygen saturation over 120 min of ventilation (SpO₂ ~78% after 120 min). This is most likely due to the gradual derecruitment of alveoli under standard ventilation over the experimental time leading to an insufficient oxygenation. This form of hypoxemic stimulus probably provoked a slower ET-1 release than found in the more aggressive approaches used by the groups of Shirakami and Helset. Another contributing factor may be the increase in ET-1receptor density under hypoxic conditions as shown by Li et al. (1994a,b) and Takahashi et al. (2001). The ET_B receptor subtype concentration was found to be relatively higher than ET_A in pulmonary arteries after hypoxic exposure, which is suggestive for ET_B to be the primary clearance site (Li et al. 1994b; Kelland et al. 2010). Up to date, the earliest assessment of the ET-1 receptor-mRNA in hypoxic rat lungs was performed after 12 h of hypoxic exposure, showing a significant increase in receptor abundance. A potential early increase in ET-1 receptor transcriptional and translational activity within the first hours of hypoxic exposure may cause an increased binding of circulatory ET-1 protein to more available binding sites. This increased ET-1 protein clearance from the blood stream might have been a second factor contributing to the low ET-1 protein level found in hypoxemia in our study.

As limitations, we did not perform serial ET-1 protein measurements and did not assess the ET-1-receptor density, which would have been useful for further conclusions on the ET-1 protein-receptor-interaction in hypoxemic ventilation.

In summary, we can speculate, that ET-1 was low following hypoxemic ventilation most likely due to the combination of a hypoxic stimulus that developed gradually over 120 min and an increase in ET-1-receptor density.

Limitations

Besides the limitations mentioned above for each biomarker, our study was limited by the relatively short period of ventilation (2 h) and by the biomarker examination at a single time point. Furthermore, comparisons to echocardiography, invasive blood pressure and flow measurements, and histology would have been useful to relate objectively measured cardiovascular compromise to biomarker findings. However, as the ventilatory experiments presented here were performed in a highly standardized fashion, we deem the altered biomarkers as being valid surrogates for organ specific compromise.

One important limitation for the biomarker measurements in this study is the potential protein breakdown over storage time. The plasma samples were stored between the animal experiments and the VEGF measurements at -80° C for a period of maximum 4 years 9 months. VEGF is known to degrade significantly in

serum, even at very low storage temperatures $(-75^{\circ}C)$ (Kisand et al. 2011), but not in plasma at -80°C (Hetland et al. 2008). However, as the longest published period of VEGF plasma storage at -80°C spans 2 years (Hetland et al. 2008) a partial degradation of VEGF over the storage time could be possible. For ET-1 and BNP time until assay was maximum 4 years 11 months. Longterm stability for ET-1 storage at -80°C was not assessed until to date, but Perez et al. (2016) found ET-1 to be stable in plasma for 9 months when stored at -70° C. We assume, that storage at -80°C did not seriously affect ET-1 plasma levels, but a bias over time could not be excluded. Plasma BNP levels were found to decrease by 1% per month when stored at -80° C, but low levels (<100 pg/mL) were relatively stable over a maximum published period of 1 year (Pereira et al. 2008). As the evidence for long-term stability is limited for the three biomarkers we could not exclude a degradation effect over time as potential bias on absolute plasma values.

Last, as systematic data on the influence of mechanical ventilation on biomarkers in human pediatric patients is scarce, the transfer of conclusions from animal studies to human beings has to be done, as it is necessary for any model, with caution. Future ventilatory studies in human beings may reveal significant differences to animal models.

Conclusion

Our selected MV strategies compromised the pulmonary and systemic circulation and induced lung tissue damage as reflected by cardiovascular biomarker elevations in plasma. BNP might have been driven by right ventricular afterload elevation induced by inadequate PEEP levels, whereas VEGF might have been high in ventilation strategies with excessive mechanical lung stretch, lung injury, and reduced cerebral perfusion. Furthermore, our data support the hypothesis from previous studies that high plasma VEGF levels in hyperoxia seem to reflect a quick cellular release mechanism possibly important for cellular survival. ET-1 was unexpectedly low in hypoxemia most likely due to a combination of a rather mild hypoxemic stimulus and a presumed increase in ET-1-receptor density that might have caused early blood stream clearance. The influence of positive pressure ventilation and oxygen application has to be taken into account for the clinical interpretation of cardiovascular biomarkers.

Acknowledgments

The authors are grateful to Andrea Zelmer for performing the biomarker measurements.

Conflict of Interest

None.

References

- Adrogué, H. J., and N. E. Madias. 1998a. Management of lifethreatening acid-base disorders I. N. Engl. J. Med. 338:26— 34
- Adrogué, H. J., and N. E. Madias. 1998b. Management of lifethreatening acid-base disorders II. N. Engl. J. Med. 338:107–
- Alon, T., I. Hemo, A. Itin, J. Pe'er, J. Stone, and E. Keshet. 1995. Vascular endothelial growth factor acts as a survival factor for newly formed retinal vessels and has implications for retinopathy of prematurity. Nat. Med. 1:1024–1028.
- Barreira, E. R., G. O. Munoz, P. O. Cavalheiro, A. S. Suzuki, N. V. Degaspare, H. H. Shieh, et al. 2015. Epidemiology and outcomes of acute respiratory distress syndrome in children according to the Berlin definition: a multicenter prospective study. Crit. Care Med. 43:947–953.
- Berger, D., P. W. Moller, A. Weber, A. Bloch, S. Bloechlinger, M. Haenggi, et al. 2016. Effect of PEEP, blood volume, and inspiratory hold maneuvers on venous return. Am. J. Physiol. 311:H794–H806.
- de Bold, A. J., H. B. Borenstein, A. T. Veress, and H. Sonnenberg. 1981. A rapid and potent natriuretic response to intravenous injection of atrial myocardial extract in rats. Life Sci. 28:89–94.
- Chen, P., H. Yin, Y. Wang, Y. Wang, and L. Xie. 2012. Inhibition of VEGF expression and corneal neovascularization by shRNA targeting HIF-1α in a mouse model of closed eye contact lens wear. Mol. Vis. 18:864–873.
- Cherpanath, T. G. V., W. K. Lagrand, J. M. Binnekade, A. J. Schneider, M. J. Schultz, and J. A. B. Groeneveld. 2016. Impact of positive end-expiratory pressure on thermodilution-derived right ventricular parameters in mechanically ventilated critically III patients. J. Cardiothorac. Vasc. Anesth. 30:632–638.
- Choi, W. I., D. A. Quinn, K. M. Park, R. K. Moufarrej, B. Jafari, O. Syrkina, et al. 2003. Systemic microvascular leak in an in vivo rat model of ventilator-induced lung injury. Am. J. Respir. Crit. Care Med. 167:1627–1632.
- Crespo, A., E. Novoa, D. Urich, H. Trejo, A. Pezzulo, J. I. Sznajder, et al. 2006. Effect of changes in airway pressure and the inspiratory volume on the fluid filtration rate and pulmonary artery pressure in isolated rabbit lungs perfused with blood and acellular solution. Invest. Clin. 47:323–335.
- Domico, M., and M. Allen. 2016. Biomarkers in pediatric cardiac critical care. Pediatr. Crit. Care Med. 17:S215–S221.
- Ekekezie, I. I., D. W. Thibeault, M. H. Rezaiekhaligh, M. Norberg, S. Mabry, X. Zhang, et al. 2003. Endostatin and vascular endothelial cell growth factor (VEGF) in piglet lungs: effect of inhaled nitric oxide and hyperoxia. Pediatr. Res. 53:440–446.

- Eyal, F. G., W. E. Hachey, N. L. Curtet-Eyal, F. E. Kellum, and G. Alpan. 1996. Effect of modulators of hypoxic pulmonary vasoconstriction on the response to inhaled nitric oxide in a neonatal model of severe pulmonary atelectasis. Semin. Perinatol. 20:186–193.
- Fagan, K. A., I. F. McMurtry, and D. M. Rodman. 2001. Role of endothelin-1 in lung disease. Respir. Res. 2:90–101.
- Felker, G. M., K. J. Anstrom, K. F. Adams, J. A. Ezekowitz, M. Fiuzat, N. Houston-Miller, et al. 2017. Effect of natriuretic peptide-guided therapy on hospitalization or cardiovascular mortality in high-risk patients with heart failure and reduced ejection fraction: a randomized clinical trial. JAMA 318:713–720.
- Frazier, S. K. 2008. Cardiovascular effects of mechanical ventilation and weaning. Nurs. Clin. North Am. 43:1–15.
- Gonçalves, F. L. L., R. L. Figueira, A. L. B. Simões, R. M. Gallindo, A. Coleman, J. L. Peiró, et al. 2014. Effect of corticosteroids and lung ventilation in the VEGF and NO pathways in congenital diaphragmatic hernia in rats. Pediatr. Surg. Int. 30:1207–1215.
- Haug, C., A. Grünert, A. Metzele, M. Kochs, and V. Hombach. 1993. Plasma brain natriuretic peptide and atrial natriuretic peptide concentrations correlate with left ventricular enddiastolic pressure. Clin. Cardiol. 16:553–557.
- Helset, E., J. Kjaeve, L. Bjertnaes, and J. M. Lundberg. 1995. Acute alveolar hypoxia increases endothelin-1 release but decreases release of calcitonin gene-related peptide in isolated perfused rat lungs. Scand. J. Clin. Lab. Invest. 55:369–376.
- Hetland, M. L., I. J. Christensen, T. Lottenburger, J. S. Johansen, M. N. Svendsen, K. Hørslev-Petersen, et al. 2008. Circulating VEGF as a biological marker in patients with rheumatoid arthritis? Preanalytical and biological variability in healthy persons and in patients. Dis. Markers 24:1–10.
- Hu, J., D. J. Discher, N. H. Bishopric, and K. A. Webster. 1998. Hypoxia regulates expression of the endothelin-1 gene through a proximal hypoxia-inducible factor-1 binding site on the antisense strand. Biochem. Biophys. Res. Commun. 245:894–899.
- Ito, H., I. Kanno, M. Ibaraki, J. Hatazawa, and S. Miura. 2003. Changes in human cerebral blood flow and cerebral blood volume during hypercapnia and hypocapnia measured by positron emission tomography. J. Cereb. Blood Flow Metab. 23:665–670.
- Kambas, K., A. Chrysanthopoulou, I. Kourtzelis, M. Skordala, I. Mitroulis, S. Rafail, et al. 2011. Endothelin-1 signaling promotes fibrosis in vitro in a bronchopulmonary dysplasia model by activating the extrinsic coagulation cascade. J. Immunol. 186:6568–6575.
- Kelland, N. F., R. E. Kuc, D. L. McLean, A. Azfer, A. J. Bagnall, G. A. Gray, et al. 2010. Endothelial cell-specific ETB receptor knockout: autoradiographic and histological characterisation and crucial role in the clearance of endothelin-1. This article is one of a selection of papers

- published in the two-part special issue entitled 20 Years of Endothelin Research. Can. J. Physiol. Pharmacol. 88:644–651
- Kheir, J. N., B. K. Walsh, C. D. Smallwood, J. S. Rettig, J. E. Thompson, C. Gomez-Laberge, et al. 2013. Comparison of 2 lung recruitment strategies in children with acute lung injury. Respir. Care 58:1280–1290.
- Kisand, K., I. Kerna, J. Kumm, H. Jonsson, and A. Tamm. 2011. Impact of cryopreservation on serum concentration of matrix metalloproteinases (MMP)-7, TIMP-1, vascular growth factors (VEGF) and VEGF-R2 in Biobank samples. Clin. Chem. Lab. Med. 49:229.
- Klekamp, J. G., K. Jarzecka, and E. A. Perkett. 1999. Exposure to hyperoxia decreases the expression of vascular endothelial growth factor and its receptors in adult rat lungs. Am. J. Pathol. 154:823–831.
- Kobr, J., K. Pizingerova, J. Fremuth, L. Sasek, J. Kocova, O. Hes, et al. 2011. Signaling molecules for early detection of adverse interactions during mechanical ventilation in animal models. In Vivo 25:209–217.
- Kroon, A. A., J. Wang, and M. Post. 2015. Alterations in expression of elastogenic and angiogenic genes by different conditions of mechanical ventilation in newborn rat lung. Am. J. Physiol. Lung Cell. Mol. Physiol. 308:L639–L649.
- L'Abate, P., S. Wiegert, J. Struck, S. Wellmann, and V. Cannizzaro. 2013. Determinants of plasma copeptin: a systematic investigation in a pediatric mechanical ventilation model. Respir. Physiol. Neurobiol. 185:222–227.
- Lakshminrusimha, S., J. A. Russell, R. H. Steinhorn, D. D. Swartz, R. M. Ryan, S. F. Gugino, et al. 2007. Pulmonary hemodynamics in neonatal lambs resuscitated with 21%, 50%, and 100% Oxygen. Pediatr. Res. 62:313–318.
- Li, H., S. J. Chen, Y. F. Chen, Q. C. Meng, J. Durand, S. Oparil, et al. 1994a. Enhanced endothelin-1 and endothelin receptor gene expression in chronic hypoxia. J. Appl. Physiol. 77:1451–1459.
- Li, H., T. S. Elton, Y. F. Chen, and S. Oparil. 1994b. Increased endothelin receptor gene expression in hypoxic rat lung. Am. J. Physiol. 266:L553–L560.
- Luecke, T., H. Roth, P. Herrmann, A. Joachim, G. Weisser, P. Pelosi, et al. 2003. PEEP decreases atelectasis and extravascular lung water but not lung tissue volume in surfactant-washout lung injury. Intensive Care Med. 29:2026–2033.
- Mehta, A. B., S. N. Syeda, R. S. Wiener, and A. J. Walkey. 2015. Epidemiological trends in invasive mechanical ventilation in the United States: a population-based study. J. Crit. Care 30:1217–1221.
- Monacci, W. T., M. J. Merrill, and E. H. Oldfield. 1993. Expression of vascular permeability factor/vascular endothelial growth factor in normal rat tissues. Am. J. Physiol. 264:C995–C1002.
- Orde, S. R., A. Behfar, P. G. Stalboerger, S. Barros-Gomes, G. C. Kane, and J. K. Oh. 2015. Effect of positive end-

- expiratory pressure on porcine right ventricle function assessed by speckle tracking echocardiography. BMC Anesthesiol. 15:49.
- Ozaki, H., A. Y. Yu, N. Della, K. Ozaki, J. D. Luna, H. Yamada, et al. 1999. Hypoxia inducible factor-1alpha is increased in ischemic retina: temporal and spatial correlation with VEGF expression. Invest. Ophthalmol. Vis. Sci. 40:182–189.
- Paradis, A. N., M. S. Gay, C. G. Wilson, and L. Zhang. 2015. Newborn hypoxia/anoxia inhibits cardiomyocyte proliferation and decreases cardiomyocyte endowment in the developing heart: role of endothelin-1. PLoS ONE 10:e0116600.
- Pereira, M., A. Azevedo, M. Severo, and H. Barros. 2008. Long-term stability of endogenous B-type natriuretic peptide after storage at -20°C or -80°C. Clin. Chem. Lab. Med. 46:1171.
- Perez, A. L., J. L. Grodin, Y. Wu, A. F. Hernandez, J. Butler, M. Metra, et al. 2016. Increased mortality with elevated plasma endothelin-1 in acute heart failure: an ASCEND-HF biomarker substudy. Eur. J. Heart Fail. 18:290–297.
- Pinsky, M. R. 2005. Cardiovascular issues in respiratory care. Chest 128:592S–597S.
- Pletcher, M. J., and M. Pignone. 2011. Evaluating the clinical utility of a biomarker: a review of methods for estimating health impact. Circulation 123:1116–1124.
- Resch, B., K. Neubauer, N. Hofer, E. Resch, U. Maurer, J. Haas, et al. 2012. Episodes of hypocarbia and early-onset sepsis are risk factors for cystic periventricular leukomalacia in the preterm infant. Early Hum. Dev. 88:27–31.
- Sahingozlu, T., U. Karadas, K. Eliacik, A. R. Bakiler, N. Ozdemir Karadas, M. A. Kanik, et al. 2015. Brain natriuretic peptide: the reason of respiratory distress is heart disease or lung disease? Am. J. Emerg. Med. 33:697–700.

- Sato, T., S. Paquet-Fifield, N. C. Harris, S. Roufail, D. J. Turner, Y. Yuan, et al. 2016. VEGF-D promotes pulmonary oedema in hyperoxic acute lung injury. J. Pathol. 239:152– 161.
- Shenberger, J. S., L. Zhang, R. J. Powell, and A. Barchowsky. 2007. Hyperoxia enhances VEGF release from A549 cells via post-transcriptional processes. Free Radic. Biol. Med. 43:844–852.
- Shirakami, G., K. Nakao, Y. Saito, T. Magaribuchi, M. Jougasaki, M. Mukoyama, et al. 1991. Acute pulmonary alveolar hypoxia increases lung and plasma endothelin-1 levels in conscious rats. Life Sci. 48:969–976.
- Takahashi, H., S. Soma, M. Muramatsu, M. Oka, and Y. Fukuchi. 2001. Upregulation of ET-1 and its receptors and remodeling in small pulmonary veins under hypoxic conditions. Am. J. Physiol. Lung Cell. Mol. Physiol. 280: L1104–L1114.
- Watkins, R. H., C. T. D'Angio, R. M. Ryan, A. Patel, and W. M. Maniscalco. 1999. Differential expression of VEGF mRNA splice variants in newborn and adult hyperoxic lung injury. Am. J. Physiol. Lung Cell. Mol. Physiol. 276:L858–L867.
- Xu, W., H. Tao, D. Hu, and G. Wang. 2017. Serum BNP level expression of child patients suffering from ventricular septal defects of CHD and its relation with cardiac function and heart failure. Minerva Pediatr. https://doi.org/10.23736/ S0026-4946.16.04786-1
- Yancopoulos, G. D., S. Davis, N. W. Gale, J. S. Rudge, S. J. Wiegand, and J. Holash. 2000. Vascular-specific growth factors and blood vessel formation. Nature 407:242–248.