



Application of Deconvolution Algorithm of Point Spread Function in Improving Image Quality: An Observer Preference Study on Chest Radiography

Kum Ju Chae, MD^{1,2}, Jin Mo Goo, MD, PhD^{1,3}, Su Yeon Ahn, MD¹, Jin Young Yoo, MD¹,
Soon Ho Yoon, MD^{1,3}

¹Department of Radiology, Seoul National University College of Medicine, and Institute of Radiation Medicine, Seoul National University Medical Research Center, Seoul 03080, Korea; ²Department of Radiology, Research Institute of Clinical Medicine of Chonbuk National University-Biomedical Research Institute of Chonbuk National University Hospital, Jeonju 54907, Korea; ³Cancer Research Institute, Seoul National University College of Medicine, Seoul 03080, Korea

<https://doi.org/10.3348/kjr.2018.19.1.147>
Korean J Radiol 2018;19(1):147-152

The publisher and authors would like to draw the reader's attention to an error in the following article.

Application of Deconvolution Algorithm of Point Spread Function in Improving Image Quality: An Observer Preference Study on Chest Radiography. Korean J Radiol 2018;19(1):147-152.

On page 148, the Institutional Review Board number was incorrectly numbered as D-1609-071-719. The correct number is D-1608-091-785.