
Corrigendum: Resolving plasmid structures in *Enterobacteriaceae* using the MinION nanopore sequencer: assessment of MinION and MinION/Illumina hybrid data assembly approaches

Sophie George,¹ Louise Pankhurst,¹ Alasdair Hubbard,¹ Antonia Votintseva,¹ Nicole Stoesser,¹ Anna E. Sheppard,¹ Amy Mathers,² Rachel Norris,³ Indre Navickaite,¹ Chloe Eaton,⁴ Zamin Iqbal,³ Derrick W. Crook¹ and Hang T. T. Phan^{1,*}

Microbial Genomics 2017;3, doi: 10.1099/mgen.0.000118

There was an error in the Data Summary in the published article. PacBio assembly numbers beginning with CP0119XX should be CP0179XX, as shown below.

CAV1015 CP017928–CP017933 (<https://www.ncbi.nlm.nih.gov/nucore/CP017928>; <https://www.ncbi.nlm.nih.gov/nucore/CP017929>; <https://www.ncbi.nlm.nih.gov/nucore/CP017930>; <https://www.ncbi.nlm.nih.gov/nucore/CP017931>; <https://www.ncbi.nlm.nih.gov/nucore/CP017932>; <https://www.ncbi.nlm.nih.gov/nucore/CP017933>).

CAV1016 CP017934–CP017937 (<https://www.ncbi.nlm.nih.gov/nucore/CP017934>; <https://www.ncbi.nlm.nih.gov/nucore/CP017935>; <https://www.ncbi.nlm.nih.gov/nucore/CP017936>; <https://www.ncbi.nlm.nih.gov/nucore/CP017937>).

The author apologizes for any inconvenience.

Received 27 July 2017; Accepted 27 July 2017

Author affiliations: ¹Nuffield Department of Clinical Medicine, University of Oxford, Oxford, UK; ²Division of Infectious Diseases and International Health, Department of Medicine, University of Virginia Health System, Charlottesville, Virginia, USA; ³The Wellcome Trust Centre for Human Genetics, University of Oxford, Oxford, UK; ⁴Addenbrookes Hospital, Cambridge, UK.

***Correspondence:** Hang T. T. Phan, hang.phan@ndm.ox.ac.uk