

Corrigendum

Salicylic Acid and Jasmonic Acid Pathways are Activated in Spatially Different Domains Around the Infection Site During Effector-Triggered Immunity in *Arabidopsis thaliana*

Shigeyuki Betsuyaku, Shinpei Katou, Yumiko Takebayashi, Hitoshi Sakakibara, Nobuhiko Nomura and Hiroo Fukuda

The above article was published in Plant Cell Physiol. doi:10.1093/pcp/pcx181.

The first line of the introduction of this paper was incorrect. It read "Innate immunity is activated by pathogen-derived molecules by the host cells" when it should have read "Innate immunity is activated upon perception of pathogen-derived molecules by the host cells."

This has now been corrected online and in print. The Authors apologise for this error.

Plant Cell Physiol. 59(2): 439 (2018) doi:10.1093/pcp/pcy008, Advance Access publication on 22 January 2018, available online at www.pcp.oxfordjournals.org

© The Author(s) 2018. Published by Oxford University Press on behalf of Japanese Society of Plant Physiologists.

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (http://creativecommons.org/ licenses/by-nc/4.0/), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is properly cited. For commercial re-use, please contact journals.permissions@oup.com