



Retraction for Fouhy et al., “Diffusible Signal Factor-Dependent Cell-Cell Signaling and Virulence in the Nosocomial Pathogen *Stenotrophomonas maltophilia*”

Yvonne Fouhy,¹ Karl Scanlon,¹ Katherine Schouest,² Charles Spillane,² Lisa Crossman,³ Matthew B. Avison,⁴ Robert P. Ryan,¹ and J. Maxwell Dow¹

BIOMERIT Research Centre, Department of Microbiology, BioSciences Institute, National University of Ireland, Cork, Ireland¹; Department of Biochemistry, BioSciences Institute, National University of Ireland, Cork, Ireland²; Pathogen Sequencing Unit, Wellcome Trust Sanger Institute, Genome Campus, Hinxton, Cambridge CB10 1SA, United Kingdom³; and University of Bristol, Department of Cellular and Molecular Medicine, School of Medical Sciences, University Walk, Bristol BS8 1TD, United Kingdom⁴

Volume 189, no. 13, p. 4964–4968, 2007, <https://doi.org/10.1128/JB.00310-07>. There were errors in the construction of Fig. 2B and 4C, where the incorrect panels were used to represent *Xcc* 8004 and *Xcc* Δ *rpfF* and *S. maltophilia* K279a *rpfF* with added diffusible signal factor (DSF). We apologize for these errors and retract this article due to this data misrepresentation. The corresponding author (J. M. Dow) takes responsibility for these errors.

Citation Fouhy Y, Scanlon K, Schouest K, Spillane C, Crossman L, Avison MB, Ryan RP, Dow JM. 2018. Retraction for Fouhy et al., “Diffusible signal factor-dependent cell-cell signaling and virulence in the nosocomial pathogen *Stenotrophomonas maltophilia*.” *J Bacteriol* 200:e00235-18. <https://doi.org/10.1128/JB.00235-18>.

Copyright © 2018 American Society for Microbiology. All Rights Reserved.

K. Scanlon could not be reached for approval of this retraction.