CORRECTION Open Access



Correction to: miR-155 is dispensable in monosodium urate-induced gouty inflammation in mice

Qibin Yang^{1,3,4†}, Quanbo Zhang^{2,3,4†}, Yufeng Qing¹, Li Zhou^{3,4,5}, Qingsheng Mi^{3,4,5*} and Jingguo Zhou^{6*}

Correction

Unfortunately, after publication of this article [1], it was noticed that 2 authors were erroneously mentioned as co-first authors. Jieun Jang and Youngsook Kim are not affiliated with this paper and the note has been removed from the original article to reflect this.

Author details

¹Department of Rheumatology and Immunology, Affiliated Hospital of North Sichuan Medical College, Nanchong 637000, Sichuan Province, China. ²Department of Gerontology, Affiliated Hospital of North Sichuan Medical College, Nanchong 637000, Sichuan Province, China. ³Henry Ford Immunology Program, Henry Ford Health System, 1 Ford Place, Detroit, MI 48202, USA. ⁴Department of Dermatology, Henry Ford Health System, 1 Ford Place, Detroit, MI 48202, USA. ⁵Department of Internal Medicine, Henry Ford Health System, 1 Ford Place, Detroit, MI 48202, USA. ⁶Department of Rheumatology and Immunology, The First Affiliated Hospital of Chengdu Medical College, Chengdu 610000, Sichuan Province, China.

Received: 2 August 2018 Accepted: 2 August 2018 Published online: 14 August 2018

Reference

 Yang Q, Zhang Q, Qing Y, Zhou L, Mi Q, Zhou J. miR-155 is dispensable in monosodium urate-induced gouty inflammation in mice. Arthritis Res Ther. 2018;20:144. https://doi.org/10.1186/s13075-018-1550-y

⁶Department of Rheumatology and Immunology, The First Affiliated Hospital of Chengdu Medical College, Chengdu 610000, Sichuan Province, China Full list of author information is available at the end of the article



^{*} Correspondence: qmil@hfhs.org; jgzhou@cmc.edu.cn

[†]Qibin Yang and Quanbo Zhang contributed equally to this work.

³Henry Ford Immunology Program, Henry Ford Health System, 1 Ford Place, Detroit, MI 48202, USA