

CORRECTION

Correction: Correction: AIG1 affects in vitro and in vivo virulence in clinical isolates of *Entamoeba histolytica*

The PLOS Pathogens Staff

There is an error in the title of the correction published on May 31, 2018. The correct title is: Correction: AIG1 affects in vitro and in vivo virulence in clinical isolates of *Entamoeba histolytica*. The correct citation is: Nakada-Tsukui K, Sekizuka T, Sato-Ebne E, Escueta-de Cadiz A, Ji D-d, Tomii K, et al. (2018) Correction: AIG1 affects in vitro and in vivo virulence in clinical isolates of *Entamoeba histolytica*. PLoS Pathog 14(5): e1007091.

The publisher apologizes for the error.

References

1. Nakada-Tsukui K, Sekizuka T, Sato-Ebne E, Escueta-de Cadiz A, Ji D-d, Tomii K, et al. (2018) AIG1 affects in vitro and in vivo virulence in clinical isolates of *Entamoeba histolytica*. PLoS Pathog 14(3): e1006882. <https://doi.org/10.1371/journal.ppat.1006882> PMID: 29554130
2. Nakada-Tsukui K, Sekizuka T, Sato-Ebne E, Escueta-de Cadiz A, Ji D-d, Tomii K, et al. (2018) AIG1 affects in vitro and in vivo virulence in clinical isolates of *Entamoeba histolytica*. PLoS Pathog 14(5): e1007091. <https://doi.org/10.1371/journal.ppat.1007091> PMID: 29851996



OPEN ACCESS

Citation: The PLOS Pathogens Staff (2018)

Correction: Correction: AIG1 affects in vitro and in vivo virulence in clinical isolates of *Entamoeba histolytica*. PLoS Pathog 14(8): e1007258. <https://doi.org/10.1371/journal.ppat.1007258>

Published: August 17, 2018

Copyright: © 2018 The PLOS Pathogens Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.