

Correction: Plasma MicroRNA Signature Validation for Early Detection of Colorectal Cancer

Marta Herreros-Villanueva, PhD, Saray Duran-Sanchon, MSc, Ana Carmen Martín, PhD, Rosa Pérez-Palacios, BSc, Elena Vila-Navarro, PhD, María Marcuello, MSc, Mireia Diaz-Centeno, BSc, Joaquín Cubiella, MD, PhD, Maria Soledad Diez, MD, Luis Bujanda, MD, PhD, Angel Lanás, MD, Rodrigo Jover, MD, PhD, Vicent Hernández, MD, Enrique Quintero, MD, PhD, Juan José Lozano, PhD, Marta García-Cougil, MSc, Ibon Martínez-Arranz, MSc, Antoni Castells, MD, PhD, Meritxell Gironella, PhD and Rocio Arroyo, BSc

Clinical and Translational Gastroenterology 2019;10:e-00031. <https://doi.org/10.14309/ctg.0000000000000031>

Correction to: *Clinical and Translational Gastroenterology*; <https://doi.org/10.14309/ctg.0000000000000003>; published January 2019.

Specific author contributions: Meritxell Gironella and Rocio Arroyo are co-senior authors of this article. Marta Herreros-Villanueva and Saray Duran-Sanchon contributed equally to this work. M.H.-V., A.C.M., R.P.-P., M.G., and R.A. designed, wrote, and edited the manuscript. S.D.-S., E.V.-N., and M.M. performed molecular analysis. M.D.-C., J.C., M.S.D., L.B., A.L., R.J., V.H., E.Q., and A.C. participated in sample collection and study design. J.L. and I.M.-A. performed statistical analysis. All authors made comments and approved the manuscript.

The article included Specific Author Contributions that did not accurately reflect the contributions of each author. Meritxell Gironella and Rocio Arroyo are co-senior authors of this article. M.H.-V., A.C.M., R.P.-P., M.G., and R.A. designed, wrote, and edited the manuscript.