

# Pressure garment therapy for preventing hypertrophic and keloid scarring after a major burn injury (Protocol)

Lu J, Xu T, Liu Y, Yang M, Jiang X

Lu J, Xu T, Liu Y, Yang M, Jiang X. Pressure garment therapy for preventing hypertrophic and keloid scarring after a major burn injury. *Cochrane Database of Systematic Reviews* 2017, Issue 4. Art. No.: CD011543. DOI: 10.1002/14651858.CD011543.pub2.

www.cochranelibrary.com

Pressure garment therapy for preventing hypertrophic and keloid scarring after a major burn injury (Protocol) Copyright © 2017 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.



#### TABLE OF CONTENTS

HEADER	. 1
REASON FOR WITHDRAWAL	. 1
WHAT'S NEW	. 1
SOURCES OF SUPPORT	. 1

Pressure garment therapy for preventing hypertrophic and keloid scarring after a major burn injury (Protocol) Copyright © 2017 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd. [Intervention Protocol]

# Pressure garment therapy for preventing hypertrophic and keloid scarring after a major burn injury

Jing Lu<sup>1</sup>, Ting Xu<sup>1</sup>, Yong Liu<sup>2</sup>, Ming Yang<sup>3</sup>, Xuehua Jiang<sup>4</sup>

<sup>1</sup>Department of Pharmacy, West China Hospital, Sichuan University, Chengdu, China. <sup>2</sup>Department of Burns and Plastic Surgery, West China Hospital, Sichuan University, Chengdu, China. <sup>3</sup>The Center of Gerontology and Geriatrics, West China Hospital, Sichuan University, Chengdu, China. <sup>4</sup>Department of Clinical Pharmacy and Pharmacy Administration, West China School of Pharmacy, Sichuan University, Chengdu, China

Contact address: Ting Xu, Department of Pharmacy, West China Hospital, Sichuan University, No. 37, Guo Xue Xiang, Chengdu, Sichuan, 610041, China. tingx2009@163.com, tingx2009@gmail.com.

**Editorial group:** Cochrane Wounds Group. **Publication status and date:** Withdrawn from publication for reasons stated in the review, published in Issue 4, 2017.

**Citation:** Lu J, Xu T, Liu Y, Yang M, Jiang X. Pressure garment therapy for preventing hypertrophic and keloid scarring after a major burn injury. *Cochrane Database of Systematic Reviews* 2017, Issue 4. Art. No.: CD011543. DOI: 10.1002/14651858.CD011543.pub2.

Copyright © 2017 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

The editorial group responsible for this previously published document have withdrawn it from publication.

## **REASON FOR WITHDRAWAL**

This protocol has been withdrawn as authors were unable to progress the review.

#### WHAT'S NEW

Date	Event	Description
6 April 2017	Amended	This protocol has been withdrawn as authors were unable to progress the review

## SOURCES OF SUPPORT

#### Internal sources

• No sources of support supplied

#### **External sources**

• This project was supported by the National Institute for Health Research, via Cochrane Infrastructure, Cochrane Programme Grant or Cochrane Incentive funding to Cochrane Wounds. The views and opinions expressed therein are those of the authors and do not necessarily reflect those of the Systematic Reviews Programme, NIHR, NHS or the Department of Health, UK.

Pressure garment therapy for preventing hypertrophic and keloid scarring after a major burn injury (Protocol) Copyright © 2017 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.