

Erratum

Erratum to “Ginkgo Biloba Leaf Extract Attenuates Atherosclerosis in Streptozotocin-Induced Diabetic ApoE^{-/-} Mice by Inhibiting Endoplasmic Reticulum Stress via Restoration of Autophagy through the mTOR Signaling Pathway”

Jinfan Tian ^{1,2}, Mohammad Sharif Popal,¹ Yanfei Liu ³, Rui Gao ⁴, Shuzheng Lyu,¹ Keji Chen ², and Yue Liu ²

¹Department of Cardiology, Beijing Anzhen Hospital, Capital Medical University, Beijing Institute of Heart, Lung and Blood Vessel Diseases, Beijing 100029, China

²Cardiovascular Disease Center, Xiyuan Hospital, China Academy of Chinese Medical Sciences, Beijing 100091, China

³Graduate School, Beijing University of Chinese Medicine, Beijing 100029, China

⁴Institute of Clinical Pharmacology of Xiyuan Hospital, China Academy of Chinese Medical Sciences, Beijing 100091, China

Correspondence should be addressed to Yue Liu; liuyueheart@hotmail.com

Received 9 May 2019; Accepted 16 May 2019; Published 10 September 2019

Copyright © 2019 Jinfan Tian et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

In the article titled “Ginkgo Biloba Leaf Extract Attenuates Atherosclerosis in Streptozotocin-Induced Diabetic ApoE^{-/-} Mice by Inhibiting Endoplasmic Reticulum Stress via Restoration of Autophagy through the mTOR Signaling Pathway” [1], there was an error in the group labels of Figures 5(d) and 5(e), where the second and third group labels in each image were reversed. Additionally, there was an error in Figure 5(b) where the symbol “*” should be corrected to “**” in the Normal group bar. The corrected figure is shown below.




FIGURE 5: Effects of GBE on serum lipid and glucose profiles. * $P < 0.05$ and ** $P < 0.01$, compared to the model group. GBE: ginkgo biloba leaf extract (normal group $n = 18$, model group $n = 7$, model control group $n = 7$, atorvastatin group $n = 11$, rapamycin group $n = 15$, 200 mg/kg/day GBE group $n = 10$, and 400 mg/kg/day GBE group $n = 12$).

References

- [1] J. Tian, M. S. Popal, Y. Liu et al., "Ginkgo biloba leaf extract attenuates atherosclerosis in streptozotocin-induced diabetic ApoE^{-/-} mice by inhibiting endoplasmic reticulum stress via restoration of autophagy through the mTOR signaling pathway," *Oxidative Medicine and Cellular Longevity*, vol. 2019, Article ID 8134678, 19 pages, 2019.