



CORRECTION

## Correction to: Evaluation of 22G fine-needle aspiration (FNA) versus fine-needle biopsy (FNB) for endoscopic ultrasound-guided sampling of pancreatic lesions: a prospective comparison study

Li Tian<sup>1</sup> · An-Liu Tang<sup>1,2</sup> · Lei Zhang<sup>3</sup> · Xiao-Wen Liu<sup>3</sup> · Jing-Bo Li<sup>1</sup> · Fen Wang<sup>1,2</sup> · Shou-Rong Shen<sup>1,2</sup> · Xiao-Yan Wang<sup>1,2</sup>

Published online: 17 August 2018

© The Author(s) 2018

**Correction to: Surgical Endoscopy (2018) 32:3533–3539**  
<https://doi.org/10.1007/s00464-018-6075-6>

The HTML version of this article was updated to indicate that the copyright is with The Author(s).

---

The original article can be found online at <https://doi.org/10.1007/s00464-018-6075-6>.

---

✉ Xiao-Yan Wang  
wxy20011@163.com

<sup>1</sup> Department of Gastroenterology, The Third Xiangya Hospital of Central South University, 138 Tongzipo Road, Changsha, Hunan, China

<sup>2</sup> Hunan Key Laboratory of Nonresolving Inflammation and Cancer, Central South University, Changsha, Hunan, China

<sup>3</sup> Xiangya School of Medicine, Central South University, Changsha, Hunan, China