

Correction

# Correction: Effect of Hygrothermal Aging and Surface Treatment on the Dynamic Mechanical Behavior of Flax Fiber Reinforced Composites. *Materials* 2019, 12(15), 2376

Xiaomeng Wang and Michal Petru \*

Institute for Nanomaterials, Advanced Technologies and Innovation, Technical University of Liberec, Studentska 2, Liberec 461 17, Czech Republic; Xiaomeng.Wang@tul.cz

\* Correspondence: michal.petru@tul.cz

Received: 11 September 2019; Accepted: 8 October 2019; Published: 17 October 2019



The Y-axis in both Figure 3 and Figure 4 of [1] were wrongly drawn when the authors output the test data to the software to form figures. Therefore, the authors wish to make the following correction to Figures 3 and 4:





Figure 3. *Cont.*



**Figure 3.** Storage modulus and loss factor of FFRP (Flax fiber Reinforced Polymer) after hygrothermal aging.




Figure 4. Relationship between storage modulus and moisture content.

**Conflicts of Interest:** The authors declare no conflicts of interest.

## Reference

1. Wang, X.; Petru, M. Effect of Hygrothermal Aging and Surface Treatment on the Dynamic Mechanical Behavior of Flax Fiber Reinforced Composites. *Materials* **2019**, *12*, 2376. [[CrossRef](#)] [[PubMed](#)]



© 2019 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).