CORRECTION

Correction: The C-reactive protein/albumin ratio as an independent predictor of mortality in patients with severe sepsis or septic shock treated with early goal-directed therapy

Min Hyung Kim, Jin Young Ahn, Je Eun Song, Heun Choi, Hea Won Ann, Jae Kyoung Kim, Jung Ho Kim, Yong Duk Jeon, Sun Bean Kim, Su Jin Jeong, Nam Su Ku, Sang Hoon Han, Young Goo Song, Jun Young Choi, Young Sam Kim, June Myung Kim

An additional affiliation for the first author is not indicated. Min Hyung Kim is also affiliated with: Department of Internal Medicine Yonsei University College of Medicine, Seoul, Korea.

Reference

 Kim MH, Ahn JY, Song JE, Choi H, Ann HW, Kim JK, et al. (2015) The C-reactive protein/albumin ratio as an independent predictor of mortality in patients with severe sepsis or septic shock treated with early goal-directed therapy. PLoS ONE 10(7): e0132109. https://doi.org/10.1371/journal.pone.0132109 PMID: 26158725



GOPEN ACCESS

Citation: Kim MH, Ahn JY, Song JE, Choi H, Ann HW, Kim JK, et al. (2019) Correction: The Creactive protein/albumin ratio as an independent predictor of mortality in patients with severe sepsis or septic shock treated with early goal-directed therapy. PLoS ONE 14(11): e0225620. https://doi. org/10.1371/journal.pone.0225620

Published: November 18, 2019

Copyright: © 2019 Kim et al. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.