

- phoma, carcinoma, and melanoma cell lines. *J Immunol* 2006; 176:4869–79.
35. Alvarez-Navarro C, Lopez de Castro JA. ERAP1 structure, function and pathogenetic role in ankylosing spondylitis and other MHC-associated diseases. *Mol Immunol* 2014;57:12–21.
  36. Sanz-Bravo A, Campos J, Mazariegos MS, Lopez de Castro JA. Dominant role of the ERAP1 polymorphism R528K in shaping the HLA-B27 peptidome through differential processing determined by multiple peptide residues. *Arthritis Rheumatol* 2015; 67:692–701.
  37. Garcia-Medel N, Sanz-Bravo A, Alvarez-Navarro C, Gomez-Molina P, Barnea E, Marcilla M, et al. Peptide handling by HLA-B27 subtypes influences their biological behavior, association with ankylosing spondylitis and susceptibility to ERAP1. *Mol Cell Proteomics* 2014;13:3367–80.
  38. Khan AR, Baker BM, Ghosh P, Biddison WE, Wiley DC. The structure and stability of an HLA-A\*0201/octameric tax peptide complex with an empty conserved peptide-N-terminal binding site. *J Immunol* 2000;164:6398–405.
  39. Samino Y, Lopez D, Guil S, Saveanu L, van Endert PM, Del Val M. A long N-terminal-extended nested set of abundant and antigenic major histocompatibility complex class I natural ligands from HIV envelope protein. *J Biol Chem* 2006;281:6358–65.
  40. Sakaguchi T, Ibe M, Miwa K, Yokota S, Tanaka K, Schonbach C, et al. Predominant role of N-terminal residue of nonamer peptides in their binding to HLA-B\* 5101 molecules. *Immunogenetics* 1997;46:245–8.
  41. Neisig A, Roelse J, Sijts AJ, Ossendorp F, Feltkamp MC, Kast WM, et al. Major differences in transporter associated with antigen presentation (TAP)-dependent translocation of MHC class I-presentable peptides and the effect of flanking sequences. *J Immunol* 1995;154:1273–9.
  42. Hillen N, Mester G, Lemmel C, Weinzierl AO, Muller M, Werinet D, et al. Essential differences in ligand presentation and T cell epitope recognition among HLA molecules of the HLA-B44 supertype. *Eur J Immunol* 2008;38:2993–3003.
  43. Reeves E, Edwards CJ, Elliott T, James E. Naturally occurring ERAP1 haplotypes encode functionally distinct alleles with fine substrate specificity. *J Immunol* 2013;191:35–43.
  44. Kaneko F, Takahashi Y, Muramatsu R, Adachi K, Miura Y, Nakane A, et al. Natural killer cell numbers and function in peripheral lymphoid cells in Behcet's disease. *Br J Dermatol* 1985;113:313–8.
  45. Hamzaoui K, Ayed K, Hamza M, Touraine JL. Natural killer cells in Behcet's disease. *Clin Exp Immunol* 1988;71:126–31.
  46. Suzuki Y, Hoshi K, Matsuda T, Mizushima Y. Increased peripheral blood  $\gamma\delta^+$  T cells and natural killer cells in Behcet's disease. *J Rheumatol* 1992;19:588–92.
  47. Cifaldi L, Romania P, Falco M, Lorenzi S, Meazza R, Petrini S, et al. ERAP1 regulates natural killer cell function by controlling the engagement of inhibitory receptors. *Cancer Res* 2015;75: 824–34.
  48. Motozono C, Kuse N, Sun X, Rizkallah PJ, Fuller A, Oka S, et al. Molecular basis of a dominant T cell response to an HIV reverse transcriptase 8-mer epitope presented by the protective allele HLA-B\*51:01. *J Immunol* 2014;192:3428–34.
  49. Yager N, Robinson N, Brown H, Flanagan P, Frater J, Fidler S, et al. SPARTAC Trial Investigators. Longitudinal analysis of an HLA-B\*51-restricted epitope in integrase reveals immune escape in early HIV-1 infection. *AIDS* 2013;27:313–23.
  50. Conde-Jalón M, Montes-Cano MA, García-Lozano JR, Ortiz-Fernandez L, Ortego-Centeno N, González-León R, et al. Epistatic interaction of ERAP1 and HLA-B in Behcet disease: a replication study in the Spanish population. *PLoS One* 2014;9: e102100.

## Errata

DOI 10.1002/art.39597

In the article by Solomon et al published in the August 2015 issue of *Arthritis & Rheumatology* (pages 1995–2003), Tables 3 and 4 contained some errors. The second row in each risk category was described as a rate, but these data actually represent percentages of subjects with cardiovascular events. The footnotes in Tables 3 and 4 describing calculation of the rate should be deleted. The model fit metrics do not change, and the message of the report remains the same.

DOI 10.1002/art.39536

In the article by Neogi et al published in the October 2015 issue of *Arthritis & Rheumatology* (pages 2557–2568), the name of the 20th author was misspelled. The correct spelling is Janitzia Vazquez-Mellado.

We regret the errors.