Contents lists available at ScienceDirect

Biomaterials

journal homepage: www.elsevier.com/locate/biomaterials

Corrigendum

Corrigendum to "Untangling the response of bone tumor cells and bone forming cells to matrix stiffness and adhesion ligand density by means of hydrogels" [Biomaterials 188 (2019) 130–143]

Tongmeng Jiang^{a,b,c,1}, Jinmin Zhao^{a,b,c,1}, Shan Yu^{d,1}, Zhengwei Mao^{d,*}, Changyou Gao^d, Ye Zhu^e, Chuanbin Mao^{e,f,**}, Li Zheng^{a,***}

^a Guangxi Engineering Center in Biomedical Materials for Tissue and Organ Regeneration & Guangxi Collaborative Innovation Center for Biomedicine, Life Sciences Institute, Guangxi Medical University, Nanning, 530021, China

^b Department of Orthopaedics Trauma and Hand Surgery, The First Affiliated Hospital of Guangxi Medical University, Nanning, 530021, China

^c Guangxi Key Laboratory of Regenerative Medicine, International Joint Laboratory on Regeneration of Bone and Soft Tissue, The First Affiliated Hospital of Guangxi Medical University, Nanning, 530021, China

^d MOE Key Laboratory of Macromolecular Synthesis and Functionalization, Department of Polymer Science and Engineering, Zhejiang University, 38# Zheda Road, Hangzhou, 310027, China

^e Department of Chemistry & Biochemistry, Stephenson Life Sciences Research Center, University of Oklahoma, 101 Stephenson Parkway, Norman, OK, 73019-5300, USA ^f School of Materials Science and Engineering, Zhejiang University, Hangzhou, 310027, China

The authors regret that Fig. 4B, F amd H, Fig. 7F, and Fig. S3 were originally misplaced by the first author affiliated with Guangxi Medical University. The corrected versions of these images are provided below. These corrections do not alter any findings and conclusions reported in this article. No additional text corrections are needed in the article. The authors would like to apologise for any inconvenience caused.

https://doi.org/10.1016/j.biomaterials.2019.119663

0142-9612/ © 2019 Elsevier Ltd. All rights reserved.







DOI of original article: https://doi.org/10.1016/j.biomaterials.2018.10.015

^{*} Corresponding author. MOE Key Laboratory of Macromolecular Synthesis and Functionalization, Department of Polymer Science and Engineering, Zhejiang University, 38# Zheda Road, Hangzhou, 310027, China.

^{**} Corresponding author. Department of Chemistry & Biochemistry, Stephenson Life Sciences Research Center, University of Oklahoma, 101 Stephenson Parkway, Norman, OK, 73019-5300, USA.

^{***} Corresponding author. Guangxi Engineering Center in Biomedical Materials for Tissue and Organ Regeneration & Guangxi Collaborative Innovation Center for Biomedicine, Life Sciences Institute, Guangxi Medical University, Nanning, 530021, China.

E-mail addresses: zwmao@zju.edu.cn (Z. Mao), cbmao@ou.edu (C. Mao), zhengli224@163.com (L. Zheng).

¹ Tongmeng Jiang, Jinmin Zhao and Shan Yu contributed equally to this work.

Fig. 4

Current images:

Biomaterials 231 (2020) 119663

💼 25 kPa

NS


Ĥ


COL1


NS


M

ŃS













2














💼 25 kPa















Н 1.6 kPa


L

Μ

Н



6 kPa






Fig. S3

А		osteosarcoma cells				В			osteoblasts		
		MMP2	MMP9	DAPI	Merge			OCN	ALP	DAPI	Merge
L	1.6 kPa	Sanga Bartan Ba					L		2 8 6 6 7 1		
	6k Pa					1.6 kPa	М	يە قەرىخى ئۇلار بەركى قىرى ئىرى			
	25 kPa						н				
М	1.6 kPa						L				
	6k Pa					6k Pa	М				
	25 kPa	1.5 S.			25		н				
н	1.6 kPa					25 kPa	L	18.			
	6k Pa						м				
	25 kPa						н				