



A Systematic Review of Nutrition Recommendation Systems: With Focus on Technical Aspects

Abhari S.¹, Safdari R.², Azadbakht L.³, Lankarani K. B.^{4*}
Niakan Kalhori Sh. R.⁵, Honarvar B.⁶, Abhari Kh.⁷, Ayyoubzadeh S. M.¹, Karbasi Z.¹, Zakerabasali S.¹, Jalilpiran Y.⁸

ABSTRACT

Background: Nutrition informatics has become a novel approach for registered dietitians to practice in this field and make a profit for health care. Recommendation systems considered as an effective technology into aid users to adjust their eating behavior and achieve the goal of healthier food and diet. The purpose of this study is to review nutrition recommendation systems (NRS) and their characteristics for the first time.

Material and Methods: The systematic review was conducted using a comprehensive selection of scientific databases as reference sources, allowing access to diverse publications in the field. The process of articles selection was based on the PRISMA strategy. We identified keywords from our initial research, MeSH database and expert's opinion. Databases of PubMed, Web of Sciences, Scopus, Embase, and IEEE were searched. After evaluating, they obtained records from databases by two independent reviewers and inclusion and exclusion criteria were applied to each retrieved work to select those of interest. Finally, 25 studies were included.

Results: Hybrid recommender systems and knowledge-based recommender systems with 40% and 32%, respectively, were the mostly recommender types used in NRS. In NRS, rule-based and ontology techniques were used frequently. The frequented platform that applied in NRS was a mobile application with 28%.

Conclusion: If NRS was properly designed, implemented and finally evaluated, it could be used as an effective tool to improve nutrition and promote a healthy lifestyle. This study can help to inform specialists in the nutrition informatics domain, which was necessary to design and develop NRS.

Citation: Abhari S, Safdari R, Azadbakht L, Lankarani K. B, Niakan Kalhori Sh. R, Honarvar B, Abhari Kh, Ayyoubzadeh S. M, Karbasi Z, Zakerabasali S, Jalilpiran Y. A Systematic Review of Nutrition Recommendation Systems: With Focus on Technical Aspects. *J Biomed Phys Eng.* 2019;9(6):591-602. <https://doi.org/10.31661/jbpe.v0i0.1248>.

Keywords

Nutrition; Diet; Information Science; Informatics; Computing Methodologies

Introduction

Nutrition is the essential basis for health and development of human life from the earliest stage of fetal development into old age. Healthy food and proper nutrition are indubitable requirements for survival, physical development, mental growth, performance and productivity, health, and well-being [1-5].

The combination of information technology (IT), information sci-

¹PhD Candidate, Health Information Management Department, School of Allied Medical Sciences, Tehran University of Medical Sciences, Tehran, Iran

²PhD, Professor, Health Information Management Department, School of Allied Medical Sciences, Tehran University of Medical Sciences, Tehran, Iran

³PhD, Professor, Department of Community Nutrition, School of Nutritional Sciences and Dietetics, Tehran University of Medical Sciences, Tehran, Iran

⁴MD, Professor, Health Policy Research Center, Institute of Health, Shiraz University of Medical Sciences, Shiraz, Iran

⁵PhD, Associate Professor, Health Information Management Department, School of Allied Medical Sciences, Tehran University of Medical Sciences, Tehran, Iran

⁶MD, Associate Professor, Health Policy Research Center, Institute of Health, Shiraz University of Medical Sciences, Shiraz, Iran

⁷PhD, Department of Food Science and Technology, National Nutrition and Food Technology Research Institute, Faculty of Nutritional Sciences and Food Technology, Shahid Beheshti University of Medical Sciences, Tehran, Iran

⁸PhD student, Department of Clinical Nutrition, School of Nutritional Sciences and Dietetics, Tehran University of Medical Sciences, Tehran, Iran

*Corresponding author:
K. B. Lankarani
Health Policy Research Center, Institute of Health, Shiraz University of Medical Sciences, Shiraz, Iran
E-mail: kblankarani@gmail.com

Received: 5 September 2019
Accepted: 28 September 2019

ences and nutrition has generated the concept of nutrition informatics. This branch of health informatics has become a novel approach for registered dietitians and dietetic technicians to practice in this field and make a profit for health care. The first scientific use of term 'nutrition informatics' referred to 1996; however, the dietitians have been applying the nutrition information and assuming technology for decades. The first paper exhibiting the potential usage of the computer to analyze dietary intake was published in 1962. Health care has included IT to establish patient care by the use of electronic health records, gather population data through the collection of personal health records and support clinical research via the reuse of data. Moreover, dietitians have involved particular electronic tools developed for managing patient tray service, indexing, and evaluation of nutrients [6-17].

Though most people have been informed about the significance of healthy eating habits, they incline to neglect suitable behaviors because of urban lifestyle and/or unwillingness to spend cognitive attempt on food provision. Those barriers prevent people from healthy food intake [18-20]. Nutrition recommendation systems (NRS) are one of the main technologies applied in nutrition informatics scope. They are explored as an effective tool in order to support users for changing their eating behavior and reaching the goal of healthier food choices. NRS not only recommends users' preferences for food, but also recommends healthy diet choices; in addition, it can advise appropriate diet and keep pursue of eating behavior, realize health problems, and lead into alteration user behavior [21-24].

Generally, recommendation systems have developed an efficient and effective technology to extract valuable information and then use it in an effectual way. A recommender system can predict the preferences of users for unrated items and recommend new items to users. The capability of these systems depends on technical requirements and proper design based on

system types and functionality. Several various techniques have been proposed for developing personalized recommendations; these varieties in applied techniques and design may create various types of recommendation systems, including collaborative filtering recommender systems (CF), content-based recommender systems (CB), knowledge-based recommender systems (KBS) and hybrid recommender systems (HRS) [21, 24-28].

There has been no detailed investigation to review NRS and their characteristics. The purpose of this study is to review recommendation systems in the nutrition field with focus on characteristics, types and evaluation methods. Moreover, this study uses a systematic review approach based on PRISMA guideline.

This systematic review responds to the following research questions:

RQ1: Which types of recommendation systems are mostly used in the field of nutrition?

RQ2: Which Artificial Intelligence (AI) techniques or intelligent methods are applied in NRS?

RQ3: What are the main modules of these NRS?

RQ4: Which platforms design NRS?

Material and Methods

This systematic review was conducted based on the preferred reporting items for systematic reviews and meta-analysis (PRISMA). Figure 1 displays the process of PRISMA for data collection and analysis.

Search strategy

The papers from PubMed, Scopus, Embase, Web of Science, IEEE (Institute of Electrical and Electronics Engineers) and Google Scholar databases were searched without time limitation (up 10 January 2019).

The PICO (population, intervention, comparison, and outcome) criteria were used to define the search string: population (P), intervention (I), comparison (C), and outcome (O). The population was defined based on whom




Figure 1: Process of PRISMA for data collection and analysis

systems were designed for. The intervention was the usage of recommendation systems in the nutrition field. The comparison was excluded and the outcomes were the characteristics and types of developed NRS as well as their methods of evaluation.

We identified keywords from our initial research and matched them with those existing on the database of Medical Subject Headings (MeSH), which is managed by the US National Library of Medicine. In addition, we used an expert working in the medical branch libraries to improve the quality of searches. The search strings based on MeSH and title, abstract and keywords were as follows: (nutrition* OR diet OR food* OR meal) and (recommend* system*).

Inclusion and exclusion criteria

The inclusion criteria were original articles and proceedings. Moreover, just articles

which focus on NRS and have health-promotion goals, and papers up 10 January 2019 were included. Exclusion criteria were Non-English papers, any types of publication other than journal articles and proceedings (review papers, letters, etc.), and non-human study papers. Furthermore, papers focusing on systems other than recommendation systems such as expert, clinical decision support systems and those only working with business and marketing purposes were excluded.

Selection process

In the primary screening, two individual reviewers screened titles and abstracts of the articles based on the research and PICO questions and the papers were classified into three sets completely. The first set (number 1) contained the papers with certainly inclusion criteria. The next set (number 2) contained the papers that their inclusion criteria were not

clear for reviewers. Lastly, set (number 0) referred to the papers with no inclusion criteria, which were ineligible and excluded from the screening. The reviewers assessed the papers with different assigned numbers and discussed them. All the papers with similar numbers (one or two) were involved for the next stage. Following, the full text of the involved papers was achieved for the second-stage of screening and then evaluated by two reviewers. Finally, we were certain about 25 papers, then summarized and reported them in tables and charts according to the aims of the study.

Data extraction

In this phase, 6 variables were extracted in order to response to the research questions. These variables contained the name of the system, type of recommendation system, artificial intelligence (AI) or intelligent techniques applied in recommendation system, system modules and type of system's platform.

Results

Table 1 shows data extracted from the 25 articles reviewed [23, 29-52]. The sixth variables of the selected papers are presented in Table 1.

Type of recommendation system

As presented in the fourth column of Table 1, the types of recommendation system were studied. The frequency (%) of recommendation system types is presented in Figure 2.

AI or intelligent techniques apply in recommendation systems

As shown in the fifth column of Table 1, various AI or intelligent techniques have been applied in recommendation systems. The types of these techniques with their frequency in the researches are stated in Figure 3.

The seventh column of Table 1 illustrates the type of system's platform. Figure 4 demonstrates the frequency of the type of system's platform. Based on the chart, the frequented

platform applied in NRS was a mobile application with 28%.

Discussion

Despite the various application of recommendation systems in many domains, there is not much evidence for using recommendation systems in health informatics or medicine [53]. According to the Valdez framework [53], if we want to design or assess the health recommender system, it will be necessary to consider 3 main aspects. First of all, we should understand the health domain. In this aspect, answering these two questions is very important: 1) which one of following items is recommended (nutrition, medicine, sport)? In addition, 2) who is it recommended to (the patient, the doctor, the nurse, policy maker)?

Another aspect that should be considered is the understanding of technical specifications and data analysis methods used in health recommendation system. The third aspect that needs to be addressed in the analysis of health recommendation system is the understanding of the methods and techniques of evaluating recommender systems. Besides, this paper for the first time reviewed the technical specifications of NRS.

The items in the results have been discussed in the following:

Type of recommendation systems

Hybrid recommender systems (HRS) are the mostly used recommender type in nutrition recommendation systems (Figure 2). As these systems use a combination of other systems type, they could compensate disadvantages of one type of recommendation system by another type. Moreover, hybrid types are applied in order to increase the recommender's performance [21, 25].

AI or intelligent techniques applied in recommendation systems

In NRS, rule-based techniques are frequently used (Figure 3). The reason behind that might

Table 2: A brief Summary of Evaluated Technical Result for each Unit

Number	Title , authors name, year and country	Name of the system	Type of recommendation system	Type of AI techniques applied in recommendation system	System modules	System Platform
1	A Mobile Application for Managing Diabetic Patients' Nutrition: A Food Recommender System Norouzi et al. [23] 2018 Iran	Iranian Snack Recommender System	Knowledge-based recommender systems (KBS)	Rule base	Patient's profile, recording physical activity, recording users favorites, periodic reports, setting for reminder, recording lab results, requesting for snack	Mobile Application
2	PERSON—Personalized Expert Recommendation System for Optimized Nutrition Chen et al. [29] 2018 UK	PERSON	Hybrid recommender systems (HRS)	Deep learning neural network, Genetic Algorithm (GA)	Word Embedding & Padding model , a DNN model for product categorization, decision recommendation model, an operational state machine	-
3	A Chronic Disease Diet Recommendation System Based on Domain Ontology and Decision Tree Chen et al. [30] 2017 Taiwan	-	Knowledge-based recommender systems (KBS)	Rule base, Decision tree, Domain Ontology	-	Web base application
4	Diet-Right: A Smart Food Recommendation System Rehman et al. [31] 2017 Pakistan	Diet-Right	Knowledge-based recommender systems (KBS)	Rule base Ant Colony Optimization (ACO)	-	-
5	Yum-Me: A personalized nutrient-based meal recommender system Yang et al. [32] 2017 USA	Yum-Me	Hybrid recommender systems (HRS)	Food Preference Elicitation Algorithm, User State Update Algorithm k-means++ Algorithm for Exploration Images Selection Algorithm	-	Web browser, Mobile application, smart watch
6	PREFER: A prescription-based food recommender system Bianchini et al. [33] 2017 Italy	PREFER	Hybrid recommender systems (HRS)	Ontology	Recipes, menus and prescriptions, users' profiles	Web application
7	DFRS: Diet Food Recommendation System for Diabetic Patients based on Ontology Kumar and Latha [34] 2015 India	DFRS	Hybrid recommender systems (HRS)	Ontology, K-Means clustering algorithms, rule-base, SelfOrganizing Map (SOM)	Data Processing Module, Diet Planning Module, Food Ontology Construction Module, Food Recommendation Module	-
8	Nutrition for Elder Care: a nutritional semantic recommender system for the elderly Espin et al. [35] 2015 Spain	NutEiCare	Hybrid recommender systems (HRS)	Rule base, Domain Ontology	Knowledge base and items representation, User profiling and learning techniques of user interests, Obtaining and providing recommendations about items in the knowledge base through semantic similarity measures	-

Number	Title , authors name, year and country	Name of the system	Type of recommendation system	Type of AI techniques applied in recommendation system	System modules	System Platform
9	u-BabSang: a context-aware food recommendation system Oh et al. [36] 2010 South Korea	U-BabSang	Content-based recommender systems (CBR)	Multi agent system	-	Windows base software
10	A Disease-driven Nutrition Recommender System based on a Multi-agent Architecture Ivascu et al. [37] 2018 Romania	-	Hybrid recommender systems (HRS)	Multi-agent system Rule base Ontology	Hospital Agent, User InfoKDA, GUIAgent, Health-KDA, FoodKDA, UserProfileAgent, Recommender-Agent	mobile application
11	Nutrilize a Personalized Nutrition Recommender System: an enable study Leopold et al. [22,38] 2018 Germany	Nutrilizesystem	Knowledge-based recommender systems (KBS)	-	An accurate nutritional food database, a user nutrition profile, a recipe database, and a knowledge-based utility function for each nutrient.	mobile application
12	A hybrid framework for a comprehensive physical activity and diet recommendation system Ali et al. [39] 2018 South Korea	-	Hybrid recommender systems (HRS)	Rule base	Modules are divided into two categories i.e. main module and supporting modules. Main module represents the main working engine of the framework while the supporting modules provide services to the main module. These modules are: Data Acquisition and Processing, Context Generation, Expert Knowledge Repository, Presentation	-
13	A personalized diet and exercise recommender system in minimizing clinical risk for type 1 diabetes: An in silico study Xie and Wang [40] 2017 USA	-	Knowledge-based recommender systems (KBS)	A Nonlinear Autoregressive Moving Average with Exogenous Inputs (NARMAX) Model	-	-
14	The Research and Design of Recommendation System for Nutritional Combo Li and Yang [41] 2016 China	-	Hybrid recommender systems (HRS)	-	This system has 2 main modules. Web Module(Log in module, Registering module, Saving module, Singular screening module, Recommendation module) and Back-end recommendation module	-
15	Online Recommender System for Personalized Nutrition Advice Franco [42] 2017 UK	Nutri	Knowledge-based recommender systems (KBS)	Rule base	-	mobile application
16	A healthy food recommendation system by combining clustering technology with the Weighted slope one Predictor Bundasak [43] 2017 Thailand	-	Hybrid recommender systems (HRS)	Self-Organizing Map (SOM), K-mean clustering analysis	-	-
17	DIETOS: a recommender system for health profiling and diet management in chronic diseases Agapio et al. [44] 2017 Italy	DIETOS	Content-based recommender systems (CB)	-	DIETOS User Profiler, DIETOS Reminder, DIETOS History, CKD Calculator, DIETOS Foods Filter and DIETOS Security	Web application

Number	Title , authors name, year and country	Name of the system	Type of recommendation system	Type of AI techniques applied in recommendation system	System modules	System Platform
18	Health-aware Food Recommender System Mouzhi Ge et al. [45] 2015 Italy	-	Collaborative filtering recommender systems (CFR)	-	-	mobile application
19	Mobile Nutrition Recommendation System for 0-2 Year Infant Anggraini et al. [46] 2014 Indonesia	Nutrisi	Knowledge-based recommender systems (KBS)	Rule base forward and backward chaining method	-	mobile application
20	Profiling basic health information of tourists towards a recommendation system for the adaptive delivery of medical certified nutrition contents Giuseppe et al. [47] 2014 Italy	-	Content-based recommender systems (CB)	-	Users Data Manager module, Users Profile Creation module, Recommendation System module, Adaptive Food Selection module, Security Layer module	Web application
21	The runner - Recommender system of workout and nutrition for runners Donciu et al. [48] 2011 Romania	The Runner	Hybrid recommender systems (HRS)	semantic web and ontologies	-	web application
22	A recipe recommendation system based on automatic nutrition information extraction UETA et al. [49] 2011 Japan	-	Collaborative filtering recommender systems (CF)	NLP	-	mobile application
23	Application of Data Mining Techniques in a Personalized Diet Recommendation System for Cancer Patients Husain et al. [50] 2011 Malaysia	-	Knowledge-based recommender systems (KBS)	Data mining techniques of Case-based Reasoning, Rule-based Reasoning and Genetic Algorithm	User management module, diet planning module, menu construction module and menu adaptation module.	-
24	Food recommendation system using clustering analysis for diabetic patients Phanich et al. [51] 2010 Thailand	Collaborative filtering recommender systems (CF)	Self-Organizing Map (SOM) K-mean clustering	-	-	-
25	Design of Diet Recommendation System for Healthcare Service Based on User Information Kim et al. [52] 2009 South Korea	Content-based recommender systems (CB)	Multi agent system	-	Nutrient Extraction Module, Preference Configuration Module	-




Figure 2: The frequency (%) of recommendation system types




Figure 3: Freqncy of AI or intelligent techniques applied in recommendation systems




Figure 4: Frequency of type of system's platform

be the simplicity, transparency, and consistency of rule-based techniques with nutrition knowledge. Ontology techniques also have been used for the same reasons to show the knowledge and concepts of relations in a clear manner.

Cold start, which is one of the classic problems in recommendation systems, happens when a new user uses the system with no preferences [54]. Although this situation seems to not occur frequently in NRS, recommendation of collaborative filtering, which is content-based, is made by [41] to overcome this issue.

Type of system's platform and their structure

Owing to the penetration of smartphones, their processing, connectivity capabilities and their accessibility [55, 56], mobile applications had a growth in the medical field [56]. As it has been shown that mobile apps have potential effects on health behavior change [57] and chronic disease management [58], they have been used in the most of reviewed systems for NRS as shown in Figure 4.

In addition, web technology, due to its cross-platform specificity leading into the use of multiple clients with different hardware and operating system, is popular for these recommendation systems.

This is the first systematically review of the recommendation systems in the nutrition field with focus on characteristics and types. The study offers some important insights into the condition of recommendation systems in the nutrition field with focus on technical aspects. This study can help to inform specialists in the nutrition informatics domain, which was necessary to design and develop NRS.

However, there are many mobile applications in the nutrition field using "recommendation system" technology which have not been mentioned in the design methodology [57]. This study concentrates only on research, which explicitly discusses the use of the recommendation system.

Conclusion

In this paper, we systematically reviewed the recommender systems in nutrition scope with a focus on characteristics and types. The results of this investigation show that hybrid recommender systems (HRS) are mostly used recommender type in NRS. Many AI or intelligent techniques applied in recommendation systems, which are one of the most frequented techniques, are systems based on rules. Furthermore, the frequented platform applied in NRS was a mobile application. If NRS is properly designed, implemented, and finally evaluated, it can be used as an effective tool to improve nutrition and promote a healthy lifestyle.

Acknowledgment

The authors would like to gratefully acknowledge the contribution department of health information management and department of community nutrition in Tehran University of Medical Sciences. This paper was developed as part of a Ph.D. thesis that is funded and supported jointly by Tehran University of Medical Sciences and Shiraz University of Medical Sciences.

Conflict of Interest

The authors declare that there is no conflict of interest regarding the publication of this manuscript.

References

1. Cederholm T, Barazzoni R, Austin P, Ballmer P, Biolo G, Bischoff SC, et al. ESPEN guidelines on definitions and terminology of clinical nutrition. *Clin Nutr.* 2017;**36**:49-64. doi: 10.1016/j.clnu.2016.09.004. PubMed PMID: 27642056.
2. Organization WH. Diet, nutrition and the prevention of chronic diseases. *World Health Organ Tech Rep Ser.* 2003;**916**:1-149. PubMed PMID: 12768890.
3. Organization WH. Diet, nutrition, and the prevention of chronic diseases. Report of a WHO Study Group. *World Health Organ Tech Rep Ser.* 1990;**797**:1-204. PubMed PMID: 2124402.
4. Resilience B. The State Of Food Security And Nutrition In The World. Rome: Building resilience for

- peace and food security; 2017.
5. Thompson B, Cohen MJ, Meerman J. World food insecurity and malnutrition: scope, trends, causes and consequences. The impact of climate change and bioenergy on nutrition: Springer; 2012. p. 21-41. doi: 10.1007/978-94-007-0110-6_3.
 6. North JC, Jordan KC, Metos J, Hurdle JF. Nutrition Informatics Applications in Clinical Practice: a Systematic Review. *AMIA Annu Symp Proc*. 2015;**2015**:963-72. PubMed PMID: 26958233; PubMed PMCID: PMCPMC4765562.
 7. Ayres EJ, Greer-Carney JL, Fatzinger McShane PE, Miller A, Turner P. Nutrition informatics competencies across all levels of practice: a national Delphi study. *J Acad Nutr Diet*. 2012;**112**:2042-53. doi: 10.1016/j.jand.2012.09.025. PubMed PMID: 23174690; PubMed PMCID: PMCPMC3652246.
 8. Bernstam EV, Smith JW, Johnson TR. What is biomedical informatics? *J Biomed Inform*. 2010;**43**:104-10. doi: 10.1016/j.jbi.2009.08.006. PubMed PMID: 19683067; PubMed PMCID: PMCPMC2814957.
 9. Trtovac D, Lee J. The Use of Technology in Identifying Hospital Malnutrition: Scoping Review. *JMIR Med Inform*. 2018;**6**:e4. doi: 10.2196/medinform.7601. PubMed PMID: 29351894; PubMed PMCID: PMCPMC5797288.
 10. Ayres EJ, Hoggie LB. 2011 nutrition informatics member survey. *J Acad Nutr Diet*. 2012;**112**:360-7. doi: 10.1016/j.jand.2012.01.003. PubMed PMID: 22709663; PubMed PMCID: PMCPMC3640305.
 11. Hoggie LB, Michael MA, Houston SM, Ayres EJ. Nutrition informatics. *J Am Diet Assoc*. 2006;**106**:134-9. doi: 10.1016/j.jada.2005.10.025. PubMed PMID: 16390678.
 12. Ayres EJ, Hoggie LB. Advancing practice: using nutrition information and technology to improve health—the nutrition informatics global challenge. *Nutrition & Dietetics*. 2012;**69**:195-7. doi: 10.1111/j.1747-0080.2012.01616.x.
 13. Kuo SE, Lai HS, Hsu JM, Yu YC, Zheng DZ, Hou TW. A clinical nutritional information system with personalized nutrition assessment. *Comput Methods Programs Biomed*. 2018;**155**:209-16. doi: 10.1016/j.cmpb.2017.10.029. PubMed PMID: 29512501.
 14. Buday R, Tapia R, Maze GR. Technology-driven dietary assessment: a software developer's perspective. *J Hum Nutr Diet*. 2014;**27**(Suppl 1):10-7. doi: 10.1111/j.1365-277X.2012.01255.x. PubMed PMID: 22591224; PubMed PMCID: PMCPMC4365297.
 15. Kirk SF, Cade JE, Greenhalgh A. Dietitians and the internet: are dietitians embracing the new technology? *J Hum Nutr Diet*. 2001;**14**:477-84. doi: 10.1046/j.1365-277x.2001.00314.x. PubMed PMID: 11906590.
 16. Roberts S, Marshall AP, Gonzalez R, Chaboyer W. Technology to engage hospitalised patients in their nutrition care: a qualitative study of usability and patient perceptions of an electronic foodservice system. *J Hum Nutr Diet*. 2017;**30**:563-73. doi: 10.1111/jhn.12467. PubMed PMID: 28211190.
 17. Maunder K, Walton K, Williams P, Ferguson M, Beck E. eHealth readiness of dietitians. *J Hum Nutr Diet*. 2018;**31**:573-83. doi: 10.1111/jhn.12542. PubMed PMID: 29473238.
 18. Deshpande S, Basil MD, Basil DZ. Factors influencing healthy eating habits among college students: an application of the health belief model. *Health Mark Q*. 2009;**26**:145-64. doi: 10.1080/07359680802619834. PubMed PMID: 19408181.
 19. Schwartz C, Scholtens PA, Lalanne A, Weenen H, Nicklaus S. Development of healthy eating habits early in life. Review of recent evidence and selected guidelines. *Appetite*. 2011;**57**:796-807. doi: 10.1016/j.appet.2011.05.316. PubMed PMID: 21651929.
 20. Crovetto M, Valladares M, Espinoza V, Mena F, Onate G, Fernandez M, et al. Effect of healthy and unhealthy habits on obesity: a multicentric study. *Nutrition*. 2018;**54**:7-11. doi: 10.1016/j.nut.2018.02.003. PubMed PMID: 29677480.
 21. Tran TNT, Atas M, Felfernig A, Stettinger M. An overview of recommender systems in the healthy food domain. *Journal of Intelligent Information Systems*. 2018;**50**:501-26. doi: 10.1007/s10844-017-0469-0.
 22. Leipold N, Madenach M, Schäfer H, Lurz M, Terzimehic N, Groh G, et al., editors. Nutrilize a Personalized Nutrition Recommender System: an Enable Study. *HealthRecSys@ RecSys*; 2018.
 23. Norouzi S, Kamel Ghalibaf A, Sistani S, Banazadeh V, Keykhaei F, Zareishargh P, et al. A Mobile Application for Managing Diabetic Patients' Nutrition: A Food Recommender System. *Arch Iran Med*. 2018;**21**:466-72. PubMed PMID: 30415555.
 24. Norouzi S, Nematy M, Zabolinezhad H, Sistani S, Etminani K. Food recommender systems for diabetic patients: a narrative review. *Rev Clin Med*. 2017;**4**(3):128-30. doi: 10.22038/rcm.2017.10814.1134.

25. Ricci F, Rokach L, Shapira B. Introduction to recommender systems handbook. Recommender systems handbook: Springer; 2011. p. 1-35. doi: 10.1007/978-0-387-85820-3_1.
26. Park DH, Kim HK, Choi IY, Kim JK. A literature review and classification of recommender systems research. *Expert systems with applications*. 2012;**39**:10059-72. doi: 10.1016/j.eswa.2012.02.038.
27. Robillard M, Walker R, Zimmermann T. Recommendation systems for software engineering. *IEEE software*. 2009;**27**:80-6.
28. Shani G, Gunawardana A. Evaluating recommendation systems. Recommender systems handbook: Springer; 2011. p. 257-97. doi: 10.1007/978-0-387-85820-3_8.
29. Chen CH, Karvela M, Sohbaty M, Shinawatra T, Toumazou C. PERSON-Personalized Expert Recommendation System for Optimized Nutrition. *IEEE Trans Biomed Circuits Syst*. 2018;**12**:151-60. doi: 10.1109/TBCAS.2017.2760504. PubMed PMID: 29377803.
30. Chen R-C, Huang C-Y, Ting Y-H. A chronic disease diet recommendation system based on domain ontology and decision tree. *Journal of Advanced Computational Intelligence and Intelligent Informatics*. 2017;**21**:474-82. doi: 10.20965/jaciii.2017.p0474.
31. Rehman F, Khalid O, Bilal K, Madani SA. Diet-Right: A Smart Food Recommendation System. *KSII Transactions on Internet & Information Systems*. 2017;**11**. doi: 10.3837/tiis.2017.06.006.
32. Yang L, Hsieh CK, Yang H, Pollak JP, Dell N, Belongie S, et al. Yum-Me: A Personalized Nutrient-Based Meal Recommender System. *ACM Trans Inf Syst*. 2017;**36**. doi: 10.1145/3072614. PubMed PMID: 30464375; PubMed PMCID: PMC6242282.
33. Bianchini D, De Antonellis V, De Franceschi N, Melchiori M. PREFer: A prescription-based food recommender system. *Computer Standards & Interfaces*. 2017;**54**:64-75. doi: 10.1016/j.csi.2016.10.010.
34. Raj Kumar B, Latha K. DFRS: Diet food recommendation system for diabetic patients based on ontology. *Int J Appl Eng Res*. 2015;**10**:2765-70.
35. Espín V, Hurtado MV, Noguera M. Nutrition for Elder Care: a nutritional semantic recommender system for the elderly. *Expert Systems*. 2016;**33**:201-10. doi: 10.1111/exsy.12143.
36. Oh Y, Choi A, Woo W. u-BabSang: a context-aware food recommendation system. *the Journal of Supercomputing*. 2010;**54**:61-81. doi: 10.1007/s11227-009-0314-5.
37. Ivaşcu T, Diniş A, Cincar K, editors. A Disease-driven Nutrition Recommender System based on a Multi-agent Architecture. Proceedings of the 8th International Conference on Web Intelligence, Mining and Semantics; New York: ACM; 2018. doi: 10.1145/3227609.3227685.
38. Terzimehić N, Leipold N, Schaefer H, Madenach M, Böhm M, Groh G, et al. Can an Automated Personalized Nutrition Assistance System Successfully Change Nutrition Behavior?-Study Design. International Conference on Information Systems (ICIS); At Dublin: Ireland; 2016.
39. Ali SI, Amin MB, Kim S, Lee S, editors. A Hybrid Framework for a Comprehensive Physical Activity and Diet Recommendation System. International Conference on Smart Homes and Health Telematics; Springer; 2018.
40. Xie J, Wang Q. A personalized diet and exercise recommender system for type 1 diabetes self-management: An in silico study. *Smart Health*. 2019;**13**:100069. doi: 10.1016/j.smhl.2019.100069.
41. Li C, Yang C, editors. The research and design of recommendation system for nutritional combo. 2016 2nd IEEE International Conference on Computer and Communications (ICCC); Chengdu, China: IEEE; 2016. doi: 10.1109/compcomm.2016.7924819.
42. Zenun Franco R, editor Online Recommender System for Personalized Nutrition Advice. Proceedings of the Eleventh ACM Conference on Recommender Systems; New York: ACM; 2017. doi: 10.1145/3109859.3109862.
43. Bundasak S, editor A healthy food recommendation system by combining clustering technology with the weighted slope one predictor. 2017 International Electrical Engineering Congress (iEECON); Pattaya, Thailand: IEEE; 2017. doi: 10.1109/ieecon.2017.8075820.
44. Agapito G, Simeoni M, Calabrese B, Guzzi PH, Fuiano G, Cannataro M, editors. DIETOS: A Recommender System for Health Profiling and Diet Management in Chronic Diseases. HealthRecSys@ RecSys; 2017.
45. Ge M, Ricci F, Massimo D, editors. Health-aware food recommender system. Proceedings of the 9th ACM Conference on Recommender Systems; Vienna Austria: ACM; 2015.
46. Anggraini RNE, Rochimah S, Dalmi KD, editors. Mobile nutrition recommendation system for 0-2 year infant. 2014 The 1st International Conference on Information Technology, Computer, and Electri-

- cal Engineering; Semarang, Indonesia:Semarang, Indonesia: IEEE; 2014. doi: 10.1109/icitacee.2014.7065755.
47. Agapito G, Calabrese B, Care I, Falcone D, Guzzi PH, Ielpo N, et al., editors. Profiling basic health information of tourists: towards a recommendation system for the adaptive delivery of medical certified nutrition contents. 2014 International Conference on High Performance Computing & Simulation (HPCS); Bologna, Italy: IEEE; 2014. doi: 10.1109/hpcsim.2014.6903744.
48. Donciu M, Ionita M, Dascalu M, Trausan-Matu S, editors. The Runner--Recommender System of Workout and Nutrition for Runners. 2011 13th international symposium on symbolic and numeric algorithms for scientific computing; Timisoara, Romania: IEEE; 2011. doi: 10.1109/synasc.2011.18.
49. Ueta T, Iwakami M, Ito T, editors. A recipe recommendation system based on automatic nutrition information extraction. International Conference on Knowledge Science, Engineering and Management; Springer-Verlag Berlin Heidelberg; 2011. P. 79–90. doi: 10.1109/taai.2011.39.
50. Husain W, Wei LJ, Cheng SL, Zakaria N, editors. Application of data mining techniques in a personalized diet recommendation system for cancer patients. 2011 IEEE Colloquium on Humanities, Science and Engineering; Penang, Malaysia: IEEE; 2011. doi: 10.1109/chuser.2011.6163724.
51. Phanich M, Pholkul P, Phimoltares S, editors. Food recommendation system using clustering analysis for diabetic patients. 2010 International Conference on Information Science and Applications; Seoul, South Korea: IEEE; 2010. doi: 10.1109/icisa.2010.5480416.
52. Kim J-H, Lee J-H, Park J-S, Lee Y-H, Rim K-W, editors. Design of diet recommendation system for healthcare service based on user information. 2009 Fourth International Conference on Computer Sciences and Convergence Information Technology; Seoul, South Korea; IEEE; 2009. doi: 10.1109/iccit.2009.293.
53. Valdez AC, Ziefle M, Verbert K, Felfernig A, Holzinger A. Recommender systems for health informatics: state-of-the-art and future perspectives. *Machine Learning for Health Informatics*: Springer; 2016. p. 391-414. doi: 10.1007/978-3-319-50478-0_20.
54. Lam XN, Vu T, Le TD, Duong AD, editors. Addressing cold-start problem in recommendation systems. Proceedings of the 2nd international conference on Ubiquitous information management and communication; New York: ACM; 2008.
55. Kakahara M, editor Grasping a Global View of Smartphone Diffusion: An Analysis from a Global Smartphone Study. ICMB; 2014.
56. Wiechmann W, Kwan D, Bokarius A, Toohey SL. There's an App for That? Highlighting the Difficulty in Finding Clinically Relevant Smartphone Applications. *West J Emerg Med*. 2016;**17**:191-4. doi: 10.5811/westjem.2015.12.28781. PubMed PMID: 26973750; PubMed PMCID: PMC4786244.
57. Zhao J, Freeman B, Li M. Can Mobile Phone Apps Influence People's Health Behavior Change? An Evidence Review. *J Med Internet Res*. 2016;**18**:e287. doi: 10.2196/jmir.5692. PubMed PMID: 27806926; PubMed PMCID: PMC45295827.
58. Hamine S, Gerth-Guyette E, Faulx D, Green BB, Ginsburg AS. Impact of mHealth chronic disease management on treatment adherence and patient outcomes: a systematic review. *J Med Internet Res*. 2015;**17**:e52. doi: 10.2196/jmir.3951. PubMed PMID: 25803266; PubMed PMCID: PMC4376208.