



HHS Public Access

Author manuscript

Immunity. Author manuscript; available in PMC 2021 January 14.

Published in final edited form as:

Immunity. 2020 January 14; 52(1): 201–202. doi:10.1016/j.immuni.2019.12.008.

The Transcription Factor Bhlhe40 Programs Mitochondrial Regulation of Resident CD8⁺ T Cell Fitness and Functionality

Chaofan Li, Bibo Zhu, Young Min Son, Zheng Wang, Li Jiang, Min Xiang, Zhenqing Ye, Kathryn E. Beckermann, Yue Wu, James W. Jenkins, Peter J. Siska, Benjamin G. Vincent, Y.S. Prakash, Tobias Peikert, Brian T. Edelson, Reshma Taneja, Mark H. Kaplan, Jeffrey C. Rathmell, Haidong Dong, Taro Hitosugi, Jie Sun*

(*Immunity* 51, 491–507.e1–e7; September 17, 2019)

The authors became aware of errors of mislabeling in some panels of this study. In Figure 2F, the schematic summarizing the experimental protocol should have identified PR8-OT-I as PR8-OVA. Meanwhile, in Figure 2G, the identities of the open square and closed square tracings were inadvertently reversed. Finally, the color coding of experimental samples in Figure 6H and the right-hand tracing in Figure 7I were incorrectly assigned. The errors were generated inadvertently during the revision process of the manuscript. This has been corrected online, and the authors sincerely apologize for these errors as well as any confusion this may have caused.

*Correspondence: sun.jie@mayo.edu.




Figure 2.
Bhlhe40 Maintains Function and Survival of Trm Cells (Corrected)




Figure 2.
Bhlhe40 Maintains Function and Survival of Trm Cells (Original)




Figure 6.
Identification of an Epigenetic and Metabolic Regimen Promoting CD8⁺ T Cell Residency
Genes and Functionality (Corrected)


H

Figure 6. Identification of an Epigenetic and Metabolic Regimen Promoting CD8⁺ T Cell Residency Genes and Functionality (Original)




Figure 7.
Tubastatin A and Acetate Treatment Promotes Anti-tumor Activities of CD8⁺ T Cells
(Corrected)




Figure 7.
Tubastatin A and Acetate Treatment Promotes Anti-tumor Activities of CD8⁺ T Cells
(Original)