



Correction to: Intravenous fluids: balancing solutions

Ewout J. Hoorn¹

Published online: 28 January 2020
© The Author(s) 2020

Correction to: J Nephrol (2017) 30:485–492
<https://doi.org/10.1007/s40620-016-0363-9>

In Table 3 on Page 486 the term osmolality should have read osmolarity. For an overview of both osmolality and osmolarity for each of the intravenous fluids, please see the following reference:

Severs D, Hoorn EJ, Rookmaaker MB. A critical appraisal of intravenous fluids: from the physiological basis to clinical evidence. *Nephrol Dial Transplant*. 2015;30(2):178–87.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long

as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s40620-016-0363-9>.

✉ Ewout J. Hoorn
e.j.hoorn@erasmusmc.nl

¹ Division of Nephrology and Transplantation, Department of Internal Medicine, Erasmus Medical Center, Room Ns410, PO Box 2040, 3000, CA, Rotterdam, The Netherlands