



Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.

FEBS Letters Volume 581
Author Index

A

- Aarden, L.A. see S. Zeerleder, 5382
 Abboud, H.E. see F. Das, 5259
 Abdel-Motaal, F.F. see S.-i. Ito, 3217
 Abdelkarim, M. see B. Cariou, 5191
 Abdelmegeed, M.A. see K.-H. Moon, 3967
 Abdolmaleki, P. see S.H. Sadat Hayatshahi, 506
 Abe, F., Induction of *DAN/TIR* yeast cell wall mannoprotein genes in response to high hydrostatic pressure and low temperature, 4993
 Abe, H. see N. Hiraga, 1983
 Abe, Y. see Y. Onda, 5852
 Abou-Lovergne, A. see E. Gonzales, 3260
 Abuladze, N. see S. Ryazantsev, 1898
 Achilefu, S. see D. Shen, 1793
 Adachi, H. see A. Okumura, 5255
 Adamczyk, M., J. Poznański, E. Kopera and W. Bal, A zinc-finger like metal binding site in the nucleosome, 1409
 Adamski, D., J.-F. Mayol, N. Platet, F. Berger, F. Hérodin and D. Wion, Effects of Hoechst 33342 on C2C12 and PC12 cell differentiation, 3076
 Adedeji, D., H. Hernandez, J. Wiesner, U. Köhler, H. Jomaa and E.C. Duin, Possible direct involvement of the active-site [4Fe-4S] cluster of the GcpE enzyme from *Thermus thermophilus* in the conversion of MEcPP, 279
 Adib-Conquy, M. and J.-M. Cavaillon, Stress molecules in sepsis and systemic inflammatory response syndrome, 3723
 Aerts, J.M.F.G. see M. van Eijk, 5389
 Agarwal, S., Agarwal, S. and R. Bhatnagar, Identification and characterization of a novel toxin-antitoxin module from *Bacillus anthracis*, 1727
 Agarwal, S., Agarwal, S. and R. Bhatnagar, Identification and characterization of a novel toxin-antitoxin module from *Bacillus anthracis*, 1727
 Ageron, E. see N. Ramarao, 853
 Agius, L. see L.J. Hampson, 3955
 Agostino, P.V. see S.A. Plano, 5500
 Aguado, C. see I. Esteban, 3415
 Aguilera, J. see C. Gil, 1851
 Ahmed, N. see M. Washiyama, 5207
 Ahn, B.-H., M.H. Park, Y.H. Lee and D.S. Min, Phorbol myristate acetate-induced Egr-1 expression is suppressed by phospholipase D isozymes in human glioma cells, 5940
 Ahn, D.-R. see H. Cho, 1542
 Ahn, H.-Y. see J.-M. Ha, 2663
 Ahn, S., S. Moniot, M. Elias, E. Chabriere, D. Kim and K. Scott, Structure-function relationships in a bacterial DING protein, 3455
 Ahnn, J. see K.M. Ko, 5445
 Aigner, K., L. Descovich, M. Mikula, A. Sultan, B. Dampier, S. Bonnè, F. van Roy, W. Mikulits, M. Schreiber, T. Brabletz, W. Sommergruber, N. Schweifer, A. Wernitznig, H. Beug, R. Foisner and A. Eger, The transcription factor ZEB1 (δ EF1) represses Plakophilin 3 during human cancer progression, 1617
 Aikhionbare, F. see Y. Liu, 4318
 Ajay, A.K. see S. Singh, 289
 Akasaka, R. see S. Ohnishi, 462
 Akazawa, T., M. Shingai, M. Sasai, T. Ebihara, N. Inoue, M. Matsumoto and T. Seya, Tumor immunotherapy using bone marrow-derived dendritic cells overexpressing Toll-like receptor adaptors, 3334
 Akiba, Y. see A. Mujahid, 3461
 Akiyama, T. see E. Ito, 3909
 Al-Mawsawi, L.Q., M. Sechi and N. Neamati, Single amino acid substitution in HIV-1 integrase catalytic core causes a dramatic shift in inhibitor selectivity, 1151
 Ala-Kokko, L. see M. Tulla, 2434
 Alam, N.H. see C.-F. Flach, 3183
 Allen, L.M. see V. Nicaise, 1041
 Allen, S. see W. Zhao, 4960
 Allison, M.B. see K.A. Temple, 469
 Allsop, D. see A. Masad, 3489
 Almeida, M.G., C.M. Silveira, B. Guigliarelli, P. Bertrand, J.J.G. Moura, I. Moura and C. Léger, A needle in a haystack: The active site of the membrane-bound complex cytochrome *c* nitrite reductase, 284
 Alonso-Casajús, N. see M.T. Morán-Zorzano, 1035
 Alonso-Casajús, N. see G. Eydallin, 4417
 Alonso-Casajús, N. see M.T. Morán-Zorzano, 4423
 Alt, E. see X. Bai, 4681
 Alvarez-Barrientos, A. see S. Zuluaga, 3819
 Amano, K. see M.K. Kaneko, 331
 Ambrogelly, A. see S. Herring, 3197
 Ambrogelly, A. see O. Namy, 5282
 Amente, S., B. Gargano, D. Diolaiti, G. Della Valle, L. Lania and B. Majello, p14^{ARF} interacts with N-Myc and inhibits its transcriptional activity, 821
 Ameres, S. see C. Seitz, 3429
 Amin, J. see T.J. Underwood, 5831
 Amoui, M. see J.H. Yang, 2503
 Ampe, C. see D. Polet, 211
 Ampe, C. see S. Dhaese, 4809
 Anandatheerthavarada, H.K. see J.-K. Fang, 1302
 Anderluh, G. see M. Butala, 4816
 Anderson, G. see S. Lax, 3550
 Anderson, R.A. see T.L. Chang, 4596
 Ando, M. see M. Kuwabara, 4821
 Andrade, A., M.B. de León, O. Hernández-Hernández, B. Cisneros and R. Felix, Myotonic dystrophy CTG repeat expansion alters Ca²⁺ channel functional expression in PC12 cells, 4430
 Andrew van Hasselt, C. see Z.-M. Liu, 2465
 Andújar-Sánchez, M., V. Jara-Pérez and A. Cámara-Artigas, Thermodynamic determination of the binding constants of angiotensin-converting enzyme inhibitors by a displacement method, 3449
 Angkawidjaja, C., D.-j. You, H. Matsumura, K. Kuwahara, Y. Koga, K. Takano and S. Kanaya, Crystal structure of a family I.3 lipase from *Pseudomonas* sp. MIS38 in a closed conformation, 5060
 Angst, E. see S. Sibold, 989
 Anné, J. see E. De Buck, 259
 Anouar, Y. see D. Cruz-Garcia, 3149
 Anrather, J. see K. Hochrainer, 5493
 Anton, R., H.A. Kestler and M. Kühl, β -Catenin signaling contributes to stemness and regulates early differentiation in murine embryonic stem cells, 5247
 Antoniou, A.N., S.G. Santos, E.C. Campbell, S. Lynch, F.A. Arosa and S.J. Powis, ERp57 interacts with conserved cysteine residues in the MHC class I peptide-binding groove, 1988
 Ao, Z., R. Quezada-Calvillo, L. Sim, B.L. Nichols, D.R. Rose, E.E. Sterchi and B.R. Hamaker, Evidence of native starch degradation with human small intestinal maltase-glucoamylase (recombinant), 2381
 Aon, M.A., S. Cortassa, K.M. Lemar, A.J. Hayes and D. Lloyd, Single and cell population respiratory oscillations in yeast: A, 8
 Aoshiba, K. and A. Nagai, Chronic lung inflammation in aging mice, 3512
 Aouadi, M., J. Jager, K. Laurent, T. Gonzalez, M. Cormont, B. Binétruy, Y. Le Marchand-Brustel, J.-F. Tanti and F. Bost, p38MAP Kinase activity is required for human primary adipocyte differentiation, 5591
 Apse, M.P. and E. Blumwald, Na⁺ transport in plants, 2247
 Aragón, J.J. see O.H. Martínez-Costa, 3033
 Arai, K. see M. Kaneko, 5355
 Arai, N. see T. Ishii, 349
 Arai, S., A. Matsushita, K. Du, K. Yagi, Y. Okazaki and R. Kurokawa, Novel homeodomain-interacting protein kinase family member, HIPK4, phosphorylates human p53 at serine 9, 5649
 Arai, T. see S. Kawasaki, 2460
 Arai, T. see A. Ishii, 4711
 Arakaki, A. see T. Suzuki, 3443
 Arakaki, N., T. Kita, H. Shibata and T. Higuti, Cell-surface H⁺-ATP synthase as a potential molecular target for anti-obesity drugs, 3405
 Arakawa, K., R. Saito and M. Tomita, Noise-reduction filtering for accurate detection of replication termini in bacterial genomes, 253
 Arakawa, T. see M. Ishibashi, 4073
 Arakawa, T. see M. Okayama, 4583
 Araki, A. see M. Rahman, 4001
 Araki, H. see Y. Morita, 3579
 Araki, H. see Y. Morita, 1417
 Araki, S. see T. Igarashi, 2416
 Araki, Y. see H. Kitagaki, 2935
 Aramaki, Y. see M. Otsuka, 325
 Aranovich, A., A.H. Parola and I. Fishov, The reactivation of DnaA(L366K) requires less acidic phospholipids supporting their role in the initiation of chromosome replication in *Escherichia coli*, 4439

- Arendt, Y., L. Banci, I. Bertini, F. Cantini, R. Cozzi, R. Del Conte and L. Gonnelli, Catalytic domain of MMP20 (Enamelysin) – The NMR structure of a new matrix metalloproteinase, 4723
- Aricescu, A.R. see M. Crispin, 1963
- Arif, E. see J. Karar, 4577
- Arima, H. see R. Banno, 1131
- Arima, H. see I. Sato, 4857
- Arima, K. see S. Kanaji, 4260
- Armesilla, A.L. see M. Holton, 4115
- Arndt-Jovin, D.J. see M.M. Echarte, 2905
- Arnold, H.-H. see F. Vauti, 5691
- Arnosti, D.N. see P. Mani-Telang, 5241
- Arosa, F.A. see A.N. Antoniou, 1988
- Arrigo, A.-P., S. Simon, B. Gibert, C. Kretz-Remy, M. Nivon, A. Czeglak, D. Guillet, M. Moulin, C. Diaz-Latoud and P. Vicart, Hsp27 (HspB1) and α B-crystallin (HspB5) as therapeutic targets, 3665
- Arroyo, R. see E. Solano-González, 2919
- Arzumanov, A.A. see C. Di Primo, 771
- Asano, M. see Y. Morita, 3579
- Asano, M. see Y. Morita, 1417
- Asanuma, M. see I. Miyazaki, 5003
- Asao, H. see M. Rahman, 4001
- Asard, H. see A. Bérczi, 1505
- Asashima, M. see T. Chan, 2691
- Asashima, M. see T. Shibano, 4333
- Asashima, M. see T. Kajjume, 4645
- Asayama, M. see T. Yoshimura, 1495
- Ascione, B. see E. Straface, 4342
- Ascione, B. see S. Basciani, 5897
- Ashery-Padan, R. see A. Finkler, 3893
- Asikainen, S., M. Storvik, M. Lakso and G. Wong, Whole genome microarray analysis of *C. elegans rrf-3* and *eri-1* mutants, 5050
- Asryants, R. see N. Golub, 4223
- Assmann, G. see T. Engel, 1673
- Assmann, S.M. see S. Pandey, 2325
- Astier, V. see V. Rolli, 394
- Astolfi, A. see A. Bordoni, 923
- Atella, G.C. see J.B.R. Corrêa Soares, 1742
- Ates, K., S.Y. Yang, R.W. Orrell, A.C.M. Sinanan, P. Simons, A. Solomon, S. Beech, G. Goldspink and M.P. Lewis, The IGF-I splice variant MGF increases progenitor cells in ALS, dystrophic, and normal muscle, 2727
- Atkinson, D.L. see E. Makarev, 1865
- Atkinson, S.J., C.G. Mowat, G.A. Reid and S.K. Chapman, An octaheme *c*-type cytochrome from *Shewanella oneidensis* can reduce nitrite and hydroxylamine, 3805
- Aucoin, R. see M.B. Breslin, 949
- Auvray, L. see M. Pastoriza-Gallego, 3371
- Avadhani, N.G. see J.-K. Fang, 1302
- Avila-González, L. see E. Solano-González, 2919
- Azevedo, D., L. Nascimento, J. Labarre, M.B. Toledano and C. Rodrigues-Pousada, The *S. cerevisiae* Yap1 and Yap2 transcription factors share a common cadmium-sensing domain, 187
- Azuma, S. see E. Ito, 3909
- Bae, Y.-S. see M.-K. Kim, 1917
- Bae, Y.-S. see K.S. Park, 4411
- Bae, Y.-S. see E.-S. Lee, 4325
- Baek, J.-H. see K.M. Seong, 2567
- Baek, S.-H. see J.-G. Lee, 787
- Baek, S.H. see J.-M. Ha, 2663
- Bahi, N. see J. Zhang, 5781
- Bahl, H. see O. Riebe, 5605
- Bahram, S. see V. Rolli, 394
- Bai, L. and J.L. Merchant, A role for CITED2, a CBP/p300 interacting protein, in colon cancer cell invasion, 5904
- Bai, X., S. Sadat, S. Gehmert, E. Alt and Y.-H. Song, VEGF receptor Flk-1 plays an important role in *c*-kit expression in adipose tissue derived stem cells, 4681
- Bailey, L., A. Gylfe, C. Sundin, S. Muschiol, M. Elofsson, P. Nordström, B. Henriques-Normark, R. Lugert, A. Waldenström, H. Wolf-Watz and S. Bergström, Small molecule inhibitors of type III secretion in *Yersinia* block the *Chlamydia pneumoniae* infection cycle, 587
- Bajjalieh, S.M. see J.S. Lyssand, 5765
- Bakshi, K., R.W. Mercier and S. Pavlopoulos, Interaction of a fragment of the cannabinoid CB1 receptor C-terminus with arrestin-2, 5009
- Bakthavachalu, B. see B. Muralidharan, 4103
- Bal, W. see M. Adamczyk, 1409
- Balducci, E., L.G. Micossi, E. Soldaini and R. Rappuoli, Expression and selective up-regulation of toxin-related mono ADP-ribosyltransferases by pathogen-associated molecular patterns in alveolar epithelial cells, 4199
- Baldwin, A.J. see A.M. Simm, 3904
- Ballesteros, A. see N. López-Cortés, 4657
- Balli, F. see E. Roat, 521
- Balzarini, J., The α (1,2)-mannosidase I inhibitor 1-deoxymannojirimycin potentiates the antiviral activity of carbohydrate-binding agents against wild-type and mutant HIV-1 strains containing glycan deletions in gp120, 2060
- Ban, H.S. see F. Kamachi, 4633
- Ban, N. see Y. Matsumura, 3139
- Banci, L. see Y. Arendt, 4723
- Banères, J.-L. see M. Damian, 1944
- Banerjee, J. see B. Ganguly, 5723
- Banerjee, M., D. Roy, B. Bhattacharyya and G. Basu, Differential colchicine-binding across eukaryotic families: The role of highly conserved Pro268 β and Ala248 β residues in animal tubulin, 5019
- Bange, G. see E. Kowalinski, 4450
- Bánhegyi, G. see M. Csala, 1693
- Bánhegyi, G., A. Benedetti, M. Csala and J. Mandl, Stress on redox, 3634
- Banno, R., H. Arima, M. Hayashi, M. Goto, M. Watanabe, I. Sato, N. Ozaki, H. Nagasaki, N. Ozaki and Y. Oiso, Central administration of melanocortin agonist increased insulin sensitivity in diet-induced obese rats, 1131
- Banno, R. see I. Sato, 4857
- Banno, Y. see R. Kikuchi, 1800
- Bao, B., A.S. Prasad, F.W.J. Beck and F.H. Sarkar, Zinc up-regulates NF- κ B activation via phosphorylation of I κ B in HUT-78 (Th₀) cells, 4507
- Bao, J. see X. Guo, 1015
- Bao, J., D.W. Zhang, J.Z.H. Zhang, P.L. Huang, P.L. Huang and S. Lee-Huang, Computational study of bindings of olive leaf extract (OLE) to HIV-1 fusion protein gp41, 2737
- Bao, J. see S. Wang, 4789
- Bao, L., S. Samuels, S. Locovei, E.R. Macagno, K.J. Muller and G. Dahl, Innexins form two types of channels, 5703
- Bapat, B. see S. Esufali, 4850
- Bapat, P.M. see S.K. Nandy, 151
- Barabás, O. see B. Varga, 4783
- Baran-Marszak, F. see C. Laguillier, 1143
- Bárány-Wallje, E., J. Gaur, P. Lundberg, Ü. Langel and A. Gräslund, Differential membrane perturbation caused by the cell penetrating peptide Tpl0 depending on attached cargo, 2389
- Barbier-Brygoo, H. see A. de Angeli, 2367
- Barbosa, J.M. see Y. Sang, 344
- Baroja-Fernández, E. see M.T. Morán-Zorzano, 1035
- Baroja-Fernández, E. see G. Eydollin, 2947
- Baroja-Fernández, E. see M.T. Morán-Zorzano, 4423
- Baroja-Fernández, E. see G. Eydollin, 4417
- Baron, J. see M. Dewor, 4734
- Barouki, R. and R. Sitia, Cellular stress, 3581
- B**
- Baba, H. see H. Nitta, 5935
- Babon, A. see A. Perier, 5480
- Baby, S.M. see U. Basu, 4153
- Bacchetta, M. see M. Prunotto, 5847
- Bach, T.J. see R. Merret, 5295
- Bachmair, A. see M. Garzón, 3189
- Backman, V. see H.K. Roy, 3857
- Badet-Denisot, M.-A. see N. Floquet, 2981
- Badet, B. see N. Floquet, 2981
- Badrick, A.C., A.J. Hamilton, P.V. Bernhardt, C.E. Jones, U. Kappler, M.P. Jennings and A.G. McEwan, PrrC, a Sco homologue from *Rhodobacter sphaeroides*, possesses thiol-disulfide oxidoreductase activity, 4663
- Bae, C.-D. see S.-H. Hong, 5396
- Bae, H.J. see S.-y. Kim, 865
- Bae, S.S. see S.J. Lee, 4189
- Bae, Y.-S. see J.-G. Lee, 787

- Barouki, R., X. Coumoul and P.M. Fernandez-Salguero, The aryl hydrocarbon receptor, more than a xenobiotic-interacting protein, 3608
- Barreau, C. see N. Ponts, 443
- Barrientos, A. see C. Jin, 5658
- Barrier, L. see S. Ingrand, 4473
- Barroso, J.B. see R. Valderrama, 453
- Barroso, J.F.V. see H.-H. Gerdes, 2194
- Barroso, J.F.V. see H.-H. Gerdes, 3332
- Bartels, D. see J.R. Phillips, 3592
- Basak, A. see A. Jahani-Asl, 2883
- Basak, A. see A. Pasquato, 5807
- Basak, S., S. Roy and T.C. Ghosh, On the origin of synonymous codon usage divergence between thermophilic and mesophilic prokaryotes, 5825
- Basciani, S., R. Vona, P. Matarrese, B. Ascione, S. Mariani, L. Gnassi, W. Malorni and E. Straface, Imatinib interferes with survival of multi drug resistant Kaposi's sarcoma cells, 5897
- Basdra, E.K. see A.K. Papadopoulou, 2041
- Basko, X. see K.A. Temple, 469
- Bassi, R. see S. Caffarri, 4704
- Basu, G. see M. Banerjee, 5019
- Basu, G. see B. Dasgupta, 4529
- Basu, U., M. Gyrð-Hansen, S.M. Baby, O. Lozynska, T.O.B. Krag, C.J. Jensen, M. Frdin and T.S. Khurana, Heregulin-induced epigenetic regulation of the utrophin-A promoter, 4153
- Batchelder, E.L., C.L. Thomas-Virnicig, J.D. Hardin and J.G. White, Cytokinesis is not controlled by calmodulin or myosin light chain kinase in the *Caenorhabditis elegans* early embryo, 4337
- Batoko, H. see M. Frison, 4010
- Bau, H.-J. see M. Choquer, 489
- Bauer, F. and H. Sticht, A proline to glycine mutation in the Lck SH3-domain affects conformational sampling and increases ligand binding affinity, 1555
- Baum, A. see O. Rath, 2549
- Baum, O. see S. Chlench, 673
- Baumeister, W. see S. Nickell, 2751
- Baumgartner, M. see A. Weiss, 5131
- Baumruker, T. see D. Mechtcheriakova, 3063
- Baur, R. see K.R. Tan, 4718
- Bauters, M. see R. Pourebrahim, 5122
- Bautista, V. see J. Esclapez, 837
- Bauwe, H. see D. Hasse, 1297
- Beck, A. see J. Wünschmann, 1681
- Beck, F. see S. Nickell, 2751
- Beck, F.W.J. see B. Bao, 4507
- Beckett, W. see P.D. Thompson, 1233
- Becskei, A. and M.J. Grusby, Contribution of IL-12R mediated feedback loop to Th1 cell differentiation, 5199
- Beech, S. see K. Ates, 2727
- Behm-Ansmant, I., I. Kashima, J. Rehwinkel, J. Saulière, N. Wittkopp and E. Izaurralde, mRNA quality control: An ancient machinery recognizes and degrades mRNAs with nonsense codons, 2845
- Behrendt, J., U. Lindenstrauß and T. Brser, The TatBC complex formation suppresses a modular TatB-multimerization in *Escherichia coli*, 4085
- Behrmann, I. see S.M. Soond, 1217
- Beimgraben, C. see C. Wehling, 1594
- Beloqui, A. see N. López-Cortés, 4657
- Ben-Dor, S. see K. Shkolnik, 4891
- Benedetti, A. see M. Csala, 1693
- Benedetti, A. see G. Bánhegyi, 3634
- Benham, A.M. see A.J. Lemlin, 1819
- Benito, M. see S. Zuluaga, 3819
- Benjdia, A., G. Dehò, S. Rabot and O. Berteau, First evidences for a third sulfatase maturation system in prokaryotes from *E. coli aslB* and *ydeM* deletion mutants, 1009
- Benny, P. see R.R. Lareu, 2709
- Benoist-Lasselín, C., L. Gibbs, S. Heuertz, T. Odent, A. Munnich and L. Legeai-Mallet, Human immortalized chondrocytes carrying heterozygous FGFR3 mutations: An in vitro model to study chondrodysplasias, 2593
- Benoliel, A.-M. see A. Pierres, 1841
- Benyamin, Y. see C. Roustan, 681
- Benz, J. see A.C. Rufer, 3247
- Bérczi, A., D. Su and H. Asard, An *Arabidopsis* cytochrome b561 with *trans*-membrane ferrireductase capability, 1505
- Berdini, V. see H.M. Pereira, 5082
- Berg, C. see T. Proikas-Cezanne, 3396
- Berger, F. see D. Adamski, 3076
- Berger, F. see N. Platet, 1435
- Berggren, P.-O. see J.T. Deeney, 4080
- Bergmann, D.J. see B.O. Elmore, 911
- Bergsmédh, A., J. Ehnfors, A.-L. Spetz and L. Holmgren, A Cre-loxP based system for studying horizontal gene transfer, 2943
- Bergström, S. see L. Bailey, 587
- Berks, B.C. see G.L. Orriss, 4091
- Bernard, L. see C. Desplats, 4017
- Bernhagen, J. see M. Dewor, 4734
- Bernhardt, P.V. see A.C. Badrick, 4663
- Bernstein, A. see P.B. Thornhill, 4455
- Bersanetti, P.A. see L.G. de Deus Teixeira, 2411
- Berscheit, H.L. see C. Yuan, 241
- Bertaux, F. see G. Ferry, 3572
- Berteau, O. see A. Benjdia, 1009
- Bertini, I. see Y. Arendt, 4723
- Bertl, A. see R. Gehwolf, 448
- Bertl, A. and R. Kaldenhoff, Function of a separate NH₃-pore in Aquaporin TIP2:2 from wheat, 5413
- Bertoglio, J. see S. Potin, 118
- Bertrand, P. see M.G. Almeida, 284
- Béthune, J. see J.D. Langer, 2083
- Betton, J.-M. see M. Pastoriza-Gallego, 3371
- Betts, M.J. and R.B. Russell, The hard cell: From proteomics to a whole cell model, 2870
- Beug, H. see O. Rath, 2549
- Beug, H. see K. Aigner, 1617
- Beyaert, R. see P. Ulrichts, 629
- Beyer, G. see S. Chlench, 673
- Beyly, A. see C. Desplats, 4017
- Bezrukov, S.M. see O.S. Ostroumova, 804
- Bhardwaj, N. and H. Lu, Residue-level prediction of DNA-binding sites and its application on DNA-binding protein predictions, 1058
- Bhat, M.B. see C. Lee, 2517
- Bhat, M.K. see S. Singh, 289
- Bhatnagar, R. see S. Agarwal, 1727
- Bhatt, D.K. see K. Tikoo, 2027
- Bhattacharjee, H. see J. Ye, 3996
- Bhattacharyya, B. see M. Banerjee, 5019
- Bhuiyan, T.R. see C.-F. Flach, 3183
- Bi, C. see Y. Wang, 3069
- Bi, L. see Q. Sun, 3991
- Biagi, P. see A. Bordoni, 923
- Biagioni, O. see E. Roat, 521
- Bian, A. see H. Gao, 581
- Biely, P. see X.-L. Li, 4029
- Biemelt, S. see A. Mustroph, 2401
- Bien, M. see N. Terziyska, 1098
- Bikfalvi, A. see C. Petibois, 5469
- Billich, A. see D. Mechtcheriakova, 3063
- Binder, B.M., F.I. Rodriguez, A.B. Bleecker and S.E. Patterson, The effects of Group 11 transition metals, including gold, on ethylene-binding to the ETR1 receptor and growth of *Arabidopsis thaliana*, 5105
- Binétruy, B. see M. Aouadi, 5591
- Birchmeier, W. see M.M. Faraldo, 831
- Bird, L.E. see M.Z. Cader, 2959
- Bittencourt-Cunha, P.R.B. see J.B.R. Corrêa Soares, 1742
- Bjelke, J.R., E. Persson, H.B. Rasmussen, B.B. Kragelund and O.H. Olsen, A loop of coagulation factor VIIa influencing macromolecular substrate specificity, 71
- Blair, G.E. see S.E. Perry, 1137
- Blank, V. see Z. Nouhi, 5401
- Blankenship, R.E. see M.F. Hohmann-Marriott, 800
- Blasi, E. see M. Pinti, 3882
- Blasutig, I.M. see G.C. Leung, 77
- Blaydes, J.P. see T.J. Underwood, 5831
- Bleecker, A.B. see B.M. Binder, 5105
- Blencowe, B.J. see P. Fortes, 3087
- Blobel, C.P. see U. Sahin, 41
- Bloch, R.J. see A.L. Bowman, 1549
- Blumwald, E. see M.P. Apse, 2247
- Bobay, B.G. see P.D. McLaughlin, 1425
- Bobay, B.G. see D.R. Kordys, 4778
- Bobba, A. see R.A. Vacca, 917
- Bochaton-Piallat, M.-L. see M. Prunotto, 5847
- Boche, I. see P. Taneja, 3973
- Bóde, C., I.A. Kovács, M.S. Szalay, R. Palotai, T. Korcsmáros and P. Csermely, Network analysis of protein dynamics, 2776
- Bóde, C. see M.S. Szalay, 3675

- Bode, G. see T. Engel, 1673
 Boekema, E.J. see K.B. Moscicka, 1758
 Boekema, E.J. see G.T. Oostergetel, 5435
 Boffoli, D. see C. Piccoli, 3111
 Bogdanov Jr., A. see C. Laguillier, 1143
 Böhmer, C., M. Palmada, C. Kennigott, R. Lindner, F. Klaus, J. Laufer and F. Lang, Regulation of the epithelial calcium channel TRPV6 by the serum and glucocorticoid-inducible kinase isoforms SGK1 and SGK3, 5586
 Bohnert, M., N. Pfanner and M. van der Laan, A dynamic machinery for import of mitochondrial precursor proteins, 2802
 Bohr, H.G. see K. Modig, 4965
 Bojić, L., A. Petelin, V. Stoka, T. Reinheckel, C. Peters, V. Turk and B. Turk, Cysteine cathepsins are not involved in Fas/CD95 signaling in primary skin fibroblasts, 5185
 Boland, W. see H. Maischak, 898
 Bölter, B. see L. Vojta, 2621
 Bolychevtseva, Y.V. see M.G. Rakhimberdieva, 2429
 Bondar, G. see S. Ryazantsev, 1898
 Bonete, M.J. see J. Esclapez, 837
 Bongrand, P. see A. Pierres, 1841
 Bongrazio, M. see S. Chlennes, 673
 Bonnè, S. see K. Aigner, 1617
 Boot, R.G. see M. van Eijk, 5389
 Boquet, P. see M. Gibert, 1287
 Bora, N.S. see P.S. Bora, 1977
 Bora, P.S., S. Kaliappan, V.V. Lyzogobov, R.G. Tytarenko, S. Thotakura, T. Viswanathan and N.S. Bora, Expression of adiponectin in choroidal tissue and inhibition of laser induced choroidal neovascularization by adiponectin, 1977
 Bordoni, A., A. Astolfi, L. Morandi, A. Pession, F. Danesi, M.D. Nunzio, M. Franzoni, P. Biagi and A. Pession, *N* – 3 PUFAs modulate global gene expression profile in cultured rat cardiomyocytes. Implications in cardiac hypertrophy and heart failure, 923
 Bork, K., W. Reutter, W. Weidemann and R. Horstkorte, Enhanced sialylation of EPO by overexpression of UDP-GlcNAc 2-epimerase/ManAc kinase containing a sialuria mutation in CHO cells, 4195
 Bornancin, F. see D. Mechtcheriakova, 3063
 Borodic, G.E. see S. Pellett, 4803
 Borovok, N., T. Molotsky, J. Ghabboun, H. Cohen, D. Porath and A. Kotlyar, Poly(dG)–poly(dC) DNA appears shorter than poly(dA)–poly(dT) and possibly adopts an A-related conformation on a mica surface under ambient conditions, 5843
 Borucki, B. see S. Seibeck, 5425
 Boscherini, F. see F. Francia, 611
 Boscherini, F. see L. Giachini, 5645
 Bosnjak, Z. see M. Ljubkovic, 4255
 Bost, F. see M. Aouadi, 5591
 Bouchaert, E. see B. Cariou, 5191
 Boucherie, S. see E. Gonzales, 3260
 Bouhidel, K. see H. Nziengui, 3356
 Bourdet-Sicard, R. see N. Ramarao, 853
 Boutanaev, A.M., L.M. Mikhaylova and D.I. Nurminsky, Up-regulation of the Ku heterodimer in *Drosophila* testicular cyst cells, 1707
 Boutin, J.A. see G. Ferry, 3572
 Bouvier, J. see Y. Romeo, 3387
 Bowman, A.L., A. Kontogianni-Konstantopoulos, S.S. Hirsch, S.B. Geisler, H. Gonzalez-Serratos, M.W. Russell and R.J. Bloch, Different obscurin isoforms localize to distinct sites at sarcomeres, 1549
 Brabletz, T. see K. Aigner, 1617
 Bradatsch, B. see E. Kowalinski, 4450
 Brady, M.J. see K.A. Temple, 469
 Bragado, P. see S. Zuluaga, 3819
 Brahimi-Horn, M.C. and J. Pouyssegur, Oxygen, a source of life and stress, 3582
 Brandina, I., A. Smirnov, O. Kolesnikova, N. Entelis, I.A. Krasheninikov, R.P. Martin and I. Tarassov, tRNA import into yeast mitochondria is regulated by the ubiquitin-proteasome system, 4248
 Brandt, W. see F. Stehle, 164
 Brattain, M.G. see R. Wang, 3164
 Bréard, J. see S. Potin, 118
 Brearley, C.A. see D. Sweetman, 4165
 Breittmayer, J.-P. see S. Le Bras, 967
 Bren, U. see V. Martinek, 775
 Brennicke, A. see M. Takenaka, 2743
 Brenwald, P. and G. Rossi, Spatial regulation of exocytosis and cell polarity: Yeast as a model for animal cells, 2119
 Breslin, M.B., H.-W. Wang, A. Pierce, R. Aucoin and M.S. Lan, Neurogenin 3 recruits CBP co-activator to facilitate histone H3/H4 acetylation in the target gene INSM1, 949
 Breton, C. see M. Randriantsoa, 2652
 Brnstrm, R. see J.T. Deeney, 4080
 Brser, T. see J. Behrendt, 4085
 Brisson, J. see P. Giguère, 3863
 Broco, M., C.M. Soares, S. Oliveira, S.G. Mayhew and C. Rodrigues-Pousada, Molecular determinants for FMN-binding in *Desulfovibrio gigas* flavodoxin, 4397
 Broere, F. see L. Wieten, 3716
 Brooks, G. see S.M. Harrison, 1275
 Brown, J.E.P., D.J. Onyango and S.J. Dunmore, Resistin down-regulates insulin receptor expression, and modulates cell viability in rodent pancreatic beta-cells, 3273
 Brown, L.S. see Y. Fan, 2557
 Brown, M.A. see J.M. Saunus, 3435
 Brown, T. see P.A. Rachwal, 1657
 Browning, K.S. see V. Nicaise, 1041
 Brueckner, F. and P. Cramer, DNA photodamage recognition by RNA polymerase II, 2757
 Bruix, M. see A.M. Candel, 687
 Brunati, A.M. see M. Salvi, 5579
 Bruni, P. see C. Donati, 4384
 Brunner, M. see A. Diernfellner, 5759
 Bruno, L. see M.M. Echarte, 2905
 Bryant, D.A. see G.T. Oostergetel, 5435
 Búa, J. see M. Galindo, 2022
 Buchrieser, C. see M. Jules, 2829
 Buck, F. see M. Christenn, 5173
 Buckley, C.D. see S. Lax, 3550
 Budarina, Z.I. see E.A. Rodikova, 1190
 Bühring, H.-J. see S.E. Perry, 1137
 Bukoreshtliev, N.V. see H.-H. Gerdes, 2194
 Bukoreshtliev, N.V. see H.-H. Gerdes, 3332
 Bulder, I. see S. Zeerleder, 5382
 Burcelin, R. see B. Cariou, 5191
 Burisch, C., G.F. Wildner and J. Schlitter, Bioinformatic tools uncover the C-terminal strand of Rubisco's large subunit as hot-spot for specificity-enhancing mutations, 741
 Burks, S.R. see E. de Leeuw, 515
 Burns, G.F. see R.F. Thorne, 1227
 Burova, E., K. Vassilenko, V. Dorosh, I. Gonchar and N. Nikolsky, Interferon gamma-dependent transactivation of epidermal growth factor receptor, 1475
 Burrola-Barraza, E. see E. Solano-González, 2919
 Bury, N.R. see C.A. Cooper, 2599
 Busby, J. see K.W. Kim, 995
 Busse, K. see A.M. Simm, 3904
 Butala, M., M. Hodošček, G. Anderlüh, Z. Podlesek and D. Žgur-Bertok, Intradomain LexA rotation is a prerequisite for DNA binding specificity, 4816
 Butow, R.A. see C. Jin, 5658
 Büttner, M., The monosaccharide transporter(-like) gene family in *Arabidopsis*, 2318
 Buzdin, A., E. Gogvadze and M.-H. Lebrun, Chimeric retrogenes suggest a role for the nucleolus in LINE amplification, 2877
- ## C
- Cacciapuoti, G., C. Manna, D. Napoli, V. Zappia and M. Porcelli, Homocysteine-induced endothelial cell adhesion is related to adenosinylating and is not mediated by S-adenosylhomocysteine, 4567
 Cáceres, J.F. see P. Fortes, 3087
 Caddick, S.E.K. see D. Sweetman, 4165
 Cader, M.Z., J. Ren, P.A. James, L.E. Bird, K. Talbot and D.K. Stammers, Crystal structure of human wildtype and S581L-mutant glycyl-tRNA synthetase, an enzyme underlying distal spinal muscular atrophy, 2959
 Caffari, S., F. Passarini, R. Bassi and R. Croce, A specific binding site for neoxanthin in the monomeric antenna proteins CP26 and CP29 of Photosystem II, 4704
 Caffrey, C. see S. Kanaji, 4260
 Caflish, A. see R. Friedman, 4120
 Calderwood, S.K., S.S. Mambula, P.J. Gray Jr. and J.R. Theriault, Extracellular heat shock proteins in cell signaling, 3689
 Cali, G. see C. De Lorenzo, 296

- Calissano, M., J.K.J. Diss and D.S. Latchman, Post-transcriptional regulation of the Brn-3b transcription factor in differentiating neuroblastoma cells, 2490
- Call, M.K. see E. Makarev, 1865
- Callis, J. see G.F.E. Scherer, 4205
- Calosci, N. see C.N. Chi, 1109
- Calvo, M. see F. Lázaro-Diéguez, 3875
- Cámara-Artigas, A. see M. Andújar-Sánchez, 3449
- Cámara-Artigas, A. see J.M. Martín-García, 1701
- Cámara, Y. see C. Duval, 955
- Camborde, L., V. Tournier, M. Noizet and I. Jupin, A *Turnip yellow mosaic virus* infection system in *Arabidopsis* suspension cell culture, 337
- Campa, V.M. see J. Riera, 3057
- Campbell, E.C. see A.N. Antoniou, 1988
- Candel, A.M., F. Conejero-Lara, J.C. Martínez, N.A.J. van Nuland and M. Bruix, The high-resolution NMR structure of a single-chain chimeric protein mimicking a SH3-peptide complex, 687
- Candinas, D. see S. Sibold, 989
- Candresse, T. see V. Nicaise, 1041
- Cano, A. see M.M. Faraldo, 831
- Cantara, S., P.E. Thorpe, M. Ziche and S. Donnini, TAT-BH4 counteracts A β toxicity on capillary endothelium, 702
- Cantini, F. see Y. Arendt, 4723
- Cantrell, D. see M. Mullin, 4309
- Cantrell, D.A. see P. Liu, 1377
- Cantrell, D.A. see C. David Wood, 3494
- Canver, A. see N.S. Hwang, 4172
- Cao, A. see C. Laguillier, 1143
- Cao, C. see P. Tang, 1103
- Cao, L., X. Ding, W. Yu, X. Yang, S. Shen and L. Yu, Phylogenetic and evolutionary analysis of the septin protein family in metazoan, 5526
- Capaldi, R.A. see J. Xie, 3545
- Capdevila, D.M. see C.A. Cooper, 2599
- Capitanio, G. see F. Francia, 611
- Capitanio, N. see C. Piccoli, 3111
- Caranta, C. see V. Nicaise, 1041
- Carbonell, J. see D. Ortiz-Masia, 1834
- Carcedo, M.T. see J. Riera, 3057
- Carelli, V. see M.L. Valentino, 3410
- Cariou, B., E. Bouchaert, M. Abdelkarim, J. Dumont, S. Caron, J.-C. Fruchart, R. Burcelin, F. Kuipers and B. Staels, FXR-deficiency confers increased susceptibility to torpor, 5191
- Carita, J.N. see S.A.L. Lobo, 433
- Carlier, M.-F. see N. Ramarao, 853
- Carlson, J.R. see C. Lundin, 5601
- Carmona, A.K. see L.G. de Deus Teixeira, 2411
- Caron, S. see B. Cariou, 5191
- Carpen, A. see A. Cereda, 1625
- Carpéné, C. see V. Rolli, 394
- Carreras, A. see R. Valderrama, 453
- Carrier, I., I.L. Urbatsch, A.E. Senior and P. Gros, Mutational analysis of conserved aromatic residues in the A-loop of the ABC transporter ABCB1A (mouse Mdr3), 301
- Carrillo, L. see M. Martínez, 2914
- Carroll, C. see S.M. Soond, 1217
- Carroll, C.A. see P. Lemma-Gray, 437
- Carroll, J. see R. Chen, 3145
- Casane, D. see J.-L. Da Lage, 3927
- Cassard-Doulcier, A.-M. see S. Rousset, 479
- Cassiman, J.-J. see R. Pourebrahim, 5122
- Castan-Laurell, I. see V. Rolli, 394
- Castaño, J.P. see D. Cruz-García, 3149
- Casteilla, L. see P. Flachs, 1093
- Castilla, R. see A. Duarte, 4023
- Castillo, A.F. see A. Duarte, 4023
- Castro, V.M. see K.W. Kim, 995
- Catalano, M. see C. Limatola, 2641
- Cavaillon, J.-M. see M. Adib-Conqay, 3723
- Cavanagh, J. see P.D. McLaughlin, 1425
- Cavanagh, J. see D.R. Kordys, 4778
- Cecchini, G. see I.S. Gostimskaya, 5803
- Cencetti, F. see C. Donati, 4384
- Cenci, S. and R. Sitia, Managing and exploiting stress in the antibody factory, 3652
- Cereda, A., A. Carpen, G. Picariello, M. Iriti, F. Faoro, P. Ferranti and S. Pagani, Effects of the deficiency of the rhodanese-like protein RhdA in *Azotobacter vinelandii*, 1625
- Cerignoli, F. see I. Friedberg, 2527
- Cerni, C. see K.W. Sommer, 4921
- Cha, H.J. see D.H. Choi, 1649
- Chabriere, E. see S. Ahn, 3455
- Chafiai, F. see V. Nicaise, 1041
- Chaki, M. see R. Valderrama, 453
- Chakrabarti, P. see B. Dasgupta, 4529
- Chakrabarti, R., J.M. Walker, E.G. Chapman, S.P. Shepardson, R.J. Trdan, J.P. Curole, G.T. Watters, D.T. Stewart, S. Vijayaraghavan and W.R. Hoeh, Reproductive function for a C-terminus extended, male-transmitted cytochrome *c* oxidase subunit II protein expressed in both spermatozoa and eggs, 5213
- Chalfant, C.E. see P. Mitra, 735
- Chan, D.C. see Y. Zhang, 2168
- Chan, T., A. Kondow, A. Hosoya, K. Hitachi, A. Yukita, K. Okabayashi, H. Nakamura, H. Ozawa, H. Kiyonari, T. Michiue, Y. Ito and M. Asashima, *Ripply2* is essential for precise somite formation during mouse early development, 2691
- Chanda, I., A. Pan, S.K. Saha and C. Dutta, Comparative codon and amino acid composition analysis of Tritryps-conspicuous features of *Leishmania major*, 5751
- Chanda, S.K. see F. Yu, 3485
- Chandel, N.S. see B.M. Emerling, 5727
- Chang, C.-C. see T.-C. Huang, 3517
- Chang, H.-Y. see T.-C. Huang, 3517
- Chang, L.Y.X. see M.Q. Liao, 1161
- Chang, M. see C.-P. Chen, 1891
- Chang, S.-C. see T.-C. Chuang, 4443
- Chang, T.L., N. Teleshova, A. Rapista, M. Paluch, R.A. Anderson, D.P. Waller, L.J.D. Zaneveld, A. Granelli-Piperno and M.E. Klotman, SAMMA, a mandelic acid condensation polymer, inhibits dendritic cell-mediated HIV transmission, 4596
- Chang, V.T. see M. Crispin, 1963
- Chang, W. see D. Upadhyay, 248
- Chang, W. see J. Zhang, 4148
- Changwei, Z., X. Mingyong and W. Ranran, Afr1p has a role in regulating the localization of Mpk1p at the shmoo tip in *Saccharomyces cerevisiae*, 2670
- Chantry, A. see G.M.O. Möller, 1329
- Chao, T. see X. Yan, 1587
- Chapman, E.G. see R. Chakrabarti, 5213
- Chapman, S.K. see S.J. Atkinson, 3805
- Charames, G.S. see S. Esufali, 4850
- Chatterjee, J., A. Mukherjee, K. Mukherjee, P.K. Dutta and K. Chaudhuri, Statistical modeling of ultrastructural features of murine dermal collagen under chronic low-dose whole body X-irradiation, 5034
- Chatzopoulos, S.A. see A.K. Papadopoulou, 2041
- Chaudhuri, K. see J. Chatterjee, 5034
- Chaumont, F. see M. Frison, 4010
- Chayama, K. see N. Hiraga, 1983
- Chebotareva, N. see N. Golub, 4223
- Chen, B. see Y. Wang, 3069
- Chen, C. see R.R. Lareu, 2709
- Chen, C., Z. Zhou, P. Guo and J.-T. Dong, Proteasomal degradation of the KLF5 transcription factor through a ubiquitin-independent pathway, 1124
- Chen, C., J. Cui, W. Zhang and P. Shen, Robustness analysis identifies the plausible model of the Bcl-2 apoptotic switch, 5143
- Chen, C.-H. see L. Huang, 4955
- Chen, C.-L. see C.-H. Pan, 526
- Chen, C.-P., J.-C. Chou, B.R. Liu, M. Chang and H.-J. Lee, Transfection and expression of plasmid DNA in plant cells by an arginine-rich intracellular delivery peptide without protoplast preparation, 1891
- Chen, C.-Y. see T.-Y. Wu, 3120
- Chen, E.H., E. Grote, W. Mohler and A. Vignery, Cell-cell fusion, 2181
- Chen, F. see X. Zeng, 2509
- Chen, G.-D. see C.-Y. Chu, 4265
- Chen, G.G. see Z.-M. Liu, 2465
- Chen, H.-q., K.-p. Chen, Q. Yao, Z.-j. Guo and L.-l. Wang, Characterization of a late gene, ORF67 from *Bombyx mori* nucleopolyhedrovirus, 5836
- Chen, K.-M., N. Martemyanova, Y. Lu, K. Shindo, H. Matsuo and R.S. Harris, Extensive mutagenesis experiments corroborate a structural model for the DNA deaminase domain of APOBEC3G, 4761
- Chen, K.-p. see H.-q. Chen, 5836
- Chen, L.-Y. see S.Y. Kim, 3833
- Chen, M. see S. Santabarbara, 1567
- Chen, M. see Y. Ni, 707

- Chen, M. see K.W. Kim, 995
- Chen, Q., M. Kazachkov, Z. Zheng and J. Zou, The yeast acylglycerol acyltransferase LCA1 is a key component of Lands cycle for phosphatidylcholine turnover, 5511
- Chen, R., M.J. Runswick, J. Carroll, I.M. Fearnley and J.E. Walker, Association of two proteolipids of unknown function with ATP synthase from bovine heart mitochondria, 3145
- Chen, S. see J. He, 2965
- Chen, S.-T. see T.-C. Huang, 3517
- Chen, S.C. see A.L. Hunter, 879
- Chen, X. see S. Tan, 1081
- Chen, X. see X. Zhou, 4943
- Chen, X.-Q. see Q.-G. Ren, 1521
- Chen, Y. see W. Jin, 3826
- Chen, Y.-C. see C.-Y. Chu, 4265
- Chen, Y.-H. see R. Tatum, 3887
- Chen, Y.-J. see T.-Y. Wu, 3120
- Chen, Y.C. see M.Q. Liao, 1161
- Chen, Z.-C. see Y. Sun, 131
- Cheng-Xue, R. see N. Quoix, 4235
- Cheng, C.-H. see C.-Y. Chu, 4265
- Cheng, Q. see M. Ljubkovic, 4255
- Cheng, T. see W. Jin, 3826
- Cheng, Y. see W.-F. Liu, 1047
- Chernoff, Y.O., Stress and prions: Lessons from the yeast model, 3695
- Cheung, A.W.H. see Q.T. Gao, 233
- Cheung, A.W.H. see Q.T. Gao, 5087
- Cheung, J.K.H. see Q.T. Gao, 233
- Cheung, J.K.H. see Q.T. Gao, 5087
- Cheung, L.W.T., Y.F. Lee, T.W. Ng, W.K. Ching, U.S. Khoo, M.K.P. Ng and A.S.T. Wong, CpG/CpNpG motifs in the coding region are preferred sites for mutagenesis in the breast cancer susceptibility genes, 4668
- Cheung, P.-Y. see Y.-F. Shi, 203
- Chevillard, G. see Z. Nouhi, 5401
- Chi, C.N., S. Gianni, N. Calosci, C. Travaglini-Allocatelli, Å. Engström and P. Jemth, A conserved folding mechanism for PDZ domains, 1109
- Chiang, C.-T., T.-D. Way, S.-J. Tsai and J.-K. Lin, Diosgenin, a naturally occurring steroid, suppresses fatty acid synthase expression in HER2-overexpressing breast cancer cells through modulating Akt, mTOR and JNK phosphorylation, 5735
- Chiba, Y. see M.K. Kaneko, 331
- Chien, S. see T.A. Hornberger, 4562
- Chihara, Y. see T. Yotsui, 427
- Chilakamarthi, U., S.K. Mukherjee and J.K. Deb, Intervention of geminiviral replication in yeast by ribozyme mediated downregulation of its Rep protein, 2675
- Ching, W.K. see L.W.T. Cheung, 4668
- Chirico, G. see P. Indovina, 719
- Chishiro, S. see K. Takata, 475
- Chiu, C.-C. see Y.-F. Tsay, 2290
- Chizhov, I. see N. Mennes, 1487
- Chlench, S., N. Mecha Disassa, M. Hohberg, C. Hoffmann, T. Pohlkamp, G. Beyer, M. Bongrazio, L. Da Silva-Azevedo, O. Baum, A.R. Pries and A. Zakrzewicz, Regulation of Foxo-1 and the angiopoietin-2/Tie2 system by shear stress, 673
- Cho, H., D.-R. Ahn, H. Park and E.G. Yang, Modulation of p300 binding by posttranslational modifications of the C-terminal activation domain of hypoxia-inducible factor-1 α , 1542
- Cho, J.Y. see S.-y. Kim, 865
- Cho, K.-H. see H.-S. Choi, 2684
- Cho, K.-H. see T.-H. Kim, 4899
- Cho, K.H. see S. Kim, 3869
- Cho, K.S. see N.G. Lee, 2625
- Cho, M. see H.-o. Lee, 5640
- Cho, Y.S. see K.-H. Kim, 3303
- Choe, J. see N. Oh, 5158
- Choi, B.-R. see K.-S. Kim, 4065
- Choi, B.-R. see K.-S. Kim, 5733
- Choi, C. see K. Choi, 4691
- Choi, D.H., J.S. Ha, W.H. Lee, J.K. Song, G.Y. Kim, J.H. Park, H.J. Cha, B.J. Lee and J.W. Park, Heat shock protein 27 is associated with irinotecan resistance in human colorectal cancer cells, 1649
- Choi, H.-S., S. Han, H. Yokota and K.-H. Cho, Coupled positive feedbacks provoke slow induction plus fast switching in apoptosis, 2684
- Choi, H.-S. see H.-H. Shin, 4355
- Choi, I.-W. see J.S. Lee, 57
- Choi, I.-Y. see S.-S. Nah, 1928
- Choi, J.Y. see B.-M. Kim, 3005
- Choi, K., J. Lee and C. Choi, Divergent effect of proteasome inhibition on interleukin-1 β and tumor necrosis factor α signaling in human astroglial cells, 4691
- Choi, R.C.Y. see Q.T. Gao, 233
- Choi, R.C.Y. see Q.T. Gao, 5087
- Choi, W.-H. see K.-S. Kim, 4065
- Choi, W.-H. see K.-S. Kim, 5733
- Choi, Y.K. see H.-L. Kim, 5430
- Chollet, R. see E.R. Moellering, 4871
- Chomienne, O. see A.C. Rufer, 3247
- Choquer, M., M.-H. Lee, H.-J. Bau, and K.-R. Chung, Deletion of a MFS transporter-like gene in *Cercospora nicotianae* reduces cercosporin toxin accumulation and fungal virulence, 489
- Chou, J.-C. see C.-P. Chen, 1891
- Chou, J.Y. see S.Y. Kim, 3833
- Choudhury, R. and N.S. Punekar, Competitive inhibition of glutamate dehydrogenase reaction, 2733
- Christenn, M., S. Kindler, S. Schulz, F. Buck, D. Richter and H.-J. Kreienkamp, Interaction of brain somatostatin receptors with the PDZ domains of PSD-95, 5173
- Chu, C.-Y., C.-H. Cheng, G.-D. Chen, Y.-C. Chen, C.-C. Hung, K.-Y. Huang and C.-J. Huang, The zebrafish erythropoietin: Functional identification and biochemical characterization, 4265
- Chu, G.K.Y. see Q.T. Gao, 233
- Chu, G.K.Y. see Q.T. Gao, 5087
- Chuang, T.-C., J.-Y. Liu, C.-T. Lin, Y.-T. Tang, M.-H. Yeh, S.-C. Chang, J.-W. Li and M.-C. Kao, Human manganese superoxide dismutase suppresses HER2/neu-mediated breast cancer malignancy, 4443
- Chulalaksananukul, W. see S. Suwannarangsee, 4675
- Chung, A.-S. see K.-H. Kim, 3303
- Chung, H.-S. see C. Lee, 2517
- Chung, H.W. see B.-M. Kim, 3005
- Chung, H.Y. see J.S. Lee, 57
- Chung, J.H. see S. Kim, 3869
- Chung, M.H. see K.A. Kang, 2000
- Chung, W.S. see S.M. Lee, 3943
- Chung, K.-R. see M. Choquer, 489
- Chyan, C.L. see M.Q. Liao, 1161
- Ciacci, L. see E. Roat, 521
- Ciarlo, L. see T. Garofalo, 3899
- Ciferri, C., A. Musacchio and A. Petrovic, The Ndc80 complex: Hub of kinetochore activity, 2862
- Cinatl Jr., J. see H. Ogbomo, 1317
- Cirioni, J.-R. see R. Merret, 5295
- Cisneros, B. see A. Andrade, 4430
- Clancy, C.M. see S. Pellett, 4803
- Clark, M.A., P.R. Sethi and N.A. Lambert, Active G α_q subunits and M3 acetylcholine receptors promote distinct modes of association of RGS2 with the plasma membrane, 764
- Clarke, A.J. see C.W. Reid, 4988
- Clarke, R. see M. Mullin, 4309
- Claudel, T., G. Cretenet, A. Saumet and F. Gachon, Crosstalk between xenobiotics metabolism and circadian clock, 3626
- Cleasby, A. see H.M. Pereira, 5082
- Cocco, T. see L. Giachini, 5645
- Cocucci, E. see I. Prada, 4932
- Coddeville, B. see E. Elass, 1383
- Coelho, A.V. see F.M.A. Valente, 3341
- Cogé, F. see G. Ferry, 3572
- Cohen, H. see N. Borovok, 5843
- Cohen, P.T.W. see I.R. Kelsall, 4749
- Cohn, J.B. see P.B. Thornhill, 4455
- Collini, M. see P. Indovina, 719
- Collisi, W. see A.M. Swistowska, 4036
- Colmenero-Varea, P. see R. Valderrama, 453
- Colo, G.P., R.R. Rosato, S. Grant and M.A. Costas, RAC3 down-regulation sensitizes human chronic myeloid leukemia cells to TRAIL-induced apoptosis, 5075
- Colonna, C. see F. Lázaro-Diéguez, 3875
- Colosimo, A. see M.C. Palumbo, 2485
- Colot, H.V. see A. Diernfellner, 5759
- Combettes, L. see E. Gonzales, 3260
- Comella, J.X. see J. Zhang, 5781
- Conejero-Lara, F. see A.M. Candel, 687
- Conklin, D. see T.J. Sheldon, 5268
- Conner, G.E. see M.-C. Nlend, 3241
- Conner, G.E., C. Wijkstrom-Frei, S.H. Randell, V.E. Fernandez and M. Salathe, The lactoperoxidase system links anion transport to host defense in cystic fibrosis, 271

- Consolo, U. see E. Roat, 521
 Conway de Macario, E. see A.J.L. Macario, 3681
 Cook, G.P. see S.E. Perry, 1137
 Coombs, G.H. see S. Kanaji, 4260
 Coombs, G.H. see C.X. Moss, 5635
 Cooper, C.A., M. Shayeghi, M.E. Techau, D.M. Capdevila, S. MacKenzie, C. Durrant and N.R. Bury, Analysis of the rainbow trout solute carrier 11 family reveals iron import \leq pH 7.4 and a functional isoform lacking transmembrane domains 11 and 12, 2599
 Cooper, L.J. see A. Masad, 3489
 Corbeil, D. see P. Janich, 1783
 Corey, D.P. see D. Scheffer, 4651
 Corkey, B.E. see J.T. Deeney, 4080
 Cormont, M. see M. Aouadi, 5591
 Cornejo Maciel, F. see A. Duarte, 4023
 Corpas, F.J. see R. Valderrama, 453
 Corradi, M. see M. Gulli, 4841
 Corrêa Soares, J.B.R., C.M. Maya-Monteiro, P.R.B. Bittencourt-Cunha, G.C. Atella, F.A. Lara, J.C.P. d'Avila, D. Menezes, M.A. Vanier-Santos, P.L. Oliveira, T.J. Egan and M.F. Oliveira, Extracellular lipid droplets promote hemozoin crystallization in the gut of the blood fluke *Schistosoma mansoni*, 1742
 Cortassa, S. see M.A. Aon, 8
 Cortegano, M. see F. Lázaro-Diéguez, 3875
 Corvol, P. see G. Sihn, 962
 Cossarizza, A. see E. Roat, 521
 Cossarizza, A. see M. Pinti, 3882
 Costa, M.L. see D.M. Portilho, 5787
 Costas, M.A. see G.P. Colo, 5075
 Cotter, C. see B.P. Craddock, 3235
 Couble, P. see J. Huang, 697
 Coumoul, X. see R. Barouki, 3608
 Cournac, L. see C. Desplats, 4017
 Cox, J.A. see F. Tirone, 1202
 Cozzi, R. see Y. Arendt, 4723
 Craddock, B.P., C. Cotter and W.T. Miller, Autoinhibition of the insulin-like growth factor I receptor by the juxtamembrane region, 3235
 Craddock, J. see L. Zhang, 5543
 Cramer, J.F., P.A. Nordberg, J. Hajdu and S. Lejon, Crystal structure of a bacterial albumin-binding domain at 1.4 Å resolution, 3178
 Cramer, P. see F. Brueckner, 2757
 Cretenet, G. see T. Claudel, 3626
 Crispin, M., A.R. Aricescu, V.T. Chang, E.Y. Jones, D.I. Stuart, R.A. Dwek, S.J. Davis and D.J. Harvey, Disruption of α -mannosidase processing induces non-canonical hybrid-type glycosylation, 1963
 Croce, R. see S. Caffarri, 4704
 Cross, C.E. see V.T. Vazu, 1572
 Cruz-Garcia, D., R. Vazquez-Martinez, J.R. Peinado, Y. Anouar, M.C. Tonon, H. Vaudry, J.P. Castaño and M.M. Malagon, Identification and characterization of two novel (neuro)endocrine long coiled-coil proteins, 3149
 Csala, M., É. Margittai, S. Senesi, A. Gamberucci, G. Bánhegyi, J. Mandl and A. Benedetti, Inhibition of hepatic glucose 6-phosphatase system by the green tea flavanol epigallocatechin gallate, 1693
 Csala, M. see G. Bánhegyi, 3634
 Csermely, P. see C. Böde, 2776
 Csermely, P. see M.S. Szalay, 3675
 Csokova, N. see J. Sevcik, 5872
 Cubí, R. see C. Gil, 1851
 Cui, J. see C. Chen, 5143
 Cui, Y. see Z. Qu, 580
 Cuin, T.A. see S. Shabala, 1993
 Cuiné, S. see C. Desplats, 4017
 Cukier, I.H., Y. Li and J.M. Lee, Cyclin B1/Cdk1 binds and phosphorylates Filamin A and regulates its ability to cross-link actin, 1661
 Cumming, M., S. Leung, J. McCallum and M.T. McManus, Complex formation between recombinant ATP sulfurylase and APS reductase of *Allium cepa* (L.), 4139
 Cunningham, A.F. see S. Lax, 3550
 Curole, J.P. see R. Chakrabarti, 5213
 Cuypers, E., A. Yanagihara, E. Karlsson and J. Tytgat, Corrigendum to "Jellyfish and other cnidarian envenomations cause pain by affecting TRPV1 channels" [FEBS Lett. 580 (2006) 5728–5732], 1699
 Cymbalista, F. see C. Laguillier, 1143
 Czekalla, A. see A.-P. Arrigo, 3665
 Czeredys, M. see K.A. Nałęcz, 3950
 D'Addario, I. see C. Mazzoni, 4836
 D'Alessio, G. see D.M. Monti, 930
 D'Alessio, G. see C. De Lorenzo, 296
 D'Aprile, A. see C. Piccoli, 3111
 D'Auria, J.C., M. Reichelt, K. Luck, A. Svatoš and J. Gershenzon, Identification and characterization of the BAHD acyltransferase malonyl CoA: Anthocyanidin 5-O-glucoside-6''-O-malonyltransferase (At5MAT) in *Arabidopsis thaliana*, 872
 d'Avila, J.C.P. see J.B.R. Corrêa Soares, 1742
 Da Lage, J.-L., E.G.J. Danchin and D. Casane, Where do animal α -amylases come from? An interkingdom trip, 3927
 Da Silva-Azevedo, L. see S. Chlench, 673
 Daher, R. see N. Floquet, 2981
 Dahl, G. see S. Locovei, 483
 Dahl, G. see L. Bao, 5703
 Dahler, A.L., D. Rickwood, A. Guminski, N. Teakle and N.A. Saunders, Indole-3-carbinol – Induced growth inhibition can be converted to a cytotoxic response in the presence of TPA + Ca²⁺ in squamous cell carcinoma cell lines, 3839
 Dai, X.-L., Y.-X. Sun and Z.-F. Jiang, Attenuated cytotoxicity but enhanced β fibril of a mutant amyloid β -peptide with a methionine to cysteine substitution, 1269
 Dale, L. see C. Devader, 5332
 Dalmay, T. see T. Ho, 3267
 Dalmay, T. see J.R. Phillips, 3592
 Dalton, J.P. see S. Kanaji, 4260
 Damian, M., S. Perino, A. Polidori, A. Martin, L. Serre, B. Pucci and J.-L. Banères, New tensio-active molecules stabilize a human G protein-coupled receptor in solution, 1944
 Dampier, B. see K. Aigner, 1617
 Danchin, E.G.J. see J.-L. Da Lage, 3927
 Danesi, F. see A. Bordoni, 923
 Das, A.K. see R. Shrivastava, 1903
 Das, F., L. Mahimainathan, N. Ghosh-Choudhury, B. Venkatesan, B.S. Kasinath, H.E. Abboud and G. Ghosh Choudhury, TGF β intercepts nuclear glycogen synthase kinase 3 β to inhibit PDGF-induced DNA synthesis in mesangial cells, 5259
 Dasgupta, A.K. see S. Roy, 5533
 Dasgupta, B., P. Chakrabarti and G. Basu, Enhanced stability of *cis* Pro-Pro peptide bond in Pro-Pro-Phe sequence motif, 4529
 Daubie, V., R. De Decker, C. Nicaise and R. Pochet, Osteosarcoma cell-calcium signaling through tissue factor-factorVIIa complex and factor Xa, 2611
 Daugaard, M., M. Rohde and M. Jäättelä, The heat shock protein 70 family: Highly homologous proteins with overlapping and distinct functions, 3702
 David Wood, C., A.P. Kelly, S.A. Matthews and D.A. Cantrell, Phosphoinositide-dependent protein kinase-1 (PDK1)-independent activation of the protein kinase C substrate, protein kinase D, 3494
 Davies, M.J. see I. Rashid, 1067
 Davies, P.L. see R.A. Hanna, 2894
 Davies, T.G.E. see P.N.R. Usherwood, 5485
 Davis, S.J. see M. Crispin, 1963
 Dawood, H. see J.H. Norum, 15
 Dawson, R.J.P. and K.P. Locher, Structure of the multidrug ABC transporter Sav1866 from *Staphylococcus aureus* in complex with AMP-PNP, 935
 de Angeli, A., S. Thomine, J.-M. Frachisse, G. Ephritikhine, F. Gambale and H. Barbier-Brygoo, Anion channels and transporters in plant cell membranes, 2367
 De Buck, E., L. Vranckx, E. Meyen, L. Maes, L. Vandersmissen, J. Anné and E. Lammertyn, The twin-arginine translocation pathway is necessary for correct membrane insertion of the Rieske Fe/S protein in *Legionella pneumophila*, 259
 De Decker, R. see V. Daubie, 2611
 de Deus Teixeira, L.G., P.A. Bersanetti, S. Schreier, A.K. Carmona and C.R. Nakaie, Analogues containing the paramagnetic amino acid TOAC as substrates for angiotensin I-converting enzyme, 2411
 de Keyzer, J., A. Regeling and A.J.M. Driessen, Arginine 357 of SecY is needed for SecA-dependent initiation of preprotein translocation, 1859
 de Kruijff, B. see M. Raja, 5715
 de Lange, P. see A. Lombardi, 5911
 de Leeuw, E., S.R. Burks, X. Li, J.P.Y. Kao and W. Lu, Structure-dependent functional properties of human defensin 5, 515

- de León, M.B. see A. Andrade, 4430
- De Lorenzo, C., C. Di Malta, G. Cali, F. Troise, L. Nitsch and G. D'Alessio, Intracellular route and mechanism of action of ERB-hRNase, a human anti-ErbB2 anticancer immunoagent, 296
- de Pinto, M.C. see R.A. Vacca, 917
- de Valdez, G.F. see F. Santos, 4865
- de Vos, W.M. see F. Santos, 4865
- de Vries, B., J.A.K.W. Kiel, R. Scheek, M. Veenhuis and I.J. van der Klei, A conserved alpha helical domain at the N-terminus of Pex14p is required for PTS1 and PTS2 protein import in *Hansenula polymorpha*, 5627
- de Vries, R.P. see X.-L. Li, 4029
- De Wever, I. see R. Pourebrahim, 5122
- Deb, J.K. see U. Chilakamarthi, 2675
- Deber, C.M. see A. Rath, 1335
- Dębiec, J., From affiliative behaviors to romantic feelings: A role of nanopeptides, 2580
- Deckert, M. see S. Le Bras, 967
- Deeney, J.T., R. Brnstrm, B.E. Corkey, O. Larsson and P.-O. Berggren, ³H-serotonin as a marker of oscillatory insulin secretion in clonal β -cells (INS-1), 4080
- Degoutin, J., M. Vigny and J.Y. Gouzi, ALK activation induces Shc and FRS2 recruitment: Signaling and phenotypic outcomes in PC12 cells differentiation, 727
- Dehò, G. see A. Benjdia, 1009
- Dekel, N. see K. Shkolnik, 4891
- Del Conte, R. see Y. Arendt, 4723
- del Río, L.A. see R. Valderrama, 453
- Déléris, G. see C. Petibois, 5469
- Delevallee-Forte, C. see S. Jaisson, 1509
- Delhaize, E., B.D. Gruber and P.R. Ryan, The roles of organic anion permeases in aluminium resistance and mineral nutrition, 2255
- Dell'Orco, D., M. Seeber and F. Fanelli, Monomeric dark rhodopsin holds the molecular determinants for transducin recognition: Insights from computational analysis, 944
- Della Valle, G. see S. Amente, 821
- Dencher, N.A. see H.J. Schwabmann, 1391
- Deng, H. see Y. Liu, 4318
- Deng, W. see F. Zhou, 34
- Deng, W.W. see Y. Lin, 5151
- Dengl, M. see K. Rother, 1166
- Denise, A. see O. Namy, 5282
- Dennis, E.S. see L. Wang, 3848
- Dennler, J. see A. Weiss, 5131
- Der, C. see H. Nziengui, 3356
- Derjuga, A. see Z. Nouhi, 5401
- DeRosa, A.M. see A.D. Hoptak-Solga, 3297
- Desbarats, J. see P.B. Thornhill, 4455
- Deschatrette, J. see C. Wolfrom, 125
- Descovich, L. see K. Aigner, 1617
- Desplats, C., A. Beyly, S. Cuiñé, L. Bernard, L. Cournac and G. Pelletier, Modification of substrate specificity in single point mutants of *Agrobacterium tumefaciens* type II NADH dehydrogenase, 4017
- Dessauge, F. see A. Ghadiri, 1605
- Detin, M. see A. Pasquato, 5807
- Deugnier, M.-A. see M.M. Faraldo, 831
- Deushi, M., M. Nomura, A. Kawakami, M. Haraguchi, M. Ito, M. Okazaki, H. Ishii and M. Yoshida, Ezetimibe improves liver steatosis and insulin resistance in obese rat model of metabolic syndrome, 5664
- Devader, C., C.M. Drew, T.J. Geach, J. Tabler, A. Townsend-Nicholson and L. Dale, A novel nucleotide receptor in *Xenopus* activates the cAMP second messenger pathway, 5332
- Devaraj, H. see L. Imayavaramban, 5167
- Dewor, M., G. Steffens, R. Krohn, C. Weber, J. Baron and J. Bernhagen, Macrophage migration inhibitory factor (MIF) promotes fibroblast migration in scratch-wounded monolayers in vitro, 4734
- Dhaese, S., V. Jonckheere, M. Goethals, D. Waltregny, J. Vandekerckhove, C. Ampe and M. Van Troys, Functional and profiling studies prove that prostate cancer upregulated neuroblastoma thymosin β is the true human homologue of rat thymosin β 15, 4809
- Dhayaparan, D. see L. Imayavaramban, 5167
- Dhoot, G.K. see W. Zhao, 4960
- Di Bello, C. see A. Pasquato, 5807
- Di Malata, C. see C. De Lorenzo, 296
- Di Primo, C., I. Rudloff, S. Reigadas, A.A. Arzumanov, M.J. Gait and J.-J. Toulmé, Systematic screening of LNA/2'-O-methyl chimeric derivatives of a TAR RNA aptamer, 771
- Di, G. see W. Jin, 3826
- Diaz-Latoud, C. see A.-P. Arrigo, 3665
- Diaz-Mendoza, M. see M. Martinez, 2914
- Diaz, I. see M. Martinez, 2914
- Diernfellner, A., H.V. Colot, O. Dintsis, J.J. Loros, J.C. Dunlap and M. Brunner, Long and short isoforms of *Neurospora* clock protein FRQ support temperature-compensated circadian rhythms, 5759
- Digard, P. see E.L. Poole, 5300
- Dikic, I. see J. Raguz, 4767
- Dimayuga, E. see L. Zhang, 5543
- Dimitrakov, J.D. see J. Kim, 3795
- Dimopoulos, N., M. Watson, C. Green and H.S. Hundal, The PPAR δ agonist, GW501516, promotes fatty acid oxidation but has no direct effect on glucose utilisation or insulin sensitivity in rat L6 skeletal muscle cells, 4743
- Ding, J.-P. see Y.-X. Wang, 558
- Ding, X. see D. Liu, 3563
- Ding, X. see L. Cao, 5526
- Ding, X. see Y. Liu, 4318
- Dintsis, O. see A. Diernfellner, 5759
- Diolaïti, D. see S. Amente, 821
- Diss, J.K.J. see M. Calissano, 2490
- Dissanayake, C. see S.-i. Ito, 3217
- Doerr, H.W. see H. Ogbomo, 1317
- Doi, Y. see M. Kuwabara, 4821
- Dolt, K.S. see J. Karar, 4577
- Donati, C., P. Nincheri, F. Cencetti, E. Rapizzi, M. Farnararo and P. Bruni, Tumor necrosis factor- α exerts pro-myogenic action in C2C12 myoblasts via sphingosine kinase/SIP₂ signaling, 4384
- Dong, J.-T. see C. Chen, 1124
- Dong, L.-F. see J. Neuzil, 4611
- Dong, T.T.X. see Q.T. Gao, 233
- Dong, T.T.X. see Q.T. Gao, 5087
- Dong, X., Q. Sun, D. Wei, J. Li, J. Li, B. Tang, Q. Jia, W. Hu, Y. Zhao and Z.-C. Hua, A novel ferritin gene, *SferH-5*, reveals heterogeneity of the 26.5-kDa subunit of soybean (*Glycine max*) seed ferritin, 5796
- Dong, X.B. see Q.T. Gao, 233
- Donnelly, S. see S. Kanaji, 4260
- Donnini, S. see S. Cantara, 702
- Dörmann, P. see N. Schenk, 5517
- Dorosh, V. see E. Burova, 1475
- Dove, B.K. see S.M. Harrison, 1275
- D'Alessio, G. see C. De Lorenzo, 296
- Dreher, C., A. Prodöhl, M. Weber and D. Schneider, Heme binding properties of heterologously expressed spinach cytochrome b_6 : Implications for transmembrane *b*-type cytochrome formation, 2647
- Dresbach, T. see T. Kremer, 4727
- Drew, C.M. see C. Devader, 5332
- Driessen, A.J.M. see D. Tomkiewicz, 2820
- Driessen, A.J.M. see J. de Keyzer, 1859
- Drogat, B. see C. Petibois, 5469
- Dröge, P. see O. Li, 3533
- D'Onofrio, G., T.C. Ghosh and S. Saccone, Different functional classes of genes are characterized by different compositional properties, 5819
- Drouillard, S. see M. Randriantoa, 2652
- Drury, G. see P.B. Thornhill, 4455
- Du, K. see S. Arai, 5649
- Du, S. see N. Hiramatsu, 2055
- Du, Z. see Y. Zhao, 1951
- Duan, R. see Q.T. Gao, 233
- Duan, R. see Q.T. Gao, 5087
- Duarte, A., A.F. Castillo, R. Castilla, P. Maloberti, C. Paz, E.J. Podestá and F. Cornejo Maciel, An arachidonic acid generation/export system involved in the regulation of cholesterol transport in mitochondria of steroidogenic cells, 4023
- Duarte, M. see D. Tremmel, 2036
- Duchniewicz, M. see T. Zemojtel, 2072
- Ducommun, B. see C. Esmenjaud-Mailhat, 3979
- Duhamel, M. see A. Ghadiri, 1605
- Duin, E.C. see D. Adediji, 279
- Dujardin, G. see S. Rousset, 479
- Dumont, J. see B. Cariou, 5191
- Dunlap, J.C. see A. Diernfellner, 5759
- Dunmore, S.J. see J.E.P. Brown, 3273
- Duprat, A. see M. Nicola, 3921
- Dupuis, G. see P. Giguère, 3863
- Durel, B. see G. Ramey, 1053
- Durgan, J., N. Michael, N. Totty and P.J. Parker, Novel phosphorylation site markers of protein kinase C delta activation, 3377
- Durrant, C. see C.A. Cooper, 2599
- Dutta, C. see I. Chanda, 5751

Dutta, P.K. see J. Chatterjee, 5034
 Dutzler, R., A structural perspective on CIC channel and transporter function, 2839
 Duval, C., Y. Cámara, E. Hondares, B. Sibille and F. Villarroya, Over-expression of mitochondrial uncoupling protein-3 does not decrease production of the reactive oxygen species, elevated by palmitate in skeletal muscle cells, 955
 Dvorsky, R. see J. Sevcik, 5872
 Dwek, R.A. see M. Crispin, 1963
 Dynowski, M. see U. Ludewig, 2301
 Dzugaj, A. see M. Zarzycki, 1347

E

Ebihara, K. see T. Ishii, 349
 Ebihara, T. see T. Akazawa, 3334
 Eboshida, A. see F. Higashikawa, 2697
 Echarte, M.M., L. Bruno, D.J. Arndt-Jovin, T.M. Jovin and L.I. Pietrasanta, Quantitative single particle tracking of NGF-receptor complexes: Transport is bidirectional but biased by longer retrograde run lengths, 2905
 Echevarria, C. see J.A. Monreal, 3468
 Eckardt, K. see L. Zhou, 4303
 Eckel, J. see L. Zhou, 4303
 Eckert, C., S. Magnet and S. Mesnage, The *Enterococcus hirae* Mur-2 enzyme displays *N*-acetylglucosaminidase activity, 693
 Edlich, F. see F. Erdmann, 5709
 Edwards, S.L. see J.M. Saunus, 3435
 Egan, T.J. see J.B.R. Corrêa Soares, 1742
 Egea, G. see F. Lázaro-Diéguez, 3875
 Eger, A. see K. Aigner, 1617
 Eggen, R.I.L. see B.B. Fischer, 5555
 Ehira, S. see T. Suzuki, 21
 Ehnfors, J. see A. Bergsmedh, 2943
 Ehrenberg, A. see N. Voevodskaya, 3351
 Eichacker, L.A. see M. Oreb, 5945
 Eickelmann, P. see R. Grempler, 5885
 Eifler, K. see M. Garzón, 3189
 Eikenburg, D.C. see S. Salim, 3204
 Eiseler, T., M.A. Schmid, F. Topbas, K. Pfizenmaier and A. Hausser, PKD is recruited to sites of actin remodelling at the leading edge and negatively regulates cell migration, 4279
 Ekhterae, D. see A.L. Hunter, 879
 El Sayegh, T.Y., A. Kapus and C.A. McCulloch, Beyond the epithelium: Cadherin function in fibrous connective tissues, 167
 El-Agnaf, O.M.A. see A. Masad, 3489
 El-Sayed, M.A. see S.-i. Ito, 3217
 Elanskaya, I.V. see M.G. Rakhimberdieva, 2429
 Ellass, E., B. Coddeville, Y. Guérardel, L. Kremer, E. Maes, J. Mazurier and D. Legrand, Identification by surface plasmon resonance of the mycobacterially lipomannan and lipoarabinomannan domains involved in binding to CD14 and LPS-binding protein, 1383
 Elegbede, A.I. see B. Ganguly, 5723
 Eleswarapu, S. see Z. Gu, 981
 Elias, M. see S. Ahn, 3455
 Elisseeff, J. see N.S. Hwang, 4172
 Elmore, B.O., D.J. Bergmann, M.G. Klotz and A.B. Hooper, Cytochromes P460 and *c'*-beta; A new family of high-spin cytochromes *c*, 911
 Elofsson, M. see L. Bailey, 587
 Elsässer, H.-P. see B. Schröder, 102
 Elton, D. see E.L. Poole, 5300
 Emerling, B.M., B. Viollet, K.V. Tormos and N.S. Chandel, Compound C inhibits hypoxic activation of HIF-1 independent of AMPK, 5727
 Emre, Y. see S. Rousset, 479
 Enami, I. see A. Okumura, 5255
 Endo, Y. see K. Matsumoto, 1599
 Endo, Y. see H. Germain, 5137
 Engel, T., F. Kannenberg, M. Fobker, J.-R. Nofer, G. Bode, A. Lueken, G. Assmann and U. Seedorf, Expression of ATP binding cassette-transporter ABCG1 prevents cell death by transporting cytotoxic 7 β -hydroxycholesterol, 1673
 Engeland, K. see K. Rother, 1166

Engelhard, M. see N. Mennes, 1487
 Engström, A. see C.N. Chi, 1109
 Entelis, N. see I. Brandina, 4248
 Ephritikhine, G. see A. de Angeli, 2367
 Epstein, C.B. see C. Jin, 5658
 Erdmann, F., F. Jarczowski, M. Weiwad, G. Fischer and F. Edlich, Hsp90-mediated inhibition of FKBP38 regulates apoptosis in neuroblastoma cells, 5709
 Erdmann, R. see H.W. Platta, 2811
 Eriksson, J.W., Metabolic stress in insulin's target cells leads to ROS accumulation – A hypothetical common pathway causing insulin resistance, 3734
 Erne, P. see S. Ghosh, 4523
 Eronina, T. see N. Golub, 4223
 Esclapez, J., C. Pire, V. Bautista, R.M. Martínez-Espinosa, J. Ferrer and M.J. Bonete, Analysis of acidic surface of *Haloferax mediterranei* glucose dehydrogenase by site-directed mutagenesis, 837
 Esmenjaud-Mailhat, C., V. Lobjois, C. Froment, R.M. Golsteyn, B. Monsarrat and B. Ducommun, Phosphorylation of CDC25C at S263 controls its intracellular localisation, 3979
 Espinoza, I. see M. Galindo, 2022
 Esposito, F. see D.M. Monti, 930
 Esposito, R. see M. Pinti, 3882
 Esteban, I., C. Aguado, M. Sánchez and E. Knecht, Regulation of various proteolytic pathways by insulin and amino acids in human fibroblasts, 3415
 Esufali, S., G.S. Charames and B. Bapat, Suppression of nuclear Wnt signaling leads to stabilization of Rac1 isoforms, 4850
 Ethen, C.M., S.A. Hussong, C. Reilly, X. Feng, T.W. Olsen and D.A. Ferrington, Transformation of the proteasome with age-related macular degeneration, 885
 Evans, M.C.W. see S. Santabarbara, 1567
 Eydallin, G.G. see M.T. Morán-Zorzano, 1035
 Eydallin, G., A.M. Viale, M.T. Morán-Zorzano, F.J. Muñoz, M. Montero, E. Baroja-Fernández and J. Pozueta-Romero, Genome-wide screening of genes affecting glycogen metabolism in *Escherichia coli* K-12, 2947
 Eydallin, G., M.T. Morán-Zorzano, F.J. Muñoz, E. Baroja-Fernández, M. Montero, N. Alonso-Casajús, A.M. Viale and J. Pozueta-Romero, An *Escherichia coli* mutant producing a truncated inactive form of GlgC synthesizes glycogen: Further evidences for the occurrence of various important sources of ADPglucose in enterobacteria, 4417
 Eydallin, G. see M.T. Morán-Zorzano, 4423
 Ezaki, O. see Y. Kamei, 91

F

Fagard, R. see C. Laguillier, 1143
 Falcone, C. see C. Mazzoni, 4836
 Faller, D.V. see C.N. Mork, 5440
 Fan, L. see X. Guo, 1015
 Fan, L. see S. Wang, 4789
 Fan, S. see C. Peng, 1357
 Fan, X. see C. Peng, 1357
 Fan, Y., L. Shi and L.S. Brown, Structural basis of diversification of fungal retinal proteins probed by site-directed mutagenesis of *Leptosphaeria* rhodopsin, 2557
 Fan, Y.-L. see L. Wang, 3848
 Fanelli, F. see D. Dell'Orco, 944
 Fang, J.-K., S.K. Prabu, N.B. Sepuri, H. Raza, H.K. Anandatheerthavarada, D. Galati, J. Spear and N.G. Avadhani, Site specific phosphorylation of cytochrome *c* oxidase subunits I, IVi1 and Vb in rabbit hearts subjected to ischemia/reperfusion, 1302
 Fang, J.-M. see C.-C. Lee, 5454
 Fanning, E. see P. Taneja, 3973
 Fanzani, A., E. Stoppioni, L. Gualandi, R. Giuliani, F. Galbiati, S. Rossi, A. Fra, A. Preti and S. Marchesini, Phenotypic behavior of C2C12 myoblasts upon expression of the dystrophy-related caveolin-3 P104L and TFT mutants, 5099
 Faoro, F. see A. Cereda, 1625
 Faraldo, M.M., J. Teulière, M.-A. Deugnier, W. Birchmeier, J. Huelsenken, J.P. Thiery, A. Cano and M.A. Glukhova, β -Catenin regulates P-cadherin expression in mammary basal epithelial cells, 831

- Farina, L. see M.C. Palumbo, 2485
 Farnararo, M. see C. Donati, 4384
 Farndale, R.W. see M. Tulla, 2434
 Fattoum, A. see C. Roustan, 681
 Fauconneau, B. see S. Ingrand, 4473
 Faust, A. see M. Garzón, 3189
 Faye, A. see G. Ramey, 1053
 Fearnley, I.M. see R. Chen, 3145
 Feder-Mengus, C. see S. Ghosh, 4523
 Feldmann, H., T.C. Marlovits, G. Superti-Furga and K. Kuchler, Vienna special issue: Molecular machines, 2749
 Felix, R. see A. Andrade, 4430
 Feng, F. see T.-J. Zhao, 3044
 Feng, H. see Y. Wang, 3069
 Feng, J. see F. Yu, 3485
 Feng, M. see Y. Liu, 4318
 Feng, X. see C.M. Ethen, 885
 Feng, X.-P. see Y. Sun, 131
 Ferguson-Smith, A.C. see M. Kawahara, 5178
 Feria, A.B. see J.A. Monreal, 3468
 Ferjani, I. see C. Roustan, 681
 Fernández-Ocaña, A. see R. Valderrama, 453
 Fernandez-Salguero, P.M. see R. Barouki, 3608
 Fernandez, V.E. see G.E. Conner, 271
 Ferranti, P. see A. Cereda, 1625
 Ferraresi, R. see E. Roat, 521
 Ferrari, D.M. see U. Lippert, 3479
 Ferreira, C. and C. Lucas, Glucose repression over *Saccharomyces cerevisiae* glycerol/H⁺ symporter gene *STL1* is overcome by high temperature, 1923
 Ferrer, J. see J. Esclapez, 837
 Ferrer, M. see N. López-Cortés, 4657
 Ferrington, D.A. see C.M. Ethen, 885
 Ferry, G., A. Giganti, F. Cogé, F. Bertaux, K. Thiam and J.A. Boutin, Functional inactivation of the autotaxin gene by a single amino acid mutation in mouse is lethal, 3572
 Fidy, J. see B. Varga, 4783
 Fieber, W. see K. Modig, 4965
 Field, L.M. see P.N.R. Usherwood, 5485
 Filipcik, P. see B. Kovacech, 617
 Fillat, M.F. see J.A. Hernández, 1351
 Fillmore, H.L. see H.H. Ross, 5923
 Finkler, A., R. Ashery-Padan and H. Fromm, CAMTAs: Calmodulin-binding transcription activators from plants to human, 3893
 Finley, D. see J. Hanna, 2854
 Fischer, B.B., A. Krieger-Liszkay, É. Hideg, I. Šnyrychová, M. Wiesendanger and R.I.L. Eggen, Role of singlet oxygen in chloroplast to nucleus retrograde signaling in *Chlamydomonas reinhardtii*, 5555
 Fischer, G. see F. Erdmann, 5709
 Fischer, K. see A.P.M. Weber, 2215
 Fischer, R.-J. see O. Riebe, 5605
 Fishov, I. see A. Aranovich, 4439
 Flach, C.-F., F. Qadri, T.R. Bhuiyan, N.H. Alam, E. Jennische, J. Holmgren and I. Lönnroth, Differential expression of intestinal membrane transporters in cholera patients, 3183
 Flachs, P., J. Sponarova, P. Kopecky, O. Horvath, A. Sediva, M. Nibelink, L. Casteilla, D. Medrikova, J. Neckar, F. Kolar and J. Kopecky, Mitochondrial uncoupling protein 2 gene transcript levels are elevated in maturing erythroid cells, 1093
 Fleischer, A. see A. Ghadiri, 1605
 Floquet, N., S. Mouilleron, R. Daher, B. Maigret, B. Badet and M.-A. Badet-Denisot, Ammonia channeling in bacterial glucosamine-6-phosphate synthase (GlmS): Molecular dynamics simulations and kinetic studies of protein mutants, 2981
 Florián, J. see V. Martínek, 775
 Flügge, U.-I. and J.I. Schroeder, Plant transporters and channels, 2203
 Fobker, M. see T. Engel, 1673
 Fodor, K. see W.A. Stanley, 4795
 Foisner, R. see K. Aigner, 1617
 Föllner, M. see R.S. Kasinathan, 5407
 Fong, C.-C. see Y.-F. Shi, 203
 Fontcave, M. see M. Sendra, 1362
 Forkmann, G. see C. Seitz, 3429
 Forte, J.G. see Y. Liu, 4318
 Fortes, P., D. Longman, S. McCracken, J.Y. Ip, R. Poot, I.W. Mattaj, J.F. Cáceres and B.J. Blencowe, Identification and characterization of RED120: A conserved PWI domain protein with links to splicing and 3'-end formation, 3087
 Fortin, C.F., O. Lesur and T. Fulop Jr., Effects of aging on triggering receptor expressed on myeloid cells (TREM)-1-induced PMN functions, 1173
 Forzi, L., P. Hellwig, R.K. Thauer and R.G. Sawers, The CO and CN⁻ ligands to the active site Fe in [NiFe]-hydrogenase of *Escherichia coli* have different metabolic origins, 3317
 Foucault, I. see S. Le Bras, 967
 Fox, K.R. see P.A. Rachwal, 1657
 Fra, A. see A. Fanzani, 5099
 Fraaije, M.W. see D.P.H.M. Heuts, 4905
 Frachisse, J.-M. see A. de Angeli, 2367
 Francia, F., L. Giachini, F. Boscherini, G. Venturoli, G. Capitanio, P.L. Martino and S. Papa, The inhibitory binding site(s) of Zn²⁺ in cytochrome *c* oxidase, 611
 Francia, F. see L. Giachini, 5645
 Francin, M. see M. Kaminska, 3105
 François, J. see M. Frison, 4010
 Franconi, F. see E. Straface, 4342
 Franke, R. see O. Rowland, 3538
 Franz, A., K. Maass and M. Seedorf, A complex peptide-sorting signal, but no mRNA signal, is required for the Sec-independent transport of Ist2 from the yeast ER to the plasma membrane, 401
 Franzoni, M. see A. Bordoni, 923
 Freeman, M.R. see J. Kim, 3795
 Freese, E. see F. Vauti, 5691
 Fregien, N. see M.-C. Nlend, 3241
 French, J.D. see J.M. Saunus, 3435
 Frdin, M. see U. Basu, 4153
 Friedberg, I., K. Nika, L. Tautz, K. Saito, F. Cerignoli, Friedberg, I., A. Godzik and T. Mustelin, Identification and characterization of DUSP27, a novel dual-specific protein phosphatase, 2527
 Friedberg, I., K. Nika, L. Tautz, K. Saito, F. Cerignoli, Friedberg, I., A. Godzik and T. Mustelin, Identification and characterization of DUSP27, a novel dual-specific protein phosphatase, 2527
 Friedman, R. see Y. Tsfadia, 1243
 Friedman, R. and A. Cafilisch, The protonation state of the catalytic aspartates in plasmepsin II, 4120
 Friedrich, A., J.D. Hoheisel, N. Marmé and J.-P. Knemeyer, DNA-probes for the highly sensitive identification of single nucleotide polymorphism using single-molecule spectroscopy, 1644
 Friedrich, B. see O. Lenz, 3322
 Friedrich, T. see C. Wehling, 1594
 Frijters, R. see C. Vrans, 4616
 Frison, M., J.L. Parrou, D. Guillaumot, D. Masquelier, J. François, F. Chaumont and H. Batoko, The *Arabidopsis thaliana* trehalase is a plasma membrane-bound enzyme with extracellular activity, 4010
 Froment, C. see C. Esmenjaud-Mailhat, 3979
 Fromm, H. see B. Kaplan, 2237
 Fromm, H. see A. Finkler, 3893
 Frommer, W.B. see H. Gu, 579
 Frost, V. see G.M.O. Møller, 1329
 Fruchart, J.-C. see B. Cariou, 5191
 Fu, T.-D. see L. Wang, 3848
 Fu, Y. see Q. Han, 3027
 Fufina, T.Y., L.G. Vasilieva, R.A. Khatypov, A.Ya. Shkuropatov and V.A. Shuvalov, Substitution of isoleucine L177 by histidine in *Rhodobactersphaeroides* reaction center results in the covalent binding of P_A bacteriochlorophyll to the L subunit, 5769
 Fujii, H. see A. Hoshino, 975
 Fujii, T. see T. Yamamoto, 5234
 Fujikura, J. see T. Ishii, 349
 Fujimoto, Y. see N. Hiraga, 1983
 Fujioka, Y. see N. Yanaka, 712
 Fujita, M. see T. Takenouchi, 3019
 Fujita, S.C. see Y. Ikeda, 891
 Fujita, Y. see M. Kai, 3345
 Fujiwara, A. see T. Tanno, 1022
 Fujiwara, K. see Y. Kume, 1631
 Fujiyuki, T. see Y. Uno, 97
 Fukada, Y. see M. Torii, 5327
 Fuks, Z. see S. Lahiri, 5289
 Fukuda, R. see R. Oshima, 4627
 Fukui, K. see H. Takata, 3783
 Fullwood, N.J. see A. Masad, 3489
 Fulop Jr., T. see C.F. Fortin, 1173
 Funakoshi, T., K. Maeshima, K. Yahata, S. Sugano, F. Imamoto and N. Imamoto, Two distinct human POM121 genes: Requirement for the formation of nuclear pore complexes, 4910
 Funato, K. see H. Kitagaki, 2935

Furness, S.G.B., M.J. Lees and M.L. Whitelaw, The dioxin (aryl hydrocarbon) receptor as a model for adaptive responses of bHLH/PAS transcription factors, 3616
 Furochi, H., S. Tamura, M. Mameoka, C. Yamada, T. Ogawa, K. Hirasaka, Y. Okumura, T. Imagawa, S. Oguri, K. Ishidoh, K. Kishi, S. Higashiyama and T. Nikawa, Osteoactivin fragments produced by ectodomain shedding induce MMP-3 expression via ERK pathway in mouse NIH-3T3 fibroblasts, 5743
 Furrer, E.M., M.F. Ronchetti, F. Verrey and K.M. Pos, Functional characterization of a NapA Na⁺/H⁺ antiporter from *Thermus thermophilus*, 572
 Furukawa, K. see T. Hasegawa, 406
 Furuno, T. see K. Obata, 5917
 Fushinobu, S. see Y. Nijikken, 1514
 Fuss, E. see S. Hemmati, 603
 Futerman, A.H. see S. Lahiri, 5289

G

Gabai, V. see M.Y. Sherman, 5732
 Gabai, V. see M. Sherman, 3711
 Gabbiani, G. see M. Prunotto, 5847
 Gabler, M. see R. Gehwolf, 448
 Gachon, F. see T. Claudel, 3626
 Gaikwad, A.B. see K. Tikoo, 2027
 Gaikwad, A.B. see K. Tikoo, 1071
 Gait, M.J. see C. Di Primo, 771
 Galanti, N. see M. Galindo, 2022
 Galati, D. see J.-K. Fang, 1302
 Galbiati, F. see A. Fanzani, 5099
 Galiani, D. see K. Shkolnik, 4891
 Galindo, M., V. Sabaj, I. Espinoza, G.C. Toro, J. Búa, J. Grenet, R. López-Solis, A.M. Ruiz and N. Galanti, Chromosomal size conservation through the cell cycle supports karyotype stability in *Trypanosoma cruzi*, 2022
 Gallo, A. see M.G. Mirisola, 2009
 Gallois, J.-L. see V. Nicaise, 1041
 Galloni, M. see M. Prunotto, 5847
 Gallwitz, D. see Y. Li, 5698
 Galun, E. see N. Klopstock, 3986
 Gambale, F. see A. de Angeli, 2367
 Gambaretto, R. see A. Pasquato, 5807
 Gamberucci, A. see M. Csala, 1693
 Ganguly, B., J. Banerjee, A.I. Elegbede, D.J. Klocke, S. Mallik and D.K. Srivastava, Intrinsic selectivity in binding of matrix metalloproteinase-7 to differentially charged lipid membranes, 5723
 Gao, C. see R. Wijesinha-Bettoni, 4557
 Gao, H., A. Bian, Y. Zheng, R. Li, Q. Ji, G. Huang, D. Hu, L. Zhang, W. Gong, Y. Hu and F. He, sBAFF mutants induce neutralizing antibodies against BAFF, 581
 Gao, J. see R. Li, 3311
 Gao, M. see D. Upadhyay, 248
 Gao, M. see J. Zhang, 5315
 Gao, Q.T., R.C.Y. Choi, A.W.H. Cheung, J.T.T. Zhu, J. Li, G.K.Y. Chu, R. Duan, J.K.H. Cheung, Z.Y. Jiang, X.B. Dong, K.J. Zhao, T.T.X. Dong and K.W.K. Tsim, Danggui Buxue Tang – A Chinese herbal decoction activates the phosphorylations of extracellular signal-regulated kinase and estrogen receptor α in cultured MCF-7 cells, 233
 Gao, Q.T., J.K.H. Cheung, J. Li, Z.Y. Jiang, G.K.Y. Chu, R. Duan, A.W.H. Cheung, K.J. Zhao, R.C.Y. Choi, T.T.X. Dong and K.W.K. Tsim, A Chinese herbal decoction, Danggui Buxue Tang, activates extracellular signal-regulated kinase in cultured T-lymphocytes, 5087
 Gao, X., H. Hu, J. Zhu and Z. Xu, Identification and characterization of follistatin as a novel angiogenic-binding protein, 5505
 Gara, L.D. see R.A. Vacca, 917
 Garcia-Diaz, B.E. see R.A. Hanna, 2894
 García-Mauriño, S. see J.A. Monreal, 3468
 Garcia, S.N., B.M. Kirtane, A.J. Podlutzky, O.M. Pereira-Smith and K. Tominaga, *Mrg15* null and heterozygous mouse embryonic fibroblasts exhibit DNA-repair defects post exposure to gamma ionizing radiation, 5275
 Gargano, B. see S. Amente, 821
 Garnotel, R. see S. Jaisson, 1509
 Garofalo, T., A. Tinari, P. Matarrese, A.M. Giammarioli, V. Manganello, L. Ciarlo, R. Misasi, M. Sorice and W. Malorni, Do mitochondria act as “cargo boats” in the journey of GD3 to the nucleus during apoptosis?, 3899
 Garratt, R.C. see H.M. Pereira, 5082
 Garrido, J.J., D. Simón, O. Varea and F. Wandosell, GSK3 alpha and GSK3 beta are necessary for axon formation, 1579
 Garzón, M., K. Eifler, A. Faust, H. Scheel, K. Hofmann, C. Koncz, A. Yephremov and A. Bachmair, *PRT6/At5g02310* encodes an *Arabidopsis* ubiquitin ligase of the N-end rule pathway with arginine specificity and not the *CER3* locus, 3189
 Gasc, J.-M. see G. Sihn, 962
 Gáspári, Z., C. Ortutay and G. Tóth, Divergent microsatellite evolution in the human and chimpanzee lineages, 2523
 Gastineau, M. see N. Zaldua, 5814
 Gaudin, Y. see W. Weissenhorn, 2150
 Gaur, J. see E. Bárány-Wallje, 2389
 Gautam, P. see J.J. James, 4377
 Gaxiola, R.A., M.G. Palmgren and K. Schumacher, Plant proton pumps, 2204
 Ge, L. see D. Liu, 3563
 Geach, T.J. see C. Devader, 5332
 Geetha, T. see M.L. Seibenhener, 175
 Gehmert, S. see X. Bai, 4681
 Gehwolf, R., R. Weiss, M. Gabler, A.C. Hurst, A. Bertl, J. Thalhammer and G. Obermeyer, From sequence to antibody: Genetic immunisation is suitable to generate antibodies against a rare plant membrane protein, the KAT 1 channel, 448
 Geisler, S.B. see A.L. Bowman, 1549
 Gelhaus, C. see C. Wehling, 1594
 Géloën, A. see B. Zarrouki, 2394
 George Cheria, M. see Z.-M. Liu, 2465
 Georgopoulou, U. see P. Tsitoura, 4049
 Gerdes, H.-H., N.V. Bukoreshtliev and J.F.V. Barroso, Tunneling nanotubes: A new route for the exchange of components between animal cells, 2194
 Gerdes, H.-H., N.V. Bukoreshtliev and J.F.V. Barroso, Corrigendum to “Tunneling nanotubes: A new route for the exchange of components between animal cells” [Febs Lett. 581 (2007) 2194–2201], 3332
 Germain, H., J. Houde, M. Gray-Mitsumune, T. Sawasaki, Y. Endo, J. Rivoal and D.P. Matton, Characterization of ScORK28, a transmembrane functional protein receptor kinase predominantly expressed in ovaries from the wild potato species *Solanum chacoense*, 5137
 German-Retana, S. see V. Nicaise, 1041
 German, M.J. see A. Masad, 3489
 Gershenzon, J. see J.C. D’Auria, 872
 Gerwert, K. see H. te Heesen, 5677
 Geum, D. see N.G. Lee, 2625
 Ghabboun, J. see N. Borovok, 5843
 Ghadiri, A., M. Duhamel, A. Fleischer, A. Reimann, F. Dessauge and A. Rebollo, Critical function of Ikaros in controlling Aiolos gene expression, 1605
 Ghafourifar, P. see T. Zemojtel, 2072
 Ghazi, I. see N. López-Cortés, 4657
 Ghiasi, M. see S.H. Sadat Hayatshahi, 506
 Ghio, A.J. see J. Zhang, 4148
 Ghio, A.J. see J. Zhang, 5315
 Ghosh Choudhury, G. see F. Das, 5259
 Ghosh-Choudhury, N. see F. Das, 5259
 Ghosh, A.K. see R. Shrivastava, 1903
 Ghosh, B. see A. Goel, 2447
 Ghosh, S., M.B. Joshi, D. Ivanov, C. Feder-Mengus, G.C. Spagnoli, I. Martin, P. Erne and T.J. Resink, Use of multicellular tumor spheroids to dissect endothelial cell–tumor cell interactions: A role for T-cadherin in tumor angiogenesis, 4523
 Ghosh, T.C. see G. D’Onofrio, 5819
 Ghosh, T.C. see S. Basak, 5825
 Giachini, L. see F. Francia, 611
 Giachini, L., F. Francia, F. Boscherini, C. Pacelli, T. Cocco, S. Papa and G. Venturoli, EXAFS reveals a structural zinc binding site in the bovine NADH-Q oxidoreductase, 5645
 Giammarioli, A.M. see T. Garofalo, 3899
 Gianni, S. see C.N. Chi, 1109
 Gibbs, L. see C. Benoist-Lasselín, 2593
 Gibellini, L. see M. Pinti, 3882
 Gibert, B. see A.-P. Arrigo, 3665

- Gibert, M., J.C. Marvaud, Y. Pereira, M.L. Hale, B.G. Stiles, P. Boquet, C. Lamaze and M.R. Popoff, Differential requirement for the translocation of clostridial binary toxins: Iota toxin requires a membrane potential gradient, 1287
- Gierth, M. and P. Mäser, Potassium transporters in plants – Involvement in K⁺ acquisition, redistribution and homeostasis, 2348
- Giganti, A. see G. Ferry, 3572
- Giguère, P., M.-E. Turcotte, E. Hamelin, A. Parent, J. Brisson, G. Laroche, P. Labrecque, G. Dupuis and J.-L. Parent, Peroxiredoxin-4 interacts with and regulates the thromboxane A₂ receptor, 3863
- Gil, C., R. Cubi and J. Aguilera, Shedding of the p75^{NTR} neurotrophin receptor is modulated by lipid rafts, 1851
- Giles, R.H. see M.P. Lolkema, 4571
- Gillfillan, S. see V. Rolli, 394
- Gillery, P. see S. Jaisson, 1509
- Gillet, D. see A. Perier, 5480
- Gilon, P. see N. Quoix, 4235
- Giovanetti, A. see C. Limatola, 2641
- Giovannini, C. see S. Grande, 637
- Giovenzana, C. see E. Roat, 521
- Giuliani, A. see M.C. Palumbo, 2485
- Giuliani, R. see A. Fanzani, 5099
- Glenn, G. and P. van der Geer, CSF-1 and TPA stimulate independent pathways leading to lysosomal degradation or regulated intramembrane proteolysis of the CSF-1 receptor, 5377
- Glukhova, M.A. see M.M. Falardo, 831
- Gnessi, L. see S. Basciani, 5897
- Gocek, E., M. Kielbiński and E. Marcinkowska, Activation of intracellular signaling pathways is necessary for an increase in VDR expression and its nuclear translocation, 1751
- Godzik, A. see I. Friedberg, 2527
- Goedert, M. see K. Virdee, 2657
- Goedert, M. see A. Ishii, 4711
- Goel, A., A.K. Prasad, V.S. Parmar, B. Ghosh and N. Saini, 7,8-Dihydroxy-4-methylcoumarin induces apoptosis of human lung adenocarcinoma cells by ROS-independent mitochondrial pathway through partial inhibition of ERK/MAPK signaling, 2447
- Goeldner, M. see K.R. Tan, 4718
- Goethals, M. see S. Dhaese, 4809
- Goglia, F. see A. Lombardi, 5911
- Gogvadze, E. see A. Buzdin, 2877
- Gohil, K. see V.T. Vasu, 1572
- Goldberg M.J. see H.K. Roy, 3857
- Goldenberg, D. see N. Klopstock, 3986
- Goldschmidt, E.E. see N. Schenk, 5517
- Goldspink, G. see K. Ates, 2727
- Golombek, D.A. see S.A. Plano, 5500
- Golsteyn, R.M. see C. Esmenjaud-Mailhat, 3979
- Golub, N., A. Meremyanin, K. Markossian, T. Eronina, N. Chebotarova, R. Asryan, V. Muronets and B. Kurganov, Evidence for the formation of start aggregates as an initial stage of protein aggregation, 4223
- Golyshin, P.N. see N. López-Cortés, 4657
- Golyshina, O.V. see N. López-Cortés, 4657
- Gomez Maqueo Chew, A. see G.T. Oostergetel, 5435
- Gómez-Rodríguez, M.V. see R. Valderrama, 453
- Gonchar, I. see E. Burova, 1475
- Gong, W. see H. Gao, 581
- Gong, Y. see X. Yan, 1587
- Gonnelli, L. see Y. Arendt, 4723
- Gonthier, A. see K.R. Tan, 4718
- Gonzales, E., S. Prigent, A. Abou-Lovergne, S. Boucherie, T. Tordjmann, E. Jacquemin and L. Combettes, Rat hepatocytes express functional P2X receptors, 3260
- Gonzalez-Serratos, H. see A.L. Bowman, 1549
- Gonzalez, T. see M. Aouadi, 5591
- Goodman, M.F. see V. Martinek, 775
- Gooley, P.R. see A. Koay, 5055
- Gorenstein, D.G. see J. Kang, 2497
- Görg, B., N. Qvarthkhava, P. Voss, T. Grune, D. Häussinger and F. Schliess, Reversible inhibition of mammalian glutamine synthetase by tyrosine nitration, 84
- Gorjánác, M., A. Jaedicke and I.W. Mattaj, What can *Caenorhabditis elegans* tell us about the nuclear envelope?, 2794
- Gostimskaya, I.S., V.G. Grivennikova, G. Cecchini and A.D. Vinogradov, Reversible dissociation of flavin mononucleotide from the mammalian membrane-bound NADH:ubiquinone oxidoreductase (complex I), 5803
- Goto, H. see M. Watanabe, 2017
- Goto, M. see R. Banno, 1131
- Goto, M. see I. Sato, 4857
- Gould, A.P. see T.J. Sheldon, 5268
- Gourier, C. see A. Perier, 5480
- Gouzi, J.Y. see J. Degoutin, 727
- Graham, A. see C. Rae, 4877
- Graham, A.M. see N.G. Oberprieler, 2574
- Graham, A.M. see N.G. Oberprieler, 1529
- Grande, S., A.M. Luciani, A. Rosi, A. Palma, C. Giovannini, O. Saporà, L. Guidoni and V. Viti, Metabolism of glutathione in tumour cells as evidenced by 1H MRS, 637
- Granelli-Piperno, A. see T.L. Chang, 4596
- Grant, S. see G.P. Colo, 5075
- Granville, D.J. see A.L. Hunter, 879
- Gräslund, A. see N. Voevodskaya, 3351
- Gräslund, A. see E. Bárány-Wallje, 2389
- Grasser, K.D. see D. Launholt, 1114
- Grasso, P. see A. Lombardi, 5911
- Graves, M.L., L. Zhou, G. MacDonald, C.R. Mueller and C.D. Roskelley, Regulation of the BRCA1 promoter in ovarian surface epithelial cells and ovarian carcinoma cells, 1825
- Gray Jr., P.J. see S.K. Calderwood, 3689
- Gray-Mitsumune, M. see H. Germain, 5137
- Greco, C. see H.J. Huttunen, 1688
- Green, C. see N. Dimopoulos, 4743
- Green, P. see D. Sweetman, 4165
- Grempler, R., S. Leicht, I. Kischel, P. Eickelmann and N. Redemann, Inhibition of SH2-domain containing inositol phosphatase 2 (SHIP2) in insulin producing INS1E cells improves insulin signal transduction and induces proliferation, 5885
- Grenet, J. see M. Galindo, 2022
- Griesemer, D. see P. Mueller, 3557
- Grigoriev, P.A. see H. Maischak, 898
- Grill, E. see J. Wünschmann, 1681
- Grivennikova, V.G. see I.S. Gostimskaya, 5803
- Groen, A.K. see C. Vrans, 4616
- Grogg, M.W. see E. Makarev, 1865
- Grönberg, M. see J. Saras, 1957
- Gronert, S. see A.M. Swistowska, 4036
- Gronlund, J.T. see D. Launholt, 1114
- Gros, P. see I. Carrier, 301
- Grosse, F. see P. Taneja, 3973
- Grossman, A.R. see H. Gu, 579
- Grote, E. see E.H. Chen, 2181
- Groth-Malonek, M. see V. Salone, 4132
- Grötzinger, J. see C. Wehling, 1594
- Gruber, B.D. see E. Delhaize, 2255
- Grueninger, D. and G.E. Schulz, Substrate spectrum of l-rhamnulose kinase related to models derived from two ternary complex structures, 3127
- Gruic-Sovulj, I., J. Rokov-Plavec and I. Weygand-Durasevic, Hydrolysis of non-cognate aminoacyl-adenylates by a class II aminoacyl-tRNA synthetase lacking an editing domain, 5110
- Grumbt, B. see N. Terziyska, 1098
- Grune, T. see B. Görg, 84
- Grusby, M.J. see A. Becskei, 5199
- Grzam, A., M.N. Martin, R. Hell and A.J. Meyer, γ -Glutamyl transpeptidase GGT4 initiates vacuolar degradation of glutathione S-conjugates in *Arabidopsis*, 3131
- Grześkiewicz, S. see K.A. Nałęcz, 3950
- Grzonka, Z. see P. Stańczak, 4544
- Gu, D., B. Yu, C. Zhao, W. Ye, Q. Lv, Z. Hua, J. Ma and Y. Zhang, The effect of pleiotrophin signaling on adipogenesis, 382
- Gu, H., S. Lalonde, S. Okumoto, L.L. Looger, A.M. Scharff-Poulsen, A.R. Grossman, J. Kossmann, I. Jakobsen and W.B. Frommer, Corrigendum to “A novel analytical method for in vivo phosphate tracking” [FEBS Lett. 580 (2006) 5885–5893], 579
- Gu, J. see J. He, 2965
- Gu, J.X. see Y. Lin, 5151
- Gu, L.-Q. see J.W. Shim, 1027
- Gu, Z., S. Eleswarapu and H. Jiang, Identification and characterization of microRNAs from the bovine adipose tissue and mammary gland, 981
- Gualandi, L. see A. Fanzani, 5099
- Guan, M.-X. see X. Wang, 4228
- Guérardel, Y. see E. Ellass, 1383
- Guérin, C. see K.-C. Huang, 2702
- Guerinot, M.L. see S.A. Kim, 2273
- Gui, Y. see S. Wang, 4789
- Guichardant, M. see B. Zarrouki, 2394
- Guidoni, L. see S. Grande, 637

- Guigas, G., C. Kalla and M. Weiss, The degree of macromolecular crowding in the cytoplasm and nucleoplasm of mammalian cells is conserved, 5094
- Guigliarelli, B. see M.G. Almeida, 284
- Guigné, C. see V. Rolli, 394
- Guillaumot, D. see M. Frison, 4010
- Guillet, D. see A.-P. Arrigo, 3665
- Guiot, Y. see N. Quoix, 4235
- Gulli, M., M. Corradi, P. Rampino, N. Marmioli and C. Perrotta, Four members of the *HSP101* gene family are differently regulated in *Triticum durum* Desf., 4841
- Guminski, A. see A.L. Dahler, 3839
- Gundllapalli, S. see S. Herring, 3197
- Gundllapalli, S. see O. Namy, 5282
- Güntert, P. see S. Ohnishi, 462
- Guo, J. see S. Tan, 1081
- Guo, K. see F.L. Xie, 1464
- Guo, P. see C. Chen, 1124
- Guo, X., J. Bao and L. Fan, Evidence of selectively driven codon usage in rice: Implications for GC content evolution of *Gramineae* genes, 1015
- Guo, X. see S. Wang, 4789
- Guo, Z. see D. Liu, 3563
- Guo, Z. see Y. Liu, 4318
- Guo, Z.-j. see H.-q. Chen, 5836
- Gupta, R.S. see J. Park, 3211
- Guranowski, A., O. Miersch, P.E. Staswick, W. Suza and C. Waster-nack, Substrate specificity and products of side-reactions catalyzed by jasmonate:amino acid synthetase (JAR1), 815
- Gurnev, P.A. see O.S. Ostroumova, 804
- Gust, B. see Y. Haagen, 2889
- Gutiérrez-Escolano, L. see E. Solano-González, 2919
- Gutiérrez-Uzquiza, A. see S. Zuluaga, 3819
- Gutierrez, C. see Y. Romeo, 3387
- Gutman, M. see Y. Tsfadia, 1243
- Gwak, G.-Y. see S.J. Myung, 2954
- Gylfe, A. see L. Bailey, 587
- Gyrd-Hansen, M. see U. Basu, 4153
- H**
- Ha, J.-M., M.-R. Kim, H.-K. Oh, B.H. Lee, H.-Y. Ahn, J.-C. Shin, S.H. Baek and Y.A. Joe, Outgrowing endothelial progenitor-derived cells display high sensitivity to angiogenesis modulators and delayed senescence, 2663
- Ha, J.S. see D.H. Choi, 1649
- Haagen, Y., I. Unslid, L. Westrich, B. Gust, S.B. Richard, J.P. Noel and L. Heide, A soluble, magnesium-independent prenyltransferase catalyzes reverse and regular C-prenylations and O-prenylations of aromatic substrates, 2889
- Haferkamp, I., The diverse members of the mitochondrial carrier family in plants, 2375
- Hagemann, M. see D. Hasse, 1297
- Hagiya, A. see N. Ishii, 413
- Hahn, A. see M.L. Valentino, 3410
- Hahn, M.A. and D.J. Marsh, Nucleolar localization of parafibromin is mediated by three nucleolar localization signals, 5070
- Haimovitz-Friedman, A. see S. Lahiri, 5289
- Hajdu, J. see J.F. Cramer, 3178
- Hajjar, E., B. Korkmaz and N. Reuter, Differences in the substrate binding sites of murine and human proteinase 3 and neutrophil elastase, 5685
- Hale, C. see K.W. Kim, 995
- Hale, M.L. see M. Gibert, 1287
- Hallyburton, I. see I.R. Kelsall, 4749
- Hamaker, B.R. see Z. Ao, 2381
- Hamamura, K. and H. Yokota, Stress to endoplasmic reticulum of mouse osteoblasts induces apoptosis and transcriptional activation for bone remodeling, 1769
- Hamann, J. see O. Lenz, 3322
- Hamelin, E. see P. Giguère, 3863
- Hamilton, A.J. see A.C. Badrick, 4663
- Hamargren, J., T. Salinas, L. Maréchal-Drouard and C. Knorpp, The pea mitochondrial nucleoside diphosphate kinase cleaves DNA and RNA, 3507
- Hammer, E., R. Heilbronn and S. Weger, The E3 ligase Topors induces the accumulation of polysumoylated forms of DNA topoisomerase I in vitro and in vivo, 5418
- Hampson, L.J. and L. Agius, Acetylcholine exerts additive and permissive but not synergistic effects with insulin on glycogen synthesis in hepatocytes, 3955
- Han, D. see Q.-G. Zhang, 495
- Han, E.H., Y.P. Hwang, T.C. Jeong, S.S. Lee, J.-G. Shin and H.G. Jeong, Eugenol inhibit 7,12-dimethylbenz[a]anthracene-induced genotoxicity in MCF-7 cells: Bifunctional effects on CYP1 and NAD(P)H:quinone oxidoreductase, 749
- Han, H.J. see S.M. Lee, 3943
- Han, I.-S. see J.-H. Kang, 4389
- Han, J. see I.D. Jung, 1449
- Han, J. see H. Zou, 196
- Han, J. see H.-L. Kim, 5430
- Han, K. and C. Nepal, PRI-Modeler: Extracting RNA structural elements from PDB files of protein-RNA complexes, 1881
- Han, Q., Y. Fu, H. Zhou, Y. He and Y. Luo, Contributions of Zn(II)-binding to the structural stability of endostatin, 3027
- Han, S. see H.-S. Choi, 2684
- Han, S.Y. see N.G. Lee, 2625
- Hanai, Y. see H. Tokuda, 1311
- Hancock, J.F. see M.F. Hanzal-Bayer, 2098
- Handa, H. see M. Yugami, 1
- Hanikenne, M. see U. Krämer, 2263
- Hanna, J. and D. Finley, A proteasome for all occasions, 2854
- Hanna, R.A., B.E. Garcia-Diaz and P.L. Davies, Calpastatin simultaneously binds four calpains with different kinetic constants, 2894
- Hannbeck, S. see M.F. Langhorst, 4697
- Hannun, Y.A. see M. Tani, 1323
- Hansell, E.J. see S. Kanaji, 4260
- Hanzal-Bayer, M.F. and J.F. Hancock, Lipid rafts and membrane traffic, 2098
- Hara-Nishimura, I. see Y. Morita, 3579
- Hara-Nishimura, I. see Y. Morita, 1417
- Harada, A. see H. Tokuda, 1311
- Harada, E., K. Sugase, K. Namba, T. Iwashita and Y. Murata, Structural element responsible for the Fe(III)-phytosiderophore specific transport by HvYS1 transporter in barley, 4298
- Harada, J.N. see F. Yu, 3485
- Harada, T. see S. Ohnishi, 462
- Haraguchi, M. see M. Deushi, 5664
- Haraguchi, T., T. Mizutani, N. Yamamichi, T. Ito, S. Minoguchi and H. Iba, siRNAs do not induce RNA-dependent transcriptional silencing of retrovirus in human cells, 4949
- Hardin, J.D. see E.L. Batchelder, 4337
- Harmon, J.S. see R.P. Robertson, 3743
- Harper, J.F. see S.M. Lee, 3943
- Harris, J.M. see W.M. Huston, 3382
- Harris, R.S. see K.-M. Chen, 4761
- Harris, S.P. see J.F. Shaffer, 1501
- Harrison, S.M., B.K. Dove, L. Rothwell, P. Kaiser, I. Tarpey, G. Brooks and J.A. Hiscox, Characterisation of cyclin D1 down-regulation in coronavirus infected cells, 1275
- Hart, J. see H.K. Roy, 3857
- Hartmann, H. see P. Taneja, 3973
- Hartzell, C. see Z. Qu, 580
- Haruki, H. see M.A. Samad, 3283
- Harvey, D.J. see M. Crispin, 1963
- Hasegawa, M. see A. Ishii, 4711
- Hasegawa, T., N. Sugeno, A. Takeda, M. Matsuzaki-Kobayashi, A. Kikuchi, K. Furukawa, T. Miyagi and Y. Itoyama, Role of Neu4L sialidase and its substrate ganglioside GD3 in neuronal apoptosis induced by catechol metabolites, 406
- Hasegawa, Y. see M.K. Kaneko, 331
- Hashimoto, M. see T. Takenouchi, 3019
- Hasilik, A. see B. Schröder, 102
- Hasse, D., S. Mikkat, H.-A. Thrun, M. Hagemann and H. Bauwe, Properties of recombinant glycine decarboxylase P- and H-protein subunits from the cyanobacterium *Synechocystis* sp. strain PCC 6803, 1297
- Hattori, T. see T. Watanabe, 1788
- Hauburger, A., M. Kliemann, P. Madsen, R. Rudolph and E. Schwarz, Oxidative folding of nerve growth factor can be mediated by the pro-peptide of neurotrophin-3, 4159
- Haucke, V. see M. Krauß, 2105
- Hausser, A. see T. Eiseler, 4279
- Häussinger, D. see B. Görg, 84
- Hayakawa, K. see Y. Takano, 421

- Hayakawa, K. see N. Hiramatsu, 2055
 Hayashi, J.-I. see S.-I. Inoue, 1910
 Hayashi, K.-i., H. Kawaide, M. Notomi, Y. Sakigi, A. Matsuo and H. Nozaki, Corrigendum to "Identification and functional analysis of bifunctional *ent*-kaurene synthase from the moss *Physcomitrella patens*" [FEBS Lett. 580 (2006) 6175–6181], 2748
 Hayashi, M. see R. Banno, 1131
 Hayashi, M. see M. Inomata, 3039
 Hayashi, M. see I. Sato, 4857
 Hayashi, N. see T. Yoshio, 3777
 Hayes, A.J. see M.A. Aon, 8
 Hayes, L. see A. Masad, 3489
 Hbibbi, A.T. see C. Laguillier, 1143
 He, F. see H. Gao, 581
 He, J., S. Chen and J. Gu, Identification and characterization of Harobin, a novel fibrinogenolytic serine protease from a sea snake (*Lapemis hardwickii*), 2965
 He, S. see F.A. Shaikh, 2441
 He, Y. see Q. Han, 3027
 Hecht, H.-J. see A.M. Swistowska, 4036
 Heginbotham, L. see W.R. Silverman, 5024
 Hehnlly, H. and M. Stamnes, Regulating cytoskeleton-based vesicle motility, 2112
 Heide, L. see Y. Haagen, 2889
 Heijne, G. von see C. Lundin, 5601
 Heilbronn, R. see E. Hammer, 5418
 Heinisch, J.J. see A. Straede, 4495
 Heino, J. see M. Tulla, 2434
 Hell, K. see N. Terziyska, 1098
 Hell, R. see A. Grzam, 3131
 Helliwell, C. see S. Wang, 4789
 Helliwell, C.A. see L. Wang, 3848
 Hellwig, P. see L. Forzi, 3317
 Hemmati, S., T.J. Schmidt and E. Fuss, (+)-Pinoresinol(–)-laricresinol reductase from *Linum perenne* Himmelszelt involved in the biosynthesis of justicidin B, 603
 Hemmerlin, A. see R. Merret, 5295
 Hennig, M. see A.C. Rufer, 3247
 Henquin, J.-C. see N. Quoix, 4235
 Henriques-Normark, B. see L. Bailey, 587
 Hernández-Hernández, O. see A. Andrade, 4430
 Hernández, J.A., S. Pellicer, L. Huang, M.L. Peleato and M.F. Fillat, FurA modulates gene expression of *alr3808*, a DpsA homologue in *Nostoc (Anabaena)* sp. PCC7120, 1351
 Hernandez, H. see D. Adedjei, 279
 Hérodin, F. see N. Platet, 1435
 Hérodin, F. see D. Adamski, 3076
 Herrera, P.L. see N. Quoix, 4235
 Herring, S., A. Ambrogelly, S. Gundllapalli, P. O'Donoghue, C.R. Polycarpo and D. Söll, The amino-terminal domain of pyrrolysyl-tRNA synthetase is dispensable in vitro but required for in vivo activity, 3197
 Herrmann, J.M. see N. Terziyska, 1098
 Heuckeroth, R.O. see H. Wang, 3098
 Heuertz, S. see C. Benoist-Lasselain, 2593
 Heuts, D.P.H.M., D.B. Janssen and M.W. Fraaije, Changing the substrate specificity of a chitoooligosaccharide oxidase from *Fusarium graminearum* by model-inspired site-directed mutagenesis, 4905
 Heuvelmans, S. see M. Hristova, 361
 Heyn, M.P. see S. Seibeck, 5425
 Hidaka, M. see S. Takashima, 5891
 Hideg, É. see B.B. Fischer, 5555
 Hiester, B.G. see W.J. Kapulkin, 5952
 Higashi, C. see S. Sugimoto, 2993
 Higashikawa, F., A. Eboshida and Y. Yokosaki, Enhanced biological activity of polymeric osteopontin, 2697
 Higashitani, A. see Y. Sasagawa, 145
 Higashiyama, S. see H. Furochi, 5743
 Higuchi, M. see T. Yotsui, 427
 Higuti, T. see N. Arakaki, 3405
 Hiipakka, M. and K. Saksela, Versatile retargeting of SH3 domain binding by modification of non-conserved loop residues, 1735
 Hikosaka, A., K. Takaya, M. Jinno and A. Kawahara, Identification and expression-profiling of *Xenopus tropicalis* miRNAs including plant miRNA-like RNAs at metamorphosis, 3013
 Hildebrandt, P. see O. Lenz, 3322
 Himmeler, A. see O. Rath, 2549
 Hinderlich, S. see S.O. Reinke, 3327
 Hinsley, T. see P.D. Thompson, 1233
 Hinz, A. see W. Weissenhorn, 2150
 Hirabayashi, J. see M.K. Kaneko, 331
 Hiraga, N., M. Imamura, M. Tsuge, C. Noguchi, S. Takahashi, E. Iwao, Y. Fujimoto, H. Abe, T. Maekawa, H. Ochi, C. Tateno, K. Yoshizato, A. Sakai, Y. Sakai, M. Honda, S. Kaneko, T. Wakita and K. Chayama, Infection of human hepatocyte chimeric mouse with genetically engineered hepatitis C virus and its susceptibility to interferon, 1983
 Hirai, Y. see Y. Saga, 1847
 Hiramatsu, N., A. Kasai, S. Du, M. Takeda, K. Hayakawa, M. Okamura, J. Yao and M. Kitamura, Rapid, transient induction of ER stress in the liver and kidney after acute exposure to heavy metal: Evidence from transgenic sensor mice, 2055
 Hiramatsu, N. see Y. Takano, 421
 Hirano, K.-i. see H. Oku, 5029
 Hirano, M. see M.L. Valentino, 3410
 Hirasaka, K. see H. Furochi, 5743
 Hirasawa, N. see F. Kamachi, 4633
 Hirsch-Ernst, K.I. see N. Wieneke, 5617
 Hirsch, S.S. see A.L. Bowman, 1549
 Hisanaga, S.-i. see A. Ishii, 4711
 Hiscox, J.A. see S.M. Harrison, 1275
 Hishida, T., K. Naito, S. Osada, M. Nishizuka and M. Imagawa, *peg10*, an imprinted gene, plays a crucial role in adipocyte differentiation, 4272
 Hitachi, K. see T. Chan, 2691
 Hite, B. see S. Salim, 3204
 Hitomi, T., Y. Matsuzaki, S. Yasuda, M. Kawanaka, S. Yogosawa, M. Koyama, D. Tantin and T. Sakai, Oct-1 is involved in the transcriptional repression of the p15^{INK4b} gene, 1087
 Hiura, H., J. Komiyama, M. Shirai, Y. Obata, H. Ogawa and T. Kono, DNA methylation imprints on the IG-DMR of the *Dkl1-Gtl2* domain in mouse male germline, 1255
 Hjorleifsdottir, S. see M.M. Pereira, 4831
 Ho, C.-H. see Y.-F. Tsay, 2290
 Ho, C.S.W. see G.C. Leung, 77
 Ho, P. see L. Huang, 4955
 Ho, T., H. Wang, D. Pallett and T. Dalmay, Evidence for targeting common siRNA hotspots and GC preference by plant Dicer-like proteins, 3267
 Hobson, B. see V.T. Vasu, 1572
 Hoch, J.A. see P.D. McLaughlin, 1425
 Hochrainer, K., G. Racchumi and J. Anrather, Hypo-phosphorylation leads to nuclear retention of NF- κ B p65 due to impaired I κ B α gene synthesis, 5493
 Hodošček, M. see M. Butala, 4816
 Hoeh, W.R. see R. Chakrabarti, 5213
 Hoeller, D. see J. Raguz, 4767
 Hoer, S., L. Smith and P.J. Lehner, MARCH-IX mediates ubiquitination and downregulation of ICAM-1, 45
 Hofer, B. see A.M. Swistowska, 4036
 Hoffmann, B. see V. Salone, 4132
 Hoffmann, C. see S. Chlench, 673
 Hofmann, K. see M. Garzón, 3189
 Hohberg, M. see S. Chlench, 673
 Hoheisel, J.D. see A. Friedrich, 1644
 Hohman, V.S. see C.M. Sandoval, 5464
 Hohmann-Marriott, M.F. and R.E. Blankenship, Hypothesis on chlorosome biogenesis in green photosynthetic bacteria, 800
 Holdermann, I. see K.F. Stengel, 5671
 Holen, T. see J.G. Sørbo, 4884
 Holland, P.C. see K.-C. Huang, 2702
 Holmberg, M. see P. Ramu, 1716
 Holmgren, J. see C.-F. Flach, 3183
 Holmgren, L. see A. Bergsmedh, 2943
 Holton, M., D. Yang, W. Wang, T.M.A. Mohamed, L. Neyses and A.L. Armesilla, The interaction between endogenous calcineurin and the plasma membranecalcium-dependent ATPase is isoform specific in breast cancer cells, 4115
 Holubar, P. see J. Vlasits, 320
 Holzmann, K. see K.W. Sommer, 4921
 Holzwarth, A.R. see G.T. Oostergetel, 5435
 Homer-Vanniasinkam, S. see N.G. Oberprieler, 1529
 Homer-Vanniasinkam, S. see N.G. Oberprieler, 2574
 Honda, M. see N. Hiraga, 1983
 Hondares, E. see C. Duval, 955
 Hong, C.-U. see S.-H. Jeon, 5929
 Hong, J. see F. Kamachi, 4633
 Hong, K.W. see S.J. Lee, 4189
 Hong, M.-J. see S.-R. Won, 4999
 Hong, S. see S.-y. Kim, 865

- Hong, S.-H., J.-S. Jeong, Y.-J. Lee, H.-I. Jung, K.T. Kim, Y.-H. Kim, Y.-S. Lee, S.-W. Lee, C.-D. Bae, J. Park and I.-H. Kim, Molecular imaging of endogenous mRNA expression in a mouse tumor model by adenovirus harboring *trans*-splicing ribozyme, 5396
- Hong, S.-S. see H.-O. Jun, 4977
- Hong, Y.K. see N.G. Lee, 2625
- Honma, R. see E. Ito, 3909
- Hooper, A.B. see B.O. Elmore, 911
- Hoppel, C.L. see J. Kerner, 4491
- Hoptak-Solga, A.D., K.A. Klein, A.M. DeRosa, T.W. White and M.K. Iovine, Zebrafish *short fin* mutations in connexin43 lead to aberrant gap junctional intercellular communication, 3297
- Hori, H. see K. Matsumoto, 1599
- Hori, M. see H. Oku, 5029
- Horinouchi, T. see T. Nishiyama, 3223
- Hornberger, T.A., K.B. Sukhija, X.-R. Wang and S. Chien, mTOR is the rapamycin-sensitive kinase that confers mechanically-induced phosphorylation of the hydrophobic motifs site Thr(389) in p70^{S6k}, 4562
- Horstkorte, R. see K. Bork, 4195
- Hörtensteiner, S. see N. Schenk, 5517
- Horvath, O. see P. Flachs, 1093
- Hoshi, T. see D. Ma, 1000
- Hoshino, A. and H. Fujii, Redundant promoter elements mediate IL-3-induced expression of a novel cytokine-inducible gene, *cyclon*, 975
- Hoshino, M. see N. Zaldúa, 5814
- Hoshino, T. see M. Rahman, 4001
- Hoshino, Y. see M. Watanabe, 2017
- Hoshiyama, D., N. Iwabe and T. Miyata, Evolution of the gene families forming the *Pax/Six* regulatory network: Isolation of genes from primitive animals and molecular phylogenetic analyses, 1639
- Hosoda, K. see T. Ishii, 349
- Hosoi, T. see H. Tokuda, 1311
- Hosoya, A. see T. Chan, 2691
- Hosseinpour, F., Y. Timsit, C. Koike, K. Matsui, Y. Yamamoto, R. Moore and M. Negishi, Overexpression of the Rho-guanine nucleotide exchange factor ECT2 inhibits nuclear translocation of nuclear receptor CAR in the mouse liver, 4937
- Hoth, M. see P. Mueller, 3557
- Hou, T.Z. see S. Lax, 3550
- Houde, J. see H. Germain, 5137
- Hourvitz, A. see K. Shkolnik, 4891
- Houry, W.A. see A.Y.H. Yu, 3749
- Hozumi, H. see I. Miyazaki, 5003
- Hreggvidsson, G.O. see M.M. Pereira, 4831
- Hristova, M., S. Heuvelmans and A. van der Vliet, GSH-dependent regulation of Fas-mediated caspase-8 activation by acrolein, 361
- Hsu, C.-H. see T.-C. Huang, 3517
- Hsu, M.-F. see C.-C. Lee, 5454
- Hsu, P.-K. see Y.-F. Tsay, 2290
- Hu, D. see H. Gao, 581
- Hu, G. see X. Zhou, 4943
- Hu, H. see X. Gao, 5505
- Hu, W. see X. Dong, 5796
- Hu, Y. see H. Gao, 581
- Hua, Z. see D. Gu, 382
- Hua, Z.-C. see X. Dong, 5796
- Huang, A.J.W. see C. Yuan, 241
- Huang, C.-J., Z. Tang, R.-J. Lin and P.W. Tucker, Phosphorylation by SR kinases regulates the binding of PTB-associated splicing factor (PSF) to the pre-mRNA polypyrimidine tract, 223
- Huang, C.-J. see C.-Y. Chu, 4265
- Huang, G. see H. Gao, 581
- Huang, H.-C. see T.-C. Huang, 3517
- Huang, H.B. see M.Q. Liao, 1161
- Huang, J., Y. Zhang, M. Li, S. Wang, W. Liu, P. Couble, G. Zhao and Y. Huang, RNA interference-mediated silencing of the bursicon gene induces defects in wing expansion of silkworm, 697
- Huang, K.-C., Z. Yasruel, C. Guérin, P.C. Holland and J. Nalbantoglu, Interaction of the Coxsackie and adenovirus receptor (CAR) with the cytoskeleton: Binding to actin, 2702
- Huang, K.-Y. see C.-Y. Chu, 4265
- Huang, L. see J.A. Hernández, 1351
- Huang, L., P. Ho and C.-H. Chen, Activation and inhibition of the proteasome by betulinic acid and its derivatives, 4955
- Huang, P.L. see J. Bao, 2737
- Huang, P.L. see J. Bao, 2737
- Huang, Q. see S. Tan, 1081
- Huang, R. see X. Zhou, 4943
- Huang, S.Q. see F.L. Xie, 1464
- Huang, T.-C., H.-C. Huang, C.-C. Chang, H.-Y. Chang, C.-H. Ou, C.-H. Hsu, S.-T. Chen and H.-F. Juan, An apoptosis-related gene network induced by novel compound-cRGD in human breast cancer cells, 3517
- Huang, Y. see K.W. Leung, 2423
- Huang, Y. see J. Huang, 697
- HuangFu, W.-C., K. Matsumoto and J. Ninomiya-Tsuji, Osmotic stress blocks NF- κ B-dependent inflammatory responses by inhibiting ubiquitination of I κ B, 5549
- Huber, S.M. see R.S. Kasinathan, 5407
- Huelsken, J. see M.M. Faraldo, 831
- Huganir, R.L. see B. Ye, 4403
- Hugenholtz, J. see F. Santos, 4865
- Hugon, J. see S. Ingrand, 4473
- Huhtala, M. see M. Tulla, 2434
- Humphries, J.D. and M.J. Humphries, CD14 is a ligand for the integrin α 4 β 1, 757
- Humphries, M.J. see J.D. Humphries, 757
- Hundal, H.S. see N. Dimopoulos, 4743
- Hung, C.-C. see C.-Y. Chu, 4265
- Hunt, S.J. and W.J. Nelson, Fabrication of a dual substrate display to test roles of cell adhesion proteins in vesicle targeting to plasma membrane domains, 4539
- Hunter, A.L., J. Zhang, S.C. Chen, X. Si, B. Wong, D. Ekhterae, H. Luo and D.J. Granville, Apoptosis repressor with caspase recruitment domain (ARC) inhibits myogenic differentiation, 879
- Hunyadi-Gulyás, É. see B. Varga, 4783
- Hurst, A.C. see R. Gehwolf, 448
- Hurt, E. see E. Kowalinski, 4450
- Hurtado-Guerrero, R., O. Raimi, S. Shepherd and D.M.F. van Aalten, Glucose-6-phosphate as a probe for the glucosamine-6-phosphate *N*-acetyltransferase Michaelis complex, 5597
- Huss, M. see B. Kunze, 3523
- Huss, M. and H. Wiczorek, Influence of ATP and ADP on dissociation of the V-ATPase into its V₁ and V_O complexes, 5566
- Husson, J. see A. Perier, 5480
- Husson, S.J. and L. Schoofs, Altered neuropeptide profile of *Caenorhabditis elegans* lacking the chaperone protein 7B2 as analyzed by mass spectrometry, 4288
- Hussong, S.A. see C.M. Ethen, 885
- Huston, W.M., J.E. Swedberg, J.M. Harris, T.P. Walsh, S.A. Mathews and P. Timms, The temperature activated HtrA protease from pathogen *Chlamydia trachomatis* acts as both a chaperone and protease at 37 °C, 3382
- Huttunen, H.J., C. Greco and D.M. Kovacs, Knockdown of ACAT-1 reduces amyloidogenic processing of APP, 1688
- Hwang, H.-J. see S. Mima, 1457
- Hwang, J.-S. see W.-H. Kang, 3473
- Hwang, N.S., S. Varghese, H.J. Lee, P. Theprungsirikul, A. Canver, B. Sharma and J. Elisseeff, Response of zonal chondrocytes to extracellular matrix-hydrogels, 4172
- Hwang, S.A. see C. Lee, 2517
- Hwang, Y.P. see E.H. Han, 749
- Hyun, J.W. see K.A. Kang, 2000

I

- Ian Smith, A. see S. Kuruppu, 4501
- Iba, H. see T. Haraguchi, 4949
- Ichikawa, M. see Y. Onda, 5852
- Ichikawa, T. see Y. Kume, 1631
- Ichinose, H. see T. Suzuki, 4551
- Ide, T. see T. Kajiume, 4645
- Igarashi, J. see M. Martinkova, 4109
- Igarashi, K. see Y. Nijikken, 1514
- Igarashi, T., S. Araki, H. Mori and S. Takeda, Crystal structures of catrocollastatin/VAP2B reveal a dynamic, modular architecture of ADAM/adamalysin/reprolysin family proteins, 2416
- Igarashi, T. see S. Takeda, 5859
- Ihara-Ohori, Y. see R. Oshima, 4627
- Ihara, T. see S.-i. Ito, 3217
- Ikeda, H. see Y. Kume, 1631
- Ikeda, T. see S.-i. Ito, 3217
- Ikeda, Y., K. Ishiguro and S.C. Fujita, Ether stress-induced Alzheimer-like tau phosphorylation in the normal mouse brain, 891

- Ikeuchi, C. see T. Takemoto, 218
 Ikeuchi, M. see T. Suzuki, 21
 Ikeuchi, M. see K. Kawakami, 4983
 Im, D.-S. see K.S. Park, 4411
 Imagawa, M. see T. Hishida, 4272
 Imagawa, T. see H. Furochi, 5743
 Imai, J.-i. see E. Ito, 3909
 Imai, S.-i. see S. Yasuda, 551
 Imamoto, F. see T. Funakoshi, 4910
 Imamoto, N. see T. Funakoshi, 4910
 Imamura, M. see N. Hiraga, 1983
 Imamura, M. see T. Takenouchi, 3019
 Imamura, S. see T. Yoshimura, 1495
 Imamura, T. see H. Nitta, 5935
 Imayavaramban, L., D. Dhayaparan and H. Devaraj, Molecular mechanism of molt-inhibiting hormone (MIH) induced suppression of ecdysteroidogenesis in the Y-organ of mud crab: *Scylla serrata*, 5167
 Inada, M. see M. Takita, 565
 Inagaki, N. see Y. Matsumura, 3139
 Indovina, P., M. Collini, G. Chirico and M.T. Santini, Three-dimensional cell organization leads to almost immediate HRE activity as demonstrated by molecular imaging of MG-63 spheroids using two-photon excitation microscopy, 719
 Ingram, D.A. see C.A. Opitz, 4927
 Ingrand, S., L. Barrier, C. Lafay-Chebassier, B. Fauconneau, G. Page and J. Hugon, The oxindole/imidazole derivative C16 reduces in vivo brain PKR activation, 4473
 Inomata, K. see S. Seibeck, 5425
 Inomata, M., Y. Shimada, M. Hayashi, J. Shimizu and Y. Ohno-Iwashita, Impairment in a negative regulatory system for TCR signaling in CD4⁺ T cells from old mice, 3039
 Inoue, J.-i. see E. Ito, 3909
 Inoue, M. see S. Ohnishi, 462
 Inoue, M. see Y. Kume, 1631
 Inoue, N. see T. Akazawa, 3334
 Inoue, S.-I., M. Yokota, K. Nakada, H. Miyoshi and J.-I. Hayashi, Pathogenic mitochondrial DNA-induced respiration defects in hematopoietic cells result in anemia by suppressing erythroid differentiation, 1910
 Inouye, S. see T. Suzuki, 4551
 Inubushi, T. see K. Takata, 475
 Iovine, M.K. see A.D. Hoptak-Solga, 3297
 Ip, J.Y. see P. Fortes, 3087
 Iqbal, K. see B. Kovacech, 617
 Iqbal, K. see J. Sevcik, 5872
 Irie, A. see H. Nitta, 5935
 Iriti, M. see A. Cereda, 1625
 Isacke, C.M. see S. Lax, 3550
 Ishibashi, M., S. Tatsuda, K.-i. Izutsu, K. Kumeda, T. Arakawa and M. Tokunaga, A single Gly114Arg mutation stabilizes the hexameric subunit assembly and changes the substrate specificity of halo-archaeal nucleoside diphosphatase, 4073
 Ishidoh, K. see H. Furochi, 5743
 Ishigami, M. see H. Oku, 5029
 Ishiguro, K. see Y. Ikeda, 891
 Ishihara, K. see F. Kamachi, 4633
 Ishii, A., T. Nonaka, S. Taniguchi, T. Saito, T. Arai, D. Mann, T. Iwatsubo, S.-i. Hisanaga, M. Goedert and M. Hasegawa, Casein kinase 2 is the major enzyme in brain that phosphorylates Ser129 of human α -synuclein: Implication for α -synucleinopathies, 4711
 Ishii, H. see M. Deushi, 5664
 Ishii, K. see Y. Ogasawara, 2473
 Ishii, N., Y. Suga, A. Hagiya, H. Watanabe, H. Mori, M. Yoshino and M. Tomita, Dynamic simulation of an in vitro multi-enzyme system, 413
 Ishii, T., H. Masuzaki, T. Tanaka, N. Arai, S. Yasue, N. Kobayashi, T. Tomita, M. Noguchi, J. Fujikura, K. Ebihara, K. Hosoda and K. Nakao, Augmentation of 11 β -hydroxysteroid dehydrogenase type 1 in LPS-activated J774.1 macrophages – Role of 11 β -HSD1 in pro-inflammatory properties in macrophages, 349
 Ishii, Y. see M. Washiyama, 5207
 Ishikita, H., Modulation of the protein environment in the hydrophilic pore of the ammonia transporter protein AmtB upon GlnK protein binding, 4293
 Ishino, F. see Y. Kamei, 91
 Issakidis-Bourguet, E. see C. Vieira Dos Santos, 4371
 Ito-Inaba, Y. see Y. Onda, 5852
 Ito, E. R. Honma, Y. Yanagisawa, J.-i. Imai, S. Azuma, T. Oyama, S. Ohwada, T. Akiyama, N. Nomura, J.-i. Inoue, S. Watanabe and K. Semba, Novel clusters of highly expressed genes accompany genomic amplification in breast cancers, 3909
 Ito, H. see R. Kikuchi, 1800
 Ito, H. see M.K. Kaneko, 331
 Ito, K. see S. Zhang, 315
 Ito, K. see Y. Onda, 5852
 Ito, M. see M. Deushi, 5664
 Ito, S.-i., T. Ihara, H. Tamura, S. Tanaka, T. Ikeda, H. Kajihara, C. Dissanayake, F.F. Abdel-Motaal and M.A. El-Sayed, α -Tomatine, the major saponin in tomato, induces programmed cell death mediated by reactive oxygen species in the fungal pathogen *Fusarium oxysporum*, 3217
 Ito, T. see Y. Onda, 5852
 Ito, T. see T. Haraguchi, 4949
 Ito, Y. see T. Chan, 2691
 Ito, Y. see Y. Onda, 5852
 Itoyama, Y. see T. Hasegawa, 406
 Itsko, M. and A. Zaritsky, Exposing cryptic antibacterial activity in Cyt1Ca from *Bacillus thuringiensis israelensis* by genetic manipulations, 1775
 Iturrizgo, X. and P.J. Parker, PKC ζ II is a target for degradation through the tumour suppressor protein pVHL, 1397
 Ivanov, B., M. Mubarakshina and S. Khorobrykh, Kinetics of the plastoquinone pool oxidation following illumination. Oxygen incorporation into photosynthetic electron transport chain, 1342
 Ivanov, D. see S. Ghosh, 4523
 Iwabe, N. see D. Hoshiyama, 1639
 Iwai, M. see K. Kawakami, 4983
 Iwai, M. see A. Okumura, 5255
 Iwama, H., T. Masaki and S. Kuriyama, Abundance of microRNA target motifs in the 3'-UTRs of 20 527 human genes, 1805
 Iwamaru, Y. see T. Takenouchi, 3019
 Iwao, E. see N. Hiraga, 1983
 Iwao, H. see G. Sihm, 962
 Iwasaki, S., A. Takeda, H. Motose and Y. Watanabe, Characterization of *Arabidopsis* decapping proteins AtDCP1 and AtDCP2, which are essential for post-embryonic development, 2455
 Iwasaki, T. see R. Kikuchi, 1800
 Iwashita, T. see E. Harada, 4298
 Iwashita, T. see N. Yamaji, 3789
 Iwatsubo, T. see A. Ishii, 4711
 Izard, T. see N. Ramarao, 853
 Izaurralde, E. see I. Behm-Ansmant, 2845
 Ize, B. see G.L. Orriss, 4091
 Izuhara, K. see S. Kanaji, 4260
 Izumi, S. see M. Kai, 3345
 Izutsu, K.-i. see M. Ishibashi, 4073
- ## J
- Jääliinoja, J. see M. Tulla, 2434
 Jäättelä, M. see M. Daugaard, 3702
 Jackowski, S. see R. Leonard, 4639
 Jackson, S.N. see A. McMahon, 5459
 Jacobsson, A. see T. Kobayashi, 3157
 Jacquemin, E. see E. Gonzales, 3260
 Jaedicke, A. see M. Gorjánácz, 2794
 Jager, J. see M. Aouadi, 5591
 Jagodzinski, P.P. see L. Kubarek, 1441
 Jahani-Asl, A., A. Basak and B.K. Tsang, Caspase-3-mediated cleavage of Akt: Involvement of non-consensus sites and influence of phosphorylation, 2883
 Jahn, R. see U. Lippert, 3479
 Jaisin, S., C. Delevallée-Forte, F. Touré, P. Rieu, R. Garnotel and P. Gillyer, Carbamylated albumin is a potent inhibitor of polymorphonuclear neutrophil respiratory burst, 1509
 Jakobsen, I. see H. Gu, 579
 Jakopitsch, C. see J. Vlasits, 320
 James, J.J., B.S. Lakshmi, A.S.N. Seshasayee and P. Gautam, Activation of *Candida rugosa* lipase at alkane-aqueous interfaces: A molecular dynamics study, 4377
 James, P.A. see M.Z. Cader, 2959
 Janeček, Š., B. Svensson and E.A. MacGregor, A remote but significant sequence homology between glycoside hydrolase clan GH-H and family GH31, 1261

- Jang, J.H. see C. Park, 3800
 Jang, J.J. see S.J. Myung, 2954
 Jang, S.-H. see C. Lee, 2517
 Janga, S.C. see H. Salgado, 3499
 Janich, P. and D. Corbeil, GM₁ and GM₃ gangliosides highlight distinct lipid microdomains within the apical domain of epithelial cells, 1783
 Janson, E.T. see J. Saras, 1957
 Janssen, D.B. see D.P.H.M. Heuts, 4905
 Jara-Pérez, V. see M. Andújar-Sánchez, 3449
 Jarczowski, F. see F. Erdmann, 5709
 Javed, S. see J. Karar, 4577
 Jayaraman, A. see F.S. Senocak, 5865
 Jayaraman, S. see M. Prunotto, 5847
 Jeansonne, B.G. see R. Tatum, 3887
 Jemth, P. see C.N. Chi, 1109
 Jenkins, J.A. see R. Wijesinha-Bettoni, 4557
 Jenkinson, E. see S. Lax, 3550
 Jennings, M.P. see A.C. Badrick, 4663
 Jennische, E. see C.-F. Flach, 3183
 Jensen, C.J. see U. Basu, 4153
 Jeon, S.-H., M.-Y. Lee, S.-J. Kim, S.-G. Joe, G.-B. Kim, I.-S. Kim, N.-S. Kim, C.-U. Hong, S.-Z. Kim, J.-S. Kim and H.-S. Kang, Taurine increases cell proliferation and generates an increase in [Mg²⁺]_i accompanied by ERK 1/2 activation in human osteoblast cells, 5929
 Jeong, H.G. see E.H. Han, 749
 Jeong, J.-S. see S.-H. Hong, 5396
 Jeong, T.C. see E.H. Han, 749
 Jeong, Y.-I. see J.S. Lee, 57
 Jeong, Y.-I. see I.D. Jung, 1449
 Jetten, A.M. see Y.-S. Kim, 858
 Jhun, B. see Z. Ma, 4485
 Ji, Q. see H. Gao, 581
 Jia, Q. see X. Dong, 5796
 Jia, W. see Y. Ni, 707
 Jia, X. see B. Sun, 3277
 Jiang, D. see Y. Sheng, 1763
 Jiang, H. see Z. Gu, 981
 Jiang, H.-L. see Y.-X. Wang, 558
 Jiang, K. see Y. Liu, 4318
 Jiang, M.T. see M. Ljubkovic, 4255
 Jiang, Z.-F. see X.-L. Dai, 1269
 Jiang, Z.Y. see Q.T. Gao, 233
 Jiang, Z.Y. see Q.T. Gao, 5087
 Jin, C., A. Barrientos, C.B. Epstein, R.A. Butow and A. Tzagoloff, *SIT4* regulation of Mig1p-mediated catabolite repression in *Saccharomyces cerevisiae*, 5658
 Jin, W., G. Di, J. Li, Y. Chen, W. Li, J. Wu, T. Cheng, M. Yao and Z. Shao, TIEG1 induces apoptosis through mitochondrial apoptotic pathway and promotes apoptosis induced by homoharringtonine and velcade, 3826
 Jinno, M. see A. Hikosaka, 3013
 Jinno, S. see Q. Kan, 5879
 Joe, S.-G. see S.-H. Jeon, 5929
 Joe, Y.A. see J.-M. Ha, 2663
 Johansson, S. see C. Lundin, 3809
 Johnson, A.E. see C. Lundin, 3809
 Johnson, E.A. see S. Pellett, 4803
 Johnson, M.S. see M. Tulla, 2434
 Johnson, S. see D. Sweetman, 4165
 Jomaa, H. see D. Adedeji, 279
 Jonckheere, V. see S. Dhaese, 4809
 Jones, A.M. see G.F.E. Scherer, 4205
 Jones, C.E. see A.C. Badrick, 4663
 Jones, D.D. see A.M. Simm, 3904
 Jones, E.Y. see M. Crispin, 1963
 Joo, S.-h. see H.-W. Kang, 5774
 Joshi, M.B. see S. Ghosh, 4523
 Jouandot II, D. see S. Pasula, 3230
 Jovin, T.M. see M.M. Echarte, 2905
 Jowitt, T. see P.D. Thompson, 1233
 Ju, D., X. Wang, H. Xu and Y. Xie, The armadillo repeats of the Ufd4 ubiquitin ligase recognize ubiquitin-fusion proteins, 265
 Juan, H.-F. see T.-C. Huang, 3517
 Jules, M. and C. Buchrieser, *Legionella pneumophila* adaptation to intracellular life and the host response: Clues from genomics and transcriptomics, 2829
 Juliano, L. see C.X. Moss, 5635
 Jun, H.-O., Y. Kim, Y.-W. Kwon, S.-S. Hong, K.-W. Kim, J. Shin and T.-Y. Kim, Wondonin, a novel compound, inhibits hypoxia-induced angiogenesis through hypoxia-inducible factor 1 alpha, 4977
 Jung, H.-I. see S.-H. Hong, 5396
 Jung, I.D., C.-M. Lee, Y.-I. Jeong, J.S. Lee, W.S. Park, J. Han and Y.-M. Park, Differential regulation of indoleamine 2,3-dioxygenase by lipopolysaccharide and interferon gamma in murine bone marrow derived dendritic cells, 1449
 Jung, I.D. see J.S. Lee, 57
 Jung, S.H. see T.-H. Kim, 4899
 Jung, Y.-S., H.-Y. Kim, Y.J. Lee and E. Kim, Subcellular localization of Daxx determines its opposing functions in ischemic cell death, 843
 Juszcyk, P. see P. Stańczak, 4544
 Jürgensen, V.W. see K. Modig, 4965
- ## K
- Kabe, Y. see M. Yugami, 1
 Kabra, D.G. see K. Tikoo, 2027
 Kabra, D.G. see K. Tikoo, 1071
 Kaczanowski, S. see J. Orlowski, 52
 Kadmon, J. see Y. Tsfadia, 1243
 Kadowaki, T. see S. Kanaji, 4260
 Kagamu, H. see M. Watanabe, 2017
 Kagawa, T. and N. Suetsugu, Photometrical analysis with photosensory domains of photoreceptors in green algae, 368
 Kai, M. see S. Yasuda, 551
 Kai, M., Y. Fujita, Y. Maeda, N. Nakata, S. Izumi, I. Yano and M. Makino, Identification of trehalose dimycolate (cord factor) in *Mycobacterium leprae*, 3345
 Kaiser, P. see S.M. Harrison, 1275
 Kajihara, H. see S.-i. Ito, 3217
 Kajita, E. see T. Nishiya, 3223
 Kajiume, T., L. Yuge, Y. Kawahara, R. Yoshimoto, A. Sasaki, T. Ide, M. Asashima, K. Kataoka and M. Kobayashi, Floating culture promotes the maintenance of hematopoietic stem cells, 4645
 Kajiya, K. see D. Xu, 5227
 Kakinuma, Y. see M. Kuwabara, 4821
 Kaldenhoff, R. see A. Bertl, 5413
 Kaliappan, S. see P.S. Bora, 1977
 Käll, L. see C. Lundin, 5601
 Kalla, C. see G. Guigas, 5094
 Kamachi, F., M. Yanai, H.S. Ban, K. Ishihara, J. Hong, K. Ohuchi and N. Hirasawa, Involvement of Na⁺/H⁺ exchangers in induction of cyclooxygenase-2 by vacuolar-type (H⁺)-ATPase inhibitors in RAW 264 cells, 4633
 Kamatari, Y.O., H.K. Nakamura and K. Kuwata, Strange kinetic phase in the extremely early folding process of β-lactoglobulin, 4463
 Kamdar, O. see J. Zhang, 4148
 Kamei, Y., T. Suganami, T. Kohda, F. Ishino, K. Yasuda, S. Miura, O. Ezaki and Y. Ogawa, *Peg11/Mest* in obese adipose tissue is expressed from the paternal allele in an isoform-specific manner, 91
 Kameoka, M. see T.S. Lau, 3253
 Kametani, F. see A. Masad, 3489
 Kameyama, A. see M.K. Kaneko, 331
 Kamijo, R. see A. Miyazono, 5321
 Kamińska, J., M. Sedek, M. Wysocka-Kapcińska and T. Żołądek, Characterization of nuclear localization and nuclear export signals of yeast actin-binding protein Pan1, 5371
 Kaminska, M., M. Francin, V. Shalak and M. Mirande, Role of HIV-1 Vpr-induced apoptosis on the release of mitochondrial lysyl-tRNA synthetase, 3105
 Kamiya, N. see K. Kawakami, 4983
 Kan, Q., S. Jinno, H. Yamamoto and H. Okayama, Chemical DNA damage activates p21^{WAF1/CIP1}-dependent intra-S checkpoint, 5879
 Kanai, A. see Y. Watanabe, 4603
 Kanaji, S., Y. Tanaka, Y. Sakata, K. Takeshita, K. Arima, S. Ohta, E.J. Hansell, C. Caffrey, J.C. Mottram, J. Lowther, S. Donnelly, C. Stack, T. Kadowaki, K. Yamamoto, J.H. McKerrow, J.P. Dalton, G.H. Coombs and K. Izuhara, Squamous cell carcinoma antigen 1 is an inhibitor of parasite-derived cysteine proteases, 4260
 Kanaya, S. see C. Angkawidjaja, 5060
 Kanazawa, H. see M. Watanabe, 2017
 Kaneko, M. see Y. Kume, 1631

- Kaneko, M., S. Yasui, Y. Niinuma, K. Arai, T. Omura, Y. Okuma and Y. Nomura, A different pathway in the endoplasmic reticulum stress-induced expression of human HRD1 and SEL1 genes, 5355
- Kaneko, M.K., Y. Kato, A. Kameyama, H. Ito, A. Kuno, J. Hirabayashi, T. Kubota, K. Amano, Y. Chiba, Y. Hasegawa, I. Sasagawa, K. Mishima and H. Narimatsu, Functional glycosylation of human podoplanin: Glycan structure of platelet aggregation-inducing factor, 331
- Kaneko, S. see N. Hiraga, 1983
- Kang, H.-S. see S.-H. Jeon, 5929
- Kang, H.-W., H.-J. Moon, S.-h. Joo and J.-H. Lee, Histidine residues in the IS3-IS4 loop are critical for nickel-sensitive inhibition of the Ca_v2.3 calcium channel, 5774
- Kang, H.S. see Y.-S. Kim, 858
- Kang, J., M.S. Lee, S.J. Watowich and D.G. Gorenstein, Combinatorial selection of a RNA thioaptamer that binds to Venezuelan equine encephalitis virus capsid protein, 2497
- Kang, J.-H., C.-S. Kim, I.-S. Han, T. Kawada and R. Yu, Capsaicin, a spicy component of hot peppers, modulates adipokine gene expression and protein release from obese-mouse adipose tissues and isolated adipocytes, and suppresses the inflammatory responses of adipose tissue macrophages, 4389
- Kang, J.H. see J.H. Kim, 623
- Kang, K.A., K.H. Lee, J.W. Park, N.H. Lee, H.K. Na, Y.J. Surh, H.J. You, M.H. Chung and J.W. Hyun, Triphloretol-A induces heme oxygenase-1 via activation of ERK and NF-E2 related factor 2 transcription factor, 2000
- Kang, W.-H., Y.-D. Park, J.-S. Hwang and H.-M. Park, RNA-binding protein Csx1 is phosphorylated by LAMMER kinase, Lkh1, in response to oxidative stress in *Schizosaccharomyces pombe*, 3473
- Kang, W.K. see C. Park, 3800
- Kannagi, M. see M. Washiyama, 5207
- Kannenbergh, F. see T. Engel, 1673
- Kanoh, H. see S. Yasuda, 551
- Kanwischer, M. see N. Schenk, 5517
- Kanzawa, N. see M. Washiyama, 5207
- Kao, J.P.Y. see E. de Leeuw, 515
- Kao, M.-C. see T.-C. Chuang, 4443
- Kaplan, B., T. Sherman and H. Fromm, Cyclic nucleotide-gated channels in plants, 2237
- Kapp, K. see C. Lundin, 5601
- Kappler, U. see A.C. Badrick, 4663
- Kapulkin, W.J., B.G. Hiester and C.D. Link, Corrigendum to "Compensatory regulation among ER chaperones in *C. elegans*" [FEBS Lett. 579 (2005) 3063-3068], 5952
- Kapus, A. see T.Y. El Sayegh, 167
- Käpylä, J. see M. Tulla, 2434
- Karafoulidou, A. see P. Tsitoura, 4049
- Karande, A.A. see B.L. Poornima, 4366
- Karapetyan, N.V. see M.G. Rakhimberdieva, 2429
- Karar, J., K.S. Dolt, M.K. Mishra, E. Arif, S. Javed and M.A.Q. Pasha, Expression and functional activity of pro-oxidants and antioxidants in murine heart exposed to acute hypobaric hypoxia, 4577
- Karlsson, E. see E. Cuypers, 1699
- Karnik, S.S. see C. Lee, 2517
- Kasai, A. see Y. Takano, 421
- Kasai, A. see N. Hiramatsu, 2055
- Kashima, I. see I. Behm-Ansmant, 2845
- Kashiwagi, A. see T. Takemoto, 218
- Kashiwagi, A. see Y. Morita, 3579
- Kashiwagi, A. see Y. Morita, 1417
- Kasinath, B.S. see F. Das, 5259
- Kasinathan, R.S., M. Föller, C. Lang, S. Koka, F. Lang and S.M. Huber, Oxidation induces ClC-3-dependent anion channels in human leukaemia cells, 5407
- Kataoka, K. see T. Kajjume, 4645
- Katare, R.G. see M. Kuwabara, 4821
- Kato, N. see T. Takenouchi, 3019
- Kato, N. see N. Yanaka, 712
- Kato, S., Y. Mohri, T. Matsuo, E. Ogawa, A. Umezawa, R. Okuyama and K. Nishimori, Eye-open at birth phenotype with reduced keratinocyte motility in LGR4 null mice, 4685
- Kato, Y. see M.K. Kaneko, 331
- Kato, Y. see Y. Onda, 5852
- Katsube, K.-i. see H. Ota, 5220
- Kawada, T. see J.-H. Kang, 4389
- Kawahara, A. see A. Hikosaka, 3013
- M. Kawahara, Q. Wu, A.C. Ferguson-Smith and T. Kono, Appropriate expression of imprinted genes on mouse chromosome 12 extends development of bi-maternal embryos to term, 5178
- Kawahara, Y. see T. Kajjume, 4645
- Kawai-Yamada, M. see R. Oshima, 4627
- Kawaide, H. see K.-i. Hayashi, 2748
- Kawakami, A. see M. Tani, 4621
- Kawakami, A. see M. Deushi, 5664
- Kawakami, K. see T. Shibano, 4333
- Kawakami, K., M. Iwai, M. Ikeuchi, N. Kamiya and J.-R. Shen, Location of PsbY in oxygen-evolving photosystem II revealed by mutagenesis and X-ray crystallography, 4983
- Kawamichi, H. see D. Xu, 5227
- Kawamoto, H. see T. Yotsui, 427
- Kawamoto, R. see T. Yamamoto, 5234
- Kawanaka, M. see T. Hitomi, 1087
- Kawasaki, S., M. Ono, Y. Watamura, Y. Sakai, T. Satoh, T. Arai, J. Satoh and Y. Niimura, An O₂-inducible rubrerythrin-like protein, rubperoxin, is functional as a H₂O₂ reductase in an obligatory anaerobe *Clostridium acetobutylicum*, 2460
- Kawase, Y. see S. Masada, 2562
- Kazachkov, M. see Q. Chen, 5511
- Keay, S.K. see J. Kim, 3795
- Kedzierski, W. see A. McMahon, 5459
- Keicho, N. see M. Watanabe, 2017
- Keller, F. see E.M. Tapernoux-Lüthi, 1811
- Keller, J.N. see L. Zhang, 5543
- Kelly, A.P. see C. David Wood, 3494
- Kelly, S.M. see E. Schmidt, 2974
- Kelsall, I.R., S. Munro, I. Hallyburton, J.L. Treadway and P.T.W. Cohen, The hepatic PP1 glycogen-targeting subunit interaction with phosphorylase *a* can be blocked by C-terminal tyrosine deletion or an indole drug, 4749
- Kempf, C. see T. Kremer, 4727
- Kenney, S.C. see F. Yu, 3485
- Kenngott, C. see C. Böhmer, 5586
- Keogh, A. see S. Sibold, 989
- Kerkhoff, C. see W. Nacken, 5127
- Kerner, J., P.E. Minkler, E.J. Lesnefsky and C.L. Hoppel, Fatty acid chain-elongation in perfused rat heart: Synthesis of stearyl carnitine from perfused palmitate, 4491
- Kersten, S. see N. Wieneke, 5617
- Kessi, E. see A. Preller, 663
- Kestler, H.A. see C. Wawra, 4043
- Kestler, H.A. see R. Anton, 5247
- Keyser, J., M. Lorger, J. Pavlovic, G. Radziwill and K. Moelling, Role of AF6 protein in cell-to-cell spread of Herpes simplex virus 1, 5349
- Khambay, B.P.S. see P.N.R. Usherwood, 5485
- Khatypov, R.A. see T.Y. Fufina, 5769
- Khawn, H. see S. Seibeck, 5425
- Khoo, U.S. see L.W.T. Cheung, 4668
- Khorobrykh, S. see B. Ivanov, 1342
- Khurana, T.S. see U. Basu, 4153
- Kida, Y. see D. Miura, 2541
- Kiefer, P. see C. Nicolas, 3771
- Kiel, J.A.K.W. see B. de Vries, 5627
- Kielbiński, M. see E. Gocek, 1751
- Kigawa, T. see S. Ohnishi, 462
- Kihara, S. see H. Oku, 5029
- Kikuchi, A. see T. Hasegawa, 406
- Kikuchi, R., S. Sobue, M. Murakami, H. Ito, A. Kimura, T. Iwasaki, S. Shibayama, A. Takagi, T. Kojima, M. Suzuki, Y. Banno, Y. Nozawa and T. Murate, Mechanism of vitamin D₃-induced transcription of phospholipase D1 in HaCat human keratinocytes, 1800
- Killian, J.A. see M. Raja, 5715
- Kim, B.-H. see J.S. Lee, 57
- Kim, B.-M., J.Y. Choi, Y.-J. Kim, H.-D. Woo and H.W. Chung, Reoxygenation following hypoxia activates DNA-damage checkpoint signaling pathways that suppress cell-cycle progression in cultured human lymphocytes, 3005
- Kim, C.-S. see J.-H. Kang, 4389
- Kim, C.D. see S.J. Lee, 4189
- Kim, C.Y. see S.M. Lee, 3943
- Kim, D. see S. Ahn, 3455
- Kim, D.-E. see K.-S. Kim, 5733
- Kim, D.-E. see K.-S. Kim, 4065
- Kim, D.H. see H.-L. Kim, 5430
- Kim, E. see Y.-S. Jung, 843
- Kim, G.-B. see S.-H. Jeon, 5929
- Kim, G.Y. see D.H. Choi, 1649
- Kim, H.-J. see M.-D. Seo, 65

- Kim, H.-L., Y.K. Choi, D.H. Kim, S.O. Park, J. Han and Y.S. Park, Tetrahydropteridine deficiency impairs mitochondrial function in *Dictyostelium discoideum* Ax2, 5430
- Kim, H.-S. see H.-o. Lee, 5640
- Kim, H.-Y. see Y.-S. Jung, 843
- Kim, H.S. see S.M. Lee, 3943
- Kim, I.-H. see S.-H. Hong, 5396
- Kim, I.-S. see S.-H. Jeon, 5929
- Kim, J. see K.M. Seong, 2567
- Kim, J., S.K. Keay, J.D. Dimitrakov and M.R. Freeman, p53 mediates interstitial cystitis antiproliferative factor (APF)-induced growth inhibition of human urothelial cells, 3795
- Kim, J.-H. see S. Pasula, 3230
- Kim, J.-I. see J.S. Lee, 57
- Kim, J.-R. see J.-G. Lee, 787
- Kim, J.-S. see S.-H. Jeon, 5929
- Kim, J.-W. see S.-R. Won, 4999
- Kim, J.H., W.S. Kim, J.H. Kang, H.-Y. Lim, Y.-H. Ko and C. Park, Egr-1, a new downstream molecule of Epstein-Barr virus latent membraneprotein 1, 623
- Kim, J.H. see M.-K. Kim, 1917
- Kim, J.I. see S.-T. Yang, 157
- Kim, J.M. see K.S. Park, 4411
- Kim, J.Y. see S.-y. Kim, 865
- Kim, K. see R. Tatum, 3887
- Kim, K.-H., Y.S. Cho, J.-M. Park, S.-O. Yoon, K.-W. Kim and A.-S. Chung, Pro-MMP-2 activation by the PPAR γ agonist, ciglitazone, induces cell invasion through the generation of ROS and the activation of ERK, 3303
- Kim, K.-S., W.-H. Choi, B.-R. Choi, S. Oh, S.S. Yea, M.-Y. Yoon and D.-E. Kim, Replication of an RNA ligase ribozyme under alternating temperature condition, 4065
- Kim, K.-S., W.-H. Choi, B.-R. Choi, S. Oh, S.S. Yea, M.-Y. Yoon and D.-E. Kim, Retraction notice to "Replication of an RNA ligase ribozyme under alternating temperature condition" [FEBS Lett. 581 (2007) 4065-4072], 5733
- Kim, K.-W. see K.-H. Kim, 3303
- Kim, K.-W. see H.-O. Jun, 4977
- Kim, K.H. see S. Kim, 3869
- Kim, K.H. see S.J. Lee, 4189
- Kim, K.M. see S.E. Park, 180
- Kim, K.M. see S.J. Myung, 2954
- Kim, K.M. see N. Oh, 5158
- Kim, K.T. see S.-H. Hong, 5396
- Kim, K.W., Z. Wang, J. Busby, T. Tsuruda, M. Chen, C. Hale, V.M. Castro, S. Svensson, R. Nybo, F. Xiong and M. Wang, The selectivity of tyrosine 280 of human 11 β -hydroxysteroid dehydrogenase type 1 in inhibitor binding, 995
- Kim, M.-K., D.S. Min, Y.J. Park, J.H. Kim, S.H. Ryu and Y.-S. Bae, Expression and functional role of formyl peptide receptor in human bone marrow-derived mesenchymal stem cells, 1917
- Kim, M.-K. see K.S. Park, 4411
- Kim, M.-R. see J.-M. Ha, 2663
- Kim, N.-S. see S.-H. Jeon, 5929
- Kim, N.D. see S.E. Park, 180
- Kim, S. and K. Shah, Dissecting yeast Hog1 MAP kinase pathway using a chemical genetic approach, 1209
- Kim, S., Y. Kim, Y. Lee, K.H. Cho, K.H. Kim and J.H. Chung, Cholesterol inhibits MMP-9 expression in human epidermal keratinocytes and HaCaT cells, 3869
- Kim, S.-H. see S.-y. Kim, 865
- Kim, S.-J. see S.-H. Jeon, 5929
- Kim, S.-y., J.Y. Kim, S.-H. Kim, H.J. Bae, H. Yi, S.H. Yoon, B.S. Koo, M. Kwon, J.Y. Cho, C.-E. Lee and S. Hong, Surfactin from *Bacillus subtilis* displays anti-proliferative effect via apoptosis induction, cell cycle arrest and survival signaling suppression, 865
- Kim, S.-Z. see S.-H. Jeon, 5929
- Kim, S.A. and M.L. Guerinot, Mining iron: Iron uptake and transport in plants, 2273
- Kim, S.D. see K.S. Park, 4411
- Kim, S.Y., L.-Y. Chen, W.H. Yiu, D.A. Weinstein and J.Y. Chou, Neutrophilia and elevated serum cytokines are implicated in glycogen storage disease type Ia, 3833
- Kim, T.-g. see M.R. Mysliwiec, 2633
- Kim, T.-H., S.H. Jung and K.-H. Cho, Interlinked mutual inhibitory positive feedbacks induce robust cellular memory effects, 4899
- Kim, T.-Y. see H.-O. Jun, 4977
- Kim, W. see S.J. Myung, 2954
- Kim, W.S. see J.H. Kim, 623
- Kim, Y. see H.-O. Jun, 4977
- Kim, Y. see S. Kim, 3869
- Kim, Y. see H.K. Roy, 3857
- Kim, Y.-H. see S.-H. Hong, 5396
- Kim, Y.-J. see B.-M. Kim, 3005
- Kim, Y.-M. see S.-R. Won, 4999
- Kim, Y.-S., H.S. Kang and A.M. Jetten, The Krüppel-like zinc finger protein Glis2 functions as a negative modulator of the Wnt/ β -catenin signaling pathway, 858
- Kim, Y.-S. see E.-S. Lee, 4325
- Kim, Y.G. see S.-S. Nah, 1928
- Kim, Y.K. see N. Oh, 5158
- Kimura, A. see R. Kikuchi, 1800
- Kimura, H. see T. Takemoto, 218
- Kimura, Y. see T. Yoshio, 3777
- Kindler, S. see M. Christenn, 5173
- Kini, H.K. and S.P. Walton, In vitro binding of single-stranded RNA by human Dicer, 5611
- Kinjo, M. see S. Mikuni, 389
- Kinoshita, H. see S. Seibeck, 5425
- Kinpara, S. see M. Washiyama, 5207
- Kirsch, J. see T. Kremer, 4727
- Kirschner, R. see K. Rother, 1166
- Kirtane, B.M. see S.N. Garcia, 5275
- Kischel, I. see R. Grempler, 5885
- Kishi, A. see Y. Watanabe, 4603
- Kishi, H. see D. Xu, 5227
- Kishi, K. see H. Furochi, 5743
- Kisko, K. see G.R. Szilvay, 2721
- Kita, T. see N. Arakaki, 3405
- Kitagaki, H., Y. Araki, K. Funato and H. Shimoi, Ethanol-induced death in yeast exhibits features of apoptosis mediated by mitochondrial fission pathway, 2935
- Kitamura, M. see Y. Takano, 421
- Kitamura, M. see N. Hiramatsu, 2055
- Kitamura, S. see S. Ohnishi, 3961
- Kitamura, Y. see K. Takata, 475
- Kitani, H. see T. Takenouchi, 3019
- Kiyonari, H. see T. Chan, 2691
- Klare, J.P. see N. Mennes, 1487
- Klaus, F. see C. Böhmer, 5586
- Klein, J.-C. see G. Sihm, 962
- Klein, K.A. see A.D. Hoptak-Solga, 3297
- Klement, E. see B. Varga, 4783
- Klewpatinond, M. and J.H. Viles, Empirical rules for rationalising visible circular dichroism of Cu²⁺ and Ni²⁺ histidine complexes: Applications to the prion protein, 1430
- Kliemann, M. see A. Hauburger, 4159
- Klipp, E. see Z. Zi, 4589
- Klocke, D.J. see B. Ganguly, 5723
- Klompaker, S.H. see K.B. Moscicka, 1758
- Klopstock, N., C. Levy, D. Olam, E. Galun and D. Goldenberg, Testing transgenic regulatory elements through live mouse imaging, 3986
- Klotman, M.E. see T.L. Chang, 4596
- Klotz, M.G. see B.O. Elmore, 911
- Klyuyeva, A., A. Tuganova and K.M. Popov, Amino acid residues responsible for the recognition of dichloroacetate by pyruvate dehydrogenase kinase 2, 2988
- Knecht, E. see I. Esteban, 3415
- Knemeyer, J.-P. see A. Friedrich, 1644
- Knight, R.A. see S.M. Soond, 1217
- Knoop, V. see V. Salone, 4132
- Knorpp, C. see J. Hammargren, 3507
- Knott, J.M., P. Rmer and M. Sumper, Putative spermine synthases from *Thalassiosira pseudonana* and *Arabidopsis thaliana* synthesize thermospermine rather than spermine, 3081
- Ko, K.M., W. Lee, J.-R. Yu and J. Ahnn, PYP-1, inorganic pyrophosphatase, is required for larval development and intestinal function in *C. elegans*, 5445
- Ko, Y.-H. see J.H. Kim, 623
- Koay, A., K.A. Rimmer, H.D.T. Mertens, P.R. Gooley and D. Stapleton, Oligosaccharide recognition and binding to the carbohydrate binding module of AMP-activated protein kinase, 5055
- Kobayashi, H. see H. Nitta, 5935
- Kobayashi, M. see A. Miyazono, 5321
- Kobayashi, M. see T. Kajume, 4645
- Kobayashi, N. see T. Ishii, 349
- Kobayashi, S. see D. Xu, 5227
- Kobayashi, T., D. Zadravec and A. Jacobsson, ELOVL2 overexpression enhances triacylglycerol synthesis in 3T3-L1 and F442A cells, 3157

- Koder, A. see N. Mitro, 1721
 Koerkamp, E.K. see L. Wieten, 3716
 Koetsier, J.L. see H.K. Roy, 3857
 Koga, Y. see C. Angkawidjaja, 5060
 Kohda, T. see Y. Kamei, 91
 Köhler, U. see D. Adedeji, 279
 Koike, C. see F. Hosseinpour, 4937
 Koinuma, S. see I. Yamanaka, 4098
 Koiwa, H. see Y. Onda, 5852
 Kojima, D. see M. Torii, 5327
 Kojima K. and H. Nakamoto, A novel light- and heat-responsive regulation of the *groE* transcription in the absence of HrcA or CIRCE in cyanobacteria, 1871
 Kojima, T. see R. Kikuchi, 1800
 Koka, S. see R.S. Kasinathan, 5407
 Kolanczyk, M. see T. Zemojtel, 2072
 Kolar, F. see P. Flachs, 1093
 Kolesnick, R.N. see S. Lahiri, 5289
 Kolesnikova, O. see I. Brandina, 4248
 Kolly, C., A. Zakher, C. Strauss, M.M. Suter and E.J. Müller, Keratinocyte transcriptional regulation of the human c-Myc promoter occurs via a novel Lef/Tcf binding element distinct from neoplastic cells, 1969
 Komiya, J. see H. Hiura, 1255
 Koncz, C. see M. Garzón, 3189
 Kondo, K. see M. Tani, 4621
 Kondow, A. see T. Chan, 2691
 Kong, S.-K. see J.C.-K. Lui, 109
 T. Konno, S. Oiki and T. Morii, Synergistic action of polyanionic and non-polar cofactors in fibrillation of human islet amyloid polypeptide, 1635
 Kono, T. see H. Hiura, 1255
 Kono, T. see M. Kawahara, 5178
 Kontogianni-Konstantopoulos, A. see A.L. Bowman, 1549
 Kontsekkova, E. see B. Kovacech, 617
 Koo, B.S. see S.-y. Kim, 865
 Kopecky, J. see P. Flachs, 1093
 Kopecky, P. see P. Flachs, 1093
 Kopera, E. see M. Adamczyk, 1409
 Korcsmáros, T. see C. Böde, 2776
 Korcsmáros, T. see M.S. Szalay, 3675
 Kordys, D.R., B.G. Bobay, R.J. Thompson, R.A. Venters and J. Cavanagh, Peptide binding proclivities of calcium loaded calbindin-D28k, 4778
 Korhonen, T.K. see P. Ramu, 1716
 Korinek, A. see S. Nickell, 2751
 Korkmaz, B. see E. Hajjar, 5685
 Körner, C. see M. Sarić, 1369
 Koropatnick, J. see Z.-M. Liu, 2465
 Korsmeyer, S.J. see A. Ruiz-Vela, 3422
 Koruth, M. see C.J. Marek, 781
 Koseki, M. see H. Oku, 5029
 Koshiha, S. see S. Ohnishi, 462
 Koshman, Y.E. see S.E. Senyo, 4241
 Kossler, N. see T. Zemojtel, 2072
 Kossmann, J. see H. Gu, 579
 Koteiche, H.A., M.S. Kumar and H.S. Mchaourab, Analysis of β B1-crystallin unfolding equilibrium by spin and fluorescence labeling: Evidence of a dimeric intermediate, 1933
 Koteiche, H.A. see H.S. Mchaourab, 1939
 Kotlyar, A. see N. Borovok, 5843
 Koukielekolo, R., S.M. Sagan and J.P. Pezacki, Effects of pH and salt concentration on the siRNA binding activity of the RNA silencing suppressor protein p19, 3051
 Kovacech, B., E. Kontsekkova, N. Zilka, P. Novak, R. Skrabana, P. Filipek, K. Iqbal and M. Novak, A novel monoclonal antibody DC63 reveals that inhibitor 1 of protein phosphatase 2A is preferentially nuclearly localised in human brain, 617
 Kovács, I.A. see C. Böde, 2776
 Kovács, I.A. see M.S. Szalay, 3675
 Kovacs, D.M. see H.J. Huttunen, 1688
 Kovalevskiy, O.V. see E.A. Rodikova, 1190
 Kovári, J. see B. Varga, 4783
 Kowalinski, E., G. Bange, B. Bradatsch, E. Hurt, K. Wild and I. Sinning, The crystal structure of Ebp1 reveals a methionine aminopeptidase fold as binding platform for multiple interactions, 4450
 Koya, D. see Y. Morita, 1417
 Koya, D. see Y. Morita, 3579
 Koyama, M. see T. Hitomi, 1087
 Kozawa, O. see H. Tokuda, 1311
 Kozłowski, H. see P. Stańczak, 4544
 Kozminsky-Atias, A., E. Somech and N. Zilberberg, Isolation of the first toxin from the scorpion *Buthus occitanus israelis* showing preference for *Shaker* potassium channels, 2478
 Krag, T.O.B. see U. Basu, 4153
 Kragelund, B.B. see J.R. Bjelke, 71
 Krämer, U., I.N. Talke and M. Hanikenne, Transition metal transport, 2263
 Krashennnikov, I.A. see I. Brandina, 4248
 Krauß, M. and V. Haucke, Phosphoinositides: Regulators of membrane traffic and protein function, 2105
 Krüsslich, H.-G. see S. Welsch, 2089
 Kreher, S.A. see C. Lundin, 5601
 Kreienkamp, H.-J. see M. Christenn, 5173
 Kremer, L. see E. Eläss, 1383
 Kremer, T., C. Kempf, N. Wittenmayer, R. Nawrotzki, T. Kuner, J. Kirsch and T. Dresbach, Mover is a novel vertebrate-specific presynaptic protein with differential distribution at subsets of CNS synapses, 4727
 Krendel, M., E.K. Osterweil and M.S. Mooseker, Myosin 1E interacts with synaptojanin-1 and dynamin and is involved in endocytosis, 644
 Kretz-Remy, C. see A.-P. Arrigo, 3665
 Kreuter, J. see H. Ogbomo, 1317
 Krieger-Liszkay, A. see B.B. Fischer, 5555
 Krohn, R. see M. Dewor, 4734
 Krömer, J. see C. Nicolas, 3771
 Krupitza, G. see K.W. Sommer, 4921
 Krysan, P. see S.-H. Su, 3171
 Kubarek, L. and P.P. Jagodzinski, Epigenetic up-regulation of CXCR4 and CXCL12 expression by 17 β -estradiol and tamoxifen is associated with formation of DNA methyltransferase 3B4 splice variant in Ishikawa endometrial adenocarcinoma cells, 1441
 Kubo, T. see Y. Uno, 97
 Kubota, T. see M.K. Kaneko, 331
 Kuchler, K. see H. Feldmann, 2749
 Kühl, M. see R. Anton, 5247
 Kühl, M. see C. Wawra, 4043
 Kuhlmann, J. see M. Sarić, 1369
 Kuipers, F. see B. Cariou, 5191
 Kulikova, N. see K.A. Nałęcz, 3950
 Kumar, C. see M.B. Toledano, 4549
 Kumar, C. see M.B. Toledano, 3598
 Kumar, M.S. see H.S. Mchaourab, 1939
 Kumar, M.S. see H.A. Koteiche, 1933
 Kume, Y., H. Ikeda, M. Inoue, K. Tejima, T. Tomiya, T. Nishikawa, N. Watanabe, T. Ichikawa, M. Kaneko, S. Okubo, H. Yokota, M. Omata, K. Fujiwara and Y. Yatomi, Hepatic stellate cell damage may lead to decreased plasma ADAMTS13 activity in rats, 1631
 Kumeda, K. see M. Ishibashi, 4073
 Kuna, M. see N. Wieneke, 5617
 Kuner, T. see T. Kremer, 4727
 Kunihiro, S. see M. Tamura, 4533
 Kuno, A. see M.K. Kaneko, 331
 Kunst, L. see O. Rowland, 3538
 Kunte, D.P. see H.K. Roy, 3857
 Kunze, B., F. Sasse, H. Wiczorek and M. Huss, Cruentaren A, a highly cytotoxic benzolactone from *Myxobacteria* is a novel selective inhibitor of mitochondrial F_1F_0 -ATPases, 3523
 Kuo, C.-J. see C.-C. Lee, 5454
 Kurganov, B. see N. Golub, 4223
 Kuriyama, S. see H. Iwama, 1805
 Kurokawa, R. see S. Arai, 5649
 Kurtz, I. see S. Ryazantsev, 1898
 Kuruppu, S., S. Reeve and A. Ian Smith, Characterisation of endothelin converting enzyme-1 shedding from endothelial cells, 4501
 Kutay, U. see I. Zemp, 2783
 Kuwabara, M., Y. Kakinuma, R.G. Katare, M. Ando, F. Yamasaki, Y. Doi and T. Sato, Granulocyte colony-stimulating factor activates Wnt signal to sustain gap junction function through recruitment of β -catenin and cadherin, 4821
 Kuwahara-Arai, K. see T. Murakami, 140
 Kuwahara, K. see C. Angkawidjaja, 5060
 Kuwata, K. see Y.O. Kamatari, 4463
 Kwon, M. see S.-y. Kim, 865
 Kwon, Y.-W. see H.-O. Jun, 4977

L

- Labarre, J. see D. Azevedo, 187
 Labrecque, P. see P. Giguère, 3863
 Lafay-Chebassier, C. see S. Ingrand, 4473
 Lagarde, M. see B. Zarrouki, 2394
 Laguillier, C., A.T. Hbib, F. Baran-Marszak, V. Metelev, A. Cao, F. Cymbalista, A. Bogdanov Jr. and R. Fagard, Cell death in NF- κ B-dependent tumour cell lines as a result of NF- κ B trapping by linker-modified hairpin decoy oligonucleotide, 1143
 Lahesmaa, R. see M. Mullin, 4309
 Lahiri, S., H. Lee, J. Mesicek, Z. Fuks, A. Haimovitz-Friedman, R.N. Kolesnick and A.H. Futerman, Kinetic characterization of mammalian ceramide synthases: Determination of K_m values towards sphinganine, 5289
 Lähteenmäki, K. see P. Ramu, 1716
 Lai, L.-P. see C.-H. Pan, 526
 Lajeunesse, E. see A. Perier, 5480
 Lakshmi, B.S. see J.J. James, 4377
 Lakshminarayanan, S. see R. Raghuraj, 826
 Lakso, M. see S. Asikainen, 5050
 Lalonde, S. see H. Gu, 579
 Lamaze, C. see M. Gibert, 1287
 Lambert, N.A. see M.A. Clark, 764
 Lambrechts, A. see D. Polet, 211
 Lammertyn, E. see E. De Buck, 259
 Lamosa, P. see F. Santos, 4865
 Lamour, N. see P. Mitra, 735
 Lamparter, T. see S. Seibeck, 5425
 Lan, M.S. see M.B. Breslin, 949
 Lang, C. see R.S. Kasinathan, 5407
 Lang, F. see C. Böhmer, 5586
 Lang, F. see R.S. Kasinathan, 5407
 Langel, Ü. see E. Bárány-Wallje, 2389
 Langer, J.D., E.H. Stoops, J. Béthune and F.T. Wieland, Conformational changes of coat proteins during vesicle formation, 2083
 Langhorst, M.F., G.P. Solis, S. Hannbeck, H. Plattner and C.A.O. Stuermer, Linking membrane microdomains to the cytoskeleton: Regulation of the lateral mobility of reggie-1/flotillin-2 by interaction with actin, 4697
 Lania, L. see S. Amente, 821
 Lanni, A. see A. Lombardi, 5911
 Lara, F.A. see J.B.R. Corrêa Soares, 1742
 Lareu, R.R., K.H. Subramhanya, Y. Peng, P. Benny, C. Chen, Z. Wang, R. Rajagopalan and M. Raghunath, Collagen matrix deposition is dramatically enhanced *in vitro* when crowded with charged macromolecules: The biological relevance of the excluded volume effect, 2709
 Larkum, A.W.D. see S. Santabarbara, 1567
 Laroche, G. see P. Giguère, 3863
 Larsen, R.W. see A. Mokdad, 4512
 Larsson, O. see J.T. Deeney, 4080
 Lascoux, D. see M. Sendra, 1362
 Latchman, D.S. see M. Calissano, 2490
 Latchman, D.S. see S.M. Soond, 1217
 Lau, K.-H.W. see J.H. Yang, 2503
 Lau, T.S., Y. Li, M. Kameoka, T.B. Ng and D.C.C. Wan, Suppression of HIV replication using RNA interference against HIV-1 integrase, 3253
 Laufer, J. see C. Böhmer, 5586
 Laugier, E. see C. Vieira Dos Santos, 4371
 Launholt, D., J.T. Grønlund, H.K. Nielsen and K.D. Grasser, Overlapping expression patterns among the genes encoding *Arabidopsis* chromosomal high mobility group (HMG) proteins, 1114
 Laurent, K. see M. Aouadi, 5591
 Laurent, M. see C. Wolfrom, 125
 Lauro, C. see C. Limatola, 2641
 Lax, S., T.Z. Hou, E. Jenkinson, M. Salmon, J.R. MacFadyen, C.M. Isacke, G. Anderson, A.F. Cunningham and C.D. Buckley, CD248/Endosialin is dynamically expressed on a subset of stromal cells during lymphoid tissue development, splenic remodeling and repair, 3550
 Lázaro-Diéguez, F., C. Colonna, M. Cortegano, M. Calvo, S.E. Martínez and G. Egea, Variable actin dynamics requirement for the exit of different cargo from the *trans*-Golgi network, 3875
 Lazo, P.S. see J. Riera, 3057
 Le Bras, S., C. Moon, I. Foucault, J.-P. Breitmayer and M. Deckert, Abl-SH3 binding protein 2, 3BP2, interacts with CIN85 and HIP-55, 967
 Le Clainche, C. see N. Ramarao, 853
 Le Gall, O. see V. Nicaise, 1041
 Le Marchand-Brustel, Y. see M. Aouadi, 5591
 Le Moan, N. see M.B. Toledano, 3598
 Le Moan, N. see M.B. Toledano, 4549
 Le, K. see R. Li, 3311
 Le, W. see C. Peng, 1357
 Lea, S.M. see G.L. Orriss, 4091
 Lebaudy, A., A.-A. Véry and H. Sentenac, K^+ channel activity in plants: Genes, regulations and functions, 2357
 Lebrun, M.-H. see A. Buzdin, 2877
 Leckband, D. see A. Pierres, 1841
 Lee-Fruman, K.K. see R. Rossi, 4058
 Lee-Huang, S. see J. Bao, 2737
 Lee, A.S. see M. Ni, 3641
 Lee, B.H. see J.-M. Ha, 2663
 Lee, B.J. see D.H. Choi, 1649
 Lee, B.J. see M.-D. Seo, 65
 Lee, C., S.A. Hwang, S.-H. Jang, H.-S. Chung, M.B. Bhat and S.S. Karnik, Manifold active-state conformations in GPCRs: Agonist-activated constitutively active mutant AT₁ receptor preferentially couples to Gq compared to the wild-type AT₁ receptor, 2517
 Lee, C.-C., C.-J. Kuo, M.-F. Hsu, P.-H. Liang, J.-M. Fang, J.-J. Shie and A.H.-J. Wang, Structural basis of mercury- and zinc-conjugated complexes as SARS-CoV3C-like protease inhibitors, 5454
 Lee, C.-E. see S.-y. Kim, 865
 Lee, C.-K. see S.-S. Nah, 1928
 Lee, C.-M. see I.D. Jung, 1449
 Lee, C.-M. see J.S. Lee, 57
 Lee, D.H. see S. Suzuki, 809
 Lee, E.-S., C.-H. Yoon, Y.-S. Kim and Y.-S. Bae, The double-strand RNA-dependent protein kinase PKR plays a significant role in a sustained ER stress-induced apoptosis, 4325
 Lee, H. see S. Lahiri, 5289
 Lee, H. see H.-o. Lee, 5640
 Lee, H. see S.N. Naryzhny, 4917
 Lee, H.-J. see C.-P. Chen, 1891
 Lee, H.-o., M. Cho, J.-H. Lee, H.-S. Kim, Y. Yun and H. Lee, SuPr-1-mediated desumoylation regulates the repressor activity of Δ Np63 α , 5640
 Lee, H.-S. see S.J. Myung, 2954
 Lee, H.J. see N.S. Hwang, 4172
 Lee, H.Y. see K.S. Park, 4411
 Lee, I. see C. Park, 3800
 Lee, J. see K. Choi, 4691
 Lee, J.-E. see H.-H. Shin, 4355
 Lee, J.-G., S.-H. Lee, D.-W. Park, Y.-S. Bae, S.-S. Yun, J.-R. Kim and S.-H. Baek, Phosphatidic acid as a regulator of matrix metalloproteinase-9 expression via the TNF- α signaling pathway, 787
 Lee, J.-H. see S.J. Myung, 2954
 Lee, J.-H. see H.-W. Kang, 5774
 Lee, J.-H. see H.-o. Lee, 5640
 Lee, J.M. see I.H. Cukier, 1661
 Lee, J.S. see I.D. Jung, 1449
 Lee, J.S., C.-M. Lee, Y.-I. Jeong, I.D. Jung, B.-H. Kim, E.-Y. Seong, J.-I. Kim, I.-W. Choi, H.Y. Chung and Y.-M. Park, d-pinitol regulates Th1/Th2 balance via suppressing Th2 immune response in ovalbumin-induced asthma, 57
 Lee, K. see F.S. Senocak, 5865
 Lee, K.H. see K.A. Kang, 2000
 Lee, M.-C. see Y. Ogasawara, 2473
 Lee, M.-H. see M. Choquer, 489
 Lee, M.-Y. see S.-H. Jeon, 5929
 Lee, M.S. see J. Kang, 2497
 Lee, N.G., Y.K. Hong, S.Y. Yu, S.Y. Han, D. Geum and K.S. Cho, dXNP, a *Drosophila* homolog of XNP/ATR-X, induces apoptosis via Jun-N-terminal kinase activation, 2625
 Lee, N.H. see K.A. Kang, 2000
 Lee, R. see O. Rowland, 3538
 Lee, S.-H. see S.J. Myung, 2954
 Lee, S.-H. see J.-G. Lee, 787
 Lee, S.-M. see S.J. Myung, 2954
 Lee, S.-W. see S.-H. Hong, 5396

- Lee, S.J., S.S. Bae, K.H. Kim, W.S. Lee, B.Y. Rhim, K.W. Hong and C.D. Kim, High glucose enhances MMP-2 production in adventitial fibroblasts via Akt1-dependent NF- κ B pathway, 4189
- Lee, S.M., H.S. Kim, H.J. Han, B.C. Moon, C.Y. Kim, J.F. Harper and W.S. Chung, Identification of a calmodulin-regulated autoinhibited Ca²⁺-ATPase (ACA11) that is localized to vacuole membranes in *Arabidopsis*, 3943
- Lee, S.S. see E.H. Han, 749
- Lee, S.Y. see K.S. Park, 4411
- Lee, W. see K.M. Ko, 5445
- Lee, W.H. see D.H. Choi, 1649
- Lee, W.S. see S.J. Lee, 4189
- Lee, Y. see M.R. Mysliwiec, 2633
- Lee, Y. see S. Kim, 3869
- Lee, Y.-J. see S.-H. Hong, 5396
- Lee, Y.-S. see S.-H. Hong, 5396
- Lee, Y.F. see L.W.T. Cheung, 4668
- Lee, Y.H. see B.-H. Ahn, 5940
- Lee, Y.J. see Y.-S. Jung, 843
- Leech, A.P. see E.A. Rodikova, 1190
- Lees, M.J. see S.G.B. Furness, 3616
- Legaree, B.A. see C.W. Reid, 4988
- Legeai-Mallet, L. see C. Benoist-Lasselin, 2593
- Léger, C. see M.G. Almeida, 284
- Legrand, D. see E. Elass, 1383
- Lehn, J.-M. see G. Sihn, 962
- Lehner, P.J. see S. Hoer, 45
- Leicht, S. see R. Grempler, 5885
- Lejon, S. see J.F. Cramer, 3178
- Lemar, K.M. see M.A. Aon, 8
- Lemin, A.J., K. Saleki, M. van Lith and A.M. Benham, Activation of the unfolded protein response and alternative splicing of ATF6 α in HLA-B27 positive lymphocytes, 1819
- Lemma-Gray, P., S.T. Weintraub, C.A. Carroll, A. Musatov and N.C. Robinson, Tryptophan 334 oxidation in bovine cytochrome *c* oxidase subunit I involves free radical migration, 437
- Lendzian, F. see N. Voevodskaya, 3351
- Lendzian, K.J. see J. Wünschmann, 1681
- Lenz, O., I. Zebger, J. Hamann, P. Hildebrandt and B. Friedrich, Carbamoylphosphate serves as the source of CN⁻, but not of the intrinsic CO in the active site of the regulatory [NiFe]-hydrogenase from *Ralstonia eutropha*, 3322
- Leo, G.D. see M.G. Mirisola, 2009
- León-Sicairos, C. see E. Solano-González, 2919
- Leonardi, R., Y.-M. Zhang, A. Lykidis, C.O. Rock and S. Jackowski, Localization and regulation of mouse pantothenate kinase 2, 4639
- Lesnefsky, E.J. see J. Kerner, 4491
- Lesur, O. see C.F. Fortin, 1173
- Letisse, F. see C. Nicolas, 3771
- Letzel, T. see J. Wünschmann, 1681
- Leung, F.P. see K.W. Leung, 2423
- Leung, G.C., C.S.W. Ho, I.M. Blasutig, J.M. Murphy and F. Sicheri, Determination of the Plk4/Sak consensus phosphorylation motif using peptide spots arrays, 77
- Leung, K.W., F.P. Leung, Y. Huang, N.K. Mak and R.N.S. Wong, Non-genomic effects of ginsenoside-Re in endothelial cells via glucocorticoid receptor, 2423
- Leung, S. see M. Cumming, 4139
- Levy, C. see N. Klopstock, 3986
- Levy, F.O. see J.H. Norum, 15
- Lewis, M.P. see K. Ates, 2727
- Lezoualc'h, F. see N. Zaldua, 5814
- Li-Ling, J. see S. Tan, 1081
- Li, C. see Y. Sun, 131
- Li, C.Y. see S.-R. Won, 4999
- Li, F. see Y. Sun, 131
- Li, F. see L. Zhang, 5543
- Li, J. see O. Li, 3533
- Li, J. see Q.T. Gao, 233
- Li, J. see M. Rahman, 4001
- Li, J. see Q.T. Gao, 5087
- Li, J. see X. Dong, 5796
- Li, J. see W. Jin, 3826
- Li, J. see X. Dong, 5796
- Li, J.-W. see T.-C. Chuang, 4443
- Li, M. see J. Huang, 697
- Li, M. see D. Ma, 1000
- Li, M.-Y. see Y. Sun, 131
- Li, N. see Y. Zhao, 1951
- Li, O., J. Li and P. Dröge, DNA architectural factor and proto-oncogene HMG2 regulates key developmental genes in pluripotent human embryonic stem cells, 3533
- Li, Q. see S. Tan, 1081
- Li, Q. see H. Zou, 196
- Li, R. see H. Gao, 581
- Li, R., W. Zheng, R. Pi, J. Gao, H. Zhang, P. Wang, K. Le and P. Liu, Activation of peroxisome proliferator-activated receptor- α prevents glycogen synthase 3 β phosphorylation and inhibits cardiac hypertrophy, 3311
- Li, S. see Y. Sheng, 1763
- Li, W. see W. Jin, 3826
- Li, X. see E. de Leeuw, 515
- Li, X. see C. Peng, 1357
- Li, X.-L., S. Španíková, R.P. de Vries and P. Biely, Identification of genes encoding microbial glucuronylesterases, 4029
- Li, Y. see H. Liu, 2534
- Li, Y. see T.S. Lau, 3253
- Li, Y. see B. Sun, 3277
- Li, Y. see F. Zhou, 34
- Li, Y. see I.H. Cukier, 1661
- Li, Y., H.D. Schmitt, D. Gallwitz and R.-W. Peng, Mutations of the SM protein Sly1 resulting in bypass of GTPase requirement in vesicular transport are confined to a short helical region, 5698
- Liang, J.J.-N. see B.-F. Liu, 3936
- Liang, K. see D. Shen, 1793
- Liang, P.-H. see C.-C. Lee, 5454
- Liang, Y.-Z. see Y. Yu, 4179
- Liao, M.Q., Y.J. Tzeng, L.Y.X. Chang, H.B. Huang, T.H. Lin, C.L. Chyan and Y.C. Chen, The correlation between neurotoxicity, aggregative ability and secondary structure studied by sequence truncated A β peptides, 1161
- Liao, X.-M. see Q.-G. Ren, 1521
- Lightfoot, K. see M. Mullin, 4309
- Lillicrop, K.A. see T.J. Underwood, 5831
- Lim, H.-Y. see J.H. Kim, 623
- Limansky, A.S. see M.A. Mussi, 5573
- Limatola, C., V. Massa, C. Lauro, M. Catalano, A. Giovanetti, S. Nuccitelli and A. Spinedi, Evidence for a role of glycosphingolipids in CXCR4-dependent cell migration, 2641
- Lin, A. see W.-C. Wu, 651
- Lin, C.-S. see C.-H. Pan, 526
- Lin, C.-T. see T.-C. Chuang, 4443
- Lin, J.-K. see C.-T. Chiang, 5735
- Lin, J.-L. see C.-H. Pan, 526
- Lin, R.-J. see C.-J. Huang, 223
- Lin, S.-C. see H. Zou, 196
- Lin, T.H. see M.Q. Liao, 1161
- Lin, Y. see B. Wan, 1179
- Lin, Y., Y.J. Tang, H.L. Zong, J.X. Gu, W.W. Deng, C. Wang and B. Sun, Cyclin G associated kinase interacts with interleukin 12 receptor β 2 and suppresses interleukin 12 induced IFN- γ production, 5151
- Lincoln II, D.W. see S. Murugesan, 1157
- Lindenstrauß, U. see J. Behrendt, 4085
- Linder, M.B. see G.R. Szilvay, 2721
- Lindley, N.D. see C. Nicolas, 3771
- Lindner, R. see C. Böhmer, 5586
- Lindorff-Larsen, K. see K. Modig, 4965
- Linhardt and R.J. see S. Murugesan, 1157
- Link, C.D. see W.J. Kapulkin, 5952
- Linne, U., A. Schäfer, M.T. Stubbs and M.A. Marahiel, Aminoacyl-coenzyme A synthesis catalyzed by adenylation domains, 905
- Lippert, U., D.M. Ferrari and R. Jahn, Endobrevin/VAMP8 mediates exocytotic release of hexoaminidase from rat basophilic leukaemia cells, 3479
- Liu, B.-F. and J.J.-N. Liang, Protein-protein interactions among human lens acidic and basic β -crystallins, 3936
- Liu, B.R. see C.-P. Chen, 1891
- Liu, D., L. Ge, F. Wang, H. Takahashi, D. Wang, Z. Guo, S.H. Yoshimura, T. Ward, X. Ding, K. Takeyasu and X. Yao, Single-molecule detection of phosphorylation-induced plasticity changes during ezrin activation, 3563
- Liu, G.-P. see Q.-G. Ren, 1521
- Liu, H., C. Wei, Y. Zhong and Y. Li, *Rice black-streaked dwarf virus* minor core protein P8 is a nuclear dimeric protein and represses transcription in tobacco protoplasts, 2534
- Liu, H.-W. see W.-C. Wu, 651
- Liu, J., Y. Yoshida and U. Yamashita, Suppressive effect of reactive oxygen species on CD40-induced B cell activation, 5043

- Liu, J.-Y. see T.-C. Chuang, 4443
 Liu, L. see X. Zeng, 2509
 Liu, P., A.M. Scharenberg, D.A. Cantrell and S.A. Matthews, Protein kinase D enzymes are dispensable for proliferation, survival and antigen receptor-regulated NF κ B activity in vertebrate B-cells, 1377
 Liu, P. see R. Li, 3311
 Liu, W. see J. Huang, 697
 Liu, W.-F., A. Zhang, Y. Cheng, H.-M. Zhou and Y.-B. Yan, Effect of magnesium ions on the thermal stability of human poly(A)-specific ribonuclease, 1047
 Liu, W.-Q. see T.-J. Zhao, 3044
 Liu, X., D. Yin, Y. Zhang, J. Zhao, S. Zhang and J. Miao, Vascular endothelial cell senescence mediated by integrin β 4 in vitro, 5337
 Liu, Y. see T.-J. Zhao, 3044
 Liu, Y. see B. Sun, 3277
 Liu, Y. and D.M. Templeton, Cadmium activates CaMK-II and initiates CaMK-II-dependent apoptosis in mesangial cells, 1481
 Liu, Y. see Y. Ni, 707
 Liu, Y., X. Ding, D. Wang, H. Deng, M. Feng, M. Wang, X. Yu, K. Jiang, T. Ward, F. Aikhionbare, Z. Guo, J.G. Forte and X. Yao, A mechanism of Munc18b-syntaxin 3-SANP25 complex assembly in regulated epithelial secretion, 4318
 Liu, Y. see H.K. Roy, 3857
 Liu, Z.-M., G.G. Chen, C.K.Y. Shum, A.C. Vlantis, M. George Cherman, J. Koropatnick and C. Andrew van Hasselt, Induction of functional MT1 and MT2 isoforms by calcium in anaplastic thyroid carcinoma cells, 2465
 Ljubkovic, M., Y. Shi, Q. Cheng, Z. Bosnjak and M.T. Jiang, Cardiac mitochondrial ATP-sensitive potassium channel is activated by nitric oxide in vitro, 4255
 Llovera, M. see J. Zhang, 5781
 Lloyd, D. see M.A. Aon, 8
 Lobjois, V. see C. Esmenjaud-Mailhat, 3979
 Lobo, S.A.L., A.M.P. Melo, J.N. Carita, M. Teixeira and L.M. Saraiwa, The anaerobe *Desulfovibrio desulfuricans* ATCC 27774 grows at nearly atmospheric oxygen levels, 433
 Locher, K.P. see R.J.P. Dawson, 935
 Locovei, S., E. Scemes, F. Qiu, D.C. Spray and G. Dahl, Pannexin1 is part of the pore forming unit of the P2X₇ receptor death complex, 483
 Locovei, S. see L. Bao, 5703
 Locy, R.D. see Y. Sang, 344
 Lolkema, M.P., D.A. Mans, C.M. Snijckers, M. van Noort, M. van Beest, E.E. Voest and R.H. Giles, The von Hippel-Lindau tumour suppressor interacts with microtubules through kinesin-2, 4571
 Lombardi, A., A. Lanni, P. de Lange, E. Silvestri, P. Grasso, R. Senese, F. Goglia and M. Moreno, Acute administration of 3,5-diiodo-L-thyronine to hypothyroid rats affects bioenergetic parameters in rat skeletal muscle mitochondria, 5911
 Lomize, A. see A.C. Rufer, 3247
 Lomonte, P. and E. Morency, Centromeric protein CENP-B proteasomal degradation induced by the viral protein ICP0, 658
 Longman, D. see P. Fortes, 3087
 Lönnroth, I. see C.-F. Flach, 3183
 Looger, L.L. see H. Gu, 579
 López-Cortés, N., D. Reyes-Duarte, A. Beloqui, J. Polaina, I. Ghazi, O.V. Golyshina, A. Ballesteros, P.N. Golyshin and M. Ferrer, Catalytic role of conserved HQGE motif in the CE6 carbohydrate esterase family, 4657
 López-Solís, R. see M. Galindo, 2022
 López, L.C. see M.L. Valentino, 3410
 Lorenz, J. see K. Rother, 1166
 Lorenzo, C. De, C. Di Malta, G. Cali, F. Troise, L. Nitsch and G. D'Alessio, Intracellular route and mechanism of action of ERB-hRNase, a human anti-ErbB2 anticancer immunoagent, 296
 Lorger, M. see J. Keyser, 5349
 Loros, J.J. see A. Diernfellner, 5759
 Losa, A. see V. Vazzola, 667
 Lowther, J. see S. Kanaji, 4260
 Lozynska, O. see U. Basu, 4153
 Lu, H. see N. Bhardwaj, 1058
 Lu, Q. see R. Tatum, 3887
 Lu, W. see E. de Leeuw, 515
 Lu, Y. see K.-M. Chen, 4761
 Lucas, C. see C. Ferreira, 1923
 Luciani, A.M. see S. Grande, 637
 Luck, K. see J.C. D'Auria, 872
 Ludewig, U., B. Neuhäuser and M. Dynowski, Molecular mechanisms of ammonium transport and accumulation in plants, 2301
 Lueken, A. see T. Engel, 1673
 Lugert, R. see L. Bailey, 587
 Lugli, E. see E. Roat, 521
 Lühning, H., V.D. Nguyen, L. Schmidt and U.S.R. Röse, Caterpillar regurgitant induces pore formation in plant membranes, 5361
 Lui, J.C.-K. and S.-K. Kong, Heat shock protein 70 inhibits the nuclear import of apoptosis-inducing factor to avoid DNA fragmentation in TF-1 cells during erythropoiesis, 109
 Lundberg, P. see E. Bárány-Wallje, 2389
 Lundin, C., S. Johansson, A.E. Johnson, J. Näslund, G. von Heijne and I. Nilsson, Stable insertion of Alzheimer A β peptide into the ER membrane strongly correlates with its length, 3809
 Lundin, C., L. Käll, S.A. Kreher, K. Kapp, E.L. Sonnhammer, J.R. Carlson, G. von Heijne and I. Nilsson, Membrane topology of the *Drosophila* OR83b odorant receptor, 5601
 Luo, C. see Y.-X. Wang, 558
 Luo, H. see A.L. Hunter, 879
 Luo, L. see C.-S. Tham, 2899
 Luo, Y. see Q. Han, 3027
 Luque, F. see R. Valderrama, 453
 Luque, I. see J.M. Martin-García, 1701
 Lurin, C. see V. Salone, 4132
 Lurz, R. see T. Zemojtel, 2072
 Lv, Q. see D. Gu, 382
 Lykidis, A. see R. Leonardi, 4639
 Lynch, S. see A.N. Antoniou, 1988
 Lynn Sherrer, R. see S. Namgoong, 309
 Lyssand, J.S. and S.M. Bajjalieh, The heretotrimeric G protein subunit G α i is present on mitochondria, 5765
 Lyzak, J. see M.L. Valentino, 3410
 Lyzogubov, V.V. see P.S. Bora, 1977
- ## M
- Ma, B.-G. see Y. Zhou, 4361
 Ma, D., T. Nakata, G. Zhang, T. Hoshi, M. Li and S. Shikano, Differential trafficking of carboxyl isoforms of Ca²⁺-gated (Slol) potassium channels, 1000
 Ma, F. see S. Tan, 1081
 Ma, J. see D. Gu, 382
 Ma, Z., B. Jhun and C.K. Oh, Upstream stimulating factor-1 mediates the E-box-dependent transcriptional repression of the plasminogen activator inhibitor-1 gene in human mast cells, 4485
 Ma, Z.-M. see Y.-X. Wang, 558
 Maass, K. see A. Franz, 401
 Macagno, E.R. see L. Bao, 5703
 Macario, A.J.L. and E. Conway de Macario, Chaperonopathies and chaperonotherapy, 3681
 MacDonald, G. see M.L. Graves, 1825
 Maceyka, M. see P. Mitra, 735
 MacFadyen, J.R. see S. Lax, 3550
 MacGregor, E.A. see Š. Janeček, 1261
 Mach, R.L. see A.R. Stricker, 3915
 Maciaszczyk, E. see M. Zarzycki, 1347
 Maciver, S.K. see C. Roustan, 681
 MacKenzie, S. see C.A. Cooper, 2599
 Mackie, A.R. see R. Wijesinha-Bettoni, 4557
 Macquin, C. see V. Rolli, 394
 Madsen, P. see A. Hauburger, 4159
 Maeda, N. see H. Oku, 5029
 Maeda, T. see Y. Morita, 3579
 Maeda, T. see Y. Morita, 1417
 Maeda, Y. see M. Kai, 3345
 Maegawa, H. see T. Takemoto, 218
 Maekawa, T. see A.M. San Gabriel, 1119
 Maekawa, T. see N. Hiraga, 1983
 Maeno, Y. see T. Takemoto, 218
 Maes, E. see E. Elass, 1383
 Maes, L. see E. De Buck, 259
 Maeshima, K. see T. Funakoshi, 4910
 Maestro, B. and J.M. Sanz, Extensive unfolding of the C-LytA choline-binding module by submicellar concentrations of sodium dodecyl sulphate, 375
 Magnet, S. see C. Eckert, 693

- Mahimainathan, L. see F. Das, 5259
 Maier, U.G. see M. Oreb, 5945
 Maigret, B. see N. Floquet, 2981
 Maischak, H., P.A. Grigoriev, H. Vogel, W. Boland and A. Mithöfer, Oral secretions from herbivorous lepidopteran larvae exhibit ion channel-forming activities, 898
 Majello, B. see S. Amente, 821
 Mak, N.K. see K.W. Leung, 2423
 Makarev, E., M.K. Call, M.W. Grogg, D.L. Atkinson, B. Milash, S.J. Odelberg and P.A. Tsonis, Gene expression signatures in the newt irises during lens regeneration, 1865
 Makino, M. see M. Kai, 3345
 Makise, M. see S. Mima, 1457
 Malagon, M.M. see D. Cruz-Garcia, 3149
 Mallik, S. see B. Ganguly, 5723
 Maloberti, P. see A. Duarte, 4023
 Malorni, W. see T. Garofalo, 3899
 Malorni, W. see E. Straface, 4342
 Malorni, W. see S. Basciani, 5897
 Malta, C. Di see C. De Lorenzo, 296
 Mambula, S.S. see S.K. Calderwood, 3689
 Mamedov, T.G. see E.R. Moellering, 4871
 Mameoka, M. see H. Furochi, 5743
 Mandl, J. see M. Csala, 1693
 Mandl, J. see G. Bánhegyi, 3634
 Manes, J.L. see M.L. Valentino, 3410
 Manganelli, V. see T. Garofalo, 3899
 Mani-Telang, P., M. Sutrias-Grau, G. Williams and D.N. Arnosti, Role of NAD binding and catalytic residues in the C-terminal binding protein corepressor, 5241
 Mann, D. see A. Ishii, 4711
 Manna, C. see G. Cacciapuoti, 4567
 Manoe, R. see S. Zeerleder, 5382
 Mans, D.A. see M.P. Lolkema, 4571
 Maple, J. and S.G. Möller, Plastid division coordination across a double-membraned structure, 2162
 Marahiel, M.A. see U. Linne, 905
 Marchenkov, V.V. see E.A. Rodikova, 1190
 Marchesini, S. see A. Fanzani, 5099
 Marcinkowska, E. see E. Gocek, 1751
 Marcote, M.J. see D. Ortiz-Masia, 1834
 Maréchal-Drouard, L. see J. Hammargren, 3507
 Marek, C.J., S.J. Tucker, M. Koruth, K. Wallace and M.C. Wright, Expression of CYP2S1 in human hepatic stellate cells, 781
 Margittai, É. see M. Csala, 1693
 Mariani, S. see S. Basciani, 5897
 Mariotti, M. see E. Roat, 521
 Markgraf, D.F., K. Peplowska and C. Ungermann, Rab cascades and tethering factors in the endomembrane system, 2125
 Markossian, K. see N. Golub, 4223
 Marlovits, T.C. see H. Feldmann, 2749
 Marmé, N. see A. Friedrich, 1644
 Marmiroli, N. see M. Gulli, 4841
 Marra, E. see R.A. Vacca, 917
 Marsh, D.J. see M.A. Hahn, 5070
 Martasek, P. see T. Zemojtel, 2072
 Martemyanova, N. see K.-M. Chen, 4761
 Marti-Renom, M.A. see W.A. Stanley, 4795
 Martí, R. see M.L. Valentino, 3410
 Martín-García, J.M., I. Luque, P.L. Mateo, J. Ruiz-Sanz and A. Cámara-Artigas, Crystallographic structure of the SH3 domain of the human c-Yes tyrosine kinase: Loop flexibility and amyloid aggregation, 1701
 Martín, A. see M. Damian, 1944
 Martín, I. see S. Ghosh, 4523
 Martín, M.N. see A. Grzám, 3131
 Martín, O.C. see C. Wolfrom, 125
 Martín, R.P. see I. Brandina, 4248
 Martín, W. see S. Tucci, 1561
 Martínek, V., U. Bren, M.F. Goodman, A. Warshel and J. Florián, DNA polymerase β catalytic efficiency mirrors the Asn279-dCTP H-bonding strength, 775
 Martínez-Antonio, A. see H. Salgado, 3499
 Martínez-Costa, O.H., C. Sánchez-Martínez, V. Sánchez and J.J. Aragón, Chimeric phosphofructokinases involving exchange of the N- and C-terminal halves of mammalian isozymes: Implications for ligand binding sites, 3033
 Martínez-Espinosa, R.M. see J. Esclapez, 837
 Martínez, S.E. see F. Lázaro-Diéguez, 3875
 Martínez, J.C. see A.M. Candel, 687
 Martínez, M., M. Diaz-Mendoza, L. Carrillo and I. Diaz, Carboxy terminal extended phycocystatins are bifunctional inhibitors of papain and legumain cysteine proteinases, 2914
 Martinkova, M., J. Igarashi and T. Shimizu, Eukaryotic initiation factor 2 α kinase is a nitric oxide-responsive mercury sensor enzyme: Potent inhibition of catalysis by the mercury cation and reversal by nitric oxide, 4109
 Martino, P.L. see F. Francia, 611
 Martins, E.R. see D.M. Portilho, 5787
 Marty, F. see H. Nziengui, 3356
 Marusich, M.F. see J. Xie, 3545
 Maruyama, T. see M. Takita, 565
 Marvaud, J.C. see M. Gibert, 1287
 Masad, A., L. Hayes, B.J. Tabner, S. Turnbull, L.J. Cooper, N.J. Fullwood, M.J. German, F. Kametani, O.M.A. El-Agnaf and D. Allsop, Copper-mediated formation of hydrogen peroxide from the amylin peptide: A novel mechanism for degeneration of islet cells in type-2 diabetes mellitus?, 3489
 Masada, S., Y. Kawase, M. Nagatoshi, Y. Oguchi, K. Terasaka and H. Mizukami, An efficient chemoenzymatic production of small molecule glucosides with in situ UDP-glucose recycling, 2562
 Masada, S., K. Terasaka and H. Mizukami, A single amino acid in the PSPG-box plays an important role in the catalytic function of CaUGT2 (Curcumin glucosyltransferase), a Group D Family 1 glucosyltransferase from *Catharanthus roseus*, 2605
 Masaki, H. see S. Takashima, 5891
 Masaki, T. see H. Iwama, 1805
 Mäser, P. see M. Gierth, 2348
 Masquelier, D. see M. Frison, 4010
 Massa, V. see C. Limatola, 2641
 Masscheleyn, S. see S. Rousset, 479
 Massot, V. see C. Vieira Dos Santos, 4371
 Massou, S. see C. Nicolas, 3771
 Masuda, D. see H. Oku, 5029
 Masuda, T. see M. Washiyama, 5207
 Masuzaki, H. see T. Ishii, 349
 Matarrese, P. see S. Basciani, 5897
 Matarrese, P. see T. Garofalo, 3899
 Matarrese, P. see E. Straface, 4342
 Mateo, P.L. see J.M. Martín-García, 1701
 Mathé, J. see M. Pastoriza-Gallego, 3371
 Mathews, S.A. see W.M. Huston, 3382
 Matoušek, J. see D.M. Monti, 930
 Matsui, K. see F. Hosseinpour, 4937
 Matsui, M., N. Yachie, Y. Okada, R. Saito and M. Tomita, Bioinformatic analysis of post-transcriptional regulation by uORF in human and mouse, 4184
 Matsukawa, K. see Y. Onda, 5852
 Matsumoto, K., T. Toyooka, C. Tomikawa, A. Ochi, Y. Takano, N. Takayanagi, Y. Endo and H. Hori, RNA recognition mechanism of eukaryote tRNA (m⁷G46) methyltransferase (Trm8–Trm82 complex), 1599
 Matsumoto, K. see W.-C. HuangFu, 5549
 Matsumoto, M. see T. Akazawa, 3334
 Matsumura, H. see C. Angkawidjaja, 5060
 Matsumura, Y., H. Sakai, M. Sakai, N. Ban and N. Inagaki, ABCA3-mediated choline-phospholipids uptake into intracellular vesicles in A549 cells, 3139
 Matsunaga, S. see H. Takata, 3783
 Matsunaga, T. see T. Suzuki, 3443
 Matsuo, A. see K.-i. Hayashi, 2748
 Matsuo, H. see K.-M. Chen, 4761
 Matsuo, T. see S. Kato, 4685
 Matsushima-Nishiwaki, R. see H. Tokuda, 1311
 Matsushita, A. see S. Arai, 5649
 Matsuura, F. see H. Oku, 5029
 Matsuzaki-Kobayashi, M. see T. Hasegawa, 406
 Matsuzaki, Y. see T. Hitomi, 1087
 Mattaj, I.W. see P. Fortes, 3087
 Mattaj, I.W. see M. Gorjánác, 2794
 Matthews, S.A. see P. Liu, 1377
 Matthews, S.A. see C. David Wood, 3494
 Mattingly, R.R. see J.H. Norum, 15
 Matton, D.P. see H. Germain, 5137
 Maurel, C., Plant aquaporins: Novel functions and regulation properties, 2227
 Mavromara, P. see P. Tsitoura, 4049
 Maya-Monteiro, C.M. see J.B.R. Corrêa Soares, 1742
 Mayhew, S.G. see M. Broco, 4397
 Mayol, J.-F. see D. Adamski, 3076

- Mayol, J.-F. see N. Platet, 1435
 Mayorov, S.G. see E.A. Rodikova, 1190
 Mazurier, J. see E. Ellass, 1383
 Mazzoni, C., I. D'Addario and C. Falcone, The C-terminus of the yeast Lsm4p is required for the association to P-bodies, 4836
 McCallum, J. see M. Cumming, 4139
 McCracken, S. see P. Fortes, 3087
 McCulloch, C.A. see T.Y. El Sayegh, 167
 McDowell, M. see R. Rossi, 4058
 McEwan, A.G. see A.C. Badrick, 4663
 Mchaourab, H.S., M.S. Kumar and H.A. Koteiche, Specificity of α -crystallin binding to destabilized mutants of β B1-crystallin, 1939
 Mchaourab, H.S. see H.A. Koteiche, 1933
 McKerrow, J.H. see S. Kanaji, 4260
 McLaughlin, P.D., B.G. Bobay, E.J. Regel, R.J. Thompson, J.A. Hoch and J. Cavanagh, Predominantly buried residues in the response regulator Spo0F influence specific sensor kinase recognition, 1425
 McMahan, A., S.N. Jackson, A.S. Woods and W. Kedzierski, A Stargardt disease-3 mutation in the mouse Elov14 gene causes retinal deficiency of C32-C36 acyl phosphatidylcholines, 5459
 McManus, M.T. see M. Cumming, 4139
 McMillan, J.R. see H. Qiao, 535
 Mead, L.E. see C.A. Opitz, 4927
 Mecha Disassa, N. see S. Chlench, 673
 Mechtcheriakova, D., A. Wlachos, J. Sobanov, F. Bornancin, G. Zlabinger, T. Baumruker and A. Billich, FTY720-phosphate is dephosphorylated by lipid phosphate phosphatase 3, 3063
 Medcalf, L. see E.L. Poole, 5300
 Medrikova, D. see P. Flachs, 1093
 Medzihradsky, K.F. see B. Varga, 4783
 Melcher, A. see S.E. Perry, 1137
 Meldolesi, J. see I. Prada, 4932
 Melia Jr., T.J., Putting the clamps on membrane fusion: How complex in sets the stage for calcium-mediated exocytosis, 2131
 Melino, G. see S.M. Soond, 1217
 Mellor, I.R. see P.N.R. Usherwood, 5485
 Melnik, B.S. see E.A. Rodikova, 1190
 Melo, A.M.P. see S.A.L. Lobo, 433
 Melo, J.V. see G.M.O. Møller, 1329
 Menez, A. see A. Perier, 5480
 Menezes, D. see J.B.R. Corrêa Soares, 1742
 Mennes, N., J.P. Klare, I. Chizhov, R. Seidel, R. Schlesinger and M. Engelhard, Expression of the halobacterial transducer protein HtrII from *Natronomonas pharaonis* in *Escherichia coli*, 1487
 Merafina, R.S. see R.A. Vacca, 917
 Merchant, J.L. see L. Bai, 5904
 Mercier, R.W. see K. Bakshi, 5009
 Meremyanin, A. see N. Golub, 4223
 Meri, S. see P. Ramu, 1716
 Mermelstein, C.S. see D.M. Portilho, 5787
 Merret, R., J.-R. Cirioni, T.J. Bach and A. Hemmerlin, A serine involved in actin-dependent subcellular localization of a stress-induced tobacco BY-2 hydroxymethylglutaryl-CoA reductase isoform, 5295
 Mertens, H.D.T. see A. Koay, 5055
 Mesicek, J. see S. Lahiri, 5289
 Mesnage, S. see C. Eckert, 693
 Messer, B. see M. Roca, 2065
 Metelev, V. see C. Laguillier, 1143
 Metz, T. see O. Rath, 2549
 Meyen, E. see E. De Buck, 259
 Meyer, A.J. see A. Grzam, 3131
 Meyer, L. see J. Wünschmann, 1681
 Mhaidat, N.M. see R.F. Thorne, 1227
 Miao, J. see X. Liu, 5337
 Michael, N. see J. Durgan, 3377
 Michael, N. see S. Seibeck, 5425
 Michaelis, M. see H. Ogbomo, 1317
 Michiue, T. see T. Chan, 2691
 Micossi, L.G. see E. Balducci, 4199
 Miersch, O. see A. Guranowski, 815
 Miguel-Aliaga, I. see T.J. Sheldon, 5268
 Mihalache, O. see S. Nickell, 2751
 Mikhaylova, L.M. see A.M. Boutanaev, 1707
 Miki, T. see N. Yamaji, 3789
 Mikkat, S. see D. Hasse, 1297
 Mikula, I. see T. Zemojtel, 2072
 Mikula, M. see K. Aigner, 1617
 Mikulits, W. see K. Aigner, 1617
 Mikuni, S., M. Tamura and M. Kinjo, Analysis of intranuclear binding process of glucocorticoid receptor using fluorescence correlation spectroscopy, 389
 Milash, B. see E. Makarev, 1865
 Milkowski, C. see F. Stehle, 164
 Miller, M. see M. Mullin, 4309
 Miller, W.T. see B.P. Craddock, 3235
 Millhauser, G.L. see B. Yu, 5561
 Mills, E.N.C. see R. Wijesinha-Bettoni, 4557
 Milstien, S. see P. Mitra, 735
 Mima, S., H. Ushijima, H.-J. Hwang, S. Tsutsumi, M. Makise, Y. Yamaguchi, T. Tsuchiya, H. Mizushima and T. Mizushima, Identification of the *TPO1* gene in yeast, and its human orthologue TETTRAN, which cause resistance to NSAIDs, 1457
 Min, D.S. see M.-K. Kim, 1917
 Min, D.S. see B.-H. Ahn, 5940
 Ming, M. see C. Peng, 1357
 Mingyong, X. see Z. Changwei, 2670
 Minkler, P.E. see J. Kerner, 4491
 Minoguchi, S. see T. Haraguchi, 4949
 Mirande, M. see M. Kaminska, 3105
 Mirisola, M.G., A. Gallo and G.D. Leo, Ras-pathway has a dual role in yeast galactose metabolism, 2009
 Misasi, R. see T. Garofalo, 3899
 Mishima, K. see M.K. Kaneko, 331
 Mishra, M.K. see J. Karar, 4577
 Mithöfer, A. see H. Maischak, 898
 Mitra, P., M. Maceyka, S.G. Payne, N. Lamour, S. Milstien, C.E. Chalfant and S. Spiegel, Ceramide kinase regulates growth and survival of A549 human lung adenocarcinoma cells, 735
 Mitro, N., L. Vargas, R. Romeo, A. Koder and E. Saez, T0901317 is a potent PXR ligand: Implications for the biology ascribed to LXR, 1721
 Mitsui, K. see Q. Sun, 3991
 Miura, D., Y. Kida and H. Nojima, Camellia oil and its distillate fractions effectively inhibit the spontaneous metastasis of mouse melanoma BL6 cells, 2541
 Miura, S. see Y. Kamei, 91
 Miwa, S. see T. Nishiya, 3223
 Miyagi, T. see T. Hasegawa, 406
 Miyano, K. see M. Tamura, 4533
 Miyasaka, M. see T. Yotsui, 427
 Miyata, S. see H. Okuda, 4754
 Miyata, T. see D. Hoshiyama, 1639
 Miyaura, C. see M. Takita, 565
 Miyazaki, I., M. Asanuma, H. Hozumi, K. Miyoshi and N. Sogawa, Protective effects of metallothionein against dopaminequinone-induced dopaminergic neurotoxicity, 5003
 Miyazono, A., A. Yamada, N. Morimura, M. Takami, D. Suzuki, M. Kobayashi, K.-i. Tezuka, M. Yamamoto and R. Kamiyo, TGF- β suppresses POEM expression through ERK1/2 and JNK in osteoblasts, 5321
 Miyoshi, H. see S.-I. Inoue, 1910
 Miyoshi, K. see I. Miyazaki, 5003
 Mizoguchi, I. see M. Okayama, 4583
 Mizukami, H. see S. Masada, 2562
 Mizukami, H. see S. Masada, 2605
 Mizushima, H. see S. Mima, 1457
 Mizushima, T. see S. Mima, 1457
 Mizutani, T. see T. Haraguchi, 4949
 Modig, K., V.W. Jürgensen, K. Lindorff-Larsen, W. Fieber, H.G. Bohr and F.M. Poulsen, Detection of initiation sites in protein folding of the four helix bundle ACBP by chemical shift analysis, 4965
 Moe, S.E. see J.G. Sørbo, 4884
 Moeller, E.R., Y. Ouyang, T.G. Mamedov and R. Chollet, The two divergent PEP-carboxylase catalytic subunits in the green microalga *Chlamydomonas reinhardtii* respond reversibly to inorganic-N supply and co-exist in the high-molecular-mass, hetero-oligomeric Class-2 PEPC complex, 4871
 Moelling, K. see J. Keyser, 5349
 Moelling, K. see A. Weiss, 5131
 Moenner, M. see C. Petitbois, 5469
 Mohamed, T.M.A. see M. Holton, 4115
 Mohler, W. see E.H. Chen, 2181
 Mohri, S. see T. Takenouchi, 3019
 Mohri, Y. see S. Kato, 4685
 Mokdad, A., M. Nissen, J.D. Satterlee and R.W. Larsen, Evidence for fast conformational change upon ligand dissociation in the HemAT class of bacterial oxygen sensors, 4512
 Molinari, M. see S. Olivari, 3658

- Møller, G.M.O., V. Frost, J.V. Melo and A. Chantry, Upregulation of the TGF β signalling pathway by Bcr-Abl: Implications for haemopoietic cell growth and chronic myeloid leukaemia, 1329
- Møller, S.G. see J. Maple, 2162
- Molotsky, T. see N. Borovok, 5843
- Moniot, S. see S. Ahn, 3455
- Monreal, J.A., A.B. Feria, J.M. Vinardell, J. Vidal, C. Echevarria and S. García-Mauriño, ABA modulates the degradation of phosphoenolpyruvate carboxylase kinase in sorghum leaves, 3468
- Monsan, P. see S. Suwannarangsee, 4675
- Monsarrat, B. see C. Esmenjaud-Mailhat, 3979
- Montecucco, A. see R. Rossi, 4058
- Montero, M. see G. Eydallin, 2947
- Montero, M. see G. Eydallin, 4417
- Montesano Gesualdi, N. see D.M. Monti, 930
- Monti, D.M., N. Montesano Gesualdi, J. Matoušek, F. Esposito and G. D'Alessio, The cytosolic ribonuclease inhibitor contributes to intracellular redox homeostasis, 930
- Moon, B.C. see S.M. Lee, 3943
- Moon, C. see S. Le Bras, 967
- Moon, H.-B. see S.-S. Nah, 1928
- Moon, H.-J. see H.-W. Kang, 5774
- Moon, K.-H., M.A. Abdelmegeed and B.-J. Song, Inactivation of cytosolic aldehyde dehydrogenase via S-nitrosylation in ethanol-exposed rat liver, 3967
- Moore, R. see F. Hosseinpour, 4937
- Mooseker, M.S. see M. Krendel, 644
- Morán-Zorzano, M.T. see G. Eydallin, 2947
- Morán-Zorzano, M.T., A.M. Viale, F.J. Muñoz, N. Alonso-Casajús, G.G. Eydallin, B. Zugasti, E. Baroja-Fernández and J. Pozueta-Romero, *Escherichia coli* AspP activity is enhanced by macromolecular crowding and by both glucose-1,6-bisphosphate and nucleotid e-sugars, 1035
- Morán-Zorzano, M.T. see G. Eydallin, 4417
- Morán-Zorzano, M.T., N. Alonso-Casajús, F.J. Muñoz, A.M. Viale, E. Baroja-Fernández, G. Eydallin and J. Pozueta-Romero, Occurrence of more than one important source of ADPglucose linked to glycogen biosynthesis in *Escherichia coli* and *Salmonella*, 4423
- Moran, N., Osmoregulation of leaf motor cells, 2337
- Morandi, L. see A. Bordoni, 923
- Morency, E. see P. Lomonte, 658
- Moreno, M. see A. Lombardi, 5911
- Mori, H. see N. Ishii, 413
- Mori, H. see T. Igarashi, 2416
- Mori, H. see S. Takeda, 5859
- Mori, Y. see H. Okuda, 4754
- Mori, Y. see N. Yamaji, 3789
- Morii, T. see T. Konno, 1635
- Morikawa, S. see K. Takata, 475
- Morimoto, A. see H. Takata, 3783
- Morimoto, S. see F. Taura, 2929
- Morimura, N. see A. Miyazono, 5321
- Morioka, M. see Y. Uno, 97
- Morita, M. see K. Takata, 475
- Morita, N. see T. Nishida, 4212
- Morita, T. see T. Yoshio, 3777
- Morita, Y., H. Araki, T. Sugimoto, K. Takeuchi, T. Yamane, T. Maeda, Y. Yamamoto, K. Nishi, M. Asano, K. Shirahama-Noda, M. Nishimura, T. Uzu, I. Hara-Nishimura, D. Koya, A. Kashiwagi and I. Ohkubo, Corrigendum to "Legumain/asparaginyl endopeptidase controls extracellular matrix remodeling through the degradation of fibronectin in mouse renal proximal tubular cells" [FEBS Lett. 581 (2007) 1417–1424], 3579
- Morita, Y., H. Araki, T. Sugimoto, K. Takeuchi, T. Yamane, T. Maeda, Y. Yamamoto, K. Nishi, M. Asano, K. Shirahama-Noda, M. Nishimura, T. Uzu, I. Hara-Nishimura, D. Koya, A. Kashiwagi and I. Ohkubo, Legumain/asparaginyl endopeptidase controls extracellular matrix remodeling through the degradation of fibronectin in mouse renal proximal tubular cells, 1417
- Mork, C.N., D.V. Faller and R.A. Spanjaard, Loss of putative tumor suppressor EI24/PIG8 confers resistance to etoposide, 5440
- Morohashi, M. see Y. Onda, 5852
- Morozova-Roche, L.A., Equine lysozyme: The molecular basis of folding, self-assembly and innate amyloid toxicity, 2587
- Morrice, N.A. see M. Salvi, 5579
- Moscicka, K.B., S.H. Klompmaker, D. Wang, I.J. van der Klei and E.J. Boekema, The *Hansenula polymorpha* peroxisomal targeting signal 1 receptor, Pex5p, functions as a tetramer, 1758
- Moss, C.X., G.D. Westrop, L. Juliano, G.H. Coombs and J.C. Mottram, Metacaspase 2 of *Trypanosoma brucei* is a calcium-dependent cysteine peptidase active without processing, 5635
- Mössner, J. see K. Rother, 1166
- Motose, H. see S. Iwasaki, 2455
- Mottram, J.C. see S. Kanaji, 4260
- Mottram, J.C. see C.X. Moss, 5635
- Mou, T. see B. Wan, 1179
- Mouilleron, S. see N. Floquet, 2981
- Moulin, M. see A.-P. Arrigo, 3665
- Moulis, C. see S. Suwannarangsee, 4675
- Moura, I. see M.G. Almeida, 284
- Moura, J.J.G. see M.G. Almeida, 284
- Mousa, S.A. see S. Murugesan, 1157
- Mowat, C.G. see S.J. Atkinson, 3805
- Moya, C. see F.S. Senocak, 5865
- Mozo, J. see S. Rousset, 479
- Mubarakshina, M. see B. Ivanov, 1342
- Mueller, C.R. see M.L. Graves, 1825
- Mueller, M. and B. Nidetzky, The role of Asp-295 in the catalytic mechanism of *Leuconostoc mesenteroides* sucrose phosphorylase probed with site-directed mutagenesis, 1403
- Mueller, M. and B. Nidetzky, Dissecting differential binding of fructose and phosphate as leaving group/nucleophile of glucosyl transfer catalyzed by sucrose phosphorylase, 3814
- Mueller, P., A. Quintana, D. Griesemer, M. Hoth and J. Pieters, Disruption of the cortical actin cytoskeleton does not affect store operated Ca²⁺ channels in human T-cells, 3557
- Mujahid, A., Y. Akiba, C.H. Warden and M. Toyomizu, Sequential changes in superoxide production, anion carriers and substrate oxidation in skeletal muscle mitochondria of heat-stressed chickens, 3461
- Mukherjee, A. see J. Chatterjee, 5034
- Mukherjee, K. see J. Chatterjee, 5034
- Mukherjee, S.K. see U. Chilakamarthi, 2675
- Müllegger, J. see F.A. Shaikh, 2441
- Müller, B. see S. Welsch, 2089
- Müller, E.J. see C. Kolly, 1969
- Muller, K.J. see L. Bao, 5703
- Mullin, M., K. Lightfoot, R. Clarke, M. Miller, R. Lahesmaa and D. Cantrell, The RhoA transcriptional program in pre-T cells, 4309
- Mundlos, S. see T. Zemojtel, 2072
- Munnich, A. see C. Benoist-Lasselín, 2593
- Muñoz, F.J. see G. Eydallin, 2947
- Muñoz, F.J. see M.T. Morán-Zorzano, 1035
- Muñoz, F.J. see M.T. Morán-Zorzano, 4423
- Muñoz, F.J. see G. Eydallin, 4417
- Munro, S. see I.R. Kelsall, 4749
- Murakami, M. see R. Kikuchi, 1800
- Murakami, T., S. Yomogida, A. Someya, K. Kuwahara-Arai, H. Tamura and I. Nagaoka, Antibacterial cathelicidin peptide CAP11 suppresses the anandamide production from lipopolysaccharide-stimulated mononuclear phagocytes, 140
- Muralidharan, B., B. Bakthavachalu, A. Pathak and V. Seshadri, A minimal element in 5'UTR of insulin mRNA mediates its translational regulation by glucose, 4103
- Murata, Y. see E. Harada, 4298
- Murate, T. see R. Kikuchi, 1800
- Murgia, I. see V. Vazzola, 667
- Muronets, V. see N. Golub, 4223
- Murphy, J.M. see G.C. Leung, 77
- Murugesan, S., S.A. Mousa, L.J. O'Connor, D.W. Lincoln II, and R.J. Linhardt, Carbon inhibits vascular endothelial growth factor- and fibroblast growth factor-promoted angiogenesis, 1157
- Musacchio, A. see C. Ciferri, 2862
- Musatov, A. see P. Lemma-Gray, 437
- Muschiol, S. see L. Bailey, 587
- Mussi, M.A., V.M. Relling, A.S. Limansky and A.M. Viale, CarO, an *Acinetobacter baumannii* outer membraneprotein involved in carbapenem resistance, is essential for l-ornithine uptake, 5573
- Mussini, C. see M. Pinti, 3882
- Mustelin, T. see I. Friedberg, 2527
- Mustroph, A., U. Sonnewald and S. Biemelt, Characterisation of the ATP-dependent phosphofructokinase gene family from *Arabidopsis thaliana*, 2401
- Myles, D.G. see P. Primakoff, 2174
- Mysliwiec, M.R., T.-g. Kim and Y. Lee, Characterization of zinc finger protein 496 that interacts with Jumonji/Jarid2, 2633

Myung, S.J., J.-H. Yoon, G.-Y. Gwak, W. Kim, J.-H. Lee, K.M. Kim, C.S. Shin, J.J. Jang, S.-H. Lee, S.-M. Lee and H.-S. Lee, Wnt signaling enhances the activation and survival of human hepatic stellate cells, 2954

N

- Na, H.K. see K.A. Kang, 2000
 Nachliel, E. see Y. Tsfadia, 1243
 Nacken, W. and C. Kerkhoff, The hetero-oligomeric complex of the S100A8/S100A9 protein is extremely protease resistant, 5127
 Nagai, A. see K. Aoshiba, 3512
 Nagai, M. see M. Tani, 4621
 Nagai, Y. see T. Takemoto, 218
 Nagao, R. see A. Okumura, 5255
 Nagaoka, I. see T. Murakami, 140
 Nagasaki, H. see R. Banno, 1131
 Nagasaki, H. see I. Sato, 4857
 Nagata, K. see M.A. Samad, 3283
 Nagatoshii, M. see S. Masada, 2562
 Nagaya, N. see S. Ohnishi, 3961
 Nah, S.-S., I.-Y. Choi, B. Yoo, Y.G. Kim, H.-B. Moon and C.-K. Lee, Advanced glycation end products increases matrix metalloproteinase-1, -3, and -13, and TNF- α in human osteoarthritic chondrocytes, 1928
 Naito, K. see T. Hishida, 4272
 Nakada, K. see S.-I. Inoue, 1910
 Nakagaki, K. see M. Watanabe, 2017
 Nakaie, C.R. see L.G. de Deus Teixeira, 2411
 Nakajima, T. see N. Yamaji, 3789
 Nakamoto, H. see K. Kojima, 1871
 Nakamura, A. see M. Torii, 5327
 Nakamura, A. see S. Takashima, 5891
 Nakamura, H. see T. Chan, 2691
 Nakamura, H.K. see Y.O. Kamatari, 4463
 Nakamura, S. see H. Nakata, 2047
 Nakamura, Y. and H. Ohta, The diacylglycerol forming pathways differ among floral organs of *Petunia hybrida*, 5475
 Nakanishi, M. see K. Obata, 5917
 Nakano, A. see K. Sato, 2076
 Nakao, K. see T. Ishii, 349
 Nakata, H. and S. Nakamura, Brain-derived neurotrophic factor regulates AMPA receptor trafficking to post-synaptic densities via IP3R and TRPC calcium signaling, 2047
 Nakata, K. see M. Watanabe, 2017
 Nakata, N. see M. Kai, 3345
 Nakata, T. see D. Ma, 1000
 Nakayama, J. see S. Sugimoto, 2993
 Nakayama, M. see T. Takashina, 4479
 Nakazato, K. see A. Okumura, 5255
 Nalbantoglu, J. see K.-C. Huang, 2702
 Nałecz, K.A., D. Szczepankowska, M. Czeredys, N. Kulikova and S. Grzeńkiewicz, Palmitoylcarnitine regulates estrification of lipids and promotes palmitoylation of GAP-43, 3950
 Namai, T. see Y. Ogasawara, 2473
 Namba, K. see E. Harada, 4298
 Namgoong, S., K. Sheppard, R. Lynn Sherrer and D. Söll, Co-evolution of the archaeal tRNA-dependent amidotransferase GatCAB with tRNA^{Asn}, 309
 Namy, O., Y. Zhou, S. Gundllapalli, C.R. Polycarpo, A. Denise, J.-P. Rousset, D. Söll and A. Ambrogelly, Adding pyrrolysine to the *Escherichia coli* genetic code, 5282
 Nandy, S.K., P.M. Bapat and K.V. Venkatesh, Sporulating bacteria prefers predation to cannibalism in mixed cultures, 151
 Napoli, D. see G. Cacciapuoti, 4567
 Nara, H. see M. Rahman, 4001
 Narimatsu, H. see M.K. Kaneko, 331
 Naryzhny, S.N. and H. Lee, Characterization of proliferating cell nuclear antigen (PCNA) isoforms in normal and cancer cells: There is no cancer-associated form of PCNA, 4917
 Nascimento, L. see D. Azevedo, 187
 Naseem, K.M. see N.G. Oberprieler, 2574
 Naseem, K.M. see N.G. Oberprieler, 1529
 Nasheuer, H.-P. see P. Taneja, 3973
 Nasi, M. see E. Roat, 521
 Näslund, J. see C. Lundin, 3809
 Nawrotzki, R. see T. Kremer, 4727
 Neamati, N. see L.Q. Al-Mawsawi, 1151
 Nebreda, A.R. see S. Zuluaga, 3819
 Neckar, J. see P. Flachs, 1093
 Negishi, M. see F. Hosseinpour, 4937
 Negishi, Y. see M. Otsuka, 325
 Nelson, D.C., D.J. Wohlbach, M.J. Rodesch, V. Stolc, M.R. Sussman, and M.P. Samanta, Identification of an in vitro transcription-based artifact affecting oligonucleotide microarrays, 3363
 Nelson, W.J. see S.J. Hunt, 4539
 Nemes, E. see E. Roat, 521
 Nepal, C. see K. Han, 1881
 Neuhaus, H.E., Transport of primary metabolites across the plant vacuolar membrane, 2223
 Neuhäuser, B. see U. Ludewig, 2301
 Neupert, W. see N. Terziyska, 1098
 Neuzil, J., E. Swettenham, X.-F. Wang, L.-F. Dong and M. Stapelberg, α -Tocopherol succinate inhibits angiogenesis by disrupting paracrine FGF2 signalling, 4611
 Newman, D. see S. Ryazantsev, 1898
 Neyses, L. see M. Holton, 4115
 Ng, M.K.P. see L.W.T. Cheung, 4668
 Ng, T.B. see T.S. Lau, 3253
 Ng, T.W. see L.W.T. Cheung, 4668
 Nguyen, V.D. see H. Lühring, 5361
 Ni, M. and A.S. Lee, ER chaperones in mammalian development and human diseases, 3641
 Ni, Y., M. Su, Y. Qiu, M. Chen, Y. Liu, A. Zhao and W. Jia, Metabolic profiling using combined GC-MS and LC-MS provides a systems understanding of aristolochic acid-induced nephrotoxicity in rat, 707
 Nibbelink, M. see P. Flachs, 1093
 Nicaise, C. see V. Daubie, 2611
 Nicaise, V., J.-L. Gallois, F. Chafiai, L.M. Allen, V. Schurdi-Levraud, K.S. Browning, T. Candresse, C. Caranta, O. Le Gall and S. German-Retana, Coordinated and selective recruitment of eIF4E and eIF4G factors for potyvirus infection in *Arabidopsis thaliana*, 1041
 Nichols, B.L. see Z. Ao, 2381
 Nickell, S., F. Beck, A. Korinek, O. Mihalache, W. Baumeister and J.M. Plitzko, Automated cryoelectron microscopy of "single particles" applied to the 26S proteasome, 2751
 Nicola, M., A. Duprat, R. Sormani, C. Rodriguez, M.-A. Roncato, N. Rolland and C. Robaglia, Higher plant chloroplasts import the mRNA coding for the eucaryotic translation initiation factor 4E, 3921
 Nicolas, C., P. Kiefer, F. Letisse, J. Krömer, S. Massou, P. Soucaille, C. Wittmann, N.D. Lindley and J.-C. Portais, Response of the central metabolism of *Escherichia coli* to modified expression of the gene encoding the glucose-6-phosphate dehydrogenase, 3771
 Nicolau, C. see G. Sihm, 962
 Nidetzky, B. see M. Mueller, 1403
 Nidetzky, B. see M. Mueller, 3814
 Nie, L. see F.L. Xie, 1464
 Nielsen, H.K. see D. Launholt, 1114
 Niimura, Y. see S. Kawasaki, 2460
 Niinuma, Y. see M. Kaneko, 5355
 Nijikken, Y., T. Tsukada, K. Igarashi, M. Samejima, T. Wakagi, H. Shoun and S. Fushinobu, Crystal structure of intracellular family 1 β -glucosidase BGL1A from the basidiomycete *Phanerochaete chrysosporium*, 1514
 Nika, K. see I. Friedberg, 2527
 Nikaido, H. see C.-C. Su, 4972
 Nikawa, T. see H. Furochi, 5743
 Niki, E. see Y. Saito, 4349
 Nikitin, D.V. see E.A. Rodikova, 1190
 Nikolsky, N. see E. Burova, 1475
 Nilsson, I. see C. Lundin, 3809
 Nilsson, I. see C. Lundin, 5601
 Nincheri, P. see C. Donati, 4384
 Ninomiya-Tsuji, J. see W.-C. HuangFu, 5549
 Nishi, K. see Y. Morita, 1417
 Nishi, K. see Y. Morita, 3579
 Nishida, M. see H. Oku, 5029

- Nishida, T., N. Morita, Y. Yano, Y. Orikasa and H. Okuyama, The antioxidative function of eicosapentaenoic acid in a marine bacterium, *Shewanella marinintestina* IK-1, 4212
- Nishigaki, K. see M. Washiyama, 5207
- Nishikawa, T. see Y. Kume, 1631
- Nishimori, K. see S. Kato, 4685
- Nishimoto, A. see T. Nishiya, 3223
- Nishimura, M. see Y. Morita, 3579
- Nishimura, M. see Y. Morita, 1417
- Nishio, Y. see T. Takemoto, 218
- Nishiya, T., E. Kajita, T. Horinouchi, A. Nishimoto and S. Miwa, Distinct roles of TIR and non-TIR regions in the subcellular localization and signaling properties of MyD88, 3223
- Nishizuka, M. see T. Hishida, 4272
- Nissen, M. see A. Mokdad, 4512
- Nitsch, L. see C. De Lorenzo, 296
- Nitta, H., H. Kobayashi, A. Irie, H. Baba, K. Okamoto and T. Imamura, Activation of prothrombin by ASP, a serine protease released from *Aeromonas sobria*, 5935
- Nivon, M. see A.-P. Arrigo, 3665
- Nlend, M.-C., A. Schmid, Z. Sutto, G.A. Ransford, G.E. Conner, N. Fregien and M. Salathe, Calcium-mediated, purinergic stimulation and polarized localization of calcium-sensitive adenylyl cyclase isoforms in human airway epithelia, 3241
- Noel, J.P. see Y. Haagen, 2889
- Nofer, J.-R. see T. Engel, 1673
- Noguchi, C. see N. Hiraga, 1983
- Noguchi, M. see T. Ishii, 349
- Nogusa, Y. see N. Yanaka, 712
- Noizet, M. see L. Camborde, 337
- Nojima, H. see D. Miura, 2541
- Nomura, M. see M. Deushi, 5664
- Nomura, N. see E. Ito, 3909
- Nomura, Y. see M. Kaneko, 5355
- Nonaka, T. see A. Ishii, 4711
- Nordberg, P.A. see J.F. Cramer, 3178
- Nordheim, A. see T. Proikas-Cezanne, 3396
- Nordström, P. see L. Bailey, 587
- Norum, J.H., H. Dawood, R.R. Mattingly, D. Sandnes and F.O. Levy, Epac- and Rap-independent ERK1/2 phosphorylation induced by G_s-coupled receptor stimulation in HEK293 cells, 15
- Notomi, M. see K.-i. Hayashi, 2748
- Nouhi, Z., G. Chevillard, A. Derjuga and V. Blank, Endoplasmic reticulum association and N-linked glycosylation of the human Nrf3 transcription factor, 5401
- Nouwen, N. see D. Tomkiewicz, 2820
- Novak, M. see B. Kovacech, 617
- Novak, M. see J. Sevcik, 5872
- Novak, P. see B. Kovacech, 617
- Nowak, C. see M. Sarić, 1369
- Nozaki, H. see K.-i. Hayashi, 2748
- Nozawa, Y. see R. Kikuchi, 1800
- Nuccitelli, S. see C. Limatola, 2641
- Nunzio, M.D. see A. Bordoni, 923
- Nurminsky, D.I. see A.M. Boutanaev, 1707
- Nybo, R. see K.W. Kim, 995
- Nziengui, H., K. Bouhidel, D. Pillon, C. Der, F. Marty and B. Schoefs, Reticulon-like proteins in *Arabidopsis thaliana*: Structural organization and ER localization, 3356
- O**
- O'Callaghan, C. see M. Sherman, 3711
- O'Connor, L.J. see S. Murugesan, 1157
- O'Donoghue, P. see S. Herring, 3197
- O'Mara, M.L. and D.P. Tieleman, P-glycoprotein models of the apo and ATP-bound states based on homology with Sav1866 and MalK, 4217
- Obata, K., T. Furuno, M. Nakanishi and A. Togari, Direct neurite-osteoblastic cell communication, as demonstrated by use of an in vitro co-culture system, 5917
- Obata, Y. see H. Hiura, 1255
- Öberg, K.E. see J. Saras, 1957
- Obermeyer, G. see R. Gehwolf, 448
- Oberprieler, N.G., W. Roberts, A.M. Graham, S. Homer-Vanniasinkam and K.M. Naseem, cGMP-independent inhibition of integrin $\alpha_{IIb}\beta_3$ -mediated platelet adhesion and outside-in signalling by nitric oxide, 1529
- Oberprieler, N.G., W. Roberts, R. Riba, A.M. Graham, S. Homer-Vanniasinkam and K.M. Naseem, Corrigendum to "cGMP-independent inhibition of integrin $\alpha_{IIb}\beta_3$ -mediated platelet adhesion and outside-in signalling by nitric oxide" [FEBS Lett. 581 (2007) 1529–1534], 2574
- Obinger, C. see J. Vlasits, 320
- Ochi, A. see K. Matsumoto, 1599
- Ochi, H. see N. Hiraga, 1983
- Odelberg, S.J. see E. Makarev, 1865
- Odent, T. see C. Benoist-Lasselín, 2593
- Ogasawara, Y., T. Namai, F. Yoshino, M.-C. Lee and K. Ishii, Sialic acid is an essential moiety of mucin as a hydroxyl radical scavenger, 2473
- Ogawa, E. see S. Kato, 4685
- Ogawa, H. see H. Hiura, 1255
- Ogawa, J.-i. see H. Ota, 5220
- Ogawa, T. see H. Furochi, 5743
- Ogawa, Y. see Y. Kamei, 91
- Ogbomo, H., M. Michaelis, J. Kreuter, H.W. Doerr and J. Cinatl Jr., Histone deacetylase inhibitors suppress natural killer cell cytolytic activity, 1317
- Ogihara, T. see T. Yotsui, 427
- Oguchi, Y. see S. Masada, 2562
- Ogura, T. see Y. Sasagawa, 145
- Oguri, S. see H. Furochi, 5743
- Oh, C.K. see Z. Ma, 4485
- Oh, H.-K. see J.-M. Ha, 2663
- Oh, N., K.M. Kim, J. Choe and Y.K. Kim, Pioneer round of translation mediated by nuclear cap-binding proteins CBP80/20 occurs during prolonged hypoxia, 5158
- Oh, S. see K.-S. Kim, 4065
- Oh, S. see K.-S. Kim, 5733
- Ohama, T. see H. Oku, 5029
- Ohkubo, I. see Y. Morita, 3579
- Ohkubo, I. see Y. Morita, 1417
- Ohmori, M. see T. Suzuki, 21
- Ohnishi, S., P. Güntert, S. Koshihara, T. Tomizawa, R. Akasaka, N. Tochio, M. Sato, M. Inoue, T. Harada, S. Watanabe, A. Tanaka, M. Shirouzu, T. Kigawa and S. Yokoyama, Solution structure of an atypical WW domain in a novel β -clam-like dimeric form, 462
- Ohnishi, S., H. Sumiyoshi, S. Kitamura and N. Nagaya, Mesenchymal stem cells attenuate cardiac fibroblast proliferation and collagen synthesis through paracrine actions, 3961
- Ohno-Iwashita, Y. see M. Inomata, 3039
- Ohno, M. see S. Takashima, 5891
- Ohsumi, Y. see K. Suzuki, 2156
- Ohta, A. see R. Oshima, 4627
- Ohta, H. see Y. Nakamura, 5475
- Ohta, S. see S. Kanaji, 4260
- Ohta, T. see H. Tokuda, 1311
- Ohuchi, K. see F. Kamachi, 4633
- Ohwada, S. see E. Ito, 3909
- Oiki, S. see T. Konno, 1635
- Oiso, Y. see R. Banno, 1131
- Oiso, Y. see I. Sato, 4857
- Okabayashi, K. see T. Chan, 2691
- Okada, H. see T. Takenouchi, 3019
- Okada, Y. see M. Matsui, 4184
- Okamoto, K. see H. Nitta, 5935
- Okamura, M. see Y. Takano, 421
- Okamura, M. see N. Hiramatsu, 2055
- Okamura, Y. see T. Suzuki, 3443
- Okano, T. see M. Torii, 5327
- Okayama, H. see Q. Kan, 5879
- Okayama, M., T. Arakawa, I. Mizoguchi, Y. Tajima and T. Takuma, SNAP-23 is not essential for constitutive exocytosis in HeLa cells, 4583
- Okazaki, M. see M. Deushi, 5664
- Okazaki, Y. see S. Arai, 5649
- Oku, H., F. Matsuura, M. Koseki, J.C. Sandoval, M. Yuasa-Kawase, K. Tsubakio-Yamamoto, D. Masuda, N. Maeda, T. Ohama, T. Ishigami, M. Nishida, K.-i. Hirano, S. Kihara, M. Hori, I. Shimomura and S. Yamashita, Adiponectin deficiency suppresses ABCA1 expression and ApoA-I synthesis in the liver, 5029
- Okubo, S. see Y. Kume, 1631

Okuda, H., S. Miyata, Y. Mori and M. Tohyama, Mouse *Prickle1* and *Prickle2* are expressed in postmitotic neurons and promote neurite outgrowth, 4754
 Okuma, Y. see M. Kaneko, 5355
 Okumoto, S. see H. Gu, 579
 Okumura, A., M. Sano, T. Suzuki, H. Tanaka, R. Nagao, K. Nakazato, M. Iwai, H. Adachi, J.-R. Shen and I. Enami, Aromatic structure of Tyrosine-92 in the extrinsic PsbU protein of red algal Photosystem II is important for its functioning, 5255
 Okumura, Y. see H. Furochi, 5743
 Okuwaki, M. see M.A. Samad, 3283
 Okuyama, H. see T. Nishida, 4212
 Okuyama, R. see S. Kato, 4685
 Olam, D. see N. Klopstock, 3986
 Olivari, S. and M. Molinari, Glycoprotein folding and the role of EDEM1, EDEM2 and EDEM3 in degradation of folding-defective glycoproteins, 3658
 Oliveira, M.F. see J.B.R. Corrêa Soares, 1742
 Oliveira, P.L. see J.B.R. Corrêa Soares, 1742
 Oliveira, S. see M. Broco, 4397
 Ollagnier de Choudens, S. see M. Sendra, 1362
 Olsen, O.H. see J.R. Bjelke, 71
 Olsen, T.W. see C.M. Ethen, 885
 Omata, M. see Y. Kume, 1631
 O'Mara, M.L. and D.P. Tieleman, P-glycoprotein models of the apo and ATP-bound states based on homology with Sav1866 and MalK, 4217
 Omura, T. see M. Kaneko, 5355
 Onda, Y., Y. Kato, Y. Abe, T. Ito, Y. Ito-Inaba, M. Morohashi, Y. Ito, M. Ichikawa, K. Matsukawa, M. Otsuka, H. Koiwa and K. Ito, Pyruvate-sensitive AOX exists as a non-covalently associated dimer in the homeothermic spadix of the skunk cabbage, *Symplocarpus renifolius*, 5852
 Ono-Maniwa, R. see H. Takata, 3783
 Ono, M. see S. Kawasaki, 2460
 Ono, S. see M. Tamura, 4533
 Onoda, T. see M. Rahman, 4001
 Onyango, D.J. see J.E.P. Brown, 3273
 Oostergetel, G.T., M. Reus, A. Gomez Maqueo Chew, D.A. Bryant, E.J. Boekema and A.R. Holzwarth, Long-range organization of bacteriochlorophyll in chlorosomes of *Chlorobium tepidum* investigated by cryo-electron microscopy, 5435
 Opitz, C.A., N. Rimmerman, Y. Zhang, L.E. Mead, M.C. Yoder, D.A. Ingram, J.M. Walker and J. Rehman, Production of the endocannabinoids anandamide and 2-arachidonoylglycerol by endothelial progenitor cells, 4927
 Or, E. and T. Rapoport, Cross-linked SecA dimers are not functional in protein translocation, 2616
 O'Callaghan, C. see M.Y. Sherman, 5732
 Oreb, M., M. Zoryan, A. Vojta, U.G. Maier, L.A. Eichacker and E. Schleiff, Phospho-mimicry mutant of atToc33 affects early development of *Arabidopsis thaliana*, 5945
 Orikasa, Y. see T. Nishida, 4212
 Orłowski, J., S. Kaczanowski and P. Zielenkiewicz, Overrepresentation of interactions between homologous proteins in interactomes, 52
 O'Reilly, A.O. see P.N.R. Usherwood, 5485
 Orrell, R.W. see K. Ates, 2727
 Orriss, G.L., M.J. Tarry, B. Ize, F. Sargent, S.M. Lea, T. Palmer and B.C. Berks, TatBC, TatB, and TatC form structurally autonomous units within the twin arginine protein transport system of *Escherichia coli*, 4091
 Orsi, C.F. see M. Pinti, 3882
 Ortega-López, J. see E. Solano-González, 2919
 Ortiz-Masia, D., M.A. Perez-Amador, J. Carbonell and M.J. Marcote, Diverse stress signals activate the C1 subgroup MAP kinases of *Arabidopsis*, 1834
 Ortutay, C. see Z. Gáspári, 2523
 Osada, S. see T. Hishida, 4272
 Oshima, R., K. Yoshinaga, Y. Ihara-Ohori, R. Fukuda, A. Ohta, H. Uchimiyama and M. Kawai-Yamada, The Bax Inhibitor-1 needs a functional electron transport chain for cell death suppression, 4627
 Osterweil, E.K. see M. Krendel, 644
 Ostroumova, O.S., P.A. Gurnev, L.V. Schagina and S.M. Bezrukov, Asymmetry of syringomycin E channel studied by polymer partitioning, 804
 Ota, H., K.-i. Katsube, J.-i. Ogawa and M. Yanagishita, Hypoxia/Notch signaling in primary culture of rat lymphatic endothelial cells, 5220
 Otsuka, M., Y. Negishi and Y. Aramaki, Involvement of phosphatidylinositol-3-kinase and ERK pathways in the production of TGF-β1

by macrophages treated with liposomes composed of phosphatidylserine, 325
 Otsuka, M. see Y. Onda, 5852
 Otto, H. see S. Seibeck, 5425
 Ou, C.-H. see T.-C. Huang, 3517
 Ouellet, T. see N. Pons, 443
 Oukhaled, G. see M. Pastoriza-Gallego, 3371
 Ouyang, Y. see E.R. Moellering, 4871
 Oyama, T. see E. Ito, 3909
 Ozaki, N. see R. Banno, 1131
 Ozaki, N. see R. Banno, 1131
 Ozaki, N. see I. Sato, 4857
 Ozaki, N. see I. Sato, 4857
 Ozawa, H. see T. Chan, 2691

P

Pacelli, C. see L. Giachini, 5645
 Pagani, S. see A. Cereda, 1625
 Page, G. see S. Ingrand, 4473
 Pallett, D. see T. Ho, 3267
 Palma, A. see S. Grande, 637
 Palmada, M. see C. Böhmer, 5586
 Palmer, T. see G.L. Orriss, 4091
 Palmgren, M.G. see R.A. Gaxiola, 2204
 Palotai, R. see C. Böde, 2776
 Paluch, M. see T.L. Chang, 4596
 Palumbo, M.C., A. Colosimo, A. Giuliani and L. Farina, Essentiality is an emergent property of metabolic network wiring, 2485
 Pan, A. see I. Chanda, 5751
 Pan, C.-H., J.-L. Lin, L.-P. Lai, C.-L. Chen, S.K. Stephen Huang and C.-S. Lin, Downregulation of angiotensin converting enzyme II is associated with pacing-induced sustained atrial fibrillation, 526
 Pandey, S., W. Zhang and S.M. Assmann, Roles of ion channels and transporters in guard cell signal transduction, 2325
 Papa, S. see F. Francia, 611
 Papa, S. see L. Giachini, 5645
 Papachristou, D.J. see A.K. Papadopoulou, 2041
 Papaconstantinou, A.D. and E.G. Snyderwine, Proliferation and apoptosis in PhIP-induced rat mammary gland carcinoma as with elevated phosphotyrosine-STAT5a, 29
 Papadopoulou, A.K., D.J. Papachristou, S.A. Chatzopoulos, P. Pirttiniemi, A.G. Papavassiliou and E.K. Basdra, Load application induces changes in the expression levels of Sox-9, FGFR-3 and VEGF in condylar chondrocytes, 2041
 Papavassiliou, A.G. see A.K. Papadopoulou, 2041
 Parent, A. see P. Giguère, 3863
 Parent, J.-L. see P. Giguère, 3863
 Park, C. see J.H. Kim, 623
 Park, C., I. Lee, J.H. Jang and W.K. Kang, Inhibitory role of RhoA on senescence-like growth arrest by a mechanism involving modulation of phosphatase activity, 3800
 Park, D.-W. see J.-G. Lee, 787
 Park, H. see H. Cho, 1542
 Park, H.-M. see W.-H. Kang, 3473
 Park, J., P. van Koeverden, B. Singh and R.S. Gupta, Identification and characterization of human ribokinase and comparison of its properties with *E. coli* ribokinase and human adenosine kinase, 3211
 Park, J. see S.-H. Hong, 5396
 Park, J.-M. see K.-H. Kim, 3303
 Park, J.H. see D.H. Choi, 1649
 Park, J.W. see K.A. Kang, 2000
 Park, J.W. see D.H. Choi, 1649
 Park, K.S., H.Y. Lee, S.Y. Lee, M.-K. Kim, S.D. Kim, J.M. Kim, J. Yun, D.-S. Im and Y.-S. Bae, Lysophosphatidylethanolamine stimulates chemotactic migration and cellular invasion in SK-OV3 human ovarian cancer cells: Involvement of pertussis toxin-sensitive G-protein coupled receptor, 4411
 Park, M.H. see B.-H. Ahn, 5940
 Park, S.E., J.D. Song, K.M. Kim, Y.M. Park, N.D. Kim, Y.H. Yoo and Y.-C. Park, Diphenyleneiodonium induces ROS-independent p53 expression and apoptosis in human RPE cells, 180
 Park, S.J. see M.-D. Seo, 65
 Park, S.O. see H.-L. Kim, 5430

- Park, W.S. see I.D. Jung, 1449
 Park, Y.-D. see W.-H. Kang, 3473
 Park, Y.-M. see J.S. Lee, 57
 Park, Y.-M. see I.D. Jung, 1449
 Park, Y.C. see S.E. Park, 180
 Park, Y.J. see M.-K. Kim, 1917
 Park, Y.M. see S.E. Park, 180
 Park, Y.S. see H.-L. Kim, 5430
 Parker, P.J. see X. Iturriz, 1397
 Parker, P.J. see J. Durgan, 3377
 Parmar, V.S. see A. Goel, 2447
 Parola, A.H. see A. Aranovich, 4439
 Parrou, J.L. see M. Frison, 4010
 Pasha, M.A.Q. see J. Karar, 4577
 Pasquato, A., M. Dettin, A. Basak, R. Gambaretto, L. Tonin, N.G. Seidah and C. Di Bello, Heparin enhances the furin cleavage of HIV-1 gp160 peptides, 5807
 Passarella, S. see R.A. Vacca, 917
 Passarini, F. see S. Caffarri, 4704
 Pastoriza-Gallego, M., G. Oukhaled, J. Mathé, B. Thiebot, J.-M. Betton, L. Auvray and J. Pelta, Urea denaturation of α -hemolysin pore inserted in planar lipid bilayer detected by single nanopore recording: Loss of structural asymmetry, 3371
 Pastushok, L., L. Spyropoulos and W. Xiao, Two Mms2 residues cooperatively interact with ubiquitin and are critical for Lys63 polyubiquitination in vitro and in vivo, 5343
 Pasula, S., D. Jouandot II and J.-H. Kim, Biochemical evidence for glucose-independent induction of *HXT* expression in *Saccharomyces cerevisiae*, 3230
 Pathak, A. see B. Muralidharan, 4103
 Patterson, S.E. see B.M. Binder, 5105
 Pavlopoulos, S. see K. Bakshi, 5009
 Pavlovic, J. see J. Keyser, 5349
 Payne, S.G. see P. Mitra, 735
 Paz, C. see A. Duarte, 4023
 Peak-Chew, S. see K. Virdee, 2657
 Pearl, E.J., J.D.A. Tyndall, R.T.M. Poulter and S.M. Wilbanks, Sequence requirements for splicing by the Cne PRP8 intein, 3000
 Peelman, F. see P. Ulrichs, 629
 Peinado, J.R. see D. Cruz-Garcia, 3149
 Peleato, M.L. see J.A. Hernández, 1351
 Pellett, S., W.H. Tepp, C.M. Clancy, G.E. Borodic and E.A. Johnson, A neuronal cell-based botulinum neurotoxin assay for highly sensitive and specific detection of neutralizing serum antibodies, 4803
 Pellicer, S. see J.A. Hernández, 1351
 Pelta, J. see M. Pastoriza-Gallego, 3371
 Peltier, G. see C. Desplats, 4017
 Peng, C., S. Fan, X. Li, X. Fan, M. Ming, Z. Sun and W. Le, Overexpression of pitx3 upregulates expression of BDNF and GDNF in SH-SY5Y cells and primary ventral mesencephalic cultures, 1357
 Peng, F. see Y. Sun, 131
 Peng, F. see P.N.R. Usherwood, 5485
 Peng, R.-W. see Y. Li, 5698
 Peng, W. see Y. Sheng, 1763
 Peng, X. see X. Yan, 1587
 Peng, Y. see R.R. Lareu, 2709
 Peplowska, K. see D.F. Markgraf, 2125
 Peppoloni, S. see M. Pinti, 3882
 Pereira-Smith, O.M. see S.N. Garcia, 5275
 Pereira, H.M., V. Berdini, A. Cleasby and R.C. Garratt, Crystal structure of calf spleen purine nucleoside phosphorylase complexed to a novel purine analogue, 5082
 Pereira, I.A.C. see F.M.A. Valente, 3341
 Pereira, M.M., P.N. Refojo, G.O. Hreggvidsson, S. Hjorleifsdottir and M. Teixeira, The alternative complex III from *Rhodothermus marinus* – A prototype of a new family of quinol:electron acceptor oxidoreductases, 4831
 Pereira, P.M. see F.M.A. Valente, 3341
 Pereira, Y. see M. Gibert, 1287
 Perez-Amador, M.A. see D. Ortiz-Masia, 1834
 Perham, M., L. Stagg and P. Wittung-Stafshede, Macromolecular crowding increases structural content of folded proteins, 5065
 Perier, A., C. Gourier, S. Pichard, J. Husson, E. Lajeunesse, A. Babon, A. Menez and D. Gillet, Creation of intercellular bonds by anchoring protein ligands to membranes using the diphtheria toxin T domain, 5480
 Perino, S. see M. Damian, 1944
 Perrotta, C. see M. Gulli, 4841
 Perry, S.E., P. Robinson, A. Melcher, P. Quirke, H.-J. Bühring, G.P. Cook and G.E. Blair, Expression of the CUB domain containing protein 1 (CDCP1) gene in colorectal tumour cells, 1137
 Persson, E. see J.R. Bjelke, 71
 Pession, A. see A. Bordoni, 923
 Pession, A. see A. Bordoni, 923
 Pester, J.M. see R. Rossi, 4058
 Petelin, A. see L. Bojic, 5185
 Peters, C. see L. Bojic, 5185
 Petibois, C., B. Drogat, A. Bikfalvi, G. Délérís and M. Moenner, Histological mapping of biochemical changes in solid tumors by FT-IR spectral imaging, 5469
 Pêtres, S. see P. Tsitoura, 4049
 Petrovic, A. see C. Ciferri, 2862
 Pezacki, J.P. see R. Koukikolo, 3051
 Pfanner, N. see M. Bohnert, 2802
 Pfizenmaier, K. see T. Eiseler, 4279
 Phillips, J.R., T. Dalmy and D. Bartels, The role of small RNAs in abiotic stress, 3592
 Pi, R. see R. Li, 3311
 Picariello, G. see A. Cereda, 1625
 Piccoli, C., A. D'Aprile, M. Ripoli, R. Scrima, D. Boffoli, A. Tabilio and N. Capitanio, The hypoxia-inducible factor is stabilized in circulating hematopoietic stem cells under normoxic conditions, 3111
 Pichard, S. see A. Perier, 5480
 Pierce, A. see M.B. Breslin, 949
 Pierres, A., A. Prakasam, D. Touchard, A.-M. Benoliel, P. Bongrand and D. Leckband, Dissecting subsecond cadherin bound states reveals an efficient way for cells to achieve ultrafast probing of their environment, 1841
 Pieters, J. see P. Mueller, 3557
 Pietrasanta, L.I. see M.M. Echarte, 2905
 Pillon, D. see H. Nziengui, 3356
 Pilot, G. see R. Pratelli, 1248
 Pingault, V. see D. Scheffer, 4651
 Pinson-Gadais, L. see N. Pons, 443
 Pinti, M. see E. Roat, 521
 Pinti, M., C.F. Orsi, L. Gibellini, R. Esposito, A. Cossarizza, E. Blasi, S. Peppoloni and C. Mussini, Identification and characterization of an aspartyl protease from *Cryptococcus neoformans*, 3882
 Pire, C. see J. Esclapez, 837
 Pirttiniemi, P. see A.K. Papadopoulou, 2041
 Plano, S.A., P.V. Agostino and D.A. Golombek, Extracellular nitric oxide signaling in the hamster biological clock, 5500
 Platet, N., J.-F. Mayol, F. Berger, F. Hérodin and D. Wion, Fluctuation of the SP/non-SP phenotype in the C6 glioma cell line, 1435
 Platet, N. see D. Adamski, 3076
 Platta, H.W. and R. Erdmann, The peroxisomal protein import machinery, 2811
 Plattner, H. see M.F. Langhorst, 4697
 Plemenitas, A. see T. Vaupotic, 3391
 Plesniak, L.A. see C.M. Sandoval, 5464
 Plessmann, U. see M. Takenaka, 2743
 Plitzko, J.M. see S. Nickell, 2751
 Pochet, R. see V. Daubie, 2611
 Podestá, E.J. see A. Duarte, 4023
 Podlesek, Z. see M. Butala, 4816
 Podlitsky, A.J. see S.N. Garcia, 5275
 Pohlkamp, T. see S. Chlench, 673
 Polaina, J. see N. López-Cortés, 4657
 Polet, D., A. Lambrechts, K. Vandepoele, J. Vandekerckhove and C. Ampe, On the origin and evolution of vertebrate and viral profilins, 211
 Polidori, A. see M. Damian, 1944
 Politis, C. see P. Tsitoura, 4049
 Pollard, J.W. see Y. Wang, 3069
 Polsakiewicz, M. see V. Salone, 4132
 Polycarpo, C.R. see S. Herring, 3197
 Polycarpo, C.R. see O. Namy, 5282
 Pons, N., L. Pinson-Gadais, C. Barreau, F. Richard-Forget and T. Ouellet, Exogenous H₂O₂ and catalase treatments interfere with *Tri* genes expression in liquid cultures of *Fusarium graminearum*, 443
 Poole, E.L., L. Medcalf, D. Elton and P. Digard, Evidence that the C-terminal PB2-binding region of the influenza A virus PB1 protein is a discrete α -helical domain, 5300
 Poornima, B.L. and A.A. Karande, Differential sialylation regulates the apoptotic activity of glycoprotein A, 4366
 Poot, R. see P. Fortes, 3087
 Popoff, M.R. see M. Gibert, 1287
 Popov, K.M. see A. Klyuyeva, 2988

Porath, D. see N. Borovok, 5843
 Porcelli, M. see G. Cacciapiuoti, 4567
 Porras, A. see S. Zuluaga, 3819
 Portais, J.-C. see C. Nicolas, 3771
 Portillo, D.M., E.R. Martins, M.L. Costa and C.S. Mermelstein, A soluble and active form of Wnt-3a protein is involved in myogenic differentiation after cholesterol depletion, 5787
 Pos, K.M. see E.M. Furrer, 572
 Potin, S., J. Bertoglio and J. Bréard, Involvement of a Rho-ROCK-JNK pathway in arsenic trioxide-induced apoptosis in chronic myelogenous leukemia cells, 118
 Potocki-Veronese, G. see S. Suwannarangsee, 4675
 Pottosin, I. see S. Shabala, 1993
 Poulsen, F.M. see K. Modig, 4965
 Poulter, R.T.M. see E.J. Pearl, 3000
 Pourebrahim, R., K. Van Dam, M. Bauters, I. De Wever, R. Sciot, J.-J. Cassiman and S. Tejpar, *ZIC1* gene expression is controlled by DNA and histone methylation in mesenchymal proliferations, 5122
 Pouysségur, J. see M.C. Brahimi-Horn, 3582
 Powers, M.V. and P. Workman, Inhibitors of the heat shock response: Biology and pharmacology, 3758
 Powis, S.J. see A.N. Antoniou, 1988
 Poznański, J. see M. Adamczyk, 1409
 Pozueta-Romero, J. see M.T. Morán-Zorzano, 1035
 Pozueta-Romero, J. see G. Eydallin, 2947
 Pozueta-Romero, J. see G. Eydallin, 4417
 Pozueta-Romero, J. see M.T. Morán-Zorzano, 4423
 Prabu, S.K. see J.-K. Fang, 1302
 Prada, I., E. Cocucci, G. Racchetti and J. Meldolesi, The Ca²⁺-dependent exocytosis of enlargeosomes is greatly reinforced by genistein via a non-tyrosine kinase-dependent mechanism, 4932
 Prada, N. see E. Roat, 521
 Prakasam, A. see A. Pierres, 1841
 Prasad, A.K. see A. Goel, 2447
 Prasad, A.S. see B. Bao, 4507
 Pratelli, R. and G. Pilot, Corrigendum to "The plant-specific VIMAG domain of *Glutamine Dumper1* is necessary for the function of the protein in arabidopsis" [FEBS Lett. 580 (2006) 6961–6966], 1248
 Preller, A., E. Kessi and T. Ureta, Glycogen synthesis by the direct or indirect pathways depends on glucose availability: In vivo studies in frog oocytes, 663
 Preti, A. see A. Fanzani, 5099
 Pries, A.R. see S. Chlench, 673
 Prigent, C. see R. Uzbekov, 1251
 Prigent, S. see E. Gonzales, 3260
 Primakoff, P. and D.G. Myles, Cell-cell membrane fusion during mammalian fertilization, 2174
 Prochnow, B.R. see F. Vauti, 5691
 Prodöhl, A. see C. Dreher, 2647
 Proikas-Cezanne, T., S. Ruckerbauer, Y.-D. Stierhof, C. Berg and A. Nordheim, Human WIPI-1 puncta-formation: A novel assay to assess mammalian autophagy, 3396
 Prunotto, M., M. Bacchetta, S. Jayaraman, M. Galloni, G. Van Eys, G. Gabbiani and M.-L. Bochaton-Piallat, Cytostatic drugs differentially affect phenotypic features of porcine coronary artery smooth muscle cell populations, 5847
 Pu, Y. see F. Zhou, 34
 Pucci, B. see M. Damian, 1944
 Puglisi, E.V. and J.D. Puglisi, Probing the conformation of human tRNA^{Lys} in solution by NMR, 5307
 Puglisi, J.D. see E.V. Puglisi, 5307
 Puneekar, N.S. see R. Choudhury, 2733
 Püschel, G.P. see N. Wieneke, 5617
 Pushkin, A. see S. Ryazantsev, 1898

Q

Qadri, F. see C.-F. Flach, 3183
 Qiang, B. see X. Yan, 1587
 Qiao, H. and J.R. McMillan, Gelsolin segment 5 inhibits HIV-induced T-cell apoptosis via Vpr-binding to VDAC, 535
 Qiu, F. see S. Locovei, 483
 Qiu, Y. see Y. Ni, 707

Qu, Z., Y. Cui and C. Hartzell, Corrigendum to "A short motif in the C-terminus of mouse bestrophin 3 inhibits its activation as a Cl channel" [FEBS Lett. 580 (2006) 2141–2146], 580
 Queguiner, I. see G. Sihh, 962
 Quezada-Calvillo, R. see Z. Ao, 2381
 Quintana, A. see P. Mueller, 3557
 Quirke, P. see S.E. Perry, 1137
 Quoix, N., R. Cheng-Xue, Y. Guiot, P.L. Herrera, J.-C. Henquin and P. Gilon, The GluCre-ROSA26EYFP mouse: A new model for easy identification of living pancreatic α -cells, 4235
 Qvartskhava, N. see B. Görg, 84

R

Rabot, S. see A. Benjdia, 1009
 Racchetti, G. see I. Prada, 4932
 Racchumi, G. see K. Hochrainer, 5493
 Rachwal, P.A., T. Brown and K.R. Fox, Sequence effects of single base loops in intramolecular quadruplex DNA, 1657
 Radosavljevic, M. see V. Rolli, 394
 Radziwill, G. see J. Keyser, 5349
 Radziwill, G. see A. Weiss, 5131
 Rae, C., S.A. Robertson, J.M.W. Taylor and A. Graham, Resistin induces lipolysis and re-esterification of triacylglycerol stores, and increases cholesteryl ester deposition, in human macrophages, 4877
 Raghunath, M. see R.R. Lareu, 2709
 Raghuraj, R. and S. Lakshminarayanan, VPMCD: Variable interaction modeling approach for class discrimination in biological systems, 826
 Raguz, J., S. Wagner, I. Dikic and D. Hoeller, Suppressor of T-cell receptor signalling 1 and 2 differentially regulate endocytosis and signalling of receptor tyrosine kinases, 4767
 Rahman, M., H. Nara, T. Onoda, A. Araki, J. Li, T. Hoshino and H. Asao, Cloning and characterization of an isoform of interleukin-21, 4001
 Raimi, O. see R. Hurtado-Guerrero, 5597
 Raja, M., R.E.J. Spelbrink, B. de Kruijff and J.A. Killian, Phosphatidic acid plays a special role in stabilizing and folding of the tetrameric potassium channel KcsA, 5715
 Rajagopalan, R. see R.R. Lareu, 2709
 Rajeswari, M.R. see V. Swarup, 795
 Rakhimberdieva, M.G., Y.V. Bolychevtseva, I.V. Elanskaya and N.V. Karapetyan, Protein-protein interactions in carotenoid triggered quenching of phycobilisome fluorescence in *Synechocystis* sp. PCC 6803, 2429
 Rakugi, H. see T. Yotsui, 427
 Ralston, K.J. see R.F. Thorne, 1227
 Ramarao, N., C. Le Clainche, T. Izard, R. Bourdet-Sicard, E. Ageron, P.J. Sansonetti, M.-F. Carlier and G. Tran Van Nhieu, Capping of actin filaments by vinculin activated by the *Shigella* IpaA carboxyl-terminal domain, 853
 Ramasamy, S.K. see F. Vauti, 5691
 Ramey, G., A. Faye, B. Durel, B. Viollet and S. Vaulont, Iron overload in *Hepcl1*^{-/-} mice is not impairing glucose homeostasis, 1053
 Ramos, S. see J. Riera, 3057
 Rampino, P. see M. Gulli, 4841
 Ramu, P., R. Tanskanen, M. Holmberg, K. Lähteenmäki, T.K. Korhonen and S. Meri, The surface protease PgtE of *Salmonella enterica* affects complement activity by proteolytically cleaving C3b, C4b and C5, 1716
 Randell, S.H. see G.E. Conner, 271
 Randriantsoa, M., S. Drouillard, C. Breton and E. Samain, Synthesis of globopentaose using a novel β 1,3-galactosyl transferase activity of the *Haemophilus influenzae* β 1,3-N-acetylgalactosaminyltransferase LgtD, 2652
 Ranran, W. see Z. Changwei, 2670
 Ransford, G.A. see M.-C. Nlend, 3241
 Rapista, A. see T.L. Chang, 4596
 Rapizzi, E. see C. Donati, 4384
 Rapoport, T. see E. Or, 2616
 Rappuoli, R. see E. Balducci, 4199
 Rashid, I., D.M. van Reyk and M.J. Davies, Carnosine and its constituents inhibit glycation of low-density lipoproteins that promotes foam cell formation in vitro, 1067

- Rasmussen, H.B. see J.R. Bjelke, 71
- Rath, A. and C.M. Deber, Membrane protein assembly patterns reflect selection for non-proliferative structures, 1335
- Rath, O., A. Himmler, A. Baum, W. Sommergruber, H. Beug and T. Metz, c-Myc is required for transformation of FDC-P1 cells by EGFRvIII, 2549
- Raza, H. see J.-K. Fang, 1302
- Razumova, M.V. see J.F. Shaffer, 1501
- Rebière, B. see C. Roustan, 681
- Rebollo, A. see A. Ghadiri, 1605
- Redemann, N. see R. Grempler, 5885
- Reeve, S. see S. Kuruppu, 4501
- Refojo, P.N. see M.M. Pereira, 4831
- Regalla, M. see F.M.A. Valente, 3341
- Regel, E.J. see P.D. McLaughlin, 1425
- Regeling, A. see J. de Keyzer, 1859
- Regnier, M. see J.F. Shaffer, 1501
- Rehman, J. see C.A. Opitz, 4927
- Rehwinkel, J. see I. Behm-Ansmant, 2845
- Reichelt, M. see J.C. D'Auria, 872
- Reid, C.W., B.A. Legaree and A.J. Clarke, Role of Ser216 in the mechanism of action of membrane-bound lytic transglycosylase B: Further evidence for substrate-assisted catalysis, 4988
- Reid, G.A. see S.J. Atkinson, 3805
- Reigadas, S. see C. Di Primo, 771
- Reilly, C. see C.M. Ethen, 885
- Reimann, A. see A. Ghadiri, 1605
- Reinheckel, T. see L. Bojčić, 5185
- Reinke, S.O. and S. Hinderlich, Prediction of three different isoforms of the human UDP-N-acetylglucosamine 2-epimerase/N-acetylmannosamine kinase, 3327
- Relling, V.M. see M.A. Mussi, 5573
- Remaud-Simeon, M. see S. Suwannarangsee, 4675
- Ren, J. see M.Z. Cader, 2959
- Ren, Q.-G., X.-M. Liao, X.-Q. Chen, G.-P. Liu and J.-Z. Wang, Effects of tau phosphorylation on proteasome activity, 1521
- Rensink, I. see S. Zeerleder, 5382
- Rentsch, D., S. Schmidt and M. Tegeder, Transporters for uptake and allocation of organic nitrogen compounds in plants, 2281
- Resink, T.J. see S. Ghosh, 4523
- Reus, M. see G.T. Oostergetel, 5435
- Reuter, N. see E. Hajjar, 5685
- Reutter, W. see K. Bork, 4195
- Rexroth, S. see H.J. Schwabmann, 1391
- Rey, P. see C. Vieira Dos Santos, 4371
- Reyes-Duarte, D. see N. López-Cortés, 4657
- Reyes, K. see C.M. Sandoval, 5464
- Rhee, H.-I. see S.-R. Won, 4999
- Rhim, B.Y. see S.J. Lee, 4189
- Riba, R. see N.G. Oberprieler, 2574
- Rice, J.C. see S. Wu, 3289
- Richard-Forget, F. see N. Ponts, 443
- Richard, S.B. see Y. Haagen, 2889
- Richter, D. see M. Christenn, 5173
- Rickwood, D. see A.L. Dahler, 3839
- Ricquier, D. see S. Rousset, 479
- Rdinger, M. see V. Salone, 4132
- Riebe, O., R.-J. Fischer and H. Bahl, Desulfoferrodoxin of *Clostridium acetobutylicum* functions as a superoxide reductase, 5605
- Riera, J., R. Rodriguez, M.T. Carcedo, V.M. Campa, S. Ramos and P.S. Lazo, Isolation and characterization of *nudC* from mouse macrophages, a gene implicated in the inflammatory response through the regulation of PAF-AH(I) activity, 3057
- Rieu, P. see S. Jaisson, 1509
- Rmer, P. see J.M. Knott, 3081
- Rimmer, K.A. see A. Koay, 5055
- Rimmerman, N. see C.A. Opitz, 4927
- Ripoli, M. see C. Piccoli, 3111
- Rivoal, J. see H. Germain, 5137
- Roat, E., N. Prada, R. Ferraresi, C. Giovanzana, M. Nasi, L. Troiano, M. Pinti, E. Nemes, E. Lugli, O. Biagioni, M. Mariotti, L. Ciacci, U. Consolo, F. Balli and A. Cossarizza, Mitochondrial alterations and tendency to apoptosis in peripheral blood cells from children with Down syndrome, 521
- Robaglia, C. see M. Nicola, 3921
- Roberts, W. see N.G. Oberprieler, 1529
- Roberts, W. see N.G. Oberprieler, 2574
- Robertson, R.P. and J.S. Harmon, Pancreatic islet β -cell and oxidative stress: The importance of glutathione peroxidase, 3743
- Robertson, S.A. see C. Rae, 4877
- Robinson, N.C. see P. Lemma-Gray, 437
- Robinson, P. see S.E. Perry, 1137
- Roca, M., B. Messer and A. Warshel, Electrostatic contributions to protein stability and folding energy, 2065
- Rochaix, J.-D., Role of thylakoid protein kinases in photosynthetic acclimation, 2768
- Rock, C.O. see R. Leonardi, 4639
- Roder, K., L. Zhang and M. Schweizer, SREBP-1c mediates the retinoid-dependent increase in fatty acid synthase promoter activity in HepG2, 2715
- Rodesch, M.J. see D.C. Nelson, 3363
- Rodgarkia-Dara, C.J. see K.W. Sommer, 4921
- Rodikova, E.A., O.V. Kovalevskiy, S.G. Mayorov, Z.I. Budarina, V.V. Marchenkov, B.S. Melnik, A.P. Leech, D.V. Nikitin, M.G. Shlyapnikov and A.S. Solonin, Two HlyIIR dimers bind to a long perfect inverted repeat in the operator of the hemolysin II gene from *Bacillus cereus*, 1190
- Rodrigues-Pousada, C. see D. Azevedo, 187
- Rodrigues-Pousada, C. see M. Broco, 4397
- Rodríguez, R. see J. Riera, 3057
- Rodríguez, C. see M. Nicola, 3921
- Rodríguez, F.I. see B.M. Binder, 5105
- Roh, V. see S. Sibold, 989
- Rohde, M. see M. Daugaard, 3702
- Rokov-Plavec, J. see I. Gruic-Sovulj, 5110
- Rolland, N. see M. Nicola, 3921
- Rolli, V., M. Radosavljevic, V. Astier, C. Macquin, I. Castan-Laurell, V. Visentin, C. Guigné, C. Carpené, P. Valet, S. Gilfillan and S. Bahram, Lipolysis is altered in MHC class I zinc- α_2 -glycoprotein deficient mice, 394
- Romeo, R. see N. Mitro, 1721
- Romeo, Y., J. Bouvier and C. Gutierrez, Osmotic regulation of transcription in *Lactococcus lactis*: Ionic strength-dependent binding of the BusR repressor to the *busA* promoter, 3387
- Roncato, M.-A. see M. Nicola, 3921
- Ronchetti, M.F. see E.M. Furrer, 572
- Rong, Z. see B. Sun, 3277
- Rosato, R.R. see G.P. Colo, 5075
- Röse, U.S.R. see H. Lühning, 5361
- Rose, D.R. see Z. Ao, 2381
- Rosen, B.P. see J. Ye, 3996
- Rosen, G.D. see D. Upadhyay, 248
- Rosen, G.D. see J. Zhang, 4148
- Rosen, G.D. see J. Zhang, 5315
- Rosi, A. see S. Grande, 637
- Roskelley, C.D. see M.L. Graves, 1825
- Ross, H.H. and H.L. Fillmore, Identification of a novel human MT5-MMP transcript variant in multipotent NT2 cells, 5923
- Rossi, G. see P. Brennwald, 2119
- Rossi, R., J.M. Pester, M. McDowell, S. Soza, A. Montecucco and K.K. Lee-Fruman, Identification of S6K2 as a centrosome-located kinase, 4058
- Rossi, S. see A. Fanzani, 5099
- Rothballer, A., N. Tzvetkov and P. Zwickl, Mutations in p97/VCP induce unfolding activity, 1197
- Rother, K., M. Dengl, J. Lorenz, K. Tschöp, R. Kirschner, J. Mössner and K. Engeland, Gene expression of *cyclin-dependent kinase subunit Cks2* is repressed by the tumor suppressor p53 but not by the related proteins p63 or p73, 1166
- Rothwell, L. see S.M. Harrison, 1275
- Rouhier, N. see C. Vieira Dos Santos, 4371
- Rousset, J.-P. see O. Namy, 5282
- Rousset, S., J. Mozo, G. Dujardin, Y. Emre, S. Masscheleyn, D. Ricquier and A.-M. Cassard-Doulcier, UCP2 is a mitochondrial transporter with an unusual very short half-life, 479
- Roustan, C., I. Ferjani, S.K. Maciver, A. Fattoum, B. Rebière and Y. Benyamin, Calcium-induced conformational changes in the amino-terminal half of gelsolin, 681
- Rowland, O., R. Lee, R. Franke, L. Schreiber and L. Kunst, The *CER3* wax biosynthetic gene from *Arabidopsis thaliana* is allelic to *WAX2/YRE/FLP1*, 3538
- Roy, D. see M. Banerjee, 5019
- Roy, H.K., R.K. Wali, Y. Kim, Y. Liu, J. Hart, D.P. Kunte, J.L. Koetsier, M.J. Goldberg, V. Backman, Inducible nitric oxide synthase (iNOS) mediates the early increase of blood supply (EIBS) in colon carcinogenesis, 3857
- Roy, S. and A.K. Dasgupta, Controllable self-assembly from fibrinogen-gold (fibrinogen-Au) and thrombin-silver (thrombin-Ag) nanoparticle interaction, 5533
- Roy, S. see S. Basak, 5825

Ruban, A.V. see B. van Oort, 3528
 Rubio-Teixeira, M., Corrigendum to "Urmlylation controls Nilp and Gln3p-dependent expression of nitrogen-catabolite repressed genes in *Saccharomyces cerevisiae*" [FEBS Lett. 581 (2007) 541–550], 1079
 Rubio-Teixeira, M., Urmlylation controls Nilp and Gln3p-dependent expression of nitrogen-catabolite repressed genes in *Saccharomyces cerevisiae*, 541
 Ruckerbauer, S. see T. Proikas-Cezanne, 3396
 Rudloff, I. see C. Di Primo, 771
 Rudolph, R. see A. Hauburger, 4159
 Rufer, A.C., A. Lomize, J. Benz, O. Chomienne, R. Thoma and M. Hennig, Carnitine palmitoyltransferase 2: Analysis of membrane association and complex structure with a substrate analog, 3247
 Ruffell, D., Spotlight on... Ned Mantei, 3333
 Ruffell, D., Featuring... Dr. Noboru Mizushima. Winner of the 2007 *FEBS Letters* Young Scientist Award, 2750
 Ruffell, D., Spotlight on... Barry Halliwell, 5017
 Ruiz-Sanz, J. see J.M. Martín-García, 1701
 Ruiz-Vela, A. and S.J. Korsmeyer, Proapoptotic histone H1.2 induces CASP-3 and -7 activation by forming a protein complex with CYT c, APAF-1 and CASP-9, 3422
 Ruiz, A.M. see M. Galindo, 2022
 Ruiz, P. see F. Vauti, 5691
 Runswick, M.J. see R. Chen, 3145
 Russell, B. see S.E. Senyo, 4241
 Russell, D.H. see F.S. Senocak, 5865
 Russell, M.W. see A.L. Bowman, 1549
 Russell, R.B. see M.J. Betts, 2870
 Russell, W.K. see F.S. Senocak, 5865
 Ryan, P.R. see E. Delhaize, 2255
 Ryazantsev, S., N. Abuladze, D. Newman, G. Bondar, I. Kurtz and A. Pushkin, Structural characterization of dimeric murine aminoacylase III, 1898
 Ryu, S.H. see M.-K. Kim, 1917

S

Sedek, M. see J. Kamińska, 5371
 Sabaj, V. see M. Galindo, 2022
 Saccone, S. see G. D'Onofrio, 5819
 Sadat Hayatshahi, S.H., P. Abdolmaleki, M. Ghiasi and S. Safarian, QSARs and activity predicting models for competitive inhibitors of adenosine deaminase, 506
 Sadat, S. see X. Bai, 4681
 Saeki, M. see K. Takata, 475
 Saez, E. see N. Mitro, 1721
 Safarian, S. see S.H. Sadat Hayatshahi, 506
 Saftig, P. see C. Wehling, 1594
 Saga, Y., Y. Hirai and H. Tamiaki, Kinetic analysis of demetalation of bacteriochlorophyll *c* and *e* homologs purified from green sulfur photosynthetic bacteria, 1847
 Sagan, S.M. see R. Koukikolo, 3051
 Sage, C. see D. Scheffer, 4651
 Saha, S.K. see I. Chanda, 5751
 Sahin, U. and C.P. Blobel, Ectodomain shedding of the EGF-receptor ligand epigen is mediated by ADAM17, 41
 Saini, N. see A. Goel, 2447
 Saito, K. see I. Friedberg, 2527
 Saito, R. see K. Arakawa, 253
 Saito, R. see M. Matsui, 4184
 Saito, T. see A. Ishii, 4711
 Saito, Y., Y. Yoshida and E. Niki, Cholesterol is more susceptible to oxidation than linoleates in cultured cells under oxidative stress induced by selenium deficiency and free radicals, 4349
 Sakaguchi, K. see T. Tanno, 1022
 Sakai, A. see N. Hiraga, 1983
 Sakai, H. see Y. Matsumura, 3139
 Sakai, T. see T. Hitomi, 1087
 Sakai, Y. see S. Kawasaki, 2460
 Sakai, Y. see N. Hiraga, 1983
 Sakamoto, N. see T. Yamamoto, 5234
 Sakane, F. see S. Yasuda, 551
 Sakata, Y. see S. Kanaji, 4260
 Sakigi, Y. see K.-i. Hayashi, 2748
 Saksela, K. see M. Hiipakka, 1735
 Sakuradani, E. see S. Zhang, 315
 Salathe, M. see G.E. Conner, 271
 Salathe, M. see M.-C. Nlend, 3241
 Saleki, K. see A.J. Lemm, 1819
 Salgado, H., A. Martínez-Antonio and S.C. Janga, Conservation of transcriptional sensing systems in prokaryotes: A perspective from *Escherichia coli*, 3499
 Salim, S., B. Hite and D.C. Eikenburg, Activation of the CRF₁ receptor causes ERK1/2 mediated increase in GRK3 expression in CATH.a cells, 3204
 Salinas, T. see J. Hammargren, 3507
 Salmon, M. see S. Lax, 3550
 Salone, V., M. Rdinger, M. Polsakiewicz, B. Hoffmann, M. Groth-Maloney, B. Szurek, I. Small, V. Knoop and C. Lurin, A hypothesis on the identification of the editing enzyme in plant organelles, 4132
 Salvi, M., N.A. Morrice, A.M. Brunati and A. Toninello, Identification of the flavoprotein of succinate dehydrogenase and aconitase as in vitro mitochondrial substrates of Fgr tyrosine kinase, 5579
 Salzameda, B. see C.M. Sandoval, 5464
 Samad, M.A., M. Okuwaki, H. Haruki and K. Nagata, Physical and functional interaction between a nucleolar protein nucleophosmin/B23 and adenovirus basic core proteins, 3283
 Samain, E. see M. Randriantsoa, 2652
 Samejima, M. see Y. Nijikken, 1514
 Samuels, S. see L. Bao, 5703
 San Gabriel, A.M., T. Maekawa, H. Uneyama, S. Yoshie and K. Torii, mGluR1 in the fundic glands of rat stomach, 1119
 Sanakis, Y. see M. Sendra, 1362
 Sánchez-Martínez, C. see O.H. Martínez-Costa, 3033
 Sánchez, M. see I. Esteban, 3415
 Sánchez, V. see O.H. Martínez-Costa, 3033
 Sanchis, D. see J. Zhang, 5781
 Sandnes, D. see J.H. Norum, 15
 Sandoval, C.M., B. Salzameda, K. Reyes, T. Williams, V.S. Hohman and L.A. Plesniak, Anti-obesity and anti-tumor pro-apoptotic peptides are sufficient to cause release of cytochrome *c* from vesicles, 5464
 Sandoval, J.C. see H. Oku, 5029
 Sang, Y., J.M. Barbosa, H. Wu, R.D. Locy and N.K. Singh, Identification of a pyridoxine (pyridoxamine) 5'-phosphate oxidase from *Arabidopsis thaliana*, 344
 Sano, M. see A. Okumura, 5255
 Sansonetti, P.J. see N. Ramarao, 853
 Santabarbara, S., M. Chen, A.W.D. Larkum and M.C.W. Evans, An electron paramagnetic resonance investigation of the electron transfer reactions in the chlorophyll *d* containing photosystem I of *Acar-yochloris marina*, 1567
 Santini, M.T. see P. Indovina, 719
 Santos, F., J.L. Vera, P. Lamosa, G.F. de Valdez, W.M. de Vos, H. Santos, F. Sesma and J. Hugenholtz, Pseudovitamin B₁₂ is the corrinoid produced by *Lactobacillus reuteri* CRL1098 under anaerobic conditions, 4865
 Santos, H. see F. Santos, 4865
 Santos, S.G. see A.N. Antoniou, 1988
 Sanz, J.M. see B. Maestro, 375
 Sapora, O. see S. Grande, 637
 Saraiva, L.M. see S.A.L. Lobo, 433
 Saras, J., M. Grönberg, M. Stridsberg, K.E. Öberg and E.T. Janson, Somatostatin induces rapid contraction of neuroendocrine cells, 1957
 Sargent, F. see G.L. Orriss, 4091
 Sarić, M., X. Zhao, C. Körner, C. Nowak, J. Kuhlmann and I.R. Vetter, Structural and biochemical characterization of the Importin-β · Ran · GTP · Ran BD1 complex, 1369
 Sarkar, F.H. see B. Bao, 4507
 Saruwatari, K. see S. Sugimoto, 2993
 Sasagawa, I. see M.K. Kaneko, 331
 Sasagawa, Y., S. Sato, T. Ogura and A. Higashitani, *C. elegans* RBX-2-CUL-5- and RBX-1-CUL-2-based complexes are redundant for oogenesis and activation of the MAP kinase MPK-1, 145
 Sasai, M. see T. Akazawa, 3334
 Sasaki, A. see T. Kajiume, 4645
 Sasaki, M. see Y. Matsumura, 3139
 Sasaki, T. see M. Tamura, 4533
 Sasse, F. see B. Kunze, 3523
 Sato, I. see R. Banno, 1131
 Sato, I., H. Arima, N. Ozaki, N. Ozaki, M. Watanabe, M. Goto, H. Shimizu, M. Hayashi, R. Banno, H. Nagasaki and Y. Oiso, Periph-

- erally administered baclofen reduced food intake and body weight in *dbldb* as well as diet-induced obese mice, 4857
- Sato, K. and A. Nakano, Mechanisms of COPII vesicle formation and protein sorting, 2076
- Sato, M. see T. Takenouchi, 3019
- Sato, M. see S. Ohnishi, 462
- Sato, N. see K. Sugimoto, 4519
- Sato, S. see Y. Sasagawa, 145
- Sato, T. see M. Kuwabara, 4821
- Satoh, J. see S. Kawasaki, 2460
- Satoh, T. see S. Kawasaki, 2460
- Satterlee, J.D. see A. Mokdad, 4512
- Sauer, N., Molecular physiology of higher plant sucrose transporters, 2309
- Saulière, J. see I. Behm-Ansmant, 2845
- Saumet, A. see T. Claudel, 3626
- Saunders, N.A. see A.L. Dahler, 3839
- Saunus, J.M., S.L. Edwards, J.D. French, C.E. Smart and M.A. Brown, Regulation of *BRC1* messenger RNA stability in human epithelial cell lines and during cell cycle progression, 3435
- Sawasaki, T. see H. Germain, 5137
- Sawers, R.G. see L. Forzi, 3317
- Sayan, E. see S.M. Soond, 1217
- Scemes, E. see S. Locovei, 483
- Schäfer, A. see U. Linne, 905
- Schagina, L.V. see O.S. Ostroumova, 804
- Scharenberg, A.M. see P. Liu, 1377
- Scharff-Poulsen, A.M. see H. Gu, 579
- Scheek, R. see B. de Vries, 5627
- Scheel, H. see M. Garzón, 3189
- Scheffer, D., C. Sage, D.P. Corey and V. Pingault, Gene expression profiling identifies *Hes6* as a transcriptional target of ATOH1 in cochlear hair cells, 4651
- Scheij, S.S. see M. van Eijk, 5389
- Schelbert, S. see N. Schenk, 5517
- Schenk, N., S. Schelbert, M. Kanwischer, E.E. Goldschmidt, P. Dörmann and S. Hörtensteiner, The chlorophyllases AtCLH1 and AtCLH2 are not essential for senescence-related chlorophyll breakdown in *Arabidopsis thaliana*, 5517
- Scherer, G.F.E., M. Zahn, J. Callis and A.M. Jones, A role for phospholipase A in auxin-regulated gene expression, 4205
- Schleiff, E. see M. Oreb, 5945
- Schlesinger, R. see N. Mennes, 1487
- Schliebs, W. see W.A. Stanley, 4795
- Schliess, F. see B. Görg, 84
- Schlitter, J. see C. Burisch, 741
- Schlitter, J. see H. te Heesen, 5677
- Schmid, A. see M.-C. Nlend, 3241
- Schmid, M.A. see T. Eiseler, 4279
- Schmidt, B. see B. Schröder, 102
- Schmidt, E., S.M. Kelly and C.F. van der Walle, Tight junction modulation and biochemical characterisation of the zonula occludens toxin C- and N-termini, 2974
- Schmidt, L. see H. Lühring, 5361
- Schmidt, S. see D. Rentsch, 2281
- Schmidt, T.J. see S. Hemmati, 603
- Schmitt, H.D. see Y. Li, 5698
- Schneider, D. see C. Dreher, 2647
- Schneider, T. see E.M. Tapernoux-Lüthi, 1811
- Schoefs, B. see H. Nziengui, 3356
- Schoofs, L. see S.J. Husson, 4288
- Schreiber, L. see O. Rowland, 3538
- Schreiber, M. see K. Aigner, 1617
- Schreier, S. see L.G. de Deus Teixeira, 2411
- Schreiner, C. see K.W. Sommer, 4921
- Schröder, B., H.-P. Elsässer, B. Schmidt and A. Hasilik, Characterisation of lipofuscin-like lysosomal inclusion bodies from human placenta, 102
- Schroeder, J.I. see U.-I. Flügge, 2203
- Schuelke, M. see T. Zemajtė, 2072
- Schulz, G.E. see D. Grueninger, 3127
- Schulz, S. see M. Christenn, 5173
- Schumacher, K. see R.A. Gaxiola, 2204
- Schurdi-Levraud, V. see V. Nicaise, 1041
- Schwake, M. see C. Wehling, 1594
- Schwanninger, M. see J. Vlasits, 320
- Schwarz, E. see A. Hauburger, 4159
- Schwaßmann, H.J., S. Rexroth, H. Seelert and N.A. Dencher, Metalloprotein controls dimerization of the chloroplast F_0F_1 ATP synthase in *Chlamydomonas reinhardtii*, 1391
- Schweifer, N. see K. Aigner, 1617
- Schweizer, M. see K. Roder, 2715
- Sciort, R. see R. Pourebrahim, 5122
- Scott, K. see S. Ahn, 3455
- Scrima, R. see C. Piccoli, 3111
- Sechi, M. see L.Q. Al-Mawsawi, 1151
- Sediva, A. see P. Flachs, 1093
- Seeber, M. see D. Dell'Orco, 944
- Seedorf, M. see A. Franz, 401
- Seedorf, U. see T. Engel, 1673
- Seelert, H. see H.J. Schwaßmann, 1391
- Seibeck, S., B. Borucki, H. Otto, K. Inomata, H. Khawn, H. Kinoshita, N. Michael, T. Lamparter and M.P. Heyn, Locked 5Zs-biliverdin blocks the Meta- R_A to Meta- R_C transition in the functional cycle of bacteriophytochrome Agp1, 5425
- Seibenhener, M.L., T. Geetha and M.W. Wooten, Sequestosome 1/p62 – More than just a scaffold, 175
- Seidah, N.G. see A. Pasquato, 5807
- Seidel, R. see N. Mennes, 1487
- Seitz, C., S. Ameres and G. Forkmann, Identification of the molecular basis for the functional difference between flavonoid 3'-hydroxylase and flavonoid 3',5'-hydroxylase, 3429
- Sekine, O. see T. Takemoto, 218
- Sell, H. see L. Zhou, 4303
- Selzer, A. see Y. Tsfadia, 1243
- Semba, K. see E. Ito, 3909
- Sendra, M., S. Ollagnier de Choudens, D. Lascoux, Y. Sanakis and M. Fontecave, The SUF iron-sulfur cluster biosynthetic machinery: Sulfur transfer from the SUFS-SUFE complex to SUFA, 1362
- Senese, R. see A. Lombardi, 5911
- Senesi, S. see M. Csala, 1693
- Senior, A.E. see I. Carrier, 301
- Senocak, F.S., Y. Si, C. Moya, W.K. Russell, D.H. Russell, K. Lee and A. Jayaraman, Effect of uncoupling protein-1 expression on 3T3-L1 adipocyte gene expression, 5865
- Sentenac, H. see A. Lebaudy, 2357
- Senyo, S.E., Y.E. Koshman and B. Russell, Stimulus interval, rate and direction differentially regulate phosphorylation for mechanotransduction in neonatal cardiac myocytes, 4241
- Seo, M.-D., S.J. Park, H.-J. Kim and B.J. Lee, Identification of the WW domain-interaction sites in the unstructured N-terminal domain of EBV LMP 2A, 65
- Seong, E.-Y. see J.S. Lee, 57
- Seong, K.M., J.-H. Baek, M.-H. Yu and J. Kim, Rpn13p and Rpn14p are involved in the recognition of ubiquitinated Gcn4p by the 26S proteasome, 2567
- Seppen, J. see C. Vrins, 4616
- Sepuri, N.B. see J.-K. Fang, 1302
- Serimaa, R. see G.R. Szilvay, 2721
- Serre, L. see M. Damian, 1944
- Seshadri, V. see B. Muralidharan, 4103
- Seshasayee, A.S.N. see J.J. James, 4377
- Sesma, F. see F. Santos, 4865
- Sethi, P.R. see M.A. Clark, 764
- Sevcik, J., R. Skrabana, R. Dvorsky, N. Csokova, K. Iqbal and M. Novak, X-ray structure of the PHF core C-terminus: Insight into the folding of the intrinsically disordered protein tau in Alzheimer's disease, 5872
- Seya, T. see T. Akazawa, 3334
- Shabala, S., T.A. Cuin and I. Pottosin, Polyamines prevent NaCl-induced K^+ efflux from pea mesophyll by blocking non-selective cation channels, 1993
- Shaffer, J.F., M.V. Razumova, A.-Y. Tu, M. Regnier and S.P. Harris, Myosin S2 is not required for effects of myosin binding protein-C on motility, 1501
- Shah, K. see S. Kim, 1209
- Shaikh, F.A., J. Müllegger, S. He and S.G. Withers, Identification of the catalytic nucleophile in Family 42 β -galactosidases by intermediate trapping and peptide mapping: YesZ from *Bacillus subtilis*, 2441
- Shalak, V. see M. Kaminska, 3105
- Shao, Z. see W. Jin, 3826
- Sharma, B. see N.S. Hwang, 4172
- Sharma, V. see K. Tikoo, 1071
- Sharma, V. see K. Tikoo, 2027
- Sharrocks, A.D. see P.D. Thompson, 1233
- Shayeghi, M. see C.A. Cooper, 2599
- Sheldon, T.J., I. Miguel-Aliaga, A.P. Gould, W.R. Taylor and D. Conklin, A novel family of single VWC-domain proteins in invertebrates, 5268

- Shen, D., K. Liang, Y. Ye, E. Tetteh and S. Achilefu, Modulation of nuclear internalization of Tat peptides by fluorescent dyes and receptor-avid peptides, 1793
- Shen, J.-R. see A. Okumura, 5255
- Shen, J.-R. see K. Kawakami, 4983
- Shen, P. see C. Chen, 5143
- Shen, S. see L. Cao, 5526
- Sheng, Y., Z. Zeng, W. Peng, D. Jiang, S. Li, Y. Sun and J. Zhang, Design and switch of catalytic activity with the DNAzyme-RNAzyme combination, 1763
- Shepardson, S.P. see R. Chakrabarti, 5213
- Shepherd, S. see R. Hurtado-Guerrero, 5597
- Sheppard, K. see S. Namgoong, 309
- Sheridan, M.A. see N.M. Very, 4773
- Sherman, M., V. Gabai, C. O'Callaghan and J. Yaglom, Molecular chaperones regulate p53 and suppress senescence programs, 3711
- Sherman, M.Y., V. Gabai, C. O'Callaghan and J. Yaglom, Corrigendum to "Molecular chaperones regulate p53 and suppress senescence programs" [FEBS Lett. 581 (2007) 3711-3715], 5732
- Sherman, T. see B. Kaplan, 2237
- Shi, L. see Y. Fan, 2557
- Shi, Y. see M. Ljubkovic, 4255
- Shi, Y.-F., C.-C. Fong, Q. Zhang, P.-Y. Cheung, C.-H. Tzang, R.S.S. Wu and M. Yang, Hypoxia induces the activation of human hepatic stellate cells LX-2 through TGF- β signaling pathway, 203
- Shibano, T., M. Takeda, I. Suetake, K. Kawakami, M. Asashima, S. Tajima and M. Taira, Recombinant Tol2 transposase with activity in *Xenopus* embryos, 4333
- Shibata, H. see N. Arakaki, 3405
- Shibata, T. see T. Yamamoto, 5234
- Shibayama, S. see R. Kikuchi, 1800
- Shichida, Y. see M. Torii, 5327
- Shie, J.-J. see C.-C. Lee, 5454
- Shigeyoshi, Y. see I. Yamanaka, 4098
- Shikano, S. see D. Ma, 1000
- Shim, J.W., M. Yang and L.-Q. Gu, In vitro synthesis, tetramerization and single channel characterization of virus-encoded potassium channel Kcv, 1027
- Shimada, M. see T. Watanabe, 1788
- Shimada, Y. see M. Inomata, 3039
- Shimizu, H. see I. Sato, 4857
- Shimizu, J. see M. Inomata, 3039
- Shimizu, S. see S. Zhang, 315
- Shimizu, T. see M. Martinkova, 4109
- Shimohama, S. see K. Takata, 475
- Shimoi, H. see H. Kitagaki, 2935
- Shimokado, K. see M. Tani, 4621
- Shimomura, I. see H. Oku, 5029
- Shin, C.S. see S.J. Myung, 2954
- Shin, H.-H., J.-E. Lee and H.-S. Choi, Absence of 4-1BB increases cell influx into the peritoneal cavity in response to LPS stimulation by decreasing macrophageIL-10 levels, 4355
- Shin, J. see H.-O. Jun, 4977
- Shin, J.-C. see J.-M. Ha, 2663
- Shin, J.-G. see E.H. Han, 749
- Shin, S.Y. see S.-T. Yang, 157
- Shindo, K. see K.-M. Chen, 4761
- Shingai, M. see T. Akazawa, 3334
- Shinkarev, V.P. and C.A. Wraight, Intermonomer electron transfer in the bc_1 complex dimer is controlled by the energized state and by impaired electron transfer between low and high potential hemes, 1535
- Shiozaki, I. see M. Tamura, 4533
- Shirahama-Noda, K. see Y. Morita, 1417
- Shirahama-Noda, K. see Y. Morita, 3579
- Shirai, M. see H. Hiura, 1255
- Shirai, M. see T. Yoshimura, 1495
- Shirouzu, M. see S. Ohnishi, 462
- Shitamura, A. see Y. Takano, 421
- Shitan, N. see T. Watanabe, 1788
- Shkolnik, K., S. Ben-Dor, D. Galiani, A. Hourvitz and N. Dekel, A novel ovary-specific and ovulation-associated variant of epoxide hydrolase 2, 4891
- Shkuropatov, A.Ya. see T.Y. Fufina, 5769
- Shlyapnikov, M.G. see E.A. Rodikova, 1190
- Shoun, H. see Y. Nijikken, 1514
- Shoyama, Y. see F. Taura, 2929
- Shoyama, Y. see F. Taura, 2929
- Shrivastava, R., A.K. Ghosh and A.K. Das, Probing the nucleotide binding and phosphorylation by the histidine kinase of a novel three-protein two-component system from *Mycobacterium tuberculosis*, 1903
- Shukla, D. see V. Tiwari, 4468
- Shum, C.K.Y. see Z.-M. Liu, 2465
- Shuvalov, V.A. see T.Y. Fufina, 5769
- Si, X. see A.L. Hunter, 879
- Si, Y. see F.S. Senocak, 5865
- Sibille, B. see C. Duval, 955
- Sibold, S., V. Roh, A. Keogh, P. Studer, C. Tiffon, E. Angst, S.A. Vorburger, R. Weimann, D. Candinas and D. Stroka, Hypoxia increases cytoplasmic expression of NDRG1, but is insufficient for its membrane localization in human hepatocellular carcinoma, 989
- Sicheri, F. see G.C. Leung, 77
- Sigel, E. see K.R. Tan, 4718
- Sihn, G., T. Walter, J.-C. Klein, I. Queguiner, H. Iwao, C. Nicolau, J.-M. Lehn, P. Corvol and J.-M. Gasc, Anti-angiogenic properties of *myo*-inositol trispyrophosphate *in ovo* and growth reduction of implanted glioma, 962
- Silveira, C.M. see M.G. Almeida, 284
- Silverman, W.R. and L. Heginbotham, The MlotiK1 channel transports ions along the canonical conduction pore, 5024
- Silvestri, E. see A. Lombardi, 5911
- Sim, L. see Z. Ao, 2381
- Simm, A.M., A.J. Baldwin, K. Busse and D.D. Jones, Investigating protein structural plasticity by surveying the consequence of an amino acid deletion from TEM-1 β -lactamase, 3904
- Simón, D. see J.J. Garrido, 1579
- Simon, S. see A.-P. Arrigo, 3665
- Simons, P. see K. Ates, 2727
- Sinanani, A.C.M. see K. Ates, 2727
- Singh, B. see J. Park, 3211
- Singh, N.K. see Y. Sang, 344
- Singh, S., A.K. Upadhyay, A.K. Ajay and M.K. Bhat, p53 regulates ERK activation in carboplatin induced apoptosis in cervical carcinoma: A novel target of p53 in apoptosis, 289
- Sinning, I. see K.F. Stengel, 5671
- Sinning, I. see E. Kowalinski, 4450
- Sirikantaramas, S. see F. Taura, 2929
- Sitia, R. see R. Barouki, 3581
- Sitia, R. see S. Cenci, 3652
- Sjögren, B. and P. Svenningsson, Caveolin-1 affects serotonin binding and cell surface levels of human 5-HT_{7(a)} receptors, 5115
- Skrabana, R. see B. Kovacech, 617
- Skrabana, R. see J. Sevcik, 5872
- Slevin, J.T. see C. Zhao, 2140
- Small, I. see V. Salone, 4132
- Smart, C.E. see J.M. Saunus, 3435
- Smirnov, A. see I. Brandina, 4248
- Smith, L. see S. Hoer, 45
- Smith, L.J. see R. Wijesinha-Bettoni, 4557
- Snijckers, C.M. see M.P. Lolkema, 4571
- Šnyderwine, E.G. see A.D. Papaconstantinou, 29
- Snyrychová, I. see B.B. Fischer, 5555
- Soares, A.F. see B. Zarrouki, 2394
- Soares, C.M. see M. Broco, 4397
- Soave, C. see V. Vazzola, 667
- Sobanov, J. see D. Mechtcheriakova, 3063
- Sobue, K. see T. Yoshio, 3777
- Sobue, S. see R. Kikuchi, 1800
- Sogawa, N. see I. Miyazaki, 5003
- Solano-González, E., E. Burrola-Barraza, C. León-Sicairos, L. Avila-González, L. Gutiérrez-Escolano, J. Ortega-López and R. Arroyo, The trichomonad cysteine proteinase TVCP4 transcript contains an iron-responsive element, 2919
- Soldaini, E. see E. Balducci, 4199
- Solis, G.P. see M.F. Langhorst, 4697
- Söll, D. see S. Namgoong, 309
- Söll, D. see S. Herring, 3197
- Söll, D. see O. Namy, 5282
- Soll, J. see L. Vojta, 2621
- Söllner, T.H., Membrane trafficking, 2075
- Solomon, A. see K. Ates, 2727
- Solonin, A.S. see E.A. Rodikova, 1190
- Somech, E. see A. Kozminsky-Atias, 2478
- Someya, A. see T. Murakami, 140
- Sommer, K.W., C.J. Rodgarkia-Dara, C. Schreiner, K. Holzmann, G. Krupitza and C. Cerni, Oncogenic c-H-ras deregulates survivin expression: An improvement for survival, 4921
- Sommergruber, W. see O. Rath, 2549
- Sommergruber, W. see K. Aigner, 1617

- Song, B.-J. see K.-H. Moon, 3967
 Song, J.D. see S.E. Park, 180
 Song, J.K. see D.H. Choi, 1649
 Song, Y.-H. see X. Bai, 4681
 Sonnewald, U. see A. Moustroph, 2401
 Sonnhammer, E.L. see C. Lundin, 5601
 Sonomoto, K. see S. Sugimoto, 2993
 Soond, S.M., C. Carroll, P.A. Townsend, E. Sayan, G. Melino, I. Behrmann, R.A. Knight, D.S. Latchman and A. Stephanou, STAT1 regulates p73-mediated *Bax* gene expression, 1217
 Sorbo, J.G., S.E. Moe and T. Holen, Early upregulation in nasal epithelium and strong expression in olfactory bulb glomeruli suggest a role for Aquaporin-4 in olfaction, 4884
 Sorice, M. see T. Garofalo, 3899
 Sormani, R. see M. Nicola, 3921
 Soucaille, P. see C. Nicolas, 3771
 Souda, P. see J. Xie, 3545
 Soza, S. see R. Rossi, 4058
 Spagnoli, G.C. see S. Ghosh, 4523
 Španíková, S. see X.-L. Li, 4029
 Spanjaard, R.A. see C.N. Mork, 5440
 Spear, J. see J.-K. Fang, 1302
 Spector, D. see M.B. Toledano, 4549
 Spector, D. see M.B. Toledano, 3598
 Speijer, D. see M. van Eijk, 5389
 Spelbrink, R.E.J. see M. Raja, 5715
 Spetz, A.-L. see A. Bergsmédh, 2943
 Spiegel, S. see P. Mitra, 735
 Spinedi, A. see C. Limatola, 2641
 Sponarova, J. see P. Flachs, 1093
 Spray, D.C. see S. Locovei, 483
 Spyrapoulos, L. see L. Pastushok, 5343
 Srivastava, D.K. see B. Ganguly, 5723
 Stack, C. see S. Kanaji, 4260
 Staels, B. see B. Cariou, 5191
 Stagg, L. see M. Perham, 5065
 Stammers, D.K. see M.Z. Cader, 2959
 Stanczka, M. see H. Hehnl, 2112
 Stańczak, P., P. Juszczyk, Z. Grzonka and H. Kozłowski, The whole hexapeptide repeats domain from avian PrP displays untypical hallmarks in aspect of the Cu²⁺ complexes formation, 4544
 Stanford, W.L. see P.B. Thornhill, 4455
 Stanley, W.A., K. Fodor, M.A. Marti-Renom, W. Schliebs and M. Wilmanns, Protein translocation into peroxisomes by ring-shaped import receptors, 4795
 Stapelberg, M. see J. Neuzil, 4611
 Stapleton, D. see A. Koay, 5055
 Staswick, P.E. see A. Guranowski, 815
 Stavridou, I. see D. Sweetman, 4165
 Steffens, G. see M. Dewor, 4734
 Stehle, F., W. Brandt, C. Milkowski and D. Strack, Corrigendum to "Structure determinants and substrate recognition of serine carboxypeptidase-like acyltransferases from plant secondary metabolism" [FEBS Lett. 580 (2006) 6366–6374], 164
 Steiger, M.G. see A.R. Stricker, 3915
 Stengel, K.F., I. Holdermann, M.A. Wild and I. Sinning, The structure of the chloroplast signal recognition particle (SRP) receptor reveals mechanistic details of SRP GTPase activation and a conserved membrane targeting site, 5671
 Stephanou, A. see S.M. Soond, 1217
 Stephen Huang, S.K. see C.-H. Pan, 526
 Sterchi, E.E. see Z. Ao, 2381
 Stewart, D.T. see R. Chakrabarti, 5213
 Sticht, H. see F. Bauer, 1555
 Stierhof, Y.-D. see T. Proikas-Cezanne, 3396
 Stiles, B.G. see M. Gibert, 1287
 Stoka, V. see B. Turk, 2761
 Stoka, V. see L. Bojić, 5185
 Stolz, V. see D.C. Nelson, 3363
 Stoops, E.H. see J.D. Langer, 2083
 Stoppani, E. see A. Fanzani, 5099
 Storvik, M. see S. Asikainen, 5050
 Strack, D. see F. Stehle, 164
 Straede, A. and J.J. Heinisch, Functional analyses of the extra- and intracellular domains of the yeast cell wall integrity sensors Mid2 and Wsc1, 4495
 Straface, E., R. Vona, B. Ascione, P. Matarrese, T. Strudthoff, F. Franconi and W. Malorni, Single exposure of human fibroblasts (WI-38) to a sub-cytotoxic dose of UVB induces premature senescence, 4342
 Straface, E. see S. Basciani, 5897
 Strauss, C. see C. Kolly, 1969
 Stricker, A.R., M.G. Steiger and R.L. Mach, Xyr1 receives the lactose induction signal and regulates lactose metabolism in *Hypocrea jecorina*, 3915
 Stricker, S. see T. Zemojtel, 2072
 Stridsberg, M. see J. Saras, 1957
 Stroka, D. see S. Sibold, 989
 Strudthoff, T. see E. Straface, 4342
 Stuart, D.I. see M. Crispin, 1963
 Stubbs, M.T. see U. Linne, 905
 Studer, P. see S. Sibold, 989
 Stuermer, C.A.O. see M.F. Langhorst, 4697
 Su, C.-C. and E.W. Yu, Corrigendum to "Ligand-transporter interaction in the AcrB multidrug efflux pump determined by fluorescence polarization assay" [FEBS Lett. 581 (2007) 4972–4976], 5548
 Su, C.-C., H. Nikaido and E.W. Yu, Ligand-transporter interaction in the AcrB multidrug efflux pump determined by fluorescence polarization assay, 4972
 Su, D. see A. Bérczi, 1505
 Su, M. see Y. Ni, 707
 Su, S.-H., M.C. Suarez-Rodriguez and P. Krysan, Genetic interaction and phenotypic analysis of the *Arabidopsis* MAP kinase pathway mutations *mekk1* and *mpk4* suggests signaling pathway complexity, 3171
 Su, X. see Q. Sun, 3991
 Suarez-Rodriguez, M.C. see S.-H. Su, 3171
 Subramhanya, K.H. see R.R. Lareu, 2709
 Suetake, I. see T. Shibano, 4333
 Suetsugu, N. see T. Kagawa, 368
 Suga, Y. see N. Ishii, 413
 Sugama, S. see T. Takenouchi, 3019
 Suganami, T. see Y. Kamei, 91
 Sugano, S. see T. Funakoshi, 4910
 Sugase, K. see N. Yamaji, 3789
 Sugase, K. see E. Harada, 4298
 Sugeno, N. see T. Hasegawa, 406
 Sugimoto, K., N. Sato and M. Tsuzuki, Utilization of a chloroplast membrane sulfolipid as a major internal sulfur source for protein synthesis in the early phase of sulfur starvation in *Chlamydomonas reinhardtii*, 4519
 Sugimoto, S., C. Higashi, K. Saruwatari, J. Nakayama and K. Sonomoto, A gram-negative characteristic segment in *Escherichia coli* DnaK is essential for the ATP-dependent cooperative function with the co-chaperones DnaJ and GrpE, 2993
 Sugimoto, T. see Y. Morita, 3579
 Sugimoto, T. see Y. Morita, 1417
 Sugino, H., Comparative genomic analysis of the mouse and rat amylase multigene family, 355
 Sukhija, K.B. see T.A. Hornberger, 4562
 Sultan, A. see K. Aigner, 1617
 Sumiyoshi, H. see S. Ohnishi, 3961
 Sumper, M. see J.M. Knott, 3081
 Sun, B., S. Zhang, D. Zhang, Y. Liu, Y. Li, Z. Rong, Y. Zhu and X. Jia, Clusterin is associated with spontaneous breast cancer in TA2 mice, 3277
 Sun, B. see Y. Lin, 5151
 Sun, M. see X. Zeng, 2509
 Sun, Q. see X. Dong, 5796
 Sun, Q., L. Bi, X. Su, K. Tsurugi and K. Mitsui, Valproate induces apoptosis by inducing accumulation of neutral lipids which was prevented by disruption of the *SIR2* gene in *Saccharomyces cerevisiae*, 3991
 Sun, R. see F. Yu, 3485
 Sun, Y., H. Yi, P.-F. Zhang, M.-Y. Li, C. Li, F. Li, F. Peng, X.-P. Feng, Y.-X. Yang, F. Yang, Z.-Q. Xiao and Z.-C. Chen, Identification of differential proteins in nasopharyngeal carcinoma cells with p53 silence by proteome analysis, 131
 Sun, Y. see Y. Sheng, 1763
 Sun, Y.-X. see X.-L. Dai, 1269
 Sun, Z. see C. Peng, 1357
 Sundin, C. see L. Bailey, 587
 Superti-Furga, G. see H. Feldmann, 2749
 Surh, Y.J. see K.A. Kang, 2000
 Sussman and M.P. Samanta, M.R. see D.C. Nelson, 3363
 Suter, M.M. see C. Kolly, 1969
 Sutrias-Grau, M. see P. Mani-Telang, 5241
 Sutto, Z. see M.-C. Nlend, 3241

- Suwannarangsee, S., C. Moulis, G. Potocki-Veronese, P. Monsan, M. Remaud-Simeon and W. Chulalaksananukul, Search for a dextran-sucrase minimal motif involved in dextran binding, 4675
- Suza, W. see A. Guranowski, 815
- Suzuki, D. see A. Miyazono, 5321
- Suzuki, K. and Y. Ohsumi, Molecular machinery of autophagosome formation in yeast, *Saccharomyces cerevisiae*, 2156
- Suzuki, M. see R. Kikuchi, 1800
- Suzuki, S., E.M. Wilson-Kubalek, D. Wert, T.-S. Tsao and D.H. Lee, The oligomeric structure of high molecular weight adiponectin, 809
- Suzuki, T., H. Yoshimura, S. Ehira, M. Ikeuchi and M. Ohmori, An-CrpA, a cAMP receptor protein, regulates *nif*-related gene expression in the cyanobacterium *Anabaena* sp. strain PCC 7120 grown with nitrate, 21
- Suzuki, T., Y. Okamura, A. Arakaki, H. Takeyama and T. Matsunaga, Cytoplasmic ATPase involved in ferrous ion uptake from magnetotactic bacterium *Magnetospirillum magneticum* AMB-1, 3443
- Suzuki, T. see A. Okumura, 5255
- Suzuki, T., S. Usuda, H. Ichinose and S. Inouye, Real-time bioluminescence imaging of a protein secretory pathway in living mammalian cells using *Gaussia* luciferase, 4551
- Svatoš, A. see J.C. D'Auria, 872
- Svenningsson, P. see B. Sjögren, 5115
- Svensson, B. see Š. Janeček, 1261
- Svensson, S. see K.W. Kim, 995
- Swarup, V. and M.R. Rajeswari, Circulating (cell-free) nucleic acids – A promising, non-invasive tool for early detection of several human diseases, 795
- Swedberg, J.E. see W.M. Huston, 3382
- Sweetman, D., I. Stavridou, S. Johnson, P. Green, S.E.K. Caddick and C.A. Brearley, *Arabidopsis thaliana* inositol 1,3,4-trisphosphate 5/6-kinase 4 (AtITPK4) is an outlier to a family of ATP-grasp fold proteins from *Arabidopsis*, 4165
- Swettenham, E. see J. Neuzil, 4611
- Swistowska, A.M., S. Gronert, S. Wittrock, W. Collisi, H.-J. Hecht and B. Hofer, Identification of structural determinants for substrate binding and turnover by glucosyltransferase R supports the permutation hypothesis, 4036
- Szalay, M.S. see C. Böde, 2776
- Szalay, M.S., I.A. Kovács, T. Korcsmáros, C. Böde and P. Csermely, Stress-induced rearrangements of cellular networks: Consequences for protection and drug design, 3675
- Szczepankowska, D. see K.A. Nałecz, 3950
- Szilvay, G.R., K. Kisko, R. Serimaa and M.B. Linder, The relation between solution association and surface activity of the hydrophobic HFBI from *Trichoderma reesei*, 2721
- Szurek, B. see V. Salone, 4132
- cellulose-binding domain mutants of *Humicola grisea* cellobiohydrolase 1, 5891
- Takashina, T. and M. Nakayama, Revival of apoptotic cells that display early-stage dynamic membrane blebbing, 4479
- Takata, H., S. Matsunaga, A. Morimoto, R. Ono-Maniwa, S. Uchiyama and K. Fukui, H1.X with different properties from other linker histones is required for mitotic progression, 3783
- Takata, K., Y. Kitamura, D. Yanagisawa, S. Morikawa, M. Morita, T. Inubushi, D. Tsuchiya, S. Chishiro, M. Saeki, T. Taniguchi, S. Shimohama and I. Tooyama, Microglial transplantation increases amyloid- β clearance in Alzheimer model rats, 475
- Takaya, K. see A. Hikosaka, 3013
- Takayanagi, N. see K. Matsumoto, 1599
- Takeda, A. see S. Iwasaki, 2455
- Takeda, A. see T. Hasegawa, 406
- Takeda, M. see N. Hiramatsu, 2055
- Takeda, M. see T. Shibano, 4333
- Takeda, S. see T. Igarashi, 2416
- Takeda, S., T. Igarashi and H. Mori, Crystal structure of RVV-X: An example of evolutionary gain of specificity by ADAM proteinases, 5859
- Takemoto, T., Y. Nishio, O. Sekine, C. Ikeuchi, Y. Nagai, Y. Maeno, H. Maegawa, H. Kimura and A. Kashiwagi, RBMX is a novel hepatic transcriptional regulator of SREBP-1c gene response to high-fructose diet, 218
- Takenaka, M., D. Verbitskiy, J.A. van der Merwe, A. Zehrmann, U. Plessmann, H. Urlaub and A. Brennicke, In vitro RNA editing in plant mitochondria does not require added energy, 2743
- Takenaka, S. see T. Tanno, 1022
- Takenouchi, T., Y. Iwamaru, M. Imamura, N. Kato, S. Sugama, M. Fujita, M. Hashimoto, M. Sato, H. Okada, T. Yokoyama, S. Mohri and H. Kitani, Prion infection correlates with hypersensitivity of P2X7 nucleotide receptor in a mouse microglial cell line, 3019
- Takeshita, K. see S. Kanaji, 4260
- Takeuchi, H. see Y. Uno, 97
- Takeuchi, K. see Y. Morita, 1417
- Takeuchi, K. see Y. Morita, 3579
- Takeyama, H. see T. Suzuki, 3443
- Takeyasu, K. see D. Liu, 3563
- Takita, M., M. Inada, T. Maruyama and C. Miyaura, Prostaglandin E receptor EP4 antagonist suppresses osteolysis due to bone metastasis of mouse malignant melanoma cells, 565
- Takuma, T. see M. Okayama, 4583
- Talbot, K. see M.Z. Cader, 2959
- Talke, I.N. see U. Krämer, 2263
- Tamiaki, H. see Y. Saga, 1847
- Tamura, H. see S.-i. Ito, 3217
- Tamura, H. see T. Murakami, 140
- Tamura, M. see S. Mikuni, 389
- Tamura, M., I. Shiozaki, S. Ono, K. Miyano, S. Kunihiro and T. Sasaki, p40^{phox} as an alternative organizer to p47^{phox} in Nox2 activation: A new mechanism involving an interaction with p22^{phox}, 4533
- Tamura, S. see H. Furochi, 5743
- Tan, K.R., R. Baur, A. Gonthier, M. Goeldner and E. Sigel, Two neighboring residues of loop A of the α_1 subunit point towards the benzodiazepine binding site of GABA_A receptors, 4718
- Tan, S., J. Guo, Q. Huang, X. Chen, J. Li-Ling, Q. Li and F. Ma, Retained introns increase putative microRNA targets within 3' UTRs of human mRNA, 1081
- Tanaka, A. see S. Ohnishi, 462
- Tanaka, H. see A. Okumura, 5255
- Tanaka, K. see T. Tanno, 1022
- Tanaka, K. see T. Yoshimura, 1495
- Tanaka, S. see S.-i. Ito, 3217
- Tanaka, T. see T. Yotsui, 427
- Tanaka, T. see T. Ishii, 349
- Tanaka, Y. see S. Kanaji, 4260
- Taneja, P., I. Boche, H. Hartmann, H.-P. Nasheuer, F. Grosse, E. Fanning and K. Weisshart, Different activities of the largest subunit of replication protein A cooperate during SV40 DNA replication, 3973
- Tang, B. see X. Dong, 5796
- Tang, P., C. Cao, M. Xu and L. Zhang, Cytoskeletal protein radixin activates integrin $\alpha_M\beta_2$ by binding to its cytoplasmic tail, 1103
- Tang, X.C. see Z.F. Wang, 596
- Tang, Y.-T. see T.-C. Chuang, 4443
- Tang, Y.J. see Y. Lin, 5151
- Tang, Z. see C.-J. Huang, 223
- Tani, M. and Y.A. Hannun, Analysis of membrane topology of neutral sphingomyelinase 2, 1323

T

- Tabilio, A. see C. Piccoli, 3111
- Tabler, J. see C. Devader, 5332
- Tabner, B.J. see A. Masad, 3489
- Tacnet, F. see M.B. Toledano, 3598
- Tacnet, F. see M.B. Toledano, 4549
- Tadesse, S. see M.L. Valentino, 3410
- Taira, M. see T. Shibano, 4333
- Tajima, S. see T. Shibano, 4333
- Tajima, Y. see M. Okayama, 4583
- Takada, Y. see D. Xu, 5227
- Takagi, A. see R. Kikuchi, 1800
- Takahashi, H. see D. Liu, 3563
- Takahashi, S. see N. Hiraga, 1983
- Takai, S. see H. Tokuda, 1311
- Takami, M. see A. Miyazono, 5321
- Takano, K. see C. Angkawidjaja, 5060
- Takano, Y., K. Yamauchi, K. Hayakawa, N. Hiramatsu, A. Kasai, M. Okamura, M. Yokouchi, A. Shitamura, J. Yao and M. Kitamura, Transcriptional suppression of nephrin in podocytes by macrophages: Roles of inflammatory cytokines and involvement of the PI3K/Akt pathway, 421
- Takano, Y. see K. Matsumoto, 1599
- Takashima, S., M. Ohno, M. Hidaka, A. Nakamura, H. Masaki and T. Uozumi, Correlation between cellulose binding and activity of

- Tani, M., A. Kawakami, M. Nagai, K. Shimokado, K. Kondo and M. Yoshida, Sphingosine 1-phosphate (S1P) inhibits monocyte-endothelial cell interaction by regulating of RhoA activity, 4621
- Taniguchi, S. see A. Ishii, 4711
- Taniguchi, T. see K. Takata, 475
- Tanno, T., A. Fujiwara, K. Sakaguchi, K. Tanaka, S. Takenaka and S. Tsuyama, Slit3 regulates cell motility through Rac/Cdc42 activation in lipopoly saccharide-stimulated macrophages, 1022
- Tanskanen, R. see P. Ramu, 1716
- Tanti, J.-F. see M. Aouadi, 5591
- Tantin, D. see T. Hitomi, 1087
- Tapernoux-Lüthi, E.M., T. Schneider and F. Keller, The C-terminal sequence from common bugle leaf galactan:galactan galactosyltransferase is a non-sequence-specific vacuolar sorting determinant, 1811
- Tarassov, I. see I. Brandina, 4248
- Tarpey, I. see S.M. Harrison, 1275
- Tarrago, L. see C. Vieira Dos Santos, 4371
- Tarry, M.J. see G.L. Orriss, 4091
- Tassabehji, M. see P.D. Thompson, 1233
- Tateno, C. see N. Hiraga, 1983
- Tatsuda, S. see M. Ishibashi, 4073
- Tatum, R., Y. Zhang, Q. Lu, K. Kim, B.G. Jeansonne and Y.-H. Chen, WNK4 phosphorylates ser²⁰⁶ of claudin-7 and promotes paracellular Cl⁻ permeability, 3887
- Taura, F., S. Sirikantaramas, Y. Shoyama, K. Yoshikai, Y. Shoyama and S. Morimoto, Cannabidiolic acid synthase, the chemotype-determining enzyme in the fiber-type *Cannabis sativa*, 2929
- Tautz, L. see I. Friedberg, 2527
- Tavernier, J. see P. Ulrichs, 629
- Taylor, J.M.W. see C. Rae, 4877
- Taylor, W.R. see T.J. Sheldon, 5268
- te Heesen, H., K. Gerwert and J. Schlitter, Role of the arginine finger in Ras-RasGAP revealed by QM/MM calculations, 5677
- te Velthuis, H. see S. Zeerleder, 5382
- Teakle, N. see A.L. Dahler, 3839
- Techau, M.E. see C.A. Cooper, 2599
- Tegeder, M. see D. Rentsch, 2281
- Teixeira, M. see S.A.L. Lobo, 433
- Teixeira, M. see M.M. Pereira, 4831
- Tejima, K. see Y. Kume, 1631
- Tejpar, S. see R. Pourebrahim, 5122
- Teleshova, N. see T.L. Chang, 4596
- Temple, K.A., X. Basko, M.B. Allison and M.J. Brady, Uncoupling of 3T3-L1 gene expression from lipid accumulation during adipogenesis, 469
- Templeton, D.M. see Y. Liu, 1481
- ten Dam, G.B. see V. Tiwari, 4468
- Tepp, W.H. see S. Pellett, 4803
- Terakita, A. see M. Torii, 5327
- Terasaka, K. see S. Masada, 2605
- Terasaka, K. see S. Masada, 2562
- Terziyska, N., B. Grumbt, M. Bien, W. Neupert, J.M. Herrmann and K. Hell, The sulfhydryl oxidase Erv1 is a substrate of the Mia40-dependent protein translocation pathway, 1098
- Tetteh, E. see D. Shen, 1793
- Teulière, J. see M.M. Faraldo, 831
- Tezuka, K.-i. see A. Miyazono, 5321
- Thalhammer, J. see R. Gehwolf, 448
- Tham, C.-S., J. Whitaker, L. Luo and M. Webb, Inhibition of microglial fatty acid amide hydrolase modulates LPS stimulated release of inflammatory mediators, 2899
- Thauer, R.K. see L. Forzi, 3317
- Theprungsirikul, P. see N.S. Hwang, 4172
- Theriault, J.R. see S.K. Calderwood, 3689
- Thiam, K. see G. Ferry, 3572
- Thibault, G. see R. Zargham, 939
- Thiebot, B. see M. Pastoriza-Gallego, 3371
- Thiery, J.P. see M.M. Faraldo, 831
- Thoma, R. see A.C. Rufer, 3247
- Thomas-Virnic, C.L. see E.L. Batchelder, 4337
- Thomas, G.M. see B. Ye, 4403
- Thomine, S. see A. de Angeli, 2367
- Thompson, P.D., M. Webb, W. Beckett, T. Hinsley, T. Jowitt, A.D. Sharrocks and M. Tassabehji, GTF2IRD1 regulates transcription by binding an evolutionarily conserved DNA motif 'GUCE', 1233
- Thompson, R.J. see P.D. McLaughlin, 1425
- Thompson, R.J. see D.R. Kordys, 4778
- Thorne, R.F., N.M. Mhaidat, K.J. Ralston and G.F. Burns, CD36 is a receptor for oxidized high density lipoprotein: Implications for the development of atherosclerosis, 1227
- Thornhill, P.B., J.B. Cohn, G. Drury, W.L. Stanford, A. Bernstein and J. Desbarats, A proteomic screen reveals novel Fas ligand interacting proteins within nervous system Schwann cells, 4455
- Thorpe, P.E. see S. Cantara, 702
- Thotakura, S. see P.S. Bora, 1977
- Thrun, H.-A. see D. Hasse, 1297
- Tieleman, D.P. see M.L. O'Mara, 4217
- Tiffon, C. see S. Sibold, 989
- Tikoo, K., D.K. Bhatt, A.B. Gaikwad, V. Sharma and D.G. Kabra, Differential effects of tannic acid on cisplatin induced nephrotoxicity in rats, 2027
- Tikoo, K., D.N. Tripathi, D.G. Kabra, V. Sharma and A.B. Gaikwad, Intermittent fasting prevents the progression of type I diabetic nephropathy in rats and changes the expression of Sir2 and p53, 1071
- Timms, P. see W.M. Huston, 3382
- Timsit, Y. see F. Hosseinpour, 4937
- Tinari, A. see T. Garofalo, 3899
- Tirone, F. and J.A. Cox, NADPH oxidase 5 (NOX5) interacts with and is regulated by calmodulin, 1202
- Tiwari, V., G.B. ten Dam, B.Y.J.T. Yue, T.H. van Kuppevelt and D. Shukla, Role of 3-O-sulfated heparan sulfate in virus-induced polykaryocyte formation, 4468
- Tochio, N. see S. Ohnishi, 462
- Togari, A. see K. Obata, 5917
- Tohyama, M. see H. Okuda, 4754
- Tokuda, H., S. Takai, Y. Hanai, R. Matsushima-Nishiwaki, T. Hosoi, A. Harada, T. Ohta and O. Kozawa, (-)-Epigallocatechin gallate suppresses endothelin-1-induced interleukin-6 synthesis in osteoblasts: Inhibition of p44/p42 MAP kinase activation, 1311
- Tokunaga, M. see M. Ishibashi, 4073
- Toledano, M.B. see D. Azevedo, 187
- Toledano, M.B., C. Kumar, N. Le Moan, D. Spector and F. Tacnet, The system biology of thiol redox system in *Escherichia coli* and yeast: Differential functions in oxidative stress, iron metabolism and DNA synthesis, 3598
- Toledano, M.B., C. Kumar, N. Le Moan, D. Spector and F. Tacnet, Corrigendum to "The system biology of thiol redox system in *Escherichia coli* and yeast: Differential functions in oxidative stress, iron metabolism and DNA synthesis" [FEBS Lett. 581 (2007) 3598-3607], 4549
- Tölgyesi, F. see B. Varga, 4783
- Tomikawa, C. see K. Matsumoto, 1599
- Tominaga, K. see S.N. Garcia, 5275
- Tomita, M. see K. Arakawa, 253
- Tomita, M. see N. Ishii, 413
- Tomita, M. see Y. Watanabe, 4603
- Tomita, M. see M. Matsui, 4184
- Tomita, T. see T. Ishii, 349
- Tomiya, T. see Y. Kume, 1631
- Tomizawa, T. see S. Ohnishi, 462
- Tomkiewicz, D., N. Nouwen and A.J.M. Driessen, Pushing, pulling and trapping - Modes of motor protein supported protein translocation, 2820
- Tonin, L. see A. Pasquato, 5807
- Toninello, A. see M. Salvi, 5579
- Tonon, M.C. see D. Cruz-Garcia, 3149
- Tooyama, I. see K. Takata, 475
- Topbas, F. see T. Eiseler, 4279
- Tordjmann, T. see E. Gonzales, 3260
- Torii, K. see A.M. San Gabriel, 1119
- Torii, M., D. Kojima, T. Okano, A. Nakamura, A. Terakita, Y. Shichida, A. Wada and Y. Fukada, Two isoforms of chicken melanopsins show blue light sensitivity, 5327
- Tormos, K.V. see B.M. Emerling, 5727
- Toro, G.C. see M. Galindo, 2022
- Tóth, G. see Z. Gáspári, 2523
- Tóth, J. see B. Varga, 4783
- Totty, N. see J. Durgan, 3377
- Touchard, D. see A. Pierres, 1841
- Toulmé, J.-J. see C. Di Primo, 771
- Touré, F. see S. Jaisson, 1509
- Tournier, V. see L. Camborde, 337
- Townsend-Nicholson, A. see C. Devader, 5332
- Townsend, P.A. see S.M. Soond, 1217
- Toyomizu, M. see A. Mujahid, 3461
- Toyooka, T. see K. Matsumoto, 1599
- Tran Van Nhieu, G. see N. Ramarao, 853
- Trapnell, B.C. see M. Watanabe, 2017
- Travaglini-Allocatelli, C. see C.N. Chi, 1109
- Trdan, R.J. see R. Chakrabarti, 5213

Treadway, J.L. see I.R. Kelsall, 4749
 Tremmel, D., M. Duarte, A. Videira and M. Tropschug, FKBP22 is part of chaperone/folding catalyst complexes in the endoplasmic reticulum of *Neurospora crassa*, 2036
 Triebel, R.C. see S. Wu, 3289
 Tripathi, D.N. see K. Tikoo, 1071
 Troiano, L. see E. Roat, 521
 Troise, F. see C. De Lorenzo, 296
 Tropschug, M. see D. Tremmel, 2036
 Tsai, C.-B. see Y.-F. Tsay, 2290
 Tsai, S.-J. see C.-T. Chiang, 5735
 Tsang, B.K. see A. Jahani-Asl, 2883
 Tsao, T.-S. see S. Suzuki, 809
 Tsay, Y.-F., C.-C. Chiu, C.-B. Tsai, C.-H. Ho and P.-K. Hsu, Nitrate transporters and peptide transporters, 2290
 Tschöp, K. see K. Rother, 1166
 Tsfadia, Y., R. Friedman, J. Kadmon, A. Selzer, E. Nachliel and M. Gutman, Molecular dynamics simulations of palmitate entry into the hydrophobic pocket of the fatty acid binding protein, 1243
 Tsim, K.W.K. see Q.T. Gao, 233
 Tsim, K.W.K. see Q.T. Gao, 5087
 Tsitoura, P., U. Georgopoulou, S. Pêtres, A. Varaklioti, A. Karafolidou, D. Vagena, C. Politis and P. Mavromara, Evidence for cellular uptake of recombinant hepatitis C virus non-enveloped capsid-like particles, 4049
 Tsonis, P.A. see E. Makarev, 1865
 Tsubakio-Yamamoto, K. see H. Oku, 5029
 Tsuchiya, D. see K. Takata, 475
 Tsuchiya, T. see S. Mima, 1457
 Tsuge, M. see N. Hiraga, 1983
 Tsujii, M. see T. Yoshio, 3777
 Tsukada, T. see Y. Nijikken, 1514
 Tsuruda, T. see K.W. Kim, 995
 Tsurugi, K. see Q. Sun, 3991
 Tsutsumi, S. see S. Mima, 1457
 Tsuyama, S. see T. Tanno, 1022
 Tsuzuki, M. see K. Sugimoto, 4519
 Tu, A.-Y. see J.F. Shaffer, 1501
 Tu, J.-X. see L. Wang, 3848
 Tu, K. see X. Yan, 1587
 Tucci, S. and W. Martin, A novel prokaryotic *trans*-2-enoyl-CoA reductase from the spirochete *Treponema denticola*, 1561
 Tucker, P.W. see C.-J. Huang, 223
 Tucker, S.J. see C.J. Marek, 781
 Tuganova, A. see A. Klyuyeva, 2988
 Tulla, M., M. Huhtala, J. Jääliñoja, J. Käpylä, R.W. Farndale, L. Alakokko, M.S. Johnson and J. Heino, Analysis of an ascidian integrin provides new insight into early evolution of collagen recognition, 2434
 Turcotte, M.-E. see P. Giguère, 3863
 Turk, B. and V. Stoka, Protease signalling in cell death: caspases versus cysteine cathepsins, 2761
 Turk, B. see L. Bojič, 5185
 Turk, V. see L. Bojič, 5185
 Turnbull, S. see A. Masad, 3489
 Tyndall, J.D.A. see E.J. Pearl, 3000
 Tytarenko, R.G. see P.S. Bora, 1977
 Tytgat, J. see E. Cuypers, 1699
 Tzagoloff, A. see C. Jin, 5658
 Tzang, C.-H. see Y.-F. Shi, 203
 Tzeng, Y.J. see M.Q. Liao, 1161
 Tzvetkov, N. see A. Rothballer, 1197

U

Uchida, K. see M. Watanabe, 2017
 Uchimiya, H. see R. Oshima, 4627
 Uchiyama, S. see H. Takata, 3783
 Uchiyama, Y. see I. Yamanaka, 4098
 Ulrichs, P., F. Peelman, R. Beyaert and J. Tavernier, MAPPIT analysis of TLR adaptor complexes, 629
 Umemoto, E. see T. Yotsui, 427

Umezawa, A. see S. Kato, 4685
 Umezawa, T. see T. Watanabe, 1788
 Underwood, T.J., J. Amin, K.A. Lillycrop and J.P. Blydes, Dissection of the functional interaction between p53 and the embryonic proto-oncogene PAX3, 5831
 Uneyama, H. see A.M. San Gabriel, 1119
 Ungermaier, C. see D.F. Markgraf, 2125
 Uno, Y., T. Fujiyuki, M. Morioka, H. Takeuchi and T. Kubo, Identification of proteins whose expression is up- or down-regulated in the mushroom bodies in the honeybee brain using proteomics, 97
 Unslid, I. see Y. Haagen, 2889
 Uozumi, T. see S. Takashima, 5891
 Upadhyay, A.K. see S. Singh, 289
 Upadhyay, D., W. Chang, K. Wei, M. Gao and G.D. Rosen, Fibroblast growth factor-10 prevents H₂O₂-induced cell cycle arrest by regulation of G1 cyclins and cyclin dependent kinases, 248
 Upadhyay, D. see J. Zhang, 5315
 Upadhyay, D. see J. Zhang, 4148
 Urbatsch, I.L. see I. Carrier, 301
 Ureta, T. see A. Preller, 663
 Urlaub, H. see M. Takenaka, 2743
 Usherwood, P.N.R., T.G.E. Davies, I.R. Mellor, A.O. O'Reilly, F. Peng, H. Vais, B.P.S. Khambay, L.M. Field and M.S. Williamson, Mutations in DIIS5 and the DIIS4-S5 linker of *Drosophila melanogaster* sodium channel define binding domains for pyrethroids and DDT, 5485
 Ushijima, H. see S. Mima, 1457
 Usuda, S. see T. Suzuki, 4551
 Uzbekov, R. and C. Prigent, Clockwise or anticlockwise? Turning the centriole triplets in the right direction!, 1251
 Uzu, T. see Y. Morita, 3579
 Uzu, T. see Y. Morita, 1417

V

Vacca, R.A., D. Valenti, A. Bobba, M.C. de Pinto, R.S. Merafina, L.D. Gara, S. Passarella and E. Marra, Proteasome function is required for activation of programmed cell death in heat shocked tobacco Bright-Yellow 2 cells, 917
 Vagena, D. see P. Tsitoura, 4049
 Vais, H. see P.N.R. Usherwood, 5485
 Valderrama, R., F.J. Corpas, A. Carreras, A. Fernández-Ocaña, M. Chaki, F. Luque, M.V. Gómez-Rodríguez, P. Colmenero-Varea, L.A. del Río and J.B. Barroso, Nitrosative stress in plants, 453
 Valente, F.M.A., P.M. Pereira, S.S. Venceslau, M. Regalla, A.V. Coelho and I.A.C. Pereira, The [NiFeSe] hydrogenase from *Desulfovibrio vulgaris* Hildenborough is a bacterial lipoprotein lacking a typical lipoprotein signal peptide, 3341
 Valenti, D. see R.A. Vacca, 917
 Valentino, M.L., R. Martí, S. Tadesse, L.C. López, J.L. Manes, J. Lyzak, A. Hahn, V. Carelli and M. Hirano, Thymidine and deoxyuridine accumulate in tissues of patients with mitochondrial neurogastrointestinal encephalomyopathy (MNGIE), 3410
 Valet, P. see V. Rolli, 394
 van Aalten, D.M.F. see R. Hurtado-Guerrero, 5597
 van Amerongen, H. see B. van Oort, 3528
 van Beest, M. see M.P. Lolkema, 4571
 Van Dam, K. see R. Pourebrahim, 5122
 van der Geer, P. see G. Glenn, 5377
 van der Klei, I.J. see K.B. Moscicka, 1758
 van der Klei, I.J. see B. de Vries, 5627
 van der Laan, M. see M. Bohnert, 2802
 van der Merwe, J.A. see M. Takenaka, 2743
 van der Vliet, A. see M. Hristova, 361
 van der Walle, C.F. see E. Schmidt, 2974
 van der Zee, R. see L. Wieten, 3716
 van Eden, W. see L. Wieten, 3716
 van Eijk, M., S.S. Scheij, C.P.A.A. van Roomen, D. Speijer, R.G. Boot and J.M.F.G. Aerts, TLR- and NOD2-dependent regulation of human phagocyte-specific chitinase, 5389
 Van Eys, G. see M. Prunotto, 5847
 van Hoek, A. see B. van Oort, 3528
 van Koeven, P. see J. Park, 3211
 van Kuppevelt, T.H. see V. Tiwari, 4468

- van Lith, M. see A.J. Lemin, 1819
van Noort, M. see M.P. Lolkema, 4571
van Nuland, N.A.J. see A.M. Candel, 687
van Oort, B., A. van Hoek, A.V. Ruban and H. van Amerongen, Aggregation of Light-Harvesting Complex II leads to formation of efficient excitation energy traps in monomeric and trimeric complexes, 3528
van Reyk, D.M. see I. Rashid, 1067
van Roomen, C.P.A.A. see M. van Eijk, 5389
van Roy, F. see K. Aigner, 1617
Van Troys, M. see S. Dhaese, 4809
Vandekerckhove, J. see D. Polet, 211
Vandekerckhove, J. see S. Dhaese, 4809
Vandenbergh, K.E. see C. Vrins, 4616
Vandepoele, K. see D. Polet, 211
Vandersmissen, L. see E. De Buck, 259
Vannier-Santos, M.A. see J.B.R. Corrêa Soares, 1742
Varaklioti, A. see P. Tsitoura, 4049
Varea, O. see J.J. Garrido, 1579
Varga, B., O. Barabás, J. Kovári, J. Tóth, É. Hunyadi-Gulyás, É. Klement, K.F. Medzihradsky, F. Tölgyesi, J. Fidy and B.G. Vértessy, Active site closure facilitates juxtaposition of reactant atoms for initiation of catalysis by human dUTPase, 4783
Vargas, L. see N. Mitro, 1721
Varghese, S. see N.S. Hwang, 4172
Vasilieva, L.G. see T.Y. Fufina, 5769
Vassilenko, K. see E. Burova, 1475
Vasu, V.T., B. Hobson, K. Gohil and C.E. Cross, Genome-wide screening of alpha-tocopherol sensitive genes in heart tissue from alpha-tocopherol transfer protein null mice (ATTP^{-/-}), 1572
Vaudry, H. see D. Cruz-Garcia, 3149
Vaulont, S. see G. Ramey, 1053
Vaupotic, T. and A. Plemenitas, Osmoadaptation-dependent activity of microsomal HMG-CoA reductase in the extremely halotolerant black yeast *Hortaea werneckii* is regulated by ubiquitination, 3391
Vauti, F., B.R. Prochnow, E. Freese, S.K. Ramasamy, P. Ruiz and H.-H. Arnold, Arp3 is required during preimplantation development of the mouse embryo, 5691
Vazquez-Martinez, R. see D. Cruz-Garcia, 3149
Vazzola, V., A. Losa, C. Soave and I. Murgia, Knockout of frataxin gene causes embryo lethality in *Arabidopsis*, 667
Veenhuis, M. see B. de Vries, 5627
Venables, J.P., Downstream intronic splicing enhancers, 4127
Venceslau, S.S. see F.M.A. Valente, 3341
Venkatesan, B. see F. Das, 5259
Venkatesh, K.V. see S.K. Nandy, 151
Venters, R.A. see D.R. Kordys, 4778
Venturoli, G. see F. Francia, 611
Venturoli, G. see L. Giachini, 5645
Vera, J.L. see F. Santos, 4865
Verbitskiy, D. see M. Takenaka, 2743
Verrey, F. see E.M. Furrer, 572
Vértessy, B.G. see B. Varga, 4783
Véry, A.-A. see A. Lebaudy, 2357
Very, N.M. and M.A. Sheridan, Somatostatin inhibits insulin-like growth factor-I receptor expression in the gill of a teleost fish (*Onchorhynchus mykiss*), 4773
Vetter, I.R. see M. Saric, 1369
Viale, A.M. see M.T. Morán-Zorzano, 1035
Viale, A.M. see G. Eydallin, 2947
Viale, A.M. see M.T. Morán-Zorzano, 4423
Viale, A.M. see G. Eydallin, 4417
Viale, A.M. see M.A. Mussi, 5573
Vicart, P. see A.-P. Arrigo, 3665
Vidal, J. see J.A. Monreal, 3468
Videira, A. see D. Tremmel, 2036
Vieira Dos Santos, C., E. Laugier, L. Tarrago, V. Massot, E. Issakidis-Bourguet, N. Rouhier and P. Rey, Specificity of thioredoxins and glutaredoxins as electron donors to two distinct classes of Arabidopsis plastidial methionine sulfoxide reductases B, 4371
Vignery, A. see E.H. Chen, 2181
Vigny, M. see J. Degoutin, 727
Vijayaraghavan, S. see R. Chakrabarti, 5213
Viles, J.H. see M. Klewpatinond, 1430
Villarroya, F. see C. Duval, 955
Vinardell, J.M. see J.A. Monreal, 3468
Vingron, M. see T. Zemojtel, 2072
Vink, E. see C. Vrins, 4616
Vinogradov, A.D. see I.S. Gostimskaya, 5803
Viollet, B. see G. Ramey, 1053
Viollet, B. see B.M. Emerling, 5727
Virdee, K., H. Yoshida, S. Peak-Chew and M. Goedert, Phosphorylation of human microtubule-associated protein tau by protein kinases of the AGC subfamily, 2657
Visentin, V. see V. Rolli, 394
Viswanathan, T. see P.S. Bora, 1977
Viti, V. see S. Grande, 637
Vlantis, A.C. see Z.-M. Liu, 2465
Vlasits, J., C. Jakopitsch, M. Schwanninger, P. Holubar and C. Obinger, Hydrogen peroxide oxidation by catalase-peroxidase follows a non-scrambling mechanism, 320
Voest, E.E. see M.P. Lolkema, 4571
Voevodskaya, N., F. Lenzian, A. Ehrenberg and A. Gräslund, High catalytic activity achieved with a mixed manganese-iron site in protein R2 of *Chlamydia* ribonucleotide reductase, 3351
Vogel, H. see H. Maischak, 898
Vojta, A. see M. Oreb, 5945
Vojta, L., J. Soll and B. Bölter, Requirements for a conservative protein translocation pathway in chloroplasts, 2621
von Heijne, G. see C. Lundin, 3809
Vona, R. see S. Basciani, 5897
Vona, R. see E. Straface, 4342
Vorbürger, S.A. see S. Sibold, 989
Voss, P. see B. Görg, 84
Vranckx, L. see E. De Buck, 259
Vrins, C., E. Vink, K.E. Vandenbergh, R. Frijters, J. Seppen and A.K. Groen, The sterol transporting heterodimer ABCG5/ABCG8 requires bile salts to mediate cholesterol efflux, 4616
- ## W
- Wada, A. see M. Torii, 5327
Wada, T. see M. Yugami, 1
Wagenaar, J. see L. Wieten, 3716
Wagner, S. see J. Raguz, 4767
Wakagi, T. see Y. Nijikken, 1514
Wakamori, M. see N. Yamaji, 3789
Wakita, T. see N. Hiraga, 1983
Waldenström, A. see L. Bailey, 587
Wali, R.K. see H.K. Roy, 3857
Walker, J.E. see R. Chen, 3145
Walker, J.M. see C.A. Opitz, 4927
Walker, J.M. see R. Chakrabarti, 5213
Wallace, K. see C.J. Marek, 781
Waller, D.P. see T.L. Chang, 4596
Walma, T., Spotlight on... Pascale Cossart, 343
Walsh, T.P. see W.M. Huston, 3382
Walter, T. see G. Sihn, 962
Walton, S.P. see H.K. Kini, 5611
Waltregny, D. see S. Dhaese, 4809
Wamhoff, B.R. see R. Zargham, 939
Wan, B., Y. Lin and T. Mou, Expression of rice Ca²⁺-dependent protein kinases (CDPKs) genes under different environmental stresses, 1179
Wan, D.C.C. see T.S. Lau, 3253
Wandosell, F. see J.J. Garrido, 1579
Wang, A.H.-J. see C.-C. Lee, 5454
Wang, C. see Y. Lin, 5151
Wang, C.-H. see T.-Y. Wu, 3120
Wang, D. see D. Liu, 3563
Wang, D. see K.B. Moscicka, 1758
Wang, D. see Y. Liu, 4318
Wang, F. see D. Liu, 3563
Wang, H., Y. Zhang and R.O. Heuckeroth, PAI-1 deficiency reduces liver fibrosis after bile duct ligation in mice through activation of tPA, 3098
Wang, H. see T. Ho, 3267
Wang, H.-W. see M.B. Breslin, 949
Wang, J.-Z. see Q.-G. Ren, 1521
Wang, L., M.-B. Wang, J.-X. Tu, C.A. Helliwell, P.M. Waterhouse, E.S. Dennis, T.-D. Fu and Y.-L. Fan, Cloning and characterization of microRNAs from *Brassica napus*, 3848
Wang, L.-I. see H.-q. Chen, 5836
Wang, M. see K.W. Kim, 995

- Wang, M. see Y. Liu, 4318
Wang, M.-B. see L. Wang, 3848
Wang, P. see R. Li, 3311
Wang, R. and M.G. Brattain, The maximal size of protein to diffuse through the nuclear pore is larger than 60 kDa, 3164
Wang, S. see J. Huang, 697
Wang, S., Q.-H. Zhu, X. Guo, Y. Gui, J. Bao, C. Helliwell and L. Fan, Molecular evolution and selection of a gene encoding two tandem microRNAs in rice, 4789
Wang, W. see M. Holton, 4115
Wang, X. see D. Ju, 265
Wang, X., Q. Yan and M.-X. Guan, Deletion of the *MTO2* gene related to tRNA modification causes a failure in mitochondrial RNA metabolism in the yeast *Saccharomyces cerevisiae*, 4228
Wang, X.-F. see J. Neuzil, 4611
Wang, X.-R. see T.A. Hornberger, 4562
Wang, Y., H. Feng, C. Bi, L. Zhu, J.W. Pollard and B. Chen, GSK-3 β mediates in the progesterone inhibition of estrogen induced cyclin D2 nuclear localization and cell proliferation in cyclin D1 $-/-$ mouse uterine epithelium, 3069
Wang, Y.-X., X. Xu, C. Luo, Z.-M. Ma, H.-L. Jiang, J.-P. Ding and Y.-M. Wen, Mutational analysis revealed that conservation of hepatitis B virus reverse transcriptase residue 306 (rtP306) is crucial for encapsidation of pregenomic RNA, 558
Wang, Z. see R.R. Lareu, 2709
Wang, Z. see K.W. Kim, 995
Wang, Z.F. and X.C. Tang, Huperzine A protects C6 rat glioma cells against oxygen-glucose deprivation-induced injury, 596
Ward, T. see D. Liu, 3563
Ward, T. see Y. Liu, 4318
Warden, C.H. see A. Mujahid, 3461
Warshel, A. see M. Roca, 2065
Warshel, A. see V. Martinek, 775
Washiyama, M., K. Nishigaki, N. Ahmed, S. Kinpara, Y. Ishii, N. Kanzawa, T. Masuda and M. Kannagi, IL-2 withdrawal induces HTLV-1 expression through p38 activation in ATL cell lines, 5207
Wasternack, C. see A. Guranowski, 815
Watamura, Y. see S. Kawasaki, 2460
Watanabe, H. see N. Ishii, 413
Watanabe, M. see R. Banno, 1131
Watanabe, M., K. Uchida, K. Nakagaki, H. Kanazawa, B.C. Trapnell, Y. Hoshino, H. Kagamu, H. Yoshizawa, N. Keicho, H. Goto and K. Nakata, Anti-cytokine autoantibodies are ubiquitous in healthy individuals, 2017
Watanabe, M. see I. Sato, 4857
Watanabe, N. see Y. Kume, 1631
Watanabe, S. see S. Ohnishi, 462
Watanabe, S. see E. Ito, 3909
Watanabe, T., N. Shitan, T. Umezawa, K. Yazaki, M. Shimada and T. Hattori, Involvement of FpTRP26, a thioredoxin-related protein, in oxalic acid-resistance of the brown-rot fungus *Fomitopsis palustris*, 1788
Watanabe, Y. see S. Iwasaki, 2455
Watanabe, Y., A. Kishi, N. Yachie, A. Kanai and M. Tomita, Computational analysis of microRNA-mediated antiviral defense in humans, 4603
Waterhouse, P.M. see L. Wang, 3848
Watowich, S.J. see J. Kang, 2497
Watson, M. see N. Dimopoulos, 4743
Watters, G.T. see R. Chakrabarti, 5213
Wawra, C., M. Kühl and H.A. Kestler, Extended analyses of the Wnt/ β -catenin pathway: Robustness and oscillatory behaviour, 4043
Way, T.-D. see C.-T. Chiang, 5735
Webb, M. see P.D. Thompson, 1233
Webb, M. see C.-S. Tham, 2899
Weber, A.P.M. and K. Fischer, Making the connections – The crucial role of metabolite transporters at the interface between chloroplast and cytosol, 2215
Weber, C. see M. Dewor, 4734
Weber, M. see C. Dreher, 2647
Weger, S. see E. Hammer, 5418
Wehling, C., C. Beimgraben, C. Gelhaus, T. Friedrich, P. Saftig, J. Grötzinger and M. Schwake, Self-assembly of the isolated KCNQ2 subunit interaction domain, 1594
Wei, C. see F. Zhou, 34
Wei, C. see H. Liu, 2534
Wei, D. see X. Dong, 5796
Wei, K. see D. Upadhyay, 248
Wei, K. see J. Zhang, 5315
Wei, L. see X. Zeng, 2509
Weidemann, W. see K. Bork, 4195
Weimann, R. see S. Sibold, 989
Weinstein, D.A. see S.Y. Kim, 3833
Weintraub, S.T. see P. Lemma-Gray, 437
Weiss, A., M. Baumgartner, G. Radziwill, J. Drenner and K. Moelling, c-Src is a PDZ interaction partner and substrate of the E3 ubiquitin ligase Ligand-of-Numb protein X1, 5131
Weiss, M. see G. Guigas, 5094
Weiss, R. see R. Gehwolf, 448
Weissenhorn, W., A. Hinz and Y. Gaudin, Virus membrane fusion, 2150
Weisshart, K. see P. Taneja, 3973
Weiward, M. see F. Erdmann, 5709
Welsch, S., B. Müller and H.-G. Kräusslich, More than one door – Budding of enveloped viruses through cellular membranes, 2089
Wen, Y.-M. see Y.-X. Wang, 558
Wernitznig, A. see K. Aigner, 1617
Wert, D. see S. Suzuki, 809
Westrich, L. see Y. Haagen, 2889
Westrop, G.D. see C.X. Moss, 5635
Weyand-Durasevic, I. see I. Gruic-Sovulj, 5110
Whitaker, J. see C.-S. Tham, 2899
White, J.G. see E.L. Batchelder, 4337
White, T.W. see A.D. Hoptak-Solga, 3297
Whiteheart, S.W. see C. Zhao, 2140
Whitelaw, M.L. see S.G.B. Furness, 3616
Whitelegge, J. see J. Xie, 3545
Wieczorek, H. see B. Kunze, 3523
Wieczorek, H. see M. Huss, 5566
Wieland, F.T. see J.D. Langer, 2083
Wieneke, N., K.I. Hirsch-Ernst, M. Kuna, S. Kersten and G.P. Püschel, PPAR α -dependent induction of the energy homeostasis-regulating nuclear receptor NR1i3 (CAR) in rat hepatocytes: Potential role in starvation adaptation, 5617
Wiesendanger, M. see B.B. Fischer, 5555
Wiesner, J. see D. Adedeji, 279
Wieten, L., F. Broere, R. van der Zee, E.K. Koerkamp, J. Wagenaar and W. van Eden, Cell stress induced HSP are targets of regulatory T cells: A role for HSP inducing compounds as anti-inflammatory immuno-modulators?, 3716
Wijesinha-Bettoni, R., C. Gao, J.A. Jenkins, A.R. Mackie, P.J. Wilde, E.N.C. Mills and L.J. Smith, Post-translational modification of barley LTP1b: The lipid adduct lies in the hydrophobic cavity and alters the protein dynamics, 4557
Wijkstrom-Frei, C. see G.E. Conner, 271
Wilbanks, S.M. see E.J. Pearl, 3000
Wild, K. see K.F. Stengel, 5671
Wild, K. see E. Kowalinski, 4450
Wilde, P.J. see R. Wijesinha-Bettoni, 4557
Wildner, G.F. see C. Burisch, 741
Williams, G. see P. Mani-Telang, 5241
Williams, T. see C.M. Sandoval, 5464
Williamson, M.S. see P.N.R. Usherwood, 5485
Wilmanns, M. see W.A. Stanley, 4795
Wilson-Kubalek, E.M. see S. Suzuki, 809
Wion, D. see N. Platet, 1435
Wion, D. see D. Adamski, 3076
Withers, S.G. see F.A. Shaikh, 2441
Wittenmayer, N. see T. Kremer, 4727
Wittkopp, N. see I. Behm-Ansmant, 2845
Wittmann, C. see C. Nicolas, 3771
Wittrock, S. see A.M. Swistowska, 4036
Wittung-Stafshede, P. see M. Perham, 5065
Wlachos, A. see D. Mechtcheriakova, 3063
Wohlbach, D.J. see D.C. Nelson, 3363
Wolf-Watz, H. see L. Bailey, 587
Wolfrom, C., O.C. Martin, M. Laurent and J. Deschatrette, Sinusoidal swinging dynamics of the telomere repair and cell growth activation functions of telomerase in rat liver cancer cells, 125
Won, S.-R., M.-J. Hong, Y.-M. Kim, C.Y. Li, J.-W. Kim and H.-I. Rhee, Oleic acid: An efficient inhibitor of glucosyltransferase, 4999
Wong, A.S.T. see L.W.T. Cheung, 4668
Wong, B. see A.L. Hunter, 879
Wong, G. see S. Asikainen, 5050
Wong, R.N.S. see K.W. Leung, 2423
Woo, H.-D. see B.-M. Kim, 3005
Woods, A.S. see A. McMahon, 5459
Wooten, M.W. see M.L. Seibenhener, 175
Workman, P. see M.V. Powers, 3758
Wraight, C.A. see V.P. Shinkarev, 1535

Wright, M.C. see C.J. Marek, 781
 Wu, C.-Y. see T.-Y. Wu, 3120
 Wu, D.-N. see Q.-G. Zhang, 495
 Wu, G. see F. Zhou, 34
 Wu, H. see Y. Sang, 344
 Wu, J. see W. Jin, 3826
 Wu, Q. see M. Kawahara, 5178
 Wu, R.S.S. see Y.-F. Shi, 203
 Wu, S., R.C. Trievel and J.C. Rice, Human SFMBT is a transcriptional repressor protein that selectively binds the N-terminal tail of histone H3, 3289
 Wu, T.-Y., C.-Y. Wu, Y.-J. Chen, C.-Y. Chen and C.-H. Wang, The 5' untranslated region of *Perina nudavirus* (PnV) possesses a strong internal translation activity in baculovirus-infected insect cells, 3120
 Wu, W.-C., H.-W. Liu and A. Lin, Human ribosomal protein L7 displays an ER binding property and is involved in ribosome-ER association, 651
 Wu, Z. see H. Zou, 196
 Wünschmann, J., A. Beck, L. Meyer, T. Letzel, E. Grill and K.J. Lenzian, Phytochelatins are synthesized by two vacuolar serine carboxypeptidases in *Saccharomyces cerevisiae*, 1681
 Wysocka-Kapcińska, M. see J. Kamińska, 5371

X

Xiang, A.L. see F.L. Xie, 1464
 Xiao, W. see L. Pastushok, 5343
 Xiao, Z.-Q. see Y. Sun, 131
 Xie, F.L., S.Q. Huang, K. Guo, A.L. Xiang, Y.Y. Zhu, L. Nie and Z.M. Yang, Computational identification of novel microRNAs and targets in *Brassica napus*, 1464
 Xie, J., M.F. Marusich, P. Souda, J. Whitelegge and R.A. Capaldi, The mitochondrial inner membrane protein Mitofilin exists as a complex with SAM50, metaxins 1 and 2, coiled-coil-helix coiled-coil-helix domain-containing protein 3 and 6 and DnaJC11, 3545
 Xie, L. see X. Yan, 1587
 Xie, W. see X. Zeng, 2509
 Xie, Y. see D. Ju, 265
 Xiong, F. see K.W. Kim, 995
 Xu, D., H. Kishi, H. Kawamichi, K. Kajiya, Y. Takada and S. Kobayashi, Involvement of Fyn tyrosine kinase in actin stress fiber formation in fibroblasts, 5227
 Xu, H. see D. Ju, 265
 Xu, M. see P. Tang, 1103
 Xu, X. see Y.-X. Wang, 558
 Xu, Z. see X. Gao, 5505

Y

Yachie, N. see Y. Watanabe, 4603
 Yachie, N. see M. Matsui, 4184
 Yagi, K. see S. Arai, 5649
 Yagita, K. see I. Yamanaka, 4098
 Yaglom, J. see M.Y. Sherman, 5732
 Yaglom, J. see M. Sherman, 3711
 Yahata, K. see T. Funakoshi, 4910
 Yamada, A. see A. Miyazono, 5321
 Yamada, C. see H. Furochi, 5743
 Yamaguchi, Y. see M. Yugami, 1
 Yamaguchi, Y. see S. Mima, 1457
 Yamaji, N., K. Sugase, T. Nakajima, T. Miki, M. Wakamori, Y. Mori and T. Iwashita, Solution structure of agelenin, an insecticidal peptide isolated from the spider *Agelena opulenta*, and its structural similarities to insect-specific calcium channel inhibitors, 3789
 Yamamichi, N. see T. Haraguchi, 4949
 Yamamoto, H. see Q. Kan, 5879
 Yamamoto, K. see S. Kanaji, 4260
 Yamamoto, M. see A. Miyazono, 5321

Yamamoto, T., R. Kawamoto, T. Fujii, N. Sakamoto and T. Shibata, DNA variations within the sea urchin *Otx* gene enhancer, 5234
 Yamamoto, Y. see Y. Morita, 1417
 Yamamoto, Y. see Y. Morita, 3579
 Yamamoto, Y. see F. Hosseinpour, 4937
 Yamanaka, I., S. Koinuma, Y. Shigeyoshi, Y. Uchiyama and K. Yagita, Presence of robust circadian clock oscillation under constitutive over-expression of *mCry1* in rat-1 fibroblasts, 4098
 Yamane, T. see Y. Morita, 3579
 Yamane, T. see Y. Morita, 1417
 Yamasaki, F. see M. Kuwabara, 4821
 Yamashita, S. see H. Oku, 5029
 Yamashita, U. see J. Liu, 5043
 Yamashita, Y. see N. Yanaka, 712
 Yamauchi, K. see Y. Takano, 421
 Yan, Q. see X. Wang, 4228
 Yan, X., T. Chao, K. Tu, Y. Zhang, L. Xie, Y. Gong, J. Yuan, B. Qiang and X. Peng, Improving the prediction of human microRNA target genes by using ensemble algorithm, 1587
 Yan, Y.-B. see W.-F. Liu, 1047
 Yan, Y.-B. see T.-J. Zhao, 3044
 Yanagihara, A. see E. Cuypers, 1699
 Yanagisawa, D. see K. Takata, 475
 Yanagisawa, Y. see E. Ito, 3909
 Yanagishita, M. see H. Ota, 5220
 Yanai, M. see F. Kamachi, 4633
 Yanaka, N., Y. Nogusa, Y. Fujioka, Y. Yamashita and N. Kato, Involvement of membrane protein GDE2 in retinoic acid-induced neurite formation in Neuro2A cells, 712
 Yang, D. see M. Holton, 4115
 Yang, E.G. see H. Cho, 1542
 Yang, F. see Y. Sun, 131
 Yang, G. see X. Zhou, 4943
 Yang, H.-C. see J. Ye, 3996
 Yang, J.H., M. Amoui and K.-H.W. Lau, Targeted deletion of the osteoclast protein-tyrosine phosphatase (PTP-oc) promoter prevents RANKL-mediated osteoclastic differentiation of RAW264.7 cells, 2503
 Yang, M. see Y.-F. Shi, 203
 Yang, M. see J.W. Shim, 1027
 Yang, S.-T., S.Y. Shin and J.I. Kim, Interaction mode of a symmetric Trp-rich undeca peptide PST11-RK with lipid bilayers, 157
 Yang, S.Y. see K. Ates, 2727
 Yang, X. see L. Cao, 5526
 Yang, Y.-X. see Y. Sun, 131
 Yang, Z. see L. Zhou, 4303
 Yang, Z.M. see F.L. Xie, 1464
 Yano, I. see M. Kai, 3345
 Yano, Y. see T. Nishida, 4212
 Yao, J. see N. Hiramatsu, 2055
 Yao, J. see Y. Takano, 421
 Yao, M. see W. Jin, 3826
 Yao, Q. see H.-q. Chen, 5836
 Yao, X. see D. Liu, 3563
 Yao, X. see Y. Liu, 4318
 Yasrael, Z. see K.-C. Huang, 2702
 Yasuda, K. see Y. Kamei, 91
 Yasuda, O. see T. Yotsui, 427
 Yasuda, S., M. Kai, S.-i. Imai, H. Kanoh and F. Sakane, Diacylglycerol kinase γ interacts with and activates β 2-chimaerin, a Rac-specific GAP, in response to epidermal growth factor, 551
 Yasuda, S. see T. Hitomi, 1087
 Yasue, S. see T. Ishii, 349
 Yasui, S. see M. Kaneko, 5355
 Yatomi, Y. see Y. Kume, 1631
 Yazaki, K. see T. Watanabe, 1788
 Ye, B., W.-p. Yu, G.M. Thomas and R.L. Haganir, GRASP-1 is a neuronal scaffold protein for the JNK signaling pathway, 4403
 Ye, J., H.-C. Yang, B.P. Rosen and H. Bhattacharjee, Crystal structure of the flavoprotein ArsH from *Sinorhizobium meliloti*, 3996
 Ye, W. see D. Gu, 382
 Ye, Y. see D. Shen, 1793
 Ye, Z. see H. Zou, 196
 Yea, S.S. see K.-S. Kim, 5733
 Yea, S.S. see K.-S. Kim, 4065
 Yeh, M.-H. see T.-C. Chuang, 4443
 Yephremov, A. see M. Garzón, 3189
 Yi, H. see S.-y. Kim, 865
 Yi, H. see Y. Sun, 131
 Yi, Z.-b. see Y. Yu, 4179

Yin, D. see X. Liu, 5337
 Yiu, W.H. see S.Y. Kim, 3833
 Yoder, M.C. see C.A. Opitz, 4927
 Yogosawa, S. see T. Hitomi, 1087
 Yokosaki, Y. see F. Higashikawa, 2697
 Yokota, H. see H.-S. Choi, 2684
 Yokota, H. see K. Hamamura, 1769
 Yokota, H. see Y. Kume, 1631
 Yokota, M. see S.-I. Inoue, 1910
 Yokouchi, M. see Y. Takano, 421
 Yokoyama, S. see S. Ohnishi, 462
 Yokoyama, T. see T. Takenouchi, 3019
 Yomogida, S. see T. Murakami, 140
 Yoo, B. see S.-S. Nah, 1928
 Yoo, Y.H. see S.E. Park, 180
 Yoon, C.-H. see E.-S. Lee, 4325
 Yoon, J.-H. see S.J. Myung, 2954
 Yoon, M.-Y. see K.-S. Kim, 4065
 Yoon, M.-Y. see K.-S. Kim, 5733
 Yoon, S.-O. see K.-H. Kim, 3303
 Yoon, S.H. see S.-y. Kim, 865
 Yoshida, H. see K. Virdee, 2657
 Yoshida, M. see M. Tani, 4621
 Yoshida, M. see M. Deushi, 5664
 Yoshida, Y. see Y. Saito, 4349
 Yoshida, Y. see J. Liu, 5043
 Yoshie, S. see A.M. San Gabriel, 1119
 Yoshikai, K. see F. Taura, 2929
 Yoshimoto, R. see T. Kajiume, 4645
 Yoshimura, H. see T. Suzuki, 21
 Yoshimura, S.H. see D. Liu, 3563
 Yoshimura, T., S. Imamura, K. Tanaka, M. Shirai and M. Asayama, Cooperation of group 2 σ factors, SigD and SigE for light-induced transcription in the cyanobacterium *Synechocystis* sp. PCC 6803, 1495
 Yoshinaga, K. see R. Oshima, 4627
 Yoshino, F. see Y. Ogasawara, 2473
 Yoshino, M. see N. Ishii, 413
 Yoshio, T., T. Morita, Y. Kimura, M. Tsujii, N. Hayashi and K. Sobue, Caldesmon suppresses cancer cell invasion by regulating podosome/invadopodium formation, 3777
 Yoshizato, K. see N. Hiraga, 1983
 Yoshizawa, H. see M. Watanabe, 2017
 Yotsui, T., O. Yasuda, H. Kawamoto, M. Higuchi, Y. Chihara, E. Umemoto, T. Tanaka, M. Miyasaka, H. Rakugi and T. Ogihara, Aspirin prevents adhesion of T lymphoblasts to vascular smooth muscle cells, 427
 You, D.-j. see C. Angkawidjaja, 5060
 You, H.J. see K.A. Kang, 2000
 Yu, A.Y.H. and W.A. Houry, ClpP: A distinctive family of cylindrical energy-dependent serine proteases, 3749
 Yu, B. see D. Gu, 382
 Yu, B. and G.L. Millhauser, Chemical disulfide mapping identifies an inhibitor cystine knot in the agouti signaling protein, 5561
 Yu, E.W. see C.-C. Su, 4972
 Yu, E.W. see C.-C. Su, 5548
 Yu, F., J. Feng, J.N. Harada, S.K. Chanda, S.C. Kenney and R. Sun, B cell terminal differentiation factor XBP-1 induces reactivation of Kaposi's sarcoma-associated herpesvirus, 3485
 Yu, J.-R. see K.M. Ko, 5445
 Yu, L. see L. Cao, 5526
 Yu, M.-H. see K.M. Seong, 2567
 Yu, R. see J.-H. Kang, 4389
 Yu, S.Y. see N.G. Lee, 2625
 Yu, W. see L. Cao, 5526
 Yu, W.-p. see B. Ye, 4403
 Yu, X. see Y. Liu, 4318
 Yu, Y., Z.-b. Yi and Y.-Z. Liang, Main antimicrobial components of *Tinospora capillipes*, and their mode of action against *Staphylococcus aureus*, 4179
 Yuan, C., H.L. Berscheid and A.J.W. Huang, Identification of an amyloidogenic region on keratopithelin via synthetic peptides, 241
 Yuan, J. see X. Yan, 1587
 Yuasa-Kawase, M. see H. Oku, 5029
 Yue, B.Y.J.T. see V. Tiwari, 4468
 Yugami, M., Y. Kabe, Y. Yamaguchi, T. Wada and H. Handa, hnRNP-U enhances the expression of specific genes by stabilizing mRNA, 1
 Yuge, L. see T. Kajiume, 4645
 Yukita, A. see T. Chan, 2691

Yun, J. see K.S. Park, 4411
 Yun, S.-S. see J.-G. Lee, 787
 Yun, Y. see H.-o. Lee, 5640

Z

Zadravec, D. see T. Kobayashi, 3157
 Zahn, M. see G.F.E. Scherer, 4205
 Zakher, A. see C. Kolly, 1969
 Zakrzewicz, A. see S. Chlench, 673
 Zaldua, N., M. Gastineau, M. Hoshino, F. Lezoualc'h and J.L. Zugaza, Epac signaling pathway involves STEF, a guanine nucleotide exchange factor for Rac, to regulate APP processing, 5814
 Zaneveld, L.J.D. see T.L. Chang, 4596
 Zappia, V. see G. Cacciapuoti, 4567
 Zargham, R., B.R. Wamhoff and G. Thibault, RNA interference targeting $\alpha 8$ integrin attenuates smooth muscle cell growth, 939
 Zaritsky, A. see M. Itsko, 1775
 Zarrouki, B., A.F. Soares, M. Guichardant, M. Lagarde and A. G elo en, The lipid peroxidation end-product 4-HNE induces COX-2 expression through p38MAPK activation in 3T3-L1 adipose cell, 2394
 Zarzycki, M., E. Maciaszczyk and A. Dzugaj, Glu 69 is essential for the high sensitivity of muscle fructose-1,6-bisphosphatase inhibition by calcium ions, 1347
 Zebger, I. see O. Lenz, 3322
 Zeerleder, S., B. Zwart, H. te Velthuis, R. Manoe, I. Bulder, I. Rensink and L.A. Aarden, A plasma nucleosome releasing factor (NRF) with serine protease activity is instrumental in removal of nucleosomes from secondary necrotic cells, 5382
 Zehrmann, A. see M. Takenaka, 2743
 Zeki, S., The neurobiology of love, 2575
 Zemojtel, T., M. Kolanczyk, N. Kossler, S. Stricker, R. Lurz, I. Mikula, M. Duchniewicz, M. Schuelke, P. Ghafourifar, P. Martasek, M. Vingron and S. Mundlos, Corrigendum to "Mammalian mitochondrial nitric oxide synthase: Characterization of a novel candidate" [FEBS Lett. 580 (2006) 455-462], 2072
 Zemp, I. and U. Kutay, Nuclear export and cytoplasmic maturation of ribosomal subunits, 2783
 Zeng, X., M. Sun, L. Liu, F. Chen, L. Wei and W. Xie, Neurexin-1 is required for synapse formation and larvae associative learning in *Drosophila*, 2509
 Zeng, Z. see Y. Sheng, 1763
  gur-Bertok, D. see M. Butala, 4816
 Zhang, A. see W.-F. Liu, 1047
 Zhang, D. see B. Sun, 3277
 Zhang, D.W. see J. Bao, 2737
 Zhang, G. see D. Ma, 1000
 Zhang, G.-Y. see Q.-G. Zhang, 495
 Zhang, H. see R. Li, 3311
 Zhang, H.-Y. see Y. Zhou, 4361
 Zhang, J. see A.L. Hunter, 879
 Zhang, J. see Y. Sheng, 1763
 Zhang, J., A.J. Ghio, W. Chang, O. Kamdar, G.D. Rosen and D. Upadhyay, Bim mediates mitochondria-regulated particulate matter-induced apoptosis in alveolar epithelial cells, 4148
 Zhang, J., A.J. Ghio, M. Gao, K. Wei, G.D. Rosen and D. Upadhyay, Ambient particulate matter induces alveolar epithelial cell cycle arrest: Role of G1 cyclins, 5315
 Zhang, J., N. Bahi, A.M. Zubiaga, J.X. Comella, M. Llovera and D. Sanchis, Developmental silencing and independency from E2F of apoptotic gene expression in postmitotic tissues, 5781
 Zhang, J.Z.H. see J. Bao, 2737
 Zhang, L. see K. Roder, 2715
 Zhang, L. see H. Gao, 581
 Zhang, L. see P. Tang, 1103
 Zhang, L., F. Li, E. Dimayuga, J. Craddock and J.N. Keller, Effects of aging and dietary restriction on ubiquitination, sumoylation, and the proteasome in the spleen, 5543
 Zhang, P.-F. see Y. Sun, 131
 Zhang, Q. see Y.-F. Shi, 203
 Zhang, Q.-G., D.-N. Wu, D. Han and G.-Y. Zhang, Critical role of PTEN in the coupling between PI3K/Akt and JNK1/2 signaling in ischemic brain injury, 495

- Zhang, S., E. Sakuradani, K. Ito and S. Shimizu, Identification of a novel bifunctional $\Delta 12/\Delta 15$ fatty acid desaturase from a basidiomycete, *Coprinus cinereus* TD#822-2, 315
- Zhang, S. see B. Sun, 3277
- Zhang, S. see X. Liu, 5337
- Zhang, W. see S. Pandey, 2325
- Zhang, W. see C. Chen, 5143
- Zhang, Y. and D.C. Chan, New insights into mitochondrial fusion, 2168
- Zhang, Y. see D. Gu, 382
- Zhang, Y. see X. Yan, 1587
- Zhang, Y. see H. Wang, 3098
- Zhang, Y. see J. Huang, 697
- Zhang, Y. see R. Tatum, 3887
- Zhang, Y. see X. Liu, 5337
- Zhang, Y. see C.A. Opitz, 4927
- Zhang, Y.-M. see R. Leonardi, 4639
- Zhao, A. see Y. Ni, 707
- Zhao, C., J.T. Slevin and S.W. Whiteheart, Cellular functions of NSF: Not just SNAPs and SNAREs, 2140
- Zhao, C. see D. Gu, 382
- Zhao, G. see J. Huang, 697
- Zhao, J. see X. Liu, 5337
- Zhao, K.J. see Q.T. Gao, 233
- Zhao, K.J. see Q.T. Gao, 5087
- Zhao, T.-J., Y. Liu, Y.-B. Yan, F. Feng, W.-Q. Liu and H.-M. Zhou, Identification of the amino acids crucial for the activities of drought responsive element binding factors (DREBs) of *Brassica napus*, 3044
- Zhao, W., S. Allen and G.K. Dhoot, FGF mediated *Sulf1* regulation, 4960
- Zhao, X. see M. Sarić, 1369
- Zhao, Y., Z. Du and N. Li, Extensive selection for the enrichment of G4 DNA motifs in transcriptional regulatory regions of warm blooded animals, 1951
- Zhao, Y. see X. Dong, 5796
- Zheng, W. see R. Li, 3311
- Zheng, Y. see H. Gao, 581
- Zheng, Z. see Q. Chen, 5511
- Zhong, Y. see H. Liu, 2534
- Zhou, F., G. Wu, W. Deng, Y. Pu, C. Wei and Y. Li, Interaction of rice dwarf virus outer capsid P8 protein with rice glycolate oxidase mediates relocalization of P8, 34
- Zhou, H. see Q. Han, 3027
- Zhou, H.-M. see W.-F. Liu, 1047
- Zhou, H.-M. see T.-J. Zhao, 3044
- Zhou, L. see M.L. Graves, 1825
- Zhou, L., H. Sell, K. Eckardt, Z. Yang and J. Eckel, Conditioned medium obtained from in vitro differentiated adipocytes and resistin induce insulin resistance in human hepatocytes, 4303
- Zhou, X., G. Yang, R. Huang, X. Chen and G. Hu, SVH-B interacts directly with p53 and suppresses the transcriptional activity of p53, 4943
- Zhou, Y., B.-G. Ma and H.-Y. Zhang, Human oncogene tissue-specific expression level significantly correlates with sequence compositional features, 4361
- Zhou, Y. see O. Namy, 5282
- Zhou, Z. see C. Chen, 1124
- Zhu, J. see X. Gao, 5505
- Zhu, J.T.T. see Q.T. Gao, 233
- Zhu, L. see Y. Wang, 3069
- Zhu, Q.-H. see S. Wang, 4789
- Zhu, Y. see B. Sun, 3277
- Zhu, Y.Y. see F.L. Xie, 1464
- Zi, Z. and E. Klipp, Cellular signaling is potentially regulated by cell density in receptor trafficking networks, 4589
- Ziche, M. see S. Cantara, 702
- Zielenkiewicz, P. see J. Orłowski, 52
- Zilberberg, N. see A. Kozminsky-Atias, 2478
- Zilka, N. see B. Kovacech, 617
- Zlabinger, G. see D. Mechtcheriakova, 3063
- Żołądek, T., see J. Kamińska, 5371
- Zong, H.L. see Y. Lin, 5151
- Zoryan, M. see M. Oreb, 5945
- Zou, H., Q. Li, S.-C. Lin, Z. Wu, J. Han and Z. Ye, Differential requirement of MKK4 and MKK7 in JNK activation by distinct scaffold proteins, 196
- Zou, J. see Q. Chen, 5511
- Zubiaga, A.M. see J. Zhang, 5781
- Zugasti, B. see M.T. Morán-Zorzano, 1035
- Zugaza, J.L. see N. Zaldua, 5814
- Zuluaga, S., A. Gutiérrez-Uzquiza, P. Bragado, A. Álvarez-Barrientos, M. Benito, A.R. Nebreda and A. Porras, p38 α MAPK can positively or negatively regulate Rac-1 activity depending on the presence of serum, 3819
- Zwart, B. see S. Zeerleder, 5382
- Zwickl, P. see A. Rothballer, 1197
- Żołądek, T. see J. Kamińska, 5371