



Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.

FEBS Letters Volume 579
Author Index

A

- Abad, C. see M. Orzáez, 1633
 Abastado, J.-P. see A. Babon, 1658
 Abdel-Ghany, S.E., J.L. Burkhead, K.A. Gogolin, N. Andrés-Colás, J.R. Bodecker, S. Puig, L. Peñarrubia and M. Pilon, AtCCS is a functional homolog of the yeast copper chaperone Ccs1/Lys7, 2307
 Abderrahmani, A., G. Niederhauser, V. Lenain, R. Regazzi and G. Waeber, The hairy and enhancer of split 1 is a negative regulator of the repressor element silencer transcription factor, 6199
 Abdrahmanova, A., K. Dobrynnin, K. Zwicker, S. Kerscher and U. Brandt, Functional sulfurtransferase is associated with mitochondrial complex I from *Yarrowia lipolytica*, but is not required for assembly of its iron-sulfur clusters, 6781
 Abe, Y. see D.-L. Hu, 4407
 Aberlenc-Bertossi, F. see S. Jouannic, 2709
 Abiru, S. see K. Migita, 3119
 Abrams, S.R. see D.M. Priest, 4454
 Abrescia, C., D. Sjöstrand, S. Kjaer and C.F. Ibáñez, *Drosophila* RET contains an active tyrosine kinase and elicits neurotrophic activities in mammalian cells, 3789
 Abu-Hamad, S. see E. Nahon, 5105
 Achour, A. see W. Khazen, 5631
 Acoca, S. see M.R. Warr, 5603
 Adorni, M.P. see E. Favari, 6537
 Adyshev, D. see A.A. Birukova, 4031
 Aerts, A.M. see K. Thevissen, 1973
 Affourtit, C. see P.G. Crichton, 331
 Agafonov, D.E., K.S. Rabe, M. Grote, Y. Huang and M. Sprinzl, The esterase from *Alicyclobacillus acidocaldarius* as a reporter enzyme and affinity tag for protein biosynthesis, 2082
 Agafonov, D.E., Y. Huang, M. Grote and M. Sprinzl, Efficient suppression of the amber codon in *E. coli* in vitro translation system, 2156
 Agami, R. see Y. Einav, 199
 Aggeler, R. see B. Schilling, 2485
 Agius, F. see A. Kapoor, 5889
 Aguado, B. see E.C.J.M. de Vet, 2355
 Aguililar-Bryan, L. see T. Kikuta, 1602
 Aguirre, A. see M. García-Marcos, 5407
 Aguzzi, A. see R. Gavín, 4099
 Ahel, D., D. Slade, M. Mocibob, D. Söll and I. Weygand-Durasevic, Selective inhibition of divergent seryl-tRNA synthetases by serine analogues, 4344
 Ahern, G.P. see P.J. O'Connell, 5135
 Ahmad, F. see N. Musi, 2045
 Ahmad, F. see I. Haque, 3891
 Ahmad, Z. and A.E. Senior, Involvement of ATP synthase residues α Arg-376, β Arg-182, and β Lys-155 in Pi binding, 523
 Ahn, J. see X. Xu, 549
 Ahn, J.-H. see K.S. Sung, 3001
 Ahn, M.-Y. see H.-E. Moon, 3797
 Ahn, N.G. see K.A. Resing, 885
 Ahn, S.-G. see S.-A. Kim, 6559
 Ahn, S.-H. see J.-h. Lee, 2507
 Ahnn, J. see J.H. Cho, 778
 Aigner, T. see I. Knerr, 3991
 Akagawa, K. see K. Suga, 4226
 Akiba, Y. see M. Ueda, 11
 Akimitsu, N. see Y. Aramaki, 3731
 Akira, S. see R.N. Bhattacharjee, 6604
 Akita, H. see T. Masuda, 2143
 Akiyama, H., Y. Sato, T. Watanabe, M.H. Nagaoka, Y. Yoshioka, T. Shoji, T. Kanda, K. Yamada, M. Totsuka, R. Teshima, J.-i. Sawada, Y. Goda and T. Maitani, Dietary unripe apple polyphenol inhibits the development of food allergies in murine models, 4485
 Akke, M. see J. Fast, 6095
 Aksenov, N. see I. Marakhova, 2773
 Aksenov, S.V., B. Church, A. Dhiman, A. Georgieva, R. Sarangapani, G. Helmlinger and I.G. Khalil, An integrated approach for inference and mechanistic modeling for advancing drug development, 1878
 Akterin, S. see A. Rahman, 6411
 Akutsu, M., M. Kawasaki, Y. Katoh, T. Shiba, Y. Yamaguchi, R. Kato, K. Kato, K. Nakayama and S. Wakatsuki, Structural basis for recognition of ubiquitinated cargo by Tom1-GAT domain, 5385
 Al-Karadaghi, S. see V.T. Dufe, 6037
 Alarcón, E.C. see C. Mendoza-Milla, 3947
 Albar, J.P. see M. Martínez-Moreno, 3159
 Albè, E., E. Escalona, R. Rajagopal, J.A. Javier, J.-H. Chang and D.T. Azar, Proteomic identification of activin receptor-like kinase-1 as a differentially expressed protein during hyaloid vascular system regression, 5481
 Albenne, C. see S. Pizzut-Serin, 1405
 Alberghina, L. see G. Santarossa, 2383
 Alberghina, L. see E. Sacco, 6851
 Albouz-Abo, S., R. Turton, J.C. Wilson and M.v. Itzstein, An investigation of the activity of recombinant rat skeletal muscle cytosolic sialidase, 1034
 Albracht, S.P.J. see W. Roseboom, 469
 Albrecht, U. see M.R. Lornejad-Schäfer, 5791
 Albrechtsen, R. see C.K. Thodeti, 5589
 Albury, M.S. see P.G. Crichton, 331
 Alcaraz, L.A. and A. Donaire, Rapid binding of copper(I) to folded aporusticyanin, 5223
 Aleo, M.F. see R. Giuliani, 6251
 Alessenko, A.V., M.A. Shupik, U.A. Gutner, A.E. Bugrova, L.B. Dudnik, L.N. Shingarova, A. Mikoyan and A.F. Vanin, The relation between sphingomyelinase activity, lipid peroxide oxidation and NO-releasing in mice liver and brain, 5571
 Alessi, D.R. see M. Jaleel, 1417
 Alessi, D.R. see A. Mora, 3632
 Alexson, S.E.H. see E. Silvestri, 1639
 Ali, Y.B. see A. Sayari, 976
 Aliverti, A. see R.C. Röhrich, 6433
 Allen, J.F., A redox switch hypothesis for the origin of two light reactions in photosynthesis, 963
 Allison, G. see N. Schauer, 1332
 Alloatti, G., A. Marcantonio, R. Levi, M.P. Gallo, L.D. Sorbo, E. Patrucco, L. Barberis, D. Malan, O. Azzolino, M. Wyman, E. Hirsch and G. Montruccio, Phosphoinositide 3-kinase γ controls autonomic regulation of the mouse heart through G_i-independent down-regulation of cAMP level, 133
 Almeida, I.M.G. see L.V. Modolo, 3814
 Almendro, V. see S. Busquets, 717
 Almunia, C. see A. Babon, 1658
 Alon, D. see C.B. Ware, 4465
 Alonso, A. see D.R. Jones, 59
 Alonso, J.-M. see L. Touqui, 4923
 Alonso, J.R. see I. De Dios, 6355
 Aloy, P. and R.B. Russell, Structure-based systems biology: a zoom lens for the cell, 1854
 Alquati, C. see G. Santarossa, 2383
 Altenbach, D., E. Nüesch, T. Ritsema, T. Boller and A. Wiemken, Mutational analysis of the active center of plant fructosyltransferases: *Festuca* 1-SST and barley 6-SFT, 4647
 Altier, C. see H. Khosravani, 6587
 Altman, I.P. see E.A. Kutukova, 4629
 Altuwajri, S. see V.B. Andela, 1765
 Alvarez, M. see R. Pinto, 5553
 Alvarez-Barrientos, A. see M. Martínez-Moreno, 3159
 Alvarez-Castelao, B. and J.G. Castaño, Mechanism of direct degradation of I κ B α by 20S proteasome, 4797
 Alvarez-García, E. see F. García-Mayoral, 6859
 Amagai, N. see K. Oishi, 3555
 Amaldi, F. see F. Loreni, 5517
 Amann, K. see I. Knerr, 3991
 Amari, M. see N. Yamamoto, 2185
 Amarzguioui, M., J.J. Rossi and D. Kim, Approaches for chemically synthesized siRNA and vector-mediated RNAi, 5974
 Amato, R. see R. Boito, 6439
 Amaya, E. see N.J. Harmer, 1161
 Ambrogelly, A., M. Frugier, M. Ibba, D. Söll and R. Giegé, Transfer RNA recognition by class I lysyl-tRNA synthetase from the Lyme disease pathogen *Borrelia burgdorferi*, 2629
 Ambrogelly, A., S. Kamtekar, C. Stathopoulos, D. Kennedy and D. Söll, Asymmetric behavior of archaeal prolyl-tRNA synthetase, 6017
 Amdam, G.V. see K.R. Guidugli, 4961
 Amelio, E. see A.R. Ciampa, 6839

- Amente, S., G. Napolitano, P. Licciardo, M. Monti, P. Pucci, L. Lania and B. Majello, Identification of proteins interacting with the RNA-PII FCP1 phosphatase: FCP1 forms a complex with arginine methyltransferase PRMT5 and it is a substrate for PRMT5-mediated methylation, 683
- Ami, D., A. Natalello, P. Gatti-Lafranconi, M. Lotti and S.M. Doglia, Kinetics of inclusion body formation studied in intact cells by FT-IR spectroscopy, 3433
- Amininasab, M. see A. Jalali, 4181
- Amit, M., R. Berisio, D. Baram, J. Harms, A. Bashan and A. Yonath, A crevice adjoining the ribosome tunnel: Hints for cotranslational folding, 3207
- An, S.W. see M. Yeo, 127
- An, W.G. see J.H. Choi, 2795
- Anbazhagan, V. and M.J. Swamy, Thermodynamics of phosphoryl-choline and lysophosphatidylcholine binding to the major protein of bovine seminal plasma, PDC-109, 2933
- Andela, V.B., S. Altuwaijri, J. Wood and R.N. Rosier, Inhibition of β -oxidative respiration is a therapeutic window associated with the cancer chemo-preventive activity of PPAR γ agonists, 1765
- Andela, V.B., E.M. Schwarz, R.J. O'Keefe, E.J. Puzas, J.D. Rosenblatt and R.N. Rosier, A genome-wide expression profile and system-level integration of nuclear factor kappa B regulated genes reveals fundamental metabolic adaptations during cell growth and survival, 6814
- Anděra, L. see L. Dubská, 4149
- Anderes, L. see C. Soto, 638
- Andersen, L.K. see S. Löschner, 4287
- Anderson, K.I. see A. Sharma, 2001
- Anderson, M.A. see J.T. Colston, 2533
- Ando, M. see Y. Kakinuma, 2111
- Andrá, J. see H. Schröder-Borm, 6128
- Andrade, M.A. see C. Perez-Iratxeta, 1795
- André, M. see S. Caspar-Bauguil, 3487
- Andreassen, P.A. see V.V. Sumbayev, 541
- Andreasyan, N.A., H.L. Hairapetyan, Y.G. Sargisova and S.S. Mar-danyan, ADA2 isoform of adenosine deaminase from pleural fluid, 643
- Andreev, I.M. see L.G. Popova, 5002
- Andreeva, A. see B.G. Bobay, 5669
- Andrés-Colás, N. see S.E. Abdel-Ghany, 2307
- Andreu, A.L. see R. Gonzalo, 6909
- Andrews, N.W. see R.E. Morty, 2191
- Andrieux, L. see P. Zindy, 95
- Androulidaki, A. see C. Tsatsanis, 4259
- Anel, A. see M. Gómez-Benito, 6217
- Angkawidjaja, C., A. Paul, Y. Koga, K. Takano and S. Kanaya, Importance of a repetitive nine-residue sequence motif for intracellular stability and functional structure of a family I.3 lipase, 4707
- Ankri, S. see S. Bernes, 6395
- Anné, J. see S.D. Keersmaeker, 797
- Anthouard, V. see E. Talla, 30
- Antonenko, Y.N., T.B. Stoilova, S.I. Kovalchuk, N.S. Egorova, A.A. Pashkovskaya, A.A. Sobko, E.A. Kotova, S.V. Sychev and A.Y. Surovoy, Large unselective pore in lipid bilayer membrane formed by positively charged peptides containing a sequence of gramicidin A, 5247
- Antúnez, O. see L.E. Rosaleny, 4063
- Aoki, M. see R. Teramoto, 2878
- Aoyama, J., Y. Nakayama, D. Sugiyama, S. Saburi, D. Nadano, M.N. Fukuda and N. Yamaguchi, Apical cell adhesion molecule, trophinin, localizes to the nuclear envelope, 6326
- Apic, G., T. Ignjatovic, S. Boyer and R.B. Russell, Illuminating drug discovery with biological pathways, 1872
- Apostoli, P. see R. Giuliani, 6251
- Apostolova, N. see A. Sanjuán-Pla, 2669
- Aqvist, J. see F. Österberg, 2939
- Arab, S. see M. Sadeghi, 3397
- Arad, M. see N. Musi, 2045
- Aradi, J. see I. Tarkanyi, 1411
- Arai, R. see K. Nakano, 5181
- Araki, T. see H. Hashimoto, 4324
- Aramaki, Y., K. Ogawa, Y. Toh, T. Ito, N. Akimitsu, H. Hamamoto, K. Sekimizu, K. Matsusue, A. Kono, H. Iguchi and S. Takiguchi, Direct interaction between metastasis-associated protein 1 and endophilin 3, 3731
- Aravin, A. and T. Tuschl, Identification and characterization of small RNAs involved in RNA silencing, 5830
- Araya, R., I. Hirai, C.L. Meyerkord and H.-G. Wang, Loss of RPA1 induces Chk2 phosphorylation through a caffeine-sensitive pathway, 157
- Araya, S.-i. see N. Nishi, 2058
- Ardley, H.C., C.-C. Hung and P.A. Robinson, The aggravating role of the ubiquitin-proteasome system in neurodegeneration, 571
- Arena, S. see S. Benvenuti, 1884
- Arenas, J. see R. Gonzalo, 6909
- Argentini, M. see R. Catena, 3401
- Argilés, J.M. see S. Busquets, 717
- Argilés, J.M. see E. Barreiro, 1646
- Argout, X. see S. Jouannic, 2709
- Argueta, J.G.M. see N. Yamaguchi, 6821
- Ariaens, A. see J. Mulder, 6121
- Arias, J.M., J. Murbartián, I. Vitko, J.-H. Lee and E. Perez-Reyes, Transfer of β subunit regulation from high to low voltage-gated Ca^{2+} channels, 3907
- Arima, H. see K. Motoyama, 1707
- Arioka, M., S.-h. Cheon, Y. Ikeno, S. Nakashima and K. Kitamoto, A novel neurotrophic role of secretory phospholipases A₂ for cerebellar granule neurons, 2693
- Arjunan, S.N.V. see K. Takahashi, 1783
- Arliguié, C. see J. Averous, 2609
- Armbrüster, A., C. Hohn, A. Hermeszdorf, K. Schumacher, M. Börsch and G. Grüber, Evidence for major structural changes in subunit C of the vacuolar ATPase due to nucleotide binding, 1961
- Arndt-Jovin, D.J. see J.N. Post, 325
- Arnesen, T., X. Kong, R. Evjenth, D. Gromyko, J.E. Varhaug, Z. Lin, N. Sang, J. Caro and J.R. Lillehaug, Interaction between HIF-1 α (ODD) and hARD1 does not induce acetylation and destabilization of HIF-1 α , 6428
- Arnett, F.C. see M. Xiong, 5325
- Arni, R.K. see M.T. Murakami, 6505
- Arnold, H.H. see B. Kleinhenz, 4254
- Arnold, J.R.S. see M. Wartenberg, 4541
- Aro, E.-M. see A. Khrouchtchova, 4808
- Arondel, V. see K. El-Kouhen, 6067
- Arraiano, C.M. see S.C. Viegas, 5069
- Arrivault, S. see A.-G. Desbrosses-Fonrouge, 4165
- Arroyo, N. see S. Yano, 839
- Artal-Sanz, M. and N. Tavernarakis, Proteolytic mechanisms in necrotic cell death and neurodegeneration, 3287
- Arteni, A.A. see R. Kouřil, 3253
- Arthur, J. see V. Pagmantidis, 792
- Arthur, J.R. see J.E. Drew, 6135
- Artieda, M., A. Cenarro, C. Junquera, P. Lasierra, M.J. Martínez-Lor-zenzo, M. Pocoví and F. Civeira, Tendon xanthomas in familial hypercholesterolemia are associated with a differential inflammatory response of macrophages to oxidized LDL, 4503
- Aruga, F. see S. Ohkouchi, 1745
- Asada, Y. see Y.-N. Cao, 4997
- Asakawa, Y. see N. Tamehiro, 5299
- Asano, M., R. Satoh, A. Mochizuki, S. Tsuda, T. Yamanaka, M. Nishiguchi, K. Hirai, T. Meshi, S. Naito and M. Ishikawa, Tobamovirus-resistant tobacco generated by RNA interference directed against host genes, 4479
- Asano, R. see K. Fukumoto, 3829
- Ashford, D.A. see D.M. Priest, 4454
- Ashino, T. see S. Numazawa, 3560
- Ashley, R.H. see K. Balali-Mood, 1143
- Asoodeh, A. see A.R. Madvar, 4701
- Aspenström, P., The verprolin family of proteins: Regulators of cell morphogenesis and endocytosis, 5253
- Atkinson, M.A. see B.R. Burkhardt, 5759
- Attisano, L. see S.T. Lee-Hoeffich, 4615
- Atzmon, R. see E. Cohen, 2334
- Au, D.M.-Y. see H. Geng, 6763
- Audebert, S. see J.-Y. Métais, 3725
- Audit, B. see N. López-Bigas, 1900
- Augusto, O. see L.V. Modolo, 3814
- Aukrust, I. see S.U. Lauvrak, 203
- Aunis, D. see R.A. Bersaoui, 2715
- Auroy, P. see F. Verret, 1515
- Authier, F., M. Kouach and G. Briand, Endosomal proteolysis of insulin-like growth factor-I at its C-terminal D-domain by cathepsin B, 4309
- Auwerx, J., J. Van Nieuwenhove, F. Rodríguez-Barrios, S. de Castro, S. Velázquez, F. Ceccherini-Silberstein, E. De Clercq, M.-J. Camarasa, C.-F. Perno, F. Gago and J. Balzarini, The N137 and P140 amino acids in the p51 and the P95 amino acid in the p66 subunit of human immunodeficiency virus type 1 (HIV-1) reverse transcriptase are instrumental to maintain catalytic activity and to design new classes of anti-HIV-1 drugs, 2294

- Averous, J., A.-C. Maurin, A. Bruhat, C. Jousse, C. Arliguie and P. Fafofournoux, Induction of IGFBP-1 expression by amino acid deprivation of HepG2 human hepatoma cells involves both a transcriptional activation and an mRNA stabilization due to its 3'UTR, 2609
 Avner, M.R. see M.E. Durkin, 1191
 Awa, T. see H. Nakayashiki, 488
 Awasthi, S. see S.S. Singhal, 4635
 Awasthi, Y.C. see S.S. Singhal, 4635
 Ayabe, K., T. Zako and H. Ueda, The role of firefly luciferase C-terminal domain in efficient coupling of adenylation and oxidative steps, 4389
 Aylett, M. see R.F. Mills, 783
 Ayoub, M. see M. Berthouze, 2973
 Azakami, H. see J. He, 2277
 Azar, D.T. see E. Albè, 5481
 Azar, D.T. see J.-H. Chang, 3601
 Azmi, A.S., S.H. Bhat and S.M. Hadi, Resveratrol-Cu(II) induced DNA breakage in human peripheral lymphocytes: Implications for anticancer properties, 3131
 Azuma, J. see C. Sumita, 4038
 Azuma, M. see H. Ma, 6745
 Azzarello, E. see D. Santelia, 5399
 Azzolino, O. see G. Alloatti, 133
- B**
- Babon, A., C. Almunia, C. Boccaccio, B. Beaumelle, M.H. Gelb, A. Ménez, B. Maillère, J.-P. Abastado, M. Salcedo and D. Gillet, Cross-presentation of a CMV pp65 epitope by human dendritic cells using bee venom PLA₂ as a membrane-binding vector, 1658
 Babul, J. see A. Caniuguir, 2313
 Baccarini, M., Second nature: Biological functions of the Raf-1 "kinase", 3271
 Baccarini, P.J. see R.F. Mills, 783
 Baccon, J. see C. Carissimi, 2348
 Bachmann, A.S. see M. Schweneker, 1751
 Bacigalupo, J. see K. Castillo, 1675
 Bäckesjö, C.-M. see N. Hamada, 4131
 Bacon, P.A. see L.D. Church, 1539
 Badde, A. see C. Burkhardt, 3821
 Bader, G.D. see M.P. Cary, 1815
 Badia, E. see J. Oliva, 4278
 Bado, A. see H. Goiöt, 1911
 Badorff, C. see M. Koyanagi, 6060
 Bae, Y.S. see J.H. Joo, 1243
 Baek, K.-H. see H.-J. Lee, 4867
 Baert, J.-L. see F. T'Sas, 66
 Báez, M. see A. Caniuguir, 2313
 Bahk, S.J. see Y.H. Huh, 2597
 Bahk, S.J. see Y.H. Huh, 5145
 Bahn, J.-J. see W.C. Lim, 5430
 Bai, S. see H.-M. Ko, 6451
 Bailey, S., N.H. Mann, C. Robinson and D.J. Scanlan, The occurrence of rapidly reversible non-photochemical quenching of chlorophyll *a* fluorescence in cyanobacteria, 275
 Baillie, G.S., J.D. Scott and M.D. Houslay, Compartmentalisation of phosphodiesterases and protein kinase A: opposites attract, 3264
 Bakalova, R. see H. Schröder-Born, 6128
 Bakhanashvili, M., E. Novitsky, I. Levy and G. Rahav, The fidelity of DNA synthesis by human immunodeficiency virus type 1 reverse transcriptase increases in the presence of polyamines, 1435
 Bakker, J. see U. Kudla, 2451
 Balaguer, P. see J. Oliva, 4278
 Balali-Mood, K., R.H. Ashley, T. Hau and J.P. Bradshaw, Neutron diffraction reveals sequence-specific membrane insertion of pre-fibrillar islet amyloid polypeptide and inhibition by rifampicin, 1143
 Balconi, E. see R.C. Röhricht, 6433
 Ball, R.J. see M.C.W. Evans, 3081
 Balnokin, Y.V. see L.G. Popova, 5002
 Balsas, P. see M. Gómez-Benito, 6217
 Balzarini, J. see J. Auwerx, 2294
 Bandeiras, T.M. see A. Kletzin, 1020
 Bandyopadhyaya, A. see M. Sarkar, 3449
 Banerjee, S. see J.S. Bond, 3317
 Baneyx, F. see I.-T. Chow, 4235
 Baneyx, F. see I.-T. Chow, 4242
 Banks, C.A.S. see J.W. Conaway, 904
 Banmeyer, I., C. Marchand, A. Clippe and B. Knoops, Human mitochondrial peroxiredoxin 5 protects from mitochondrial DNA damages induced by hydrogen peroxide, 2327
 Bantel, H., T. Beikler, T.F. Flemmig and K. Schulze-Osthoff, Caspase activation is involved in chronic periodontitis, 5559
 Bao, Q.-Y. see Z.-G. Wang, 4928
 Bao, Y., C. Bing, L. Hunter, J.R. Jenkins, M. Wabitsch and P. Trayhurn, Zinc- α_2 -glycoprotein, a lipid mobilizing factor, is expressed and secreted by human (SGBS) adipocytes, 41
 Baram, D. and A. Yonath, From peptide-bond formation to cotranslational folding: dynamic, regulatory and evolutionary aspects, 948
 Baram, D. see M. Amit, 3207
 Barash, I. see M. Reichenstein, 2097
 Barazzzone-Argiroffo, C. see P. Flandin, 3411
 Barber, J. see M. Chen, 1306
 Barberis, L. see G. Alloatti, 133
 Barbier, J. see E. Jaimovich, 2051
 Barboni, E., S. Coade and A. Fiori, The binding of mycolic acids to galectin-3: A novel interaction between a host soluble lectin and trafficking mycobacterial lipids? 6749
 Barca, S. see E. Pavoni, 493
 Barchuk, A.R. see K.R. Guidugli, 4961
 Bardelli, A. see S. Benvenuti, 1884
 Bardova, K. see J. Sponarova, 6105
 Barel, M. see S. Lottin-Divoux, 2323
 Barletta, A. see M.P. Mollica, 1978
 Barnes, F.A. see C.E. Dempsey, 3646
 Barnett, M.E. see I.-T. Chow, 4242
 Barral, P.M., A. Rusch, A.S. Turnell, P.H. Gallimore, P.J. Byrd, T. Dobner and R.J.A. Grand, The interaction of the hnRNP family member E1B-AP5 with p53, 2752
 Barras, F. see S. Ollagnier-de Choudens, 3737
 Barre, O. see A. Tiss, 5454
 Barreiro, E. see S. Busquets, 717
 Barreiro, E., B. de la Puente, S. Busquets, F.J. López-Soriano, J. Gea and J.M. Argilés, Both oxidative and nitrosative stress are associated with muscle wasting in tumour-bearing rats, 1646
 Barreiro, G.C. see R.R. Prattali, 3152
 Barrera, F.N. see J.A. Encinar, 5199
 Barresi, R. see M. Kanagawa, 4792
 Bartrons, R. see F.R. Garcia-Gonzalo, 343
 Bartrons, R. see M. Gómez, 357
 Basak, A. and F. Lotfiour, Modulating furin activity with designed mini-PDX peptides: Synthesis and in vitro kinetic evaluation, 4813
 Bashan, A. see M. Amit, 3207
 Baskakov, I., P. Disterer, L. Breydo, M. Shaw, A. Gill, W. James and A. Tahiri-Alaoui, The presence of valine at residue 129 in human prion protein accelerates amyloid formation, 2589
 Basoah, A., P.M. Matthews and K.J. Morten, Rapid rates of newly synthesized mitochondrial protein degradation are significantly affected by the generation of mitochondrial free radicals, 6511
 Bassi, R. see G. Zucchielli, 2071
 Basso, L. see S. Mencarelli, 5501
 Bast, A. see A.W. Boots, 677
 Bastin, C. see T. Pascal, 3651
 Battaglioli, E. see F. Forneris, 2203
 Bauer, C. see J.E. Shokes, 1741
 Baumsteiner, W., From proteomic inventory to architecture, 933
 Bauvois, B. see J. Nguyen, 5487
 Bawab, S.E. see K. Geoffroy, 1249
 Beal, P.A. see A. Malina, 79
 Beaumelle, B. see A. Babon, 1658
 Beck, E. see R.C. Röhricht, 6433
 Becker, A. see M.A. Priestman, 5773
 Becker, P.B. see T. Straub, 3258
 Becker, S., S. Theile, N. Heppeler, A. Michalczyk, A. Wentzel, S. Wilhelm, K.-E. Jaeger and H. Kolmar, A generic system for the *Escherichia coli* cell-surface display of lipolytic enzymes, 1177
 Beckmann, R. see H. Yang, 3385
 Bednarczyk, P., K. Dołowy and A. Szewczyk, Matrix Mg²⁺ regulates mitochondrial ATP-dependent potassium channel from heart, 1625
 Behr, M. and M. Hoch, Identification of the novel evolutionary conserved *obstructor* multigene family in invertebrates, 6827
 Behrendt, B. see A. Jenzora, 455
 Beikler, T. see H. Bantel, 5559
 Beinoravičiūtė-Kellner, R., G. Lipps and G. Krauss, In vitro selection of DNA binding sites for ABF1 protein from *Saccharomyces cerevisiae*, 4535

- Belenguer, P. see E. Guillou, 1109
 Belevich, I., V.B. Borisov, A.A. Konstantinov and M.I. Verkhovsky, Oxygenated complex of cytochrome *bd* from *Escherichia coli*: Stability and photolability, 4567
 Bellia, P. see M. Gulino, 6101
 Bellido, J. see S. Nolasco, 3515
 Bellik, L., F. Ledda and A. Parenti, Morphological and phenotypical characterization of human endothelial progenitor cells in an early stage of differentiation, 2731
 Beltrametti, F. see C.A. Guzmán, 813
 Beltrán, C. see G. Granados-Gonzalez, 6667
 Benazzi, L. see M. Maiorino, 667
 Bendayan, M. see E. Joly, 6581
 Benedetti, E. see P. Palladino, 5293
 Benelli, C. see W. Khazen, 5631
 Benichou, S. see R. Madrid, 441
 Benjannet, S. see A. Salvas, 5621
 Bennecib, M. see L. Sun, 251
 Bentwich, I., Prediction and validation of microRNAs and their targets, 5904
 Benvenuti, S., S. Arena and A. Bardelli, Identification of cancer genes by mutational profiling of tumor genomes, 1884
 Bersaoui, R.A., I. Robert, Y. Lutz, F. Blanc, G. Sommermeyer-Leroux, H. Shibaguchi, D. Aunis and J.-P. Fuchs, Purkinje-cell degeneration in prion protein-deficient mice is associated with a cerebellum-specific Doppel protein species signature, 2715
 Berchtold, M.W. see J. Mollerup, 4187
 Berger, J. see I. Weinhofer, 5512
 Berisio, R. see M. Amit, 3207
 Berlanda, J. see T. Kiesslich, 185
 Bermano, G. see V. Pagmantidis, 792
 Bermond, F. see O. Berthier-Vergnes, 3660
 Bernabe-Ortiz, J.C. see M.A. Lopez-Illasaca, 648
 Bernal, A.E. see C. Mendoza-Milla, 3947
 Bernd, A. see S. Kippenberger, 207
 Berndtsson, M., Y. Konishi, A. Bonni, M. Hägg, M. Shoshan, S. Linde and A.M. Havelka, Phosphorylation of BAD at Ser-128 during mitosis and paclitaxel-induced apoptosis, 3090
 Bernes, S., R. Siman-Tov and S. Ankri, Epigenetic and classical activation of *Entamoeba histolytica* heat shock protein 100 (EHsp100) expression, 6395
 Bernhagen, J. see A. Burger-Kentischer, 1693
 Bernini, F. see E. Favari, 6537
 Berque-Bestel, I. see M. Berthouze, 2973
 Bert, A.G. see L.S. Coles, 5372
 Berthier-Vergnes, O., F. Bermond, V. Flacher, C. Massacrier, D. Schmitt and J. Péguet-Navarro, TNF- α enhances phenotypic and functional maturation of human epidermal Langerhans cells and induces IL-12 p40 and IP-10/CXCL10 production, 3660
 Bertholet, V. see T. Pascal, 3651
 Berthouze, M., M. Ayoub, O. Russo, L. Rivail, S. Sicsic, R. Fischmeister, I. Berque-Bestel, R. Jockers and F. Lezoalch, Constitutive dimerization of human serotonin 5-HT₄ receptors in living cells, 2973
 Bertini, L. see C. Caporale, 3048
 Bertoldi, M., B. Cellini, B. Maras and C.B. Voltattorni, A quinonoid is an intermediate of oxidative deamination reaction catalyzed by Dopa decarboxylase, 5175
 Bertolini, M.C. see R.M. de Paula, 2208
 Berul, C.I. see N. Musi, 2045
 Besir, H., K. Zeth, A. Bracher, U. Heider, M. Ishibashi, M. Tokunaga and D. Oesterhelt, Structure of a halophilic nucleoside diphosphate kinase from *Halobacterium salinarum*, 6595
 Bettati, S. see B. Pioselli, 2197
 Bettoni, F. see R. Giuliani, 6251
 Betz, M. see T. Langer, 4049
 Beullens, M. see B. Lesage, 5626
 Bevilacqua, E., O. Bussolati, V. Dall'Asta, F. Gaccioli, R. Sala, G.C. Gazzola and R. Franchi-Gazzola, SNAT2 silencing prevents the osmotic induction of transport system A and hinders cell recovery from hypertonic stress, 3376
 Bhasin, M., H. Zhang, E.L. Reinherz and P.A. Reche, Prediction of methylated CpGs in DNA sequences using a support vector machine, 4302
 Bhat, P.J. and K.V. Venkatesh, Stochastic variation in the concentration of a repressor activates *GAL* genetic switch: implications in evolution of regulatory network, 597
 Bhat, S.H. see A.S. Azmi, 3131
 Bhattacharjee, R.N., K.-S. Park, S. Uematsu, K. Okada, K. Hoshino, K. Takeda, O. Takeuchi, S. Akira, T. Iida and T. Honda, *Escherichia coli* verotoxin 1 mediates apoptosis in human HCT116 colon cancer cells by inducing overexpression of the GADD family of genes and S phase arrest, 6604
 Bi, Y. see J. Guo, 3619
 Bian, C. see W. Lu, 2130
 Bibby, T.S. see M. Chen, 1306
 Bidet, M. see M. De Rivoyre, 1529
 Biesiadka, J. see H. Ishikita, 712
 Bifulco, M. see D. Sarnataro, 6343
 Bihani, H., C. Rouault, G. Reach, V. Poitout, B. Staels and M. Guerremillo, Pancreatic islet response to hyperglycemia is dependent on peroxisome proliferator-activated receptor alpha (PPAR α), 2284
 Billeci, K. see D. Kirchhofer, 1945
 Binda, C. see F. Forneris, 2203
 Bing, C. see Y. Bao, 41
 Bingle, C.D. see C.E. Dempsey, 3646
 Birchler, J.A. see H.H. Kavi, 5940
 Birkenkamp, K.U. see M. Rosas, 191
 Birnbaumer, M. see C.L. Gouill, 4985
 Birringer, M.S., M.T. Claus, G. Folkers, D.P. Kloer, G.E. Schulz and L. Scapozza, Structure of a type II thymidine kinase with bound dTTP, 1376
 Birukov, K.G. see A.A. Birukova, 4031
 Birukova, A.A., D. Adyshev, B. Gorshkov, K.G. Birukov and A.D. Verin, ALK5 and Smad4 are involved in TGF- β 1-induced pulmonary endothelial permeability, 4031
 Björpling-Poulsen, M., D. Meek and O.-G. Issinger, HDM2 negatively affects the Chk2-mediated phosphorylation of p53, 2604
 Blaas, D. see A. Nicodemou, 5507
 Blackburn, E.H., Telomeres and telomerase: their mechanisms of action and the effects of altering their functions, 859
 Blaesius, R. see C.A. Johnston, 5746
 Blagosklonny, M.V. see Z.N. Demidenko, 2231
 Blanc, F. see R.A. Bersaoui, 2715
 Blanchette, M. see M.R. Warr, 5603
 Blangy, S. see K. El-Kouhen, 6067
 Blank, M. see F. Saito, 2359
 Blein, J.-P. see J. Lequeu, 4879
 Blenis, J. see A.R. Tee, 4763
 Bloch Jr., C. see C.S.A. Dayler, 5616
 Blokesch, M. see W. Roseboom, 469
 Bloomberg, G.B. see J.T. Murray, 991
 Bluher, M. see S. Kralisch, 6417
 Blundell, T.L. see N.J. Harmer, 1161
 Bobay, B.G., A. Andreeva, G.A. Mueller, J. Cavanagh and A.G. Murzin, Revised structure of the AbrB N-terminal domain unifies a diverse superfamily of putative DNA-binding proteins, 5669
 Boccaccio, C. see A. Babon, 1658
 Böck, A. see W. Roseboom, 469
 Bode, J.G. see M.R. Lornejad-Schäfer, 5791
 Bodecker, J.R. see S.E. Abdel-Ghany, 2307
 Boeger, H., D.A. Bushnell, R. Davis, J. Griesenbeck, Y. Lorch, J.S. Strattan, K.D. Westover and R.D. Kornberg, Structural basis of eukaryotic gene transcription, 899
 Boehm, M. see S. Nallamshetty, 6529
 Boekema, E.J. see R. Kouřil, 3253
 Boekema, E.J. see N.V. Dudkina, 5769
 Bogdanov, A.A. see P.V. Sergiev, 5439
 Bogle, I.D.L. see L. Dartnell, 3037
 Bogner, E. see I. Kraus, 2686
 Bohle, D.S. see M.F. Oliveira, 6010
 Bohr, V.A. see W.-H. Cheng, 1350
 Boito, R., M. Menitti, R. Amato, C. Palmieri, C. Marinaro, R. Iuliano, G. Tripodi, D. Cusi, G. Fuiano and N. Perrotti, RFX-1, a putative alpha Adducin interacting protein in a human kidney library, 6439
 Bollen, M. see B. Lesage, 5626
 Boller, T. see D. Altenbach, 4647
 Bolwig, C. see B.R. Johannessen, 1208
 Bond, J.S., G.L. Matters, S. Banerjee and R.E. Dusheck, Meprin metalloprotease expression and regulation in kidney, intestine, urinary tract infections and cancer, 3317
 Bond, M. see G.B. Sala-Newby, 6493
 Bond, B.D. see S. Van Slambrouck, 1665
 Bonefeld-Jørgensen, E.C. see V.V. Sumbayev, 541
 Bonen, A. see A. Chabowski, 2428
 Bonino, F. see M. De Rivoyre, 1529
 Bonnard, G. see J.-P. Reichheld, 337
 Bonni, A. see M. Berndtsson, 3090
 Bonnier, D. see P. Zindy, 95
 Bontoux, M. see P. Froment, 2376

- Boone, C. see L.L. Swift, 3183
 Booth, J. see D.A. Rusling, 6616
 Boots, A.W., A. Bast and G.R.M.M. Haenen, No role of DT-diaphorase (NQO1) in the protection against oxidized quercetin, 677
 Bora, N. see S. Narayanan, 1324
 Borg, J.-P. see N. Reymond, 2245
 Borg, J.-P. see J.-Y. Métais, 3725
 Borgel, A. see S. Jouannic, 2709
 Borghi, R. see R. Russo, 6027
 Borisov, V.B. see I. Belevich, 4567
 Bork, K., W. Reutter, R. Gerardy-Schahn and R. Horstkorte, The intracellular concentration of sialic acid regulates the polysialylation of the neural cell adhesion molecule, 5079
 Bork, P. see E.M. Zdobnov, 3355
 Bork, P. see M. Suyama, 5281
 Börner, T. see T. Hübschmann, 1613
 Borrás, C. see J. Viñà, 2541
 Borregaard, N. see V. Hvidberg, 773
 Börsch, M. see A. Armbüster, 1961
 Bortnick, A.E. see E. Favari, 6537
 Borunova, V., O.V. Iarovaia, Y.S. Vassetzky and S.V. Razin, The upstream area of the chicken α -globin gene domain is transcribed in both directions in the same cells, 4746
 Borzi, R.M. see A. Facchini, 2919
 Bos, J.L. see M.R.H. Kooistra, 4966
 Bosello, V. see M. Maiorino, 667
 Bosmans, F. see A. Jalali, 4181
 Bosque, A. see M. Gómez-Benito, 6217
 Boss, W.F. see I.Y. Perera, 3427
 Boss, W.F. see Y.J. Im, 5521
 Boterberg, T. see S. Van Slambrouck, 1665
 Bottari, S.P. see E. Pinzar, 5100
 Bouchaert, E. see B. Cariou, 4076
 Boucher, C. see S. Genin, 2077
 Bouchet, J. see R. Madrid, 441
 Bouchier, C. see E. Talla, 30
 Bouřa, E., D. Liebl, R. Špišek, J. Frič, M. Marek, J. Štokrová, V. Holán and J. Forstová, Polyomavirus EGFP-pseudocapsids: Analysis of model particles for introduction of proteins and peptides into mammalian cells, 6549
 Bourdon, E. see M.L. Pecheur, 3613
 Bourne, Y. see S. Canaan, 215
 Bousquet, C. see E. Guillou, 1109
 Boutry, M. see E. Ducos, 6791
 Bouvet, P. see R. Pinto, 5553
 Bovet, L. see D. Santelia, 5399
 Bowles, D.J. see E.-K. Lim, 2802
 Bowles, D.J. see D.M. Priest, 4454
 Bowman, G.D., E.R. Goedken, S.L. Kazmirski, M. O'Donnell and J. Kuriyan, DNA polymerase clamp loaders and DNA recognition, 863
 Boyer, S. see G. Apic, 1872
 Boys, B.L. see M.O. Crespin, 271
 Bracher, A. see H. Besir, 6595
 Bracke, M.E. see S. Van Slambrouck, 1665
 Bradbury, D. see J. Stocks, 2551
 Bradshaw, J.P. see K. Balali-Mood, 1143
 Brancaccio, A. see E. Pavoni, 493
 Brancorsini, S. see R. Catena, 3401
 Brandolin, G. see H. Nury, 6031
 Brandt, U. see A. Abdurakhmanova, 6781
 Brandwein-Gensler, M. see F.J. Gunn-Moore, 5089
 Brannigan, F. see F.J. Gunn-Moore, 5089
 Bräsen, C., C. Urbanke and P. Schönheit, A novel octameric AMP-forming acetyl-CoA synthetase from the hyperthermophilic crenarchaeon *Pyrolobaculum aerophilum*, 477
 Braun, H.-P. see N.V. Dudkina, 5769
 Braun, N. see R. Gavín, 4099
 Brauner, P. see J. Sponarova, 6105
 Braunerova, R. see J. Sponarova, 6105
 Bravo, A. see L.E. Fernández, 3508
 Brazma, A. see T. Schlitt, 1859
 Brazzolotto, X. see J.K. Rubach, 5055
 Bredesen, D.E. see V. Stoka, 6147
 Breitling, R. and D. Hoeller, Current challenges in quantitative modeling of epidermal growth factor signaling, 6289
 Bremer, E. see C. Horn, 5765
 Brennan, P. see S. Siebert, 5193
 Brenner, C. see F. TSas, 66
 Brenner, S. see W.-H. Yap, 4470
 Bretonnet, A.S., L.P. Jordheim, C. Dumontet and J.M. Lancelin, Regulation and activity of cytosolic 5'-nucleotidase II. A bifunctional allosteric enzyme of the Haloacid Dehalogenase superfamily involved in cellular metabolism, 3363
 Brewer, J.M. see I.A. Kataeva, 4367
 Breydo, L. see I. Baskakov, 2589
 Briand, G. see F. Authier, 4309
 Briat, J.-F. see S. Léon, 1930
 Brice, A. see J.C. Dächsel, 3913
 Brindle, K.M. see D.-E. Hu, 2833
 Briones-Orta, M.A. see A. Vázquez-Macías, 3701
 Brito, B. see S. Genin, 2077
 Broco, M., M. Roussel, S. Oliveira and C. Rodrigues-Pousada, Deletion of flavoredoxin gene in *Desulfovibrio gigas* reveals its participation in thiosulfate reduction, 4803
 Brodbeck, U. see D.R. Jones, 59
 Broom, I. see V. Paganidis, 792
 Brophy, P.J. see F.J. Gunn-Moore, 5089
 Broughton-Head, V.J. see D.A. Rusling, 6616
 Brown, T. see D.A. Rusling, 6616
 Brozovich, F.V. see A. El-Touhky, 4271
 Bruce, W.R. see N. Shangari, 5596
 Bruchhaus, I. see S. Riekenberg, 1573
 Bruhat, A. see J. Averous, 2609
 Bruix, M. see F. García-Mayoral, 6859
 Brumen, M. see A. Fajmut, 4361
 Brun, A. see J. Castilla, 6237
 Brüne, B. see S.E. Schnitzer, 529
 Brunicardi, F.C. see X.P. Wang, 3107
 Brunn, G.J. see S.P. Kishore, 699
 Brunner, E. see M. Sumper, 3765
 Brunori, M. see A. Giuffrè, 2528
 Bryan, B., Y. Cai, K. Wrighton, G. Wu, X.-H. Feng and M. Liu, Ubiquitination of RhoA by Smurfl promotes neurite outgrowth, 1015
 Bryan, J. see T. Kikuta, 1602
 Bryant, D.A. see M. Mimuro, 3493
 Bucheli-Witschel, M. see V.V. Croitoru, 995
 Buckley, C.D. see J.R. MacFadyen, 2569
 Budyak, I.L. see O.S. Mironova, 3147
 Buechler, C. see J. Weigert, 5565
 Buée, L. see P. Delobel, 1
 Buée, L. see C. Smet, 4159
 Bugrova, A.E. see A.V. Aleschenko, 5571
 Bührke, T. see G. Winter, 4292
 Büldt, G. see O.S. Mironova, 3147
 Bull, S.D. see H.J. Lamble, 6865
 Bunai, F. see K. Nakano, 6311
 Buneva, V.N. see E.N. Ikhmyangan, 3960
 Bungum, M.K. see S.P. Kishore, 699
 Buonocore, V. see C. Caporale, 3048
 Burger-Kentischer, A., D. Finkelmeier, M. Thiele, J. Schmucker, G. Geiger, G.E.M. Tovar and J. Bernhagen, Binding of JAB1/CSN5 to MIF is mediated by the MPN domain but is independent of the JAMM motif, 1693
 Burke, T. see H. Yang, 3385
 Burkhardt, B.R., M.J. Parker, Y.C. Zhang, S. Song, C.H. Wasserfall and M.A. Atkinson, Glucose transporter-2 (GLUT2) promoter mediated transgenic insulin production reduces hyperglycemia in diabetic mice, 5759
 Burkhardt, C., M. Müller, A. Badde, C.C. Garner, E.D. Gundelfinger and A.W. Püschel, Semaphorin 4B interacts with the post-synaptic density protein PSD-95/SAP90 and is recruited to synapses through a C-terminal PDZ-binding motif, 3821
 Burkhead, J.L. see S.E. Abdel-Ghany, 2307
 Burman, J.L., S. Wasik, B. Ritter, E. de Hevel and P.S. McPherson, Aftiphilin is a component of the clathrin machinery in neurons, 2177
 Burrows, J. see L.S. Coles, 5372
 Bushnell, D.A. see H. Boeger, 899
 Busquets, S., V. Almendro, E. Barreiro, M. Figueras, J.M. Argilés and F.J. López-Soriano, Activation of UCPs gene expression in skeletal muscle can be independent on both circulating fatty acids and food intake. Involvement of ROS in a model of mouse cancer cachexia, 717
 Busquets, S. see E. Barreiro, 1646
 Bussolati, O. see E. Bevilacqua, 3376
 Bütkofer, P. see D.R. Jones, 59
 Butler, A.M. see M. Murray, 3669
 Byeon, C.W. see M.Y. Kim, 1597
 Byrd, P.J. see P.M. Barral, 2752
 Byun, H.-J. see T. Chun, 5275

Byun, H.S., E.W. Cho, J.S. Kim, M.S. Moon, J.J. Yum, K.C. Kim and I.G. Kim, Thioredoxin overexpression in HT-1080 cells induced cellular senescence and sensitization to gamma radiation, 4055

C

- Caboche, M. see M. Santos Mendoza, 4666
 Cabrera, R. see A. Caniuguir, 2313
 Cai, Y. see B. Bryan, 1015
 Caielli, S. see F. Omodeo Salè, 5095
 Calderola, S. see F. Loreni, 5517
 Calder, M. see W. Kolch, 1891
 Calderwood, S.K. see J.R. Thériault, 1951
 Caliseo, C.T. see R.R. Prattali, 3152
 Callaghan, R. see A. Rothnie, 3984
 Calles-Escandon, J. see A. Chabowski, 2428
 Cam, M. see V. Handa, 2702
 Camarasa, M.-J. see J. Auwerx, 2294
 Cambillau, C. see S. Canaan, 215
 Camiña, J.P. see E. Diaz-Rodríguez, 4020
 Cammue, B.P.A. see K. Thevissen, 1973
 Campbell, I.D. see C.J. Millard, 4529
 Campbell, J.D. and M.S.P. Sansom, Nucleotide binding to the homodimeric MJ0796 protein: A computational study of a prokaryotic ABC transporter NBD dimer, 4193
 Campbell, K.P. see F. Saito, 2359
 Campbell, K.P. see M. Kanagawa, 4792
 Campbell, P.A. see C. Perez-Iratxeta, 1795
 Campbell, R.D. see E.C.J.M. de Vet, 2355
 Campbell, S.L. see M. Hekman, 464
 Campello, S., U.D. Marchi, I. Szabò, F. Tombola, J.-C. Martinou and M. Zoratti, The properties of the mitochondrial megachannel in mitoplasts from human colon carcinoma cells are not influenced by Bax, 3695
 Campion, J.P. see P. Zindy, 95
 Canaan, S., G. Sulzenbacher, V. Roig-Zamboni, L. Scappuccini-Calvo, F. Frassineti, D. Maurin, C. Cambillau and Y. Bourne, Crystal structure of the conserved hypothetical protein Rv1155 from *Mycobacterium tuberculosis*, 215
 Canaani, D. see Y. Einav, 199
 Canavesi, M. see E. Favari, 6537
 Caniuguir, A., R. Cabrera, M. Báez, C.C. Vásquez, J. Babul and V. Guixé, Role of Cys-295 on subunit interactions and allosteric regulation of phosphofructokinase-2 from *Escherichia coli*, 2313
 Cano, M.J. see J. Castilla, 6237
 Cao, J. see P. Zhao, 2404
 Cao, L. see A. Vastiau, 3392
 Cao, L. see Q. Zhang, 3674
 Cao, Y. see M. Ye, 3437
 Cao, Y.-N., K. Kuwasako, J. Kato, K. Nishihira, Y. Asada, T. Eto and K. Kitamura, Overexpression of proadrenomedullin N-terminal 20 peptide blunts blood pressure rise and attenuates myocardial hypertrophy and fibrosis in hypertensive rats, 4997
 Cao, Z. see J. Zhang, 559
 Cao, Z. see Y.-G. Yao, 1227
 Capaldi, R.A. see B. Schilling, 2485
 Capitani, G., M. Tschopp, A.C. Eliot, J.F. Kirsch and M.G. Grüter, Structure of ACC synthase inactivated by the mechanism-based inhibitor L-vinylglycine, 2458
 Caporale, C., L. Bertini, P. Pucci, V. Buonocore and C. Caruso, CysMap and CysJoin: Database and tools for protein disulphides localisation, 3048
 Cappelletti, G., T. Surrey and R. Maci, The parkinsonism producing neurotoxin MPP⁺ affects microtubule dynamics by acting as a destabilising factor, 4781
 Carbonatto, M. see C. Soto, 638
 Cardenas, C. see E. Jaimovich, 2051
 Cardone, F. see C. Soto, 638
 Carels, N., The maize gene space is compositionally compartmentalized, 3867
 Cariou, B., K. van Harmelen, D. Duran-Sandoval, T. van Dijk, A. Grefhorst, E. Bouchaert, J.-C. Fruchart, F.J. Gonzalez, F. Kuipers and B. Staels, Transient impairment of the adaptive response to fasting in FXR-deficient mice, 4076
 Carissimi, C., J. Baccon, M. Straccia, P. Chiarella, A. Maiolica, A. Sawyer, J. Rappaport and L. Pellizzoni, Unrip is a component of SMN complexes active in snRNP assembly, 2348
 Carloni, P. see A. Giorgetti, 1968
 Carloni, P. see S. Pantano, 2679
 Carlson, C.B. see A. Malina, 79
 Carney, J. see W.-H. Cheng, 1350
 Caro, J. see T. Arnesen, 6428
 Caroff, M. see E. Vinogradov, 18
 Caron, H.N. see K. Ouwehand, 1523
 Carracedo, A. see B. Herrera, 5084
 Carrasco, L. see V. Madan, 3607
 Carré, J.E. see P.G. Crichton, 331
 Caruso, C. see C. Caporale, 3048
 Carvalheira, J.B.C. see R.R. Prattali, 3152
 Cary, M.P., G.D. Bader and C. Sander, Pathway information for systems biology, 1815
 Casademunt, E. see J.C. Dächsel, 3913
 Casanueva, F.F. see M. Otero, 295
 Casanueva, F.F. see E. Díaz-Rodríguez, 4020
 Casari, G. see J. Gagneur, 1867
 Casasnovas, J.M. see A. Nicodemou, 5507
 Cascante, M. see C. Lozano, 4219
 Caspar-Bauguil, S., B. Cousin, A. Galinier, C. Segafredo, M. Nibbelink, M. André, L. Casteilla and L. Pénicaud, Adipose tissues as an ancestral immune organ: Site-specific change in obesity, 3487
 Cassiman, J.-J. see A. Vastiau, 3392
 Castanho, M.A.R.B. see S.T. Henriques, 4498
 Castaño, J.G. see B. Alvarez-Castelao, 4797
 Casteilla, L. see S. Caspar-Bauguil, 3487
 Castilla, J. see C. Soto, 638
 Castilla, J., A. Gutiérrez-Adán, A. Brun, B. Pintado, F.J. Salguero, B. Parra, F.D.S. Segundo, M.A. Ramírez, A. Rábano, M.J. Cano and J.M. Torres, Transgenic mice expressing bovine PrP with a four extra repeat octapeptide insert mutation show a spontaneous, non-transmissible, neurodegenerative disease and an expedited course of BSE infection, 6237
 Castillo, K., J. Bacigalupo and D. Wolff, Ca²⁺-dependent K⁺ channels from rat olfactory cilia characterized in planar lipid bilayers, 1675
 Catena, R., M. Argentini, I. Martianov, C. Parelio, S. Brancorsini, M. Parvinen, P. Sassone-Corsi and I. Davidson, Proteolytic cleavage of ALF into α- and β-subunits that form homologous and heterologous complexes with somatic TFIIA and TRF2 in male germ cells, 3401
 Cavaillès, V. see J. Oliva, 4278
 Cavalieri, C. see S. Mencarelli, 5501
 Cavalieri, E. see A.R. Ciampa, 6839
 Cavanagh, J. see B.G. Bobay, 5669
 Cebolla, A. see C.A. Guzmán, 813
 Ceccherini-Silberstein, F. see J. Auwerx, 2294
 Cecchini, G. see A.B. Kotlyar, 4861
 Cedazo-Minguez, A. see A. Rahman, 6411
 Celis, J.E., Obituary – Peter N. Campbell (1921–2005), 1899
 Cellini, B. see M. Bertoldi, 5175
 Cenarro, A. see M. Artieda, 4503
 Centelles, J.J. see C. Lozano, 4219
 Ceol, A. see G. Cesareni, 1828
 Cereda, A. see F. Forlani, 6786
 Cervera, A.M. see A. Sanjuán-Pla, 2669
 Cervera, J. see I. Pérez-Arellano, 6903
 Cesana, B.M. see R. Giuliani, 6251
 Cesareni, G., A. Ceol, C. Gavrila, L.M. Palazzi, M. Persico and M.V. Schneider, Comparative interactomics, 1828
 Ceulemans, H. see B. Lesage, 5626
 Cha, I.-J. see M. Cho, 4213
 Chabowski, A., S.L.M. Coort, J. Calles-Escandon, N.N. Tandon, J.F.C. Glatz, J.J.F.P. Luiken and A. Bonen, The subcellular compartmentation of fatty acid transporters is regulated differently by insulin and by AICAR, 2428
 Chae, H.Z. see J.W. Chang, 2873
 Chae, S. see K.A. Kang, 6295
 Chaires, J.B. see F. Xing, 5035
 Chaitidis, P. and H. Kuhn, Induction of 15-lipoxygenase-1 impairs expression of HIV-1 receptors CD4 and CXCR4 in monocytic cells, 3691
 Chakrabarty, A. see M. Guo, 3574
 Chakraborty, P.K. see P. Sen, 4402
 Chakravarthy, S., Y.-J. Park, J. Chodaparambil, R.S. Edayathuman-galam and K. Luger, Structure and dynamic properties of nucleosome core particles, 895
 Chan, C.-B. see W.-K. Tang, 3759

- Chan, K.W. see K. Yang, 4113
 Chan, W.-S. see H. Geng, 6763
 Chanchevalap, S. see M.O. Nandan, 4757
 Chandra, R. see G.U. Gurudutta, 3503
 Chang, C.-F. see C.-k. Chang, 5663
 Chang, C.-k., S.-C. Sue, T.-h. Yu, C.-M. Hsieh, C.-K. Tsai, Y.-C. Chiang, S.-j. Lee, H.-h. Hsiao, W.-J. Wu, C.-F. Chang and T.-h. Huang, The dimer interface of the SARS coronavirus nucleocapsid protein adapts a porcine respiratory and reproductive syndrome virus-like structure, 5663
 Chang, C.-L. see S.-W. Huang, 449
 Chang, G.-Y. see J.-H. Chang, 3601
 Chang, H.Y. see J. Tang, 2883
 Chang, J.-H., J.A.D. Javier, G.-Y. Chang, H.B. Oliveira and D.T. Azar, Functional characterization of neostatins, the MMP-derived, enzymatic cleavage products of type XVIII collagen, 3601
 Chang, J.-H. see E. Albè, 5481
 Chang, J.W., S.H. Lee, J.Y. Jeong, H.Z. Chae, Y.C. Kim, Z.-Y. Park and Y.J. Yoo, Peroxiredoxin-I is an autoimmunogenic tumor antigen in non-small cell lung cancer, 2873
 Chang, J.-Y. see C. Jiang, 3927
 Chang, K.C. see J. Sun, 5494
 Chang, M.-F. see Y.-C. Chen, 4337
 Chang, P. see C.-P. Tseng, 4395
 Chang, S.-S. see C.-P. Tseng, 4395
 Chany, C. see W. Khazen, 5631
 Chapman, S.K. see D.J.B. Hunter, 2215
 Charalampopoulos, I. see C. Tsatsanis, 4259
 Charbonnier, M. see S. Prudent, 3872
 Chardin, P. see S. Klein, 5741
 Chatterjee, S. see H. Wei, 1272
 Chaudhuri, A. see K. Mukherjee, 1291
 Chaudhuri, K. see M. Sarkar, 3449
 Chavakis, E. see M. Koyanagi, 6060
 Chazalette, D., K. Hnia, F. Rivier, G. Hugon and D. Mornet, α 7B Integrin changes in mdx mouse muscles after L-arginine administration, 1079
 Cheetham, S.C. see A. Cox, 285
 Cheevadhanarak, S. see S. Na-Ranong, 2744
 Chen, A.-J. see W.-Y. Chen, 4692
 Chen, G. see F. Zhou, 3369
 Chen, G.G. see Z. Liu, 1477
 Chen, G.-Q. see G.-H. Fu, 2105
 Chen, J. see Y. Pang, 2397
 Chen, J. see H. Luo, 2623
 Chen, J.-H., S.E. Ozanne and C.N. Hales, Analysis of expression of growth factor receptors in replicatively and oxidatively senescent human fibroblasts, 6388
 Chen, K. see H. Luo, 2623
 Chen, L. see H. Jun, 6259
 Chen, M., T.S. Bibby, J. Nield, A.W.D. Larkum and J. Barber, Structure of a large photosystem II supercomplex from *Acyanochloris marina*, 1306
 Chen, Q. see H. Luo, 2623
 Chen, Q.-X. see B. Leng, 1187
 Chen, S.-D. see G. Wang, 4005
 Chen, S.F. see V. Stoka, 6147
 Chen, W., M. Liu, G. Cheng, W. Yan, L. Fei and Z. Zheng, RNA silencing: A remarkable parallel to protein-based immune systems in vertebrates? 2267
 Chen, W.-Y., Y. Ni, Y.-M. Pan, Q.-X. Shi, Y.-Y. Yuan, A.-J. Chen, L.-Z. Mao, S.-Q. Yu and E.R.S. Roldan, GABA, progesterone and zona pellucida activation of PLA₂ and regulation by MEK-ERK1/2 during acrosomal exocytosis in guinea pig spermatozoa, 4692
 Chen, X., microRNA biogenesis and function in plants, 5923
 Chen, X.Q. see Y.J. Zhang, 2421
 Chen, Y. see J. Gao, 122
 Chen, Y., H. Mizuguchi, D. Yao, M. Ide, Y. Kuroda, Y. Shigematsu, S. Yamaguchi, M. Yamaguchi, M. Kinoshita and H. Kido, Thermo-labile phenotype of carnitine palmitoyltransferase II variations as a predisposing factor for influenza-associated encephalopathy, 2040
 Chen, Y. see Z. Li, 3100
 Chen, Y., Z.-H. Miao, W.-M. Zhao and J. Ding, The p53 pathway is synergized by p38 MAPK signaling to mediate 11,11'-dideoxyverticillin-induced G₂/M arrest, 3683
 Chen, Y. see Y.-C. Chen, 4337
 Chen, Y. see R.W. Harper, 4911
 Chen, Y. see Y. Takahashi, 5414
 Chen, Y.-C., M.-F. Chang, Y. Chen and S.-M. Wang, Signaling pathways of magnolol-induced adrenal steroidogenesis, 4337
 Cheng, C.H.K. see W.-K. Tang, 3759
 Cheng, G. see W. Chen, 2267
 Cheng, J.-C. see C.-P. Tseng, 4395
 Cheng, S.-Y. see Z.-G. Wang, 4928
 Cheng, W.-H., S. Sakamoto, J.T. Fox, K. Komatsu, J. Carney and V.A. Bohr, Werner syndrome protein associates with γ H2AX in a manner that depends upon Nbs1, 1350
 Cheng, X. see R.E. Collins, 5841
 Cheon, S.H. see S.J. Kim, 534
 Cheon, S.-h. see M. Arioka, 2693
 Cheong, J. see J.H. Choi, 2795
 Cheong, M.S. see B.C. Moon, 3885
 Chernyak, B. see D.V. Sakharov, 1255
 Chesnokova, V. see C.B. Ware, 4465
 Cheung, B.K.W. see J.C.B. Li, 3055
 Chew, G.H., L.C. Galloway, N.R. McIntyre, L.A. Schroder, K.M. Richards, S.A. Miller, D.W. Wright and D.J. Merkler, Ubiquitin and ubiquitin-derived peptides as substrates for peptidylglycine α -amidating monooxygenase, 4678
 Chi, F. see Z. Wang, 1683
 Chi, Y. see H. Zong, 3579
 Chia, J. see C.B. Kang, 1469
 Chiang, Y.-C. see C.-k. Chang, 5663
 Chiarella, P. see C. Carissimi, 2348
 Chibana, F. see S. Numazawa, 3560
 Chien, Y. see S.-W. Huang, 449
 Chigorno, V. see S. Mencarelli, 5501
 Chin, C.-N., J.N. Sachs and D.M. Engelman, Transmembrane homodimerization of receptor-like protein tyrosine phosphatases, 3855
 Chino, A. see H. Sakurai, 6641
 Chiusano, M.L., R. Di Giaimo, N. Potenza, G.M.R. Russo, G. Geraci and R. del Gaudio, A possible flip-flop genetic mechanism for reciprocal gene expression, 4919
 Cho, E.H. see M.-M. Choi, 4125
 Cho, E.S. see M. Takami, 832
 Cho, E.W. see H.S. Byun, 4055
 Cho, H.-Y. see C.J. Zheng, 5157
 Cho, J.H., K.M. Ko, G. Singaravelu and J. Ahnn, *Caenorhabditis elegans* PMR1, a P-type calcium ATPase, is important for calcium/manganese homeostasis and oxidative stress response, 778
 Cho, J.W. see T.H. Kim, 53
 Cho, K.-H. see Z. Zi, 1101
 Cho, K.-H. see O. Wolkenhauer, 1846
 Cho, K.-H., S.-M. Choo, P. Wellstead and O. Wolkenhauer, A unified framework for unraveling the functional interaction structure of a biomolecular network based on stimulus-response experimental data, 4520
 Cho, M., J. Gwak, S. Park, J. Won, D.-E. Kim, S.S. Yea, I.-J. Cha, T.-K. Kim, J.-G. Shin and S. Oh, Diclofenac attenuates Wnt/ β -catenin signaling in colon cancer cells by activation of NF- κ B, 4213
 Cho, M.J. see C.Y. Park, 1545
 Cho, M.J. see B.C. Moon, 3885
 Cho, S. see Y. Lee, 4769
 Cho, S.-W. see M.-M. Choi, 4125
 Chodaparambil, J. see S. Chakravarthy, 895
 Choe, E.-A. see D.-W. Lee, 1261
 Choi, C.Y. see K.S. Sung, 3001
 Choi, C.Y. see Y.H. Kim, 6272
 Choi, C.Y. see J.W. Youm, 6737
 Choi, I.-H. see H. Jun, 6259
 Choi, J.-D. see K.-J. Choi, 4903
 Choi, J.-H. see H.-M. Ko, 2369
 Choi, J.H., M.J. Park, K.W. Kim, Y.H. Choi, S.H. Park, W.G. An, U.S. Yang and J.H. Cheong, Molecular mechanism of hypoxia-mediated hepatic gluconeogenesis by transcriptional regulation, 2795
 Choi, J.-H. see H.-M. Ko, 6451
 Choi, K.-J., Y.G. Yu, H.G. Hahn, J.-D. Choi and M.-Y. Yoon, Characterization of acetohydroxyacid synthase from *Mycobacterium tuberculosis* and the identification of its new inhibitor from the screening of a chemical library, 4903
 Choi, M.-M., J.-W. Huh, S.-J. Yang, E.H. Cho, S.Y. Choi and S.-W. Cho, Identification of ADP-ribosylation site in human glutamate dehydrogenase isoforms, 4125
 Choi, M.S. see C.Y. Park, 1545
 Choi, M.S. see B.C. Moon, 3885
 Choi, R.C.Y. see K.K.Y. Ling, 2469
 Choi, S.Y. see M.-M. Choi, 4125
 Choi, W.-C., M.H. Kim, H.-S. Ro, S.R. Ryu, T.-K. Oh and J.-K. Lee, Zinc in lipase L1 from *Geobacillus stearothermophilus* L1 and structural implications on thermal stability, 3461

- Choi, Y.H. see J.H. Choi, 2795
 Choi, Y.K., J.S. Park, J.S. Kong, T. Morio and Y.S. Park, D-threo-tetrahydrobiopterin is synthesized via 1'-oxo-2'-D-hydroxypropyl-tetrahydropterin in *Dictyostelium discoideum* Ax2, 3085
 Choo, S.-M. see K.-H. Cho, 4520
 Chou, J.Y. see A.D. Nguyen, 4713
 Chow, I.-T. and F. Baneyx, Coordinated synthesis of the two ClpB isoforms improves the ability of *Escherichia coli* to survive thermal stress, 4235
 Chow, I.-T., M.E. Barnett, M. Zolkiewski and F. Baneyx, The N-terminal domain of *Escherichia coli* ClpB enhances chaperone function, 4242
 Chow, K.Y.C., Y.S. Yeung, C.C. Hon, F. Zeng, K.M. Law and F.C.C. Leung, Adenovirus-mediated expression of the C-terminal domain of SARS-CoV spike protein is sufficient to induce apoptosis in Vero E6 cells, 6699
 Chow, S.C. see C.P. Lawrence, 6465
 Chrétien, A. see T. Pascal, 3651
 Chrétien, M. see A. Salvats, 5621
 Christensson, B. see J. Flygare, 6885
 Christman, S.A., B.-W. Kong, M.M. Landry, H. Kim and D.N. Foster, Modulation of p53 expression and its role in the conversion to a fully immortalized chicken embryo fibroblast line, 6705
 Chun, J.-S. see S.-G. Hwang, 4837
 Chun, T., S.B. Rho, H.-J. Byun, J.-Y. Lee and G. Kong, The polycomb group gene product Mel-18 interacts with cyclin D2 and modulates its activity, 5275
 Chung, D.-Y. see S.-W. Huang, 449
 Chung, H.C. see M. Yeo, 127
 Chung, W.S. see C.Y. Park, 1545
 Chung, W.S. see B.C. Moon, 3885
 Church, B. see S.V. Aksenen, 1878
 Church, L.D., J.E. Goodall, D.A. Rider, P.A. Bacon and S.P. Young, Persistent TNF- α exposure impairs store operated calcium influx in CD4+ T lymphocytes, 1539
 Ciampa, A.R., A.C. de Prati, E. Amelio, E. Cavalieri, T. Persichini, M. Colasanti, G. Musci, E. Marlinghaus, H. Suzuki and S. Mariotto, Nitric oxide mediates anti-inflammatory action of extracorporeal shock waves, 6839
 Ciofani, G. see D. Lapenna, 245
 Civeira, F. see M. Artieda, 4503
 Claeysen, S. see F.M. Mendive, 2171
 ClaeysSENS, M. see W. Nerinekx, 302
 Claret, F.X. see Q. Zhang, 3932
 Clarke, J.H. see H.F. Roberts, 2868
 Claus, M.T. see M.S. Birringer, 1376
 Clavilier, J. see M.-F. Lecompte, 5074
 Clemen, C.S., D. Fischer, U. Roth, S. Simon, P. Vicart, K. Kato, A.M. Kaminska, M. Vorgerd, L.G. Goldfarb, B. Eymard, N.B. Romero, B. Goudeau, T. Eggermann, K. Zerres, A.A. Noegel and R. Schröder, Hsp27-2D-gel electrophoresis is a diagnostic tool to differentiate primary desminopathies from myofibrillar myopathies, 3777
 Clément, B. see P. Zindy, 95
 Clementi, M.E., S. Marini, M. Coletta, F. Orsini, B. Giardina and F. Misiti, $\text{A}\beta(31\text{--}35)$ and $\text{A}\beta(25\text{--}35)$ fragments of amyloid beta-protein induce cellular death through apoptotic signals: Role of the redox state of methionine-35, 2913
 Clifford, M. see K. Johnston, 1653
 Clippe, A. see I. Banmeyer, 2327
 Cloutier, M., F. Vigneault, D. Lachance and A. Séguin, Characterization of a poplar NIMA-related kinase PNeK1 and its potential role in meristematic activity, 4659
 Clynen, E. see A. Jalali, 4181
 Coade, S. see E. Barboni, 6749
 Cocchi, F. see Z. Wu, 162
 Cochard, A. see A. El-Touhky, 4271
 Cockcroft, V.B. see A. Cox, 285
 Coddens, S. see B. Van Driessche, 5318
 Codega, P. see A. Giorgetti, 1968
 Coffer, P.J. see M. Rosas, 191
 Cohen, E., R. Atzmon, I. Vlodavsky and N. Ilan, Heparanase processing by lysosomal/endosomal protein preparation, 2334
 Cohen, G. see S. Orgad, 5609
 Cohen, P. see J.T. Murray, 991
 Cohen, P.T.W., A. Philp and C. Vázquez-Martin, Protein phosphatase 4 – from obscurity to vital functions, 3278
 Coiret, G., F. Matifat, F. Hague and H. Ouadid-Ahidouch, 17- β -Estradiol activates maxi-K channels through a non-genomic pathway in human breast cancer cells, 2995
 Colasanti, M. see A.R. Ciampa, 6839
 Coles, L.S., L. Lambrusco, J. Burrows, J. Hunter, P. Diamond, A.G. Bert, M.A. Vadas and G.J. Goodall, Phosphorylation of cold shock domain/Y-box proteins by ERK2 and GSK3 β and repression of the human VEGF promoter, 5372
 Coletta, M. see M.E. Clementi, 2913
 Colicos, M.A. see H. Khosravani, 6587
 Collet, X. see M.-F. Lecompte, 5074
 Collins, E. see H. Yang, 3385
 Collins, R.E. and X. Cheng, Structural domains in RNAi, 5841
 Colosimo, A. see M.C. Palumbo, 4642
 Colston, J.T., S.D. de la Rosa, J.R. Strader, M.A. Anderson and G.L. Freeman, H_2O_2 activates Nox4 through PLA₂-dependent arachidonic acid production in adult cardiac fibroblasts, 2533
 Conaway, J.W., L. Florens, S. Sato, C. Tomomori-Sato, T.J. Parmely, T. Yao, S.K. Swanson, C.A.S. Banks, M.P. Washburn and R.C. Conaway, The mammalian Mediator complex, 904
 Conaway, R.C. see J.W. Conaway, 904
 Cong, L.-M. see Z.-G. Wang, 4928
 Conlan, R.S. see E. Davies, 1702
 Connolly, J. see P.M. Newton, 671
 Contreras-Moreira, B., I. Ezkurdia, M.L. Tress and A. Valencia, Empirical limits for template-based protein structure prediction: the CASP5 example, 1203
 Coopman, P. see S. Van Slambrouck, 1665
 Coort, S.L.M. see A. Chabowski, 2428
 Coppola, A., J. Hughes, E. Esposito, L. Schiavo, R. Meli and S. Diacono, Suppression of hypothalamic deiodinase type II activity blunts TRH mRNA decline during fasting, 4654
 Coppolino, M.G. see E.M. Gonon, 6169
 Corada, M. see M.R.H. Kooistra, 4966
 Corbett, L. see J. Stocks, 2551
 Cornette, R. see S. Koshikawa, 1365
 Corti, O. see J.C. Dächsel, 3913
 Costa, J. see S.T. Henriques, 4498
 Cottaz, S. see J. Fliegmann, 6647
 Cotton, N.P.J. see S.J. Whitehead, 2863
 Cousin, B. see S. Caspar-Bauguil, 3487
 Cowland, J.B. see V. Hvidberg, 773
 Cox, A., D. Donnelly, M. Kaur, S.C. Cheetham, V.B. Cockcroft and J.B.C. Findlay, MTSEA prevents ligand binding to the human melanocortin-4 receptor by modification of cysteine 130 in transmembrane helix 3, 285
 Crain, P.F. see A. Sauerwald, 2807
 Crameri, A. see M.N.M. Gaugler, 753
 Crescenzo, R. see M.P. Mollica, 1978
 Crespin, M.O., B.L. Boys and L. Konermann, The reconstitution of unfolded myoglobin with hemin dicyanide is not accelerated by fly-casting, 271
 Crichton, P.G., C. Affourtit, M.S. Albury, J.E. Carré and A.L. Moore, Constitutive activity of *Sauvornatum guttatum* alternative oxidase in *Schizosaccharomyces pombe* implicates residues in addition to conserved cysteines in α -keto acid activation, 331
 Crosby, M. see A. Rahman, 6411
 Croitoru, V.V., M. Bucheli-Witschel and L.A. Isaksson, In vivo involvement of mutated initiation factor IF1 in gene expression control at the translational level, 995
 Crombez, K.R.M.O. see M.M.R. Petit, 5061
 Cronan, J.E., I.M. Fearnley and J.E. Walker, Mammalian mitochondria contain a soluble acyl carrier protein, 4892
 Crook, M. see S. Nallamshetty, 6529
 Crosara-Alberto, D.P. see C.B. Kobarg, 2615
 Crosetto, N., R. Tikkanen and I. Dikic, Oncogenic breakdowns in endocytic adaptor proteins, 3231
 Crouzy, S. see I. Morin, 1117
 Crouzy, S. see D. Poger, 5287
 Crovato, T.E. and J. Egebjerg, ASF/SF2 and SC35 regulate the glutamate receptor subunit 2 alternative flip/flop splicing, 4138
 Crow, M.T. see M. Wang, 2411
 Crupper, S.S. see M.A. Priestman, 728
 Csermely, P. see I.A. Kovács, 2254
 Cuccurullo, F. see D. Lapenna, 245
 Cuillel, M. see I. Morin, 1117
 Cummings, L.A. see J.T. Murray, 991
 Cummins, A.G. see G.R. Sander, 4851
 Cummins, A.G. see G.R. Sander, 5111
 Cummins, T.R., S.D. Dib-Hajj, R.I. Herzog and S.G. Waxman, Na_v1.6 channels generate resurgent sodium currents in spinal sensory neurons, 2166
 Cuppens, H. see A. Vastiau, 3392
 Curran, J. see S. de Breyne, 5685

- Cusi, D. see R. Boito, 6439
 Cutting, G.R. see M.I. Milewski, 483
 Cuypers, E. see A. Jalali, 4181
 Czarna, M. and W. Jarmuszkiewicz, Activation of alternative oxidase and uncoupling protein lowers hydrogen peroxide formation in amoeba *Acanthamoeba castellanii* mitochondria, 3136
- ## D
- Dabée, A.-F. see T. Pascal, 3651
 Dächsel, J.C., C.B. Lücking, S. Deeg, E. Schultz, M. Lalowski, E. Casademunt, O. Corti, C. Hampe, N. Patenge, K. Vaupel, A. Yamamoto, M. Dichgans, A. Brice, E.E. Wanker, P.J. Kahle and T. Gasser, Parkin interacts with the proteasome subunit $\alpha 4$, 3913
 Dadgar, J. see P.M. Newton, 671
 Dahiya, M., G. Rajamohan and K.L. Dikshit, Enhanced plasminogen activation by staphylokinase in the presence of streptokinase β/β' domains: Plasminogen kringle play a role, 1565
 Dahlbäck, B. and B.O. Villoutreix, The anticoagulant protein C pathway, 3310
 Dahlsveen, I.K. see T. Straub, 3258
 Dahout-Gonzalez, C. see H. Nury, 6031
 Dairi, T. see K.-J. Puan, 3802
 Dairou, J., J.-M. Dupret and F. Rodrigues-Lima, Impairment of the activity of the xenobiotic-metabolizing enzymes arylamine *N*-acetyltransferases 1 and 2 (NAT1/NAT2) by peroxy nitrite in mouse skeletal muscle cells, 4719
 D'Alessio, G. see M. Naddeo, 2663
 Dall'Asta, V. see E. Bevilacqua, 3376
 Daloyau, M. see E. Guillou, 1109
 Dalton, W.B. see M.O. Nandan, 4757
 Damjanovich, S. see I. Tarkanyi, 1411
 Dang, M.T. see F. Yokoi, 4822
 Danielsson, J. see Y.-G. Yao, 1227
 D'Anneo, A. see A. De Blasio, 615
 Danny Hsu, S.-T. see M.B. Ekkelenkamp, 1917
 Danson, M.J. see H.J. Lamble, 6865
 Dao-Ung, L.-P. see K.K. Skarratt, 2675
 Darden, T. see C.L. Gouill, 4985
 Darszon, A. see G. Gasque, 5129
 Darszon, A. see G. Granados-Gonzalez, 6667
 Dartnell, L., E. Simeonidis, M. Hubank, S. Tsoka, I.D.L. Bogle and L.G. Papageorgiou, Robustness of the p53 network and biological hackers, 3037
 Das, K.M. see G. Kovvali, 2261
 Das, S. see M. Sarkar, 3449
 Das, S., S. Ghosh, A. Pan and C. Dutta, Compositional variation in bacterial genes and proteins with potential expression level, 5205
 Das, S.P. see S.V. Kharade, 6809
 Date, I. see H. Michiue, 3965
 David, S. and R.G. Kalb, Serum/glucocorticoid-inducible kinase can phosphorylate the cyclic AMP response element binding protein, CREB, 1534
 Davidson, I. see R. Catena, 3401
 Davies, E., K.S. Teng, R.S. Conlan and S.P. Wilks, Ultra-high resolution imaging of DNA and nucleosomes using non-contact atomic force microscopy, 1702
 Davies, T.G.E. see P.N.R. Usherwood, 6317
 Davis, A.J. see I.Y. Perera, 3427
 Davis, J.J. see F. Teraishi, 6681
 Davis, R. see H. Boeger, 899
 Dayler, C.S.A., P.A.M. Mendes, M.V. Prates, C. Bloch Jr., O.L. Franco and M.F. Grossi-de-Sá, Identification of a novel bean α -amylase inhibitor with chitinolytic activity, 5616
 De Blasio, A., C. Messina, A. Santulli, V. Mangano, E. Di Leonardo, A. D'Anneo, G. Tesoriere and R. Vento, Differentiative pathway activated by 3-aminobenzamide, an inhibitor of PARP, in human osteosarcoma MG-63 cells, 615
 de Breyne, S., R. Stalder and J. Curran, Intracellular processing of the Sendai virus C' protein leads to the generation of a Y protein module: Structure-functional implications, 5685
 de Castro, S. see J. Auwerx, 2294
 De Clercq, E. see J. Auwerx, 2294
 De Corte, V. see A. De Ganck, 6673
 de Diego, A. see M.A. Günther Sillero, 6223
 De Dios, I., L. Ramudo, J.R. Alonso, J.S. Recio, A.C. Garcia-Montero and M.A. Manso, CD45 expression on rat acinar cells: Involvement in pro-inflammatory cytokine production, 6355
 De Ganck, A., T. Hubert, K. Van Impe, D. Geelen, J. Vandekerkhove, V. De Corte and J. Gettemans, A monopartite nuclear localization sequence regulates nuclear targeting of the actin binding protein myopodin, 6673
 De Gioia, L. see E. Sacco, 6851
 de Heuvel, E. see J.L. Burman, 2177
 de Jong, A. see M.B. Ekkelenkamp, 1917
 de la Puente, B. see E. Barreiro, 1646
 De la Rosa, M.A. see I. Díaz-Moreno, 2891
 De la Rosa, M.A. see J.A. Navarro, 3565
 de la Rosa, S.D. see J.T. Colston, 2533
 de Lange, P. see E. Silvestri, 1639
 de Launoit, Y. see F. T'Sas, 66
 de Lorenzo, V. see C.A. Guzmán, 813
 De Martinis, M., C. Franceschi, D. Monti and L. Ginaldi, Inflamm-ageing and lifelong antigenic load as major determinants of ageing rate and longevity, 2035
 de Oliveira, I.M. see S.S. de Oliveira, 6179
 de Oliveira, S.S., I.M. de Oliveira, W. De Souza and J.A. Morgado-Díaz, Claudins upregulation in human colorectal cancer, 6179
 de Paula, R.M., W.A. Wilson, P.J. Roach, H.F. Terenzi and M.C. Bertolini, Biochemical characterization of *Neurospora crassa* glycogenin (GNIN), the self-glucosylating initiator of glycogen synthesis, 2208
 de Prati, A.C. see A.R. Ciampa, 6839
 de Quinto, S.L. see S. Reigadas, 6803
 De Rivoyre, M., F. Bonino, L. Ruel, M. Bidet, P. Thérond and I. Mus-Veteau, Human receptor Smoothened, a mediator of Hedgehog signalling expressed in its native conformation in yeast, 1529
 de Ruijter, A.J.M. see K. Ouwehand, 1523
 De Simone, V. see R. Martinelli, 153
 De Souza, W. see S.S. de Oliveira, 6179
 de Vet, E.C.J.M., S.A.B. Newland, P.A. Lyons, B. Aguado and R.D. Campbell, The cell surface receptor G6b, a member of the immunoglobulin superfamily, binds heparin, 2355
 Deak, M. see M. Jaleel, 1417
 Dean, D.R. see A.D. Smith, 5236
 Debacq-Chainiaux, F. see T. Pascal, 3651
 Debitus, C. see E. Jaimovich, 2051
 Debska, G. see P. Symonds, 6191
 Deeg, S. see J.C. Dächsel, 3913
 DeGioia, L. see G. Santarossa, 2383
 Degrève, L. see M.T. Murakami, 6505
 Deharu, Y. see S.-y. Morita, 1759
 Dehaye, J.P. see M. García-Marcos, 5407
 Dehesa, A.Z. see C. Mendoza-Milla, 3947
 Dejana, E. see M.R.H. Kooistra, 4966
 Dekker, J.P. see R. Kouřil, 3253
 Dekker, J.P. see J.A. Ihälainen, 4787
 del Gaudio, R. see M.L. Chiusano, 4919
 de la Concepción, M.L.R., P. Yubero, R. Iglesias, M. Giralt and F. Villarroya, Lithium inhibits brown adipocyte differentiation, 1670
 del Rio, J.A. see R. Gavín, 4099
 Delacourte, A. see P. Delobel, 1
 Delage, L. see M.-J. Laforest, 1072
 Delaive, E. see S. Paris, 105
 Dell, A. see J.R. MacFadyen, 2569
 Delobel, P., O. Leroy, M. Hamdane, A.V. Sambo, A. Delacourte and L. Buée, Proteasome inhibition and Tau proteolysis: an unexpected regulation, 1
 Delpierre, G. see E. Wiame, 294
 DeMayo, F.J. see X.P. Wang, 3107
 Demidenko, Z.N., T. Fojo and M.V. Blagosklonny, Complementation of two mutant p53: Implications for loss of heterozygosity in cancer, 2231
 Demmer, U. see F. Scheffel, 2953
 Dempsey, C.E., C. Dive, D.J. Fletcher, F.A. Barnes, A. Lobo, C.D. Bingle, M.K.B. Whyte and S.A. Renshaw, Expression of pro-apoptotic Bfk isoforms reduces during malignant transformation in the human gastrointestinal tract, 3646
 Dempsey, J. see H. Yang, 3385
 Deng, Y.-f. see Z. Liu, 1477
 Denis, H. see S. Paris, 105
 Denny, T.P. see S. Genin, 2077
 Deocaris, C.C., K. Taira, S.C. Kaul and R. Wadhwa, Mimotope-hormesis and mortalitin/grp75/mthsp70: a new hypothesis on how in-

- fectious disease-associated epitope mimicry may explain low cancer burden in developing nations, 586
- Depeint, F. see N. Shangari, 5596
- Depypere, H.T. see S. Van Slambrouck, 1665
- Derkach, D. see A. Murányi, 6611
- Dermitzaki, E. see C. Tsatsanis, 4259
- Desbrosses-Fonrouge, A.-G., K. Voigt, A. Schröder, S. Arrivault, S. Thomine and U. Krämer, *Arabidopsis thaliana* MTP1 is a Zn transporter in the vacuolar membrane which mediates Zn detoxification and drives leaf Zn accumulation, 4165
- Descatoire, V. see M.-A. Robin, 6895
- Desmet, T. see W. Nerincx, 302
- Desmots, F., P. Loyer, M. Rissel, A. Guillouzo and F. Morel, Activation of C-Jun N-terminal kinase is required for glutathione transferase A4 induction during oxidative stress, not during cell proliferation, in mouse hepatocytes, 5691
- Dessel, W.V. see S.D. Keersmaeker, 797
- Devaud, H. see H. Goöt, 1911
- DeVico, A. see Z. Wu, 162
- D'Haene, S. see R. Kouřil, 3253
- Dhiman, A. see S.V. Aksenov, 1878
- Dhoot, G.K. see G.B. Sala-Newby, 6493
- Di Giacomo, R. see M.L. Chiusano, 4919
- Di Leonardo, E. see A. De Blasio, 615
- Di Stefano, V., M. Mattiussi, A. Sacchi and G. D'Orazi, HIPK2 inhibits both MDM2 gene and protein by, respectively, p53-dependent and independent regulations, 5473
- Di Ventura, B. see C. Lemerle, 1789
- Diamond, P. see L.S. Coles, 5372
- Diano, S. see A. Coppola, 4654
- Diao, C.T.M. see E. Pavlov, 5187
- Diaz, B. see H. Yang, 3385
- Díaz-Moreno, I., A. Díaz-Quintana, M. Ubbink and M.A. De la Rosa, An NMR-based docking model for the physiological transient complex between cytochrome *f* and cytochrome *c*₆, 2891
- Díaz-Quintana, A. see I. Díaz-Moreno, 2891
- Díaz-Rodríguez, E., A. Piñeiro, F.F. Casanueva and J.P. Camiña, The bovine vitreous-derived lipid factor (bVLF) is a powerful inhibitor of retinal pigmented epithelial (RPE) cell proliferation, 4020
- Dib-Hajj, S.D. see T.R. Cummins, 2166
- Dibrov, P., A. Rimon, J. Dzioba, A. Winogrodzki, Y. Shalitin and E. Padan, 2-Aminoperimidine, a specific inhibitor of bacterial NhaA Na⁺/H⁺ antiporters, 373
- Dichgans, M. see J.C. Dächsel, 3913
- Dickerson, T.J. see L.M. Eubanks, 5361
- Dieguez, C. see M. Otero, 295
- Diéguez, C. see R. Piñeiro, 5163
- Diehl, A. see D. Leitner, 3534
- Dieterle, M. see A. Thomann, 3239
- Dietz, K.-J. see T. Seidel, 4374
- Dieu, M. see S. Paris, 105
- Diez, M. see M. Vogel, 5211
- Diez-Zaera, M. see B. Herrera, 5084
- Dijkhuizen, L. see L.K. Ozimek, 1124
- Dikic, I. see N. Crosetto, 3231
- Dikshit, K.L. see M. Dahiya, 1565
- Dimitrov, S. see R. Pinto, 5553
- Dimmeler, S. see M. Koyanagi, 6060
- Ding, J. see Y. Chen, 3683
- Ding, P. see C. Jin, 6375
- Ding, S.-W., RNAi: Mechanisms, biology and applications, 5821
- Ding, S.-W. see H.-W. Li, 5965
- Distel, B. see C. Williams, 3416
- Disterer, P. see I. Baskakov, 2589
- Dive, C. see C.E. Dempsey, 3646
- Dive, C. see C.J. Morrow, 5123
- Djulić, A. see J. Fliegmann, 6647
- Dobner, T. see P.M. Barral, 2752
- Dobrynin, K. see A. Abdrrakhmanova, 6781
- Doe, N. see T. Taniguchi, 5704
- Doglia, S.M. see D. Ami, 3433
- Dohi, K. see M. Mori, 6210
- Dokladda, K., K.A. Green, D.A. Pan and D.G. Hardie, PD98059 and U0126 activate AMP-activated protein kinase by increasing the cellular AMP:ATP ratio and not via inhibition of the MAP kinase pathway, 236
- Dokladda, K., K.A. Green, D.A. Pan and D.G. Hardie, Corrigendum to: PD98059 and U0126 activate AMP-activated protein kinase by increasing the cellular AMP:ATP ratio and not via inhibition of the MAP kinase pathway (FEBS 29123) [FEBS Lett. 579 (2005) 236–240], 2019
- Dolce, V., P. Scarcia, D. Iacopetta and F. Palmieri, A fourth ADP/ATP carrier isoform in man: identification, bacterial expression, functional characterization and tissue distribution, 633
- Dolinar, M. see O. Vasiljeva, 1285
- Dolowy, K. see P. Bednarczyk, 1625
- Donaire, A. see L.A. Alcaraz, 5223
- Donati, Y. see P. Flandin, 3411
- Dong, C. see C. Peng, 2445
- Dong, F. see F. Teraishi, 6681
- Dong, H. see S. Lee, 4829
- Dong, Y.-H. see F. Yang, 3713
- Dong, Y.-X. see Y.-X. Wang, 4843
- Donnelly, D. see A. Cox, 285
- Dontsova, O.A. see P.V. Sergiev, 5439
- D'Orazi, G. see V. Di Stefano, 5473
- Dorn, M. see M. Weiwad, 1591
- Døskeland, A.P. see S.U. Lauvrak, 203
- Dötsch, J. see I. Knerr, 3991
- Douette, P. see R. Navet, 4437
- Doyen, C. see R. Pinto, 5553
- Doyle, J. see R. Tanaka, 5140
- Drake, K. see S.S. Singhal, 4635
- Drew, J.E., A.J. Farquharson, J.R. Arthur, P.C. Morrice and G.G. Duthie, Novel sites of cytosolic glutathione peroxidase expression in colon, 6135
- Driguez, H. see J. Fliegmann, 6647
- D'Souza, J.S. see G.D. Gupta, 3141
- Du, D. see H. Qin, 1220
- Du, X., S. Tove, K. Kast-Hutcheson and A.M. Grunden, Characterization of the dinuclear metal center of *Pyrococcus furiosus* prolidase by analysis of targeted mutants, 6140
- Du, Y.-H. see Q.-B. Gao, 3444
- Duarte, M. see V. Kolev, 5798
- Dubreucq, B. see M. Santos Mendoza, 4666
- Dubreuil, P. see N. Reymond, 2243
- Dubská, L., L. Anděra and M.A. Sheard, HER2 signaling downregulation by trastuzumab and suppression of the PI3K/Akt pathway: An unexpected effect on TRAIL-induced apoptosis, 4149
- Düchtig, P. see D. Santelia, 5399
- Ducos, E., A.S. Fraysse and M. Boutry, *NtPDR3*, an iron-deficiency inducible ABC transporter in *Nicotiana tabacum*, 6791
- Dudkina, N.V., J. Heinemeyer, W. Keegstra, E.J. Boekema and H.-P. Braun, Structure of dimeric ATP synthase from mitochondria: An angular association of monomers induces the strong curvature of the inner membrane, 5769
- Dudley, D. see M. Raveendran, 733
- Dudnik, L.B. see A.V. Alessenko, 5571
- Dueckerhoff, K., M. Unger, A. Frank, E.M.J. Gillam, F.P. Guengerich and H. Warzecha, Modified nicotine metabolism in transgenic tobacco plants expressing the human cytochrome P450 2A6 cDNA, 2480
- Dufe, V.T., K. Lüersen, M.-L. Eschbach, N. Haider, T. Karlberg, R.D. Walter and S. Al-Karadaghi, Cloning, expression, characterisation and three-dimensional structure determination of *Caenorhabditis elegans* spermidine synthase, 6037
- Duh, E.J. see Y.-G. Yao, 1227
- Duin, E.C. see J.E. Shokes, 1741
- Dujon, B. see E. Talla, 30
- Dumont, V. see S. Paris, 105
- Dumontet, C. see A.S. Bretonnet, 3363
- Dumontier, M. see H.J. Feldman, 4685
- Dunbar, K. see S. Lee, 4829
- Dunne, A. and L.A.J. O'Neill, Adaptor usage and Toll-like receptor signaling specificity, 3330
- Dupont, J. see P. Froment, 2376
- Dupret, J.-M. see J. Dairou, 4719
- Duquenne, A. see E. Wiame, 294
- Durán, A. see L.J. García-Rodríguez, 6186
- Duran, J. see M. Gómez, 357
- Durán, R.V. see J.A. Navarro, 3565
- Duran-Sandoval, D. see B. Cariou, 4076
- Durkin, M.E., M.R. Avner, C.-G. Huh, B.-Z. Yuan, S.S. Thorgeirsson and N.C. Popescu, DLC-1, a Rho GTPase-activating protein with tumor suppressor function, is essential for embryonic development, 1191
- Duronio, V. see A. Gómez-Muñoz, 3744
- Dus, D. see P. Mamczur, 1607

- Dusheck, R.E. see J.S. Bond, 3317
 Duthie, G.G. see J.E. Drew, 6135
 Dutta, C. see S. Das, 5205
 Duval, Y. see S. Jouannic, 2709
 Dvoriantchikova, G. see D. Ivanov, 1213
 Dzau, V.J. see M.A. Lopez-Ilasaca, 648
 Dzioba, J. see P. Dibrov, 373
 Dzugaj, A. see P. Mamczur, 1607
 Dzugaj, A. see D. Rakus, 5577
 Dzwolak, W. and M. Pecul, Chiral bias of amyloid fibrils revealed by the twisted conformation of Thioflavin T: An induced circular dichroism/DFT study, 6601
- E**
- Ebel, J. see J. Fliegmann, 6647
 Ebinuma, H. see K. Sugita, 1085
 Economou, A. see S. Karamanou, 1267
 Edayathumangalam, R.S. see S. Chakravarthy, 895
 Edlich, F. see M. Weiwan, 1591
 Edwards, J.S. see V.K. Mutualik, 292
 Edwards, J.S. see K. Mayawala, 3043
 Efano, A.M. see W. Wente, 6305
 Efremov, R.G. see O.S. Mironova, 3147
 Egebjerg, J. see P. Naur, 1154
 Egebjerg, J. see T.E. Crovato, 4138
 Eggemann, T. see C.S. Clemen, 3777
 Eghbali, M. see N. Zhu, 4856
 Egorova, N.S. see Y.N. Antonenko, 5247
 Eguchi, K. see K. Migita, 3119
 Ehlen, H.W.A. see R. Wagener, 3323
 Ehrenberg, M. see J. Frank, 959
 Eickmann, M. see I. Kraus, 2686
 Eickmann, M., S. Kiermayer, I. Kraus, M. Gössl, J.A. Richt and W. Garten, Maturation of Borna disease virus glycoprotein, 4751
 Einav, Y., R. Agami and D. Canaani, shRNA-mediated RNA interference as a tool for genetic synthetic lethality screening in mouse embryo fibroblasts, 199
 Eiras, S. see R. Piñeiro, 5163
 Eisenbrand, G. see S.E. Schnitzer, 529
 Eisrich, J.P. see R.W. Harper, 4911
 Eisfeld, J. see M. Vogel, 5211
 Eivemark, S. see A. Gómez-Muñoz, 3744
 Ezert, H. see I. Tarkanyi, 1411
 Ekkelenkamp, M.B., M. Hanssen, S.-T. Danny Hsu, A. de Jong, D. Milatovic, J. Verhoef and N.A.J. van Nuland, Isolation and structural characterization of epilancin 15X, a novel lantibiotic from a clinical strain of *Staphylococcus epidermidis*, 1917
 Elebring, T. see E. Ryberg, 259
 Elela, S.A. see J. Parenteau, 4873
 Eliasson, L. see M. Iezzi, 5241
 Eliot, A.C. see G. Capitani, 2458
 Elizondo, G. see M. Rodríguez-Sosa, 6403
 El-Kady, A. and E. Klenova, Regulation of the transcription factor, CTCF, by phosphorylation with protein kinase CK2, 1424
 El-Kouhen, K., S. Blangy, E. Ortiz, A.-M. Gardies, N. Ferté and V. Arondel, Identification and characterization of a triacylglycerol lipase in *Arabidopsis* homologous to mammalian acid lipases, 6067
 Elshorst, B. see T. Langer, 4049
 Elstak, E.D.R. see D.V. Sakharov, 1255
 El-Touhky, A., A.M. Given, A. Cochard and F.V. Brozovich, PHI-1 induced enhancement of myosin phosphorylation in chicken smooth muscle, 4271
 Emiliani, C. see S. Mencarelli, 5501
 Emmanuel, N. see S. Lee, 4829
 Emorine, L.J. see E. Guillou, 1109
 Encinar, J.A., M.L. Molina, J.A. Poveda, F.N. Barrera, M.L. Renart, A.M. Fernández and J.M. González-Ros, The influence of a membrane environment on the structure and stability of a prokaryotic potassium channel, KcsA, 5199
 Enders, D. see R. Kumar, 1357
 Endo, M. see S. Yoshihara, 2722
 Endo, T. see H. Yamamoto, 507
 Endo, T. see F. Saito, 2359

- Endo-Kasahara, S. see K. Sugita, 1085
 Engel, P.C. see F. Paradisi, 2830
 Engelman, D.M. see C.-N. Chin, 3855
 Englert, N. see R.C. Röhricht, 6433
 Enomoto, M. see T. Ikeda, 819
 Erdmann, F. see M. Weiwan, 1591
 Erdmann, V.A. see Z. Zaborowska, 554
 Erdödi, F. see A. Murányi, 6611
 Erickson, B. see Z. Wu, 162
 Ermler, U. see F. Scheffel, 2953
 Ermler, U. see G.J. Mander, 4600
 Escalona, E. see E. Albè, 5481
 Eschbach, M.-L. see V.T. Dufe, 6037
 Eschrich, K. see D. Rakus, 5577
 Escobar, L.I. see S.I. Mora, 3019
 Espinoza-Fonseca, L.M. and J.G. Trujillo-Ferrara, Identification of multiple allosteric sites on the M₁ muscarinic acetylcholine receptor, 6726
 Esposito, E. see A. Coppola, 4654
 Estrada, M. see E. Jaimovich, 2051
 Etienne, P. see J. Lequeu, 4879
 Eto, T. see Y.-N. Cao, 4997
 Eubanks, L.M., T.J. Dickerson and K.D. Janda, Vitamin B₂-mediated cellular photoinhibition of botulinum neurotoxin A, 5361
 Euverink, G.J.W. see L.K. Ozimek, 1124
 Evans, M.C.W., R.J. Ball and J.H.A. Nugent, Ammonia displaces methanol bound to the water oxidizing complex of photosystem II in the S₂ state, 3081
 Evjenth, R. see T. Arnesen, 6428
 Eychène, A. see K. Sii-Felice, 3547
 Eymard, B. see C.S. Clemen, 3777
 Ezkurdia, I. see B. Contreras-Moreira, 1203
- F**
- Fabienke, M. see B. Kleinhenz, 4254
 Facchini, A., R.M. Borzì and F. Flamigni, Induction of ornithine decarboxylase in T/C-28a2 chondrocytes by lysophosphatidic acid: Signaling pathway and inhibition of cell proliferation, 2919
 Fackler, O.T. see R. Madrid, 441
 Faouroux, P. see J. Averous, 2609
 Fait, A., A. Yellin and H. Fromm, GABA shunt deficiencies and accumulation of reactive oxygen intermediates: insight from *Arabidopsis* mutants, 415
 Fajmut, A., M. Brumen and S. Schuster, Theoretical model of the interactions between Ca²⁺, calmodulin and myosin light chain kinase, 4361
 Falciglia, F. see M. Gulino, 6101
 Fällman, M. see M. Yuan, 2339
 Falsone, S.F., B. Gesslbauer, F. Tirk, A.-M. Piccinini and A.J. Kungl, A proteomic snapshot of the human heat shock protein 90 interactome, 6350
 Falus, A. see H. Hegyesi, 2475
 Fan, B. see D. Kirchhofer, 1945
 Fan, C., M. Katsuyama, T. Nishimaka and C. Yabe-Nishimura, Transactivation of the EGF receptor and a PI3 kinase-ATF-1 pathway is involved in the upregulation of NOX1, a catalytic subunit of NADPH oxidase, 1301
 Fan, C. see J. Zhou, 1715
 Fan, G.-H. see G. Wang, 4005
 Fan, S. see Q. Zhang, 3674
 Fang, B. see F. Teraishi, 6681
 Fang, C.X. see X. Yang, 1458
 Fang, K. see K. Yang, 4113
 Fang, L. see H. Wei, 1272
 Fang, Y., A.M. Ferrie and G. Li, Probing cytoskeleton modulation by optical biosensors, 4175
 Fang, Y., G.G. Li and J. Peng, Optical biosensor provides insights for bradykinin B₂ receptor signaling in A431 cells, 6365
 Fantaccione, S., G. Pontecorvo and V. Zampella, Molecular characterization of the first satellite DNA with CENP-B and CDEIII motifs in the bat *Pipistrellus kuhlii*, 2519
 Fantinato, S. see E. Sacco, 6851
 Fantucci, P. see G. Santarossa, 2383
 Fantucci, P. see E. Sacco, 6851

- Fardel, O. see V. Lecureur, 1904
 Farina, L. see M.C. Palumbo, 4642
 Farout, L. see M.L. Pecheur, 3613
 Farquharson, A.J. see J.E. Drew, 6135
 Fass, D.N. see O. Wiesner, 5305
 Fasshauer, M. see S. Kralisch, 6417
 Fässler, R. see C.K. Thodeti, 5589
 Fast, J., A.-K. Mossberg, H. Nilsson, C. Svaborg, M. Akke and S. Linse, Compact oleic acid in HAMLET, 6095
 Faucheuix, B.A. see I. Laffont-Proust, 6333
 Faucompré, A. see F. Gizard, 5535
 Favari, E., F. Zimmetti, A.E. Bortnick, M.P. Adorni, I. Zanotti, M. Canavesi and F. Bernini, Impaired ATP-binding cassette transporter A1-mediated sterol efflux from oxidized LDL-loaded macrophages, 6537
 Favot, L., M. Gillingwater, C. Scott and P.R. Kemp, Overexpression of a family of RPEL proteins modifies cell shape, 100
 Fearnley, I.M. see J.E. Cronan, 4892
 Feghali-Bostwick, C.A. see M. Xiong, 5325
 Fei, L. see W. Chen, 2267
 Felder-Schmittbuhl, M.-P. see K. Sii-Felice, 3547
 Feldman, H.J., M. Dumontier, S. Ling, N. Haider and C.W.V. Hogue, CO: A chemical ontology for identification of functional groups and semantic comparison of small molecules, 4685
 Feldmann, H., Reminiscences of Budapest, 3203
 Feng, L. see H. Qin, 1220
 Feng, M.-G. see Z.-G. Wang, 4928
 Feng, X.-H. see B. Bryan, 1015
 Fenouik, B.A. and W. Junge, Regulation of the F_0F_1 -ATP synthase: The conformation of subunit ϵ might be determined by directionality of subunit γ rotation, 5114
 Fenton, W.A. see E.S. Park, 1183
 Fenyesi, R. see E. Zádor, 749
 Ferket, K.K.A. see K. Thevissen, 1973
 Fernández, A., The integrated development of network complexity modulates the diverse evolutionary mutation rates of individual proteins, 5718
 Fernández, A., What factor drives the fibrillogenic association of β -sheets? 6635
 Fernández, A.M. see J.A. Encinar, 5199
 Fernández, L.E., C. Pérez, L. Segovia, M.H. Rodríguez, S.S. Gill, A. Bravo and M. Soberón, Cry11Aa toxin from *Bacillus thuringiensis* binds its receptor in *Aedes aegypti* mosquito larvae through loop α -8 of domain II, 3508
 Fernandez, H.R. see H.H. Kavi, 5940
 Fernandez-Luna, J.L. see C. Pipaon, 4610
 Fernie, A.R. see N. Schauer, 1332
 Ferrand, M. see D. Poger, 5287
 Ferrec, E.L. see V. Lecureur, 1904
 Ferreira, A.S. see A. Kletzin, 1020
 Ferreira, S.T. see M.F. Oliveira, 6010
 Ferreira da Rocha, P.S.C. see R.F. Mills, 783
 Ferrie, A.M. see Y. Fang, 4175
 Ferté, N. see K. El-Kouhen, 6067
 Fésüs, L. and Z. Szondy, Transglutaminase 2 in the balance of cell death and survival, 3297
 Fiala-Bear, E. see M. Murray, 3669
 Fidy, J. see M. Laberge, 627
 Fielding, C.A. see S. Siebert, 5193
 Figueras, M. see S. Busquets, 717
 Filatov, M.V. see D.V. Lebedev, 1465
 Filisetti, L., J. Valton, M. Fontecave and V. Nivière, The flavin reductase ActVB from *Streptomyces coelicolor*: Characterization of the electron transferase activity of the flavoprotein form, 2817
 Finbow, M.E. see G. Whyteside, 2981
 Findlay, J.B.C. see A. Cox, 285
 Fink, R.H.A. see F. Nolte, 3866
 Finkelmeier, D. see A. Burger-Kentischer, 1693
 Finley Jr., R.L. see P. Uetz, 1821
 Fiori, A. see E. Barboni, 6749
 Fischer, A. see M. Hekman, 464
 Fischer, D. see N. Siew, 3175
 Fischer, D. see C.S. Clemen, 3777
 Fischer, G. see M. Weiwad, 1591
 Fischer, M. see E. Peiter, 5697
 Fischmeister, R. see S. Robert, 1136
 Fischmeister, R. see M. Berthouze, 2973
 Fishman, D.A. see Y. Meng, 1311
 Fizames, C. see S. Jouannic, 2709
 Flacher, V. see O. Berthier-Vergnes, 3660
 Flachs, P. see J. Sponarova, 6105
 Flamigni, F. see A. Facchini, 2919
 Flandin, P., Y. Donati, C. Barazzone-Argiroffo and P. Muzzin, Hyperoxia-mediated oxidative stress increases expression of UCP3 mRNA and protein in skeletal muscle, 3411
 Flatmark, T. see S.U. Lauvrak, 203
 Fleck, M. see J. Weigert, 5565
 Flegelova, H. and H. Sychrova, Mammalian NHE2 Na^+/H^+ exchanger mediates efflux of potassium upon heterologous expression in yeast, 4733
 Flemmig, T.F. see H. Bantel, 5559
 Fletcher, D.J. see C.E. Dempsey, 3646
 Fliegmann, J., E. Montel, A. Djulić, S. Cottaz, H. Driguez and J. Ebel, Catalytic properties of the bifunctional soybean β -glucan-binding protein, a member of family 81 glycoside hydrolases, 6647
 Flitsch, S.L. see D.J.B. Hunter, 2215
 Florens, L. see J.W. Conaway, 904
 Flores-Morales, A. see A. Rahman, 6411
 Flügge, U.-I. see A. Schneider, 4622
 Flygare, J., K. Gustafsson, E. Kimby, B. Christensson and B. Sander, Cannabinoid receptor ligands mediate growth inhibition and cell death in mantle cell lymphoma, 6885
 Fojo, T. see Z.N. Demidenko, 2231
 Folkers, G. see M.S. Birringer, 1376
 Fong, W.-P. see W.-K. Tang, 3759
 Fonseca-Sánchez, M.A. see A. Vázquez-Macías, 3701
 Fontanils, U. see M. Garcia-Marcos, 5407
 Fontecave, M. see L. Filisetti, 2817
 Fontecave, M. see S. Ollagnier-de Choudens, 3737
 Fontecave, M. see J.K. Rubach, 5055
 Forbes, M.G. see N. Schauer, 1332
 Foré, F. see S. Van Slambrouck, 1665
 Forest, C. see W. Khazen, 5631
 Forest, E. see A. Tiss, 5454
 Forestier, C. see F. Verret, 1515
 Forberger, M. see G. Winter, 4292
 Forlani, F., A. Cereda, A. Freuer, M. Nimtz, S. Leimkühler and S. Paganini, The cysteine-desulfurase IscS promotes the production of the rhodanese RhdA in the persulfurated form, 6786
 Forneris, F., C. Binda, M.A. Vanoni, A. Mattevi and E. Battaglioli, Histone demethylation catalysed by LSD1 is a flavin-dependent oxidative process, 2203
 Forss-Petter, S. see I. Weinhofer, 5512
 Forstová, J. see E. Bouřa, 6549
 Forte, E. see A. Giuffrè, 2528
 Fosang, A.J. see S. Knox, 5019
 Fossi, M. see D. Leitner, 3534
 Foster, D.N. see S.A. Christman, 6705
 Fox, J.T. see W.-H. Cheng, 1350
 Fox, K.R. see D.A. Rusling, 6616
 Frade, R. see S. Lottin-Divoux, 2323
 Franceschi, C. see M. De Martinis, 2035
 Franchi-Gazzola, R. see E. Bevilacqua, 3376
 Franchini, K.G. see C.B. Kobarg, 2615
 Francini, A. see R.F. Mills, 783
 Francis, J. see K. Sathishkumar, 6444
 Franco, M. see S. Klein, 5741
 Franco, O.L. see C.S.A. Dayler, 5616
 François, I.E.J.A. see K. Thevissen, 1973
 François, J. see M.-J. Torija, 3999
 Frangeul, L. see E. Talla, 30
 Frank, A. see K. Dueckershoff, 2480
 Frank, J., J. Sengupta, H. Gao, W. Li, M. Valle, A. Zavialov and M. Ehrenberg, The role of tRNA as a molecular spring in decoding, accommodation, and peptidyl transfer, 959
 Frank, L.A. see G.A. Stepanyuk, 1008
 Frare, E. see E. Teardo, 4991
 Frassineti, F. see S. Canaan, 215
 Fraysse, A.S. see E. Ducos, 6791
 Frazzon, J. see A.D. Smith, 5236
 Fredericks, Z. see C.A. Johnston, 5746
 Fredrick, K. see H.F. Noller, 855
 Fredriksson, J.M., H. Nikami and J. Nedergaard, Cold-induced expression of the VEGF gene in brown adipose tissue is independent of thermogenic oxygen consumption, 5680
 Fredriksson, R. see T.P. Larsson, 690
 Freeman, G.L. see J.T. Colston, 2533
 Freeman, M. see M.M. Kanaoka, 5723
 Freiberg, A. see H. Pettai, 4017
 French, R.J. see E. Pavlov, 5187

- Frentzen, M. see R. Kumar, 1357
 Frentzen, M. see M. Nowicki, 2161
 Freuer, A. see F. Forlani, 6786
 Frčí, J. see E. Bouřa, 6549
 Fridkin, M. see Y. Shechter, 2439
 Friedrich, B. see G. Winter, 4292
 Friedrich, O. see F. Nolte, 3866
 Friedrich, P., FEBS Letters Budapest issue, 3201
 Friedt, W. see R. Kumar, 1357
 Friguet, B. see M.L. Pecheur, 3613
 Frikha, F. see A. Sayari, 976
 Fröhlich, C. see C.K. Thodeti, 5589
 Froment, P., M. Bontoux, C. Pisselet, P. Monget and J. Dupont, PTEN expression in ovine granulosa cells increases during terminal follicular growth, 2376
 Fromentin, J. see J. Lequeu, 4879
 Fromenty, B. see M.-A. Robin, 6895
 Fromm, H. see A. Fait, 415
 Fromondi, L. see K. Yang, 4113
 Frossard, M.-J. see C. Soto, 638
 Fruchart, J.-C. see B. Cariou, 4076
 Frugier, M. see A. Ambrogelly, 2629
 Fu, G.-H., Y. Wang, Y.-H. Xi, W.-W. Shen, X.-Y. Pan, W.-Z. Shen, X.-S. Jiang and G.-Q. Chen, Direct interaction and cooperative role of tumor suppressor p16 with band 3 (AE1), 2105
 Fu, H., Y. Tie, C. Xu, Z. Zhang, J. Zhu, Y. Shi, H. Jiang, Z. Sun and X. Zheng, Identification of human fetal liver miRNAs by a novel method, 3849
 Fuchs, J.-F. see D. Poger, 5287
 Fuchs, J.-P. see R.A. Bersaoui, 2715
 Fuentes, M. see J. Oliva, 4278
 Fugiwara, F.Y. see R.R. Prattali, 3152
 Fujiano, G. see R. Boito, 6439
 Fujigaki, Y. see N. Ohashi, 2557
 Fujii, N. see N. Musi, 2045
 Fujii, S. see S. Ito, 1995
 Fujii-Kuriyama, Y. see M. Kuroda, 167
 Fujikake, N., Y. Nagai, H.A. Popiel, H. Kano, M. Yamaguchi and T. Toda, Alternative splicing regulates the transcriptional activity of *Drosophila* heat shock transcription factor in response to heat/cold stress, 3842
 Fujimoto, N., K. Tanaka and T. Suzuki, Amino acid residues 62 and 193 play the key role in regulating the synergism of substrate binding in oyster arginine kinase, 1688
 Fujio, Y. see C. Sumita, 4038
 Fujita, T. see T. Uchiyama, 2499
 Fujiwara, T. see F. Teraishi, 4069
 Fujiyama, A. see N. Nishi, 2058
 Fukao, Y. see D. Santelia, 5399
 Fukasawa, H. see N. Ohashi, 2557
 Fukasawa, K. see K. Shinmura, 6621
 Fukuda, E. see Y. Nishizawa, 2319
 Fukuda, M. see M. Iezzi, 5241
 Fukuda, M.N. see J. Aoyama, 6326
 Fukuhara, N. see T. Yasukawa, 2948
 Fukumoto, A., K. Tomoda, M. Kubota, J.-y. Kato and N. Yoneda-Kato, Small Jab1-containing subcomplex is regulated in an anchorage- and cell cycle-dependent manner, which is abrogated by ras transformation, 1047
 Fukumoto, K., Y. Yano, N. Virgona, H. Hagiwara, H. Sato, H. Senba, K. Suzuki, R. Asano, K. Yamada and T. Yano, Peroxisome proliferator-activated receptor δ as a molecular target to regulate lung cancer cell growth, 3829
 Fukushima, A. see K. Iwai, 141
 Fukuyama, K. see K. Wada, 6543
 Fukuzawa, M. see M. Inoue, 604
 Fuller, S.J. see K.K. Skarratt, 2675
 Fülop, V. see R.E. Morty, 2191
 Funane, K., T. Ishii, H. Ono and M. Kobayashi, Changes in linkage pattern of glucan products induced by substitution of Lys residues in the dextranucrase, 4739
 Funatsu, T. see T. Zako, 3718
 Funke, T. see M.A. Priestman, 728
 Funke, T. see M.A. Priestman, 5773
 Furrer, R. see N. Shangari, 5596
 Furuta, E., K. Yamamoto, D. Tatebe, K. Watabe, T. Kitayama and R. Utsumi, Targeting protein homodimerization: A novel drug discovery system, 2065
 Furuya, H. see M. Morita, 409
 Fusaro, A.F. see J.M. Watson, 5982
 Gabaldón, T. see M.A. Huynen, 591
 Gabaldón, T. see M.A. Huynen, 1839
 Gaccioli, F. see E. Bevilacqua, 3376
 Gagneur, J. and G. Casari, From molecular networks to qualitative cell behavior, 1867
 Gago, F. see J. Auwerx, 2294
 Gaillard, J. see J.K. Rubach, 5055
 Gajhede, M. see P. Naur, 1154
 Gajhede, M. see B.R. Johannessen, 1208
 Gakamsky, D.M. see I. Pecht, 3336
 Galani, K., E. Hurt and G. Simos, The tRNA aminoacylation co-factor Arc1p is excluded from the nucleus by an Xpo1p-dependent mechanism, 969
 Galanopoulou, D. see I.Y. Perera, 3427
 Galindo, B.E. see G. Granados-Gonzalez, 6667
 Galinier, A. see S. Caspar-Bauguil, 3487
 Gallego, R. see R. Piñeiro, 5163
 Gallimore, P.H. see P.M. Barral, 2752
 Gallo, M.P. see G. Alloatti, 133
 Galloway, L.C. see G.H. Chew, 4678
 Galstyan, A. see H. Ishikita, 712
 Gambardella, L. see E. Straface, 2759
 Gambini, J. see J. Viña, 2541
 Gan, K. see Q. Zhang, 3674
 Ganeteg, U. see J.A. Ihlainen, 4787
 Gangotti, P. see A. Gómez-Muñoz, 3744
 Gao, H. see J. Frank, 959
 Gao, H. see C. Xu, 2788
 Gao, J., J. Li, Y. Chen and L. Ma, Activation of tyrosine kinase of EGFR induces G $\beta\gamma$ -dependent GRK-EGFR complex formation, 122
 Gao, Q.-B., Z.-Z. Wang, C. Yan and Y.-H. Du, Prediction of protein subcellular location using a combined feature of sequence, 3444
 Gao, Z. and L.M. Schwartz, Identification and analysis of Hic-5/ARA55 isoforms: Implications for integrin signaling and steroid hormone action, 5651
 García, M.d.J. see V. Madan, 3607
 Garcia-Arumí, E. see R. Gonzalo, 6909
 Garcia-Bou, R. see A. Sanjuán-Pla, 2669
 Garcia-Gonzalo, F.R., R. Bartrons, F. Ventura and J.L. Rosa, Requirement of phosphatidylinositol-4,5-bisphosphate for HERC1-mediated guanine nucleotide release from ARF proteins, 343
 Garcia-Marcos, M., U. Fontanils, A. Aguirre, S. Pochet, J.P. Dehaye and A. Marino, Role of sodium in mitochondrial membrane depolarization induced by P2X₇ receptor activation in submandibular glands, 5407
 García-Mayoral, F., L. García-Ortega, E. Álvarez-García, M. Bruix, J.G. Gavilanes and Á. Martínez del Pozo, Modeling the highly specific ribotoxin recognition of ribosomes, 6859
 Garcia-Montero, A.C. see I. De Dios, 6355
 García-Ortega, L. see F. García-Mayoral, 6859
 García-Rodríguez, L.J., R. Valle, A. Durán and C. Roncero, Cell integrity signaling activation in response to hyperosmotic shock in yeast, 6186
 Gardies, A.-M. see K. El-Kouhen, 6067
 Gardyn, C. see V. Lecureur, 1904
 Gargouri, Y. see A. Sayari, 976
 Garlaschi, F.M. see G. Zucchelli, 2071
 Garner, C.C. see C. Burkhardt, 3821
 Garrido, M.R. see E. Pinzar, 5100
 Garrido-Urbani, S. see N. Reymond, 2243
 Garten, W. see I. Kraus, 2686
 Garten, W. see M. Eickmann, 4751
 Gasque, G., P. Labarca and A. Darszon, Cholesterol-depleting compounds modulate K⁺-currents in *Drosophila* Kenyon cells, 5129
 Gasser, T. see J.C. Dächsel, 3913
 Gasteier, J.E. see R. Madrid, 441
 Gatti-Lafranconi, P. see D. Ami, 3433
 Gauger, M.N.M., J. Tracy, K. Kuhnle, A. Cramer, R.M. Nitsch and M.H. Mohajeri, Modulation of Alzheimer's pathology by cerebroventricular grafting of hybridoma cells expressing antibodies against Aβ in vivo, 753
 Gautrey, H., J. McConnell, J. Hall and J. Hesketh, Polarised distribution of the RNA-binding protein Staufen in differentiated intestinal epithelial cells, 2226

- Gavilanes, F. see M. Martínez-Moreno, 3159
 Gavilanes, J.G. see F. García-Mayoral, 6859
 Gavín, R., N. Braun, O. Nicolas, B. Parra, J.M. Ureña, A. Mingorance, E. Soriano, J.M. Torres, A. Aguzzi and J.A. del Río, PrP(106–126) activates neuronal intracellular kinases and Egr1 synthesis through activation of NADPH-oxidase independently of PrPc, 4099
 Gavrila, C. see G. Cesareni, 1828
 Gay, N.J. see M.C. Moncrieffe, 3920
 Gayarre, J., K. Stamatakis, M. Renedo and D. Pérez-Sala, Differential selectivity of protein modification by the cyclopentenone prostaglandins PG_A₁ and 15-deoxy- $\Delta^{12,14}$ -PGJ₂: Role of glutathione, 5803
 Gazzero, P. see D. Sarnataro, 6343
 Gazzola, G.C. see E. Bevilacqua, 3376
 Ge, X. see S. Lee, 4829
 Gea, J. see E. Barreiro, 1646
 Geelen, D. see A. De Ganck, 6673
 Gehrmann, T. see M.R. Lornejad-Schäfer, 5791
 Geiger, G. see A. Burger-Kentischer, 1693
 Geijtenbeek, T.B.H. see K.P.J.M. van Gisbergen, 6159
 Geisler, M. see D. Santelia, 5399
 Gelb, M.H. see A. Babon, 1658
 Geng, H., Y.-M. Liu, W.-S. Chan, A.W.-I. Lo, D.M.-Y. Au, M.M.-Y. Waye and Y.-Y. Ho, The putative protein 6 of the severe acute respiratory syndrome-associated coronavirus: Expression and functional characterization, 6763
 Genin, S., B. Brito, T.P. Denny and C. Boucher, Control of the *Ralstonia solanacearum* Type III secretion system (Hrp) genes by the global virulence regulator PhcA, 2077
 Gennis, R.B. see J. Mikšovská, 3014
 Genschik, P. see A. Thomann, 3239
 Gentles, D. see Z. Wu, 162
 Geoffroy, K., L. Troncy, N. Wiernsperger, M. Lagarde and S.E. Bawab, Glomerular proliferation during early stages of diabetic nephropathy is associated with local increase of sphingosine-1-phosphate levels, 1249
 Geoghegan, K.F. see F. Paradisi, 2830
 George, K.R. see K. Shimamura, 6621
 George, S.J. see G.B. Sala-Newby, 6493
 George Jr., A.L. see M.H. Wilson, 6205
 Georget, V. see J. Oliva, 4278
 Georgieva, A. see S.V. Aksenov, 1878
 Geraci, G. see M.L. Chiusano, 4919
 Gerardy-Schahn, R. see K. Bork, 5079
 Gerber, H.L. see S. Lee, 4829
 Germain, M. see M.R. Warr, 5603
 German, T. see M. Reichenstein, 2097
 Gervois, P. see F. Gizard, 5535
 Gesslbauer, B. see S.F. Falsone, 6350
 Gettemans, J. see A. De Ganck, 6673
 Geukens, N. see S.D. Keersmaeker, 797
 Geyer, M. see R. Madrid, 441
 Ghee, J.Y. see Y.H. Huh, 5145
 Ghosh, S. see S. Das, 5205
 Giacometti, G.M. see E. Teardo, 4991
 Giamberardino, M.A. see D. Lapenna, 245
 Giardina, B. see E. Pavoni, 493
 Giardina, B. see M.E. Clementi, 2913
 Gibson, B.W. see B. Schilling, 2485
 Gibson, L. see G. Whyteside, 2981
 Giegé, R. see A. Ambrogelly, 2629
 Gieler, T. see T. Hübschmann, 1613
 Giese, J.-O., K. Herbers, M. Hoffmann, R.B. Klösgen and U. Sonnewald, Isolation and functional characterization of a novel plastidic hexokinase from *Nicotiana tabacum*, 827
 Gigolashvili, T. see A. Schneider, 4622
 Gilbert, D. see W. Kolch, 1891
 Gilbert, L., O. Välijelto, S. Kirjavainen, P.J. Tikka, M. Mellett, P. Käpylä, C. Oker-Blom and M. Vuento, Expression and subcellular targeting of canine parvovirus capsid proteins in baculovirus-transduced NLK/F cells, 385
 Gill, A. see I. Baskakov, 2589
 Gill, S.S. see L.E. Fernández, 3508
 Gillam, E.M.J. see K. Dueckershoff, 2480
 Gillespie, S. see J.J. Wu, 1940
 Gillespie, S. see F.J. Gunn-Moore, 5089
 Gillet, D. see A. Babon, 1658
 Gillet, S. see K. Sii-Felice, 3547
 Gillingwater, M. see L. Favot, 100
 Gilot, D. see V. Lecureur, 1904
 Ginaldi, L. see M. De Martinis, 2035
 Ging, N.C. see L. Zhang, 6423
 Giorgetti, A., A.V. Nair, P. Codega, V. Torre and P. Carloni, Structural basis of gating of CNG channels, 1968
 Giralt, M. see M.L. Rodríguez de la Concepción, 1670
 Girault, J.-A. see K. Sii-Felice, 3547
 Girvan, H.M. see R. Neeli, 5582
 Giuffrè, A., E. Forte, M. Brunori and P. Sarti, Nitric oxide, cytochrome c oxidase and myoglobin: Competition and reaction pathways, 2528
 Giuliani, A. see M.C. Palumbo, 4642
 Giuliani, R., F. Betttoni, D. Leali, F. Morandini, P. Apostoli, P. Grigolato, B.M. Cesana and M.F. Aleo, Focal adhesion molecules as potential target of lead toxicity in NRK-52E cell line, 6251
 Given, A.M. see A. El-Touhky, 4271
 Gizak, A. see P. Mamczur, 1607
 Gizard, F., R. Robillard, P. Gervois, A. Faucompré, F. Révillion, J.-P. Peyrat, W.D. Hum and B. Staels, Progesterone inhibits human breast cancer cell growth through transcriptional upregulation of the cyclin-dependent kinase inhibitor p27^{Kip1} gene, 5535
 Glatz, J.F.C. see A. Chabowski, 2428
 Glickman, M.H. and D. Raveh, Proteasome plasticity, 3214
 Gmeiner, B.M.K. see H. Laggner, 6486
 Go, Y.Y. see K.S. Sung, 3001
 Goda, Y. see H. Akiyama, 4485
 Godino, M.C., M. Torres and J. Sánchez-Prieto, Inhibition of N- and P/Q-type Ca²⁺ channels by cannabinoid receptors in single cerebrocortical nerve terminals, 768
 Goedken, E.R. see G.D. Bowman, 863
 Goetz, F.W. see D.B. Iliev, 6519
 Goff, S.P. see G. Tachedjian, 379
 Goff, S.P. see M. Maruoka, 2986
 Goglia, F. see E. Silvestri, 1639
 Gogolin, K.A. see S.E. Abdel-Ghany, 2307
 Goiöt, H., J.-P. Laigneau, H. Devaud, I. Sobhani and A. Bado, Similarities and differences in the transcriptional regulation of the leptin gene promoter in gastric and adipose cells, 1911
 Gokoh, M., S. Kishimoto, S. Oka, Y. Metani and T. Sugiura, 2-Arachidonoylglycerol, an endogenous cannabinoid receptor ligand, enhances the adhesion of HL-60 cells differentiated into macrophage-like cells and human peripheral blood monocytes, 6473
 Golabek, A. see M. Walus, 1383
 Goldfarb, L.G. see C.S. Clemen, 3777
 Goldfinger, N. see S. Orgad, 5609
 Goldwater, D. see V. Handa, 2702
 Golldack, D. see T. Seidel, 4374
 Golz, S. see G.A. Stepanyuk, 1008
 Gomes, C.M. see A. Kletzin, 1020
 Gomes, S.L. see K.F. Ribichich, 4355
 Gomez, A. see M.F. Oliveira, 6010
 Gómez, M., A. Manzano, A. Navarro-Sabaté, J. Duran, M. Obach, J.C. Perales and R. Bartrons, Specific expression of *pfkfb4* gene in spermatogonia germ cells and analysis of its 5'-flanking region, 357
 Gómez-Benito, M., P. Balsas, A. Bosque, A. Anel, I. Marzo and J. Naval, Apo2L/TRAIL is an indirect mediator of apoptosis induced by interferon- α in human myeloma cells, 6217
 Gómez-Muñoz, A., J.Y. Kong, K. Parhar, S.W. Wang, P. Gangoiti, M. González, S. Eivemark, B. Salh, V. Duronio and U.P. Steinbrecher, Ceramide-1-phosphate promotes cell survival through activation of the phosphatidylinositol 3-kinase/protein kinase B pathway, 3744
 Gómez-Reino, J.J. see M. Otero, 295
 Gonçalves, J. see S. Nolasco, 3515
 Gondo, T. see J.-A. Ko, 2236
 Gong, C.-X. see L. Sun, 251
 Gong, K. see W. He, 4317
 Gong, R. see G. Sun, 5419
 Gong, Y., X. Wang, J. Liu, L. Shi, B. Yin, X. Peng, B. Qiang and J. Yuan, NSPc1, a mainly nuclear localized protein of novel PCG family members, has a transcription repression activity related to its PKC phosphorylation site at S183, 115
 Gong, Y. and Z. Zhang, Alternative signaling pathways: When, where and why? 5265
 Gong, Z. see K. Wada, 6543
 Goñi, F.M. see D.R. Jones, 59
 Gonon, E.M., M. Skalski, M. Kean and M.G. Coppolino, SNARE-mediated membrane traffic modulates RhoA-regulated focal adhesion formation, 6169
 Gonzalez, F.J. see B. Cariou, 4076
 Gonzalez, F.J. see M. Rodríguez-Sosa, 6403

- González, M. see A. Gómez-Muñoz, 3744
 González-Díaz, H., R. Molina and E. Uriarte, Recognition of stable protein mutants with 3D stochastic average electrostatic potentials, 4297
 González-Juanatey, J.R. see R. Piñeiro, 5163
 González-Ros, J.M. see J.A. Encinar, 5199
 Gonzalo, R., E. García-Arumí, D. Llige, R. Martí, A. Solano, J. Montoya, J. Arenas and A.L. Andreu, Free radicals-mediated damage in transmtochondrial cells harboring the T14487C mutation in the ND6 gene of mtDNA, 6909
 Good, L. see J. Parenteau, 4873
 Goodall, G.J. see L.S. Coles, 5372
 Goodall, J.E. see L.D. Church, 1539
 Goodear, L.J. see N. Musi, 2045
 Gooley, P.R. see H.D.T. Mertens, 5542
 Gordon, C. see J. Miller, 3224
 Goris, J. see A. Vastiau, 3392
 Gorman, P.M. see M. Guo, 3574
 Gorshkov, B. see A.A. Birukova, 4031
 Gosmann, S. see J.P. Morth, 4145
 Gössl, M. see M. Eickmann, 4751
 Gotoh, M. see H. Ishida, 71
 Gotoh, T. see M. Mimuro, 3493
 Gotte, G. see M. Naddeo, 2663
 Goudeau, B. see C.S. Clemen, 3777
 Gouill, C.L., T. Darden, M.T. Madziva and M. Birnbaumer, A role for K268 in V2R folding, 4985
 Gould, R.M. see G.D. Matthews, 5527
 Gouridis, G. see S. Karamanou, 1267
 Goyal, K., C. Pinelli, S.L. Maslen, R.K. Rastogi, E. Stephens and A. Tunnicliffe, Dehydration-regulated processing of late embryogenesis abundant protein in a desiccation-tolerant nematode, 4093
 Granados-Gonzalez, G., I. Mendoza-Lujambio, E. Rodriguez, B.E. Galindo, C. Beltrán and A. Darszon, Identification of voltage-dependent Ca^{2+} channels in sea urchin sperm, 6667
 Grand, R.J.A. see P.M. Barral, 2752
 Grandperret, T. see M.-A. Robin, 6895
 Grassi, J. see I. Laffont-Proust, 6333
 Gravanis, A. see C. Tsatsanis, 4259
 Gravot, A. see F. Verret, 1515
 Gray, A. see C.J. Morrow, 5123
 Graziani, I. see V. Kolev, 5798
 Greasley, P.J. see E. Ryberg, 259
 Green, K.A. see K. Dokladda, 236
 Green, K.A. see K. Dokladda, 2019
 Greene, R.M. see D.R. Warner, 3539
 Grefhorst, A. see B. Cariou, 4076
 Griesenbeck, J. see H. Boeger, 899
 Griffoni, C. see M. Toni, 741
 Grigolato, P. see R. Giuliani, 6251
 Grilc, S. see S.K. Sikdar, 6575
 Grimaldi, C. see D. Sarnataro, 6343
 Grimby, C. see E. Pavlov, 5187
 Grimmelikhuijzen, C.J.P. see F.M. Mendive, 2171
 Grishok, A., RNAi mechanisms in *Caenorhabditis elegans*, 5932
 Groblewski, T. see E. Ryberg, 259
 Groemping, Y., R. Seidel and J. Reinstein, Balance of ATPase stimulation and nucleotide exchange is not required for efficient refolding activity of the DnaK chaperone, 5713
 Gromada, J. see W. Wente, 6305
 Gromadski, K.B. see M.V. Rodnina, 938
 Gromer, S. see J. Jacob, 745
 Gromyko, D. see T. Arnesen, 6428
 Grossi-de-Sá, M.F. see C.S.A. Dayler, 5616
 Grote, M. see D.E. Agafonov, 2082
 Grote, M. see D.E. Agafonov, 2156
 Grüber, G. see A. Armbrüster, 1961
 Gruber, J. see R. Kumar, 1357
 Grunden, A.M. see Y.J. Im, 5521
 Grunden, A.M. see X. Du, 6140
 Grundke-Iqbali, I. see L. Sun, 251
 Grundke-Iqbali, I. see I. Tsujio, 363
 Grune, T. see M.R. Lornejad-Schäfer, 5791
 Grünheck, F. see M. Wartenberg, 4541
 Grunwald, S.K. see R.K. Ponnuraj, 5751
 Grüttner, M.G. see G. Capitani, 2458
 Gu, B.J. see K.K. Skarratt, 2675
 Gu, J. see H. Wang, 1279
 Gu, J. see H. Zong, 3579
 Gu, S.-Z. see Z.-J. Liu, 1587
 Gualillo, O. see M. Otero, 295
 Gualillo, O. see R. Piñeiro, 5163
 Gudkov, A.T. see S. Hansson, 4492
 Guedeney, G. see M. Havaux, 2289
 Guengerich, F.P. see K. Dueckershoff, 2480
 Guerlesquin, F. see P.N. Palma, 4585
 Guerre-Millo, M. see H. Bihan, 2284
 Guidotti, G. see X. Zhong, 5643
 Guidugli, K.R., A.M. Nascimento, G.V. Amdam, A.R. Barchuk, S. Omholt, Z.L.P. Simões and K. Hartfelder, Vitellogenin regulates hormonal dynamics in the worker caste of a eusocial insect, 4961
 Guió, R. see N. López-Bigas, 1900
 Guild, S. see F.J. Gunn-Moore, 5089
 Guillain, F. see I. Morin, 1117
 Guillou, E., C. Bousquet, M. Daloyau, L.J. Emorine and P. Belenguer, Msp1p is an intermembrane space dynamin-related protein that mediates mitochondrial fusion in a Dnm1p-dependent manner in *S. pombe*, 1109
 Guillouzo, A. see F. Desmots, 5691
 Guixé, V. see A. Caniuguir, 2313
 Guiyao, A. see L. Touqui, 4923
 Gulino, M., P. Bellia, F. Faligria, F. Musumeci, A. Pappalardo, A. Scordino and A. Triglia, Role of water content in dielectric properties and delayed luminescence of bovine Achilles' tendon, 6101
 Gundelfinger, E.D. see C. Burkhardt, 3821
 Gunn-Moore, F.J., G.I. Welsh, L.R. Herron, F. Brannigan, K. Venkateswarlu, S. Gillespie, M. Brandwein-Gensler, R. Madan, J.M. Tavaré, P.J. Brophy, M.B. Prystowsky and S. Guild, A novel 4.1 ezrin radixin moesin (FERM)-containing protein, 'Willin', 5089
 Günther Sillero, M.A. see E. Silles, 4044
 Günther Sillero, M.A., A. de Diego, E. Silles and A. Sillero, Synthesis of (di)nucleoside polyphosphates by the ubiquitin activating enzyme El, 6223
 Guntrum, R. see J. Koch, 4413
 Guo, D. see Z. Li, 3100
 Guo, D. see G. Sun, 5419
 Guo, H. see H. Min, 808
 Guo, H. see D. Xu, 4249
 Guo, J., Z. Zhang, Y. Bi, W. Yang, Y. Xu and L. Zhang, Decreased stability of photosystem I in *dgdl* mutant of *Arabidopsis thaliana*, 3619
 Guo, M., P.M. Gorman, M. Rico, A. Chakrabarty and D.V. Laurents, Charge substitution shows that repulsive electrostatic interactions impede the oligomerization of Alzheimer amyloid peptides, 3574
 Guo, M. see G. Sun, 5419
 Guo, W. see F. Teraishi, 6681
 Gupta, G.D., R.D. Makde, R.P. Kamdar, J.S. D'Souza, M.G. Kulkarni, V. Kumar and B.J. Rao, Co-expressed recombinant human Translin-Trax complex binds DNA, 3141
 Gupta, P. see G.U. Gurudutta, 3503
 Gur, E., C. Katz and E.Z. Ron, All three J-domain proteins of the *Escherichia coli* DnaK chaperone machinery are DNA binding proteins, 1935
 Gurnev, Ph.A. see O.S. Ostroumov, 5675
 Gurudutta, G.U., Y.K. Verma, V.K. Singh, P. Gupta, H.G. Raj, R.K. Sharma and R. Chandra, Structural conservation of residues in BH1 and BH2 domains of Bcl-2 family proteins, 3503
 Gusceli, M. see S. Kippenberger, 207
 Gustafsson, K. see J. Flygare, 6885
 Guttensohn, M. see A. Voigt, 1343
 Gutiérrez-Adán, A. see J. Castilla, 6237
 Gutner, U.A. see A.V. Alessenko, 5571
 Guzmán, C.A., A. Cebolla, F. Beltrametti, L.H. Staender and V. de Lorenzo, Physiological stress of intracellular *Shigella flexneri* visualized with a metabolic sensor fused to a surface-reporter system, 813
 Guzmán, M. see B. Herrera, 5084
 Gwak, J. see M. Cho, 4213
- # H
- Ha, H.J. see J.W. Youm, 6737
 Ha, S.N. see S.R. Hawtin, 349
 Hadfi, K. see E. Hjorth, 1129
 Hadi, S.M. see A.S. Azmi, 3131
 Haendel, M.A. see S.M. Metcalfe, 609

- Haendeler, J. see M. Koyanagi, 6060
 Haenen, G.R.M.M. see A.W. Boots, 677
 Hafiz, A. see S.J. Whitehead, 2863
 Hagemann, M. see M. Havaux, 2289
 Hagen, W.R. see J. Tatur, 4729
 Hägg, M. see M. Berndtsson, 3090
 Hagiwara, H. see K. Fukumoto, 3829
 Hagiwara, T. see Y. Hidaka, 4088
 Hagopian, K., J.J. Ramsey and R. Weindruch, Serine utilization in mouse liver: Influence of caloric restriction and aging, 2009
 Hague, F. see G. Coiret, 2995
 Hahn, E.R. see C.H. Park, 2965
 Hahn, H.G. see K.-J. Choi, 4903
 Hahn, J.-S., Regulation of Nod1 by Hsp90 chaperone complex, 4513
 Hahn, W.C. see M. Hashimoto, 2959
 Haider, N. see H.J. Feldman, 4685
 Haider, N. see V.T. Dufe, 6037
 Haik, S. see I. Laffont-Proust, 6333
 Hairapetyan, H.L. see N.A. Andreasyan, 643
 Hait, N.C. see S. Sarkar, 5313
 Haldrup, A. see A. Khrouchchova, 4808
 Hales, C.N. see J.-H. Chen, 6388
 Hall, J. see H. Gautrey, 2226
 Hällbrink, M. see T. Holm, 5217
 Ham, Y.M. see K.A. Kang, 6295
 Hamada, K. see N. Iizuka, 1089
 Hamada, N., C.-M. Bäckesjö, C.E. Smith and D. Yamamoto, Functional replacement of *Drosophila* Btk29A with human Btk in male genital development and survival, 4131
 Hamada, T. see Y.T. Sato, 3095
 Hamamoto, H. see Y. Aramaki, 3731
 Hamamoto, Y. see N. Iizuka, 1089
 Hamazaki, T. see M. Morita, 409
 Hamdane, M. see P. Delobel, 1
 Hammer, E. see S. Weger, 5007
 Hammond, S.M., Dicing and slicing. The core machinery of the RNA interference pathway, 5822
 Hampe, C. see J.C. Dähsel, 3913
 Han, D. see R. Ise, 1732
 Han, H. see H. Qin, 1220
 Han, J.-S. see M.-S. Yoon, 5635
 Han, K.H. see M.Y. Kim, 1597
 Han, Y.-H., H.-S. Kim, J.-M. Kim, S.-K. Kim, D.-Y. Yu and E.-Y. Moon, Inhibitory role of peroxiredoxin II (Prx II) on cellular senescence, 4897
 Han, Y.-H., H.-S. Kim, J.-M. Kim, S.-K. Kim, D.-Y. Yu and E.-Y. Moon, Corrigendum to "Inhibitory role of peroxiredoxin II (Prx II) on cellular senescence (FEBS 29846)" [FEBS Letters 579 (2005) 4897-4902], 5112
 Han, Z.-G. see L.-C. Zeng, 5443
 Hanada, T. see L. Zhang, 6423
 Hanazawa, S. see N. Yamaguchi, 6821
 Handa, T. see S.-y. Morita, 1759
 Handa, V., D. Goldwater, D. Stiles, M. Cam, G. Poy, D. Kumari and K. Usdin, Long CGG-repeat tracts are toxic to human cells: Implications for carriers of Fragile X premutation alleles, 2702
 Haneda, M. see S. Ito, 1995
 Hannon, G.J. see Y. Qi, 5899
 Hansel, A. see E. Leipold, 3881
 Hansen, M. see T. Holm, 5217
 Hanson, C.L. see H. Videler, 943
 Hanson, G.R. see U. Kappler, 2491
 Hanssen, M. see M.B. Ekkelenkamp, 1917
 Hansson, M. see A. Khrouchchova, 4808
 Hansson, S., R. Singh, A.T. Gudkov, A. Liljas and D.T. Logan, Crystal structure of a mutant elongation factor G trapped with a GTP analogue, 4492
 Haque, I., R. Singh, F. Ahmad and A.A. Moosavi-Movahedi, Testing polyols' compatibility with Gibbs energy of stabilization of proteins under conditions in which they behave as compatible osmolytes, 3891
 Haque, M. see K. Sathishkumar, 6444
 Hara, M. see M.O. Islam, 3473
 Harada, A. see J. He, 2277
 Harada, J., Y. Saga, Y. Yaeda, H. Oh-oka and H. Tamiaki, In vitro activity of C-20 methyltransferase, BchU, involved in bacteriochlorophyll c biosynthetic pathway in green sulfur bacteria, 1983
 Harada, S. see K. Oda, 5013
 Harashima, H. see T. Masuda, 2143
 Harashima, H. see S. Hoshika, 3115
 Hardie, D. see J.R. MacFadyen, 2569
 Hardie, D.G. see K. Dokladda, 236
 Hardie, D.G. see K. Dokladda, 2019
 Hardie, D.G. see J. Sponarova, 6105
 Harmer, N.J., J.M. Sivak, E. Amaya and T.L. Blundell, 1.15 Å Crystal structure of the *X. tropicalis* Spred1 EVH1 domain suggests a fourth distinct peptide-binding mechanism within the EVH1 family, 1161
 Harms, J. see M. Amit, 3207
 Harper, R.W., C. Xu, J.P. Eiserich, Y. Chen, C.-Y. Kao, P. Thai, H. Setiadi and R. Wu, Differential regulation of dual NADPH oxidases/peroxidases, Duox1 and Duox2, by Th1 and Th2 cytokines in respiratory tract epithelium, 4911
 Hart, J. see D.P. Kunte, 3497
 Hartfelder, K. see K.R. Guidugli, 4961
 Hartshorne, D.J. see A. Murányi, 6611
 Harvey, I. see A. Malina, 79
 Hasan, A.A.K. see M.T. Nieman, 25
 Hasegawa, K. see S. Masuda, 4329
 Hasegawa, Y. see K. Wada, 6543
 Hasenbrink, G., S. Schwarzer, L. Kolacna, J. Ludwig, H. Sychrova and H. Lichtenberg-Fraté, Analysis of the mKir2.1 channel activity in potassium influx defective *Saccharomyces cerevisiae* strains determined as changes in growth characteristics, 1723
 Hashemolhosseini, S. see I. Knerr, 3991
 Hashido, M., M. Ikeguchi and A. Kidera, Comparative simulations of aquaporin family: AQP1, AQPZ, AQP0 and GlpF, 5549
 Hashiguchi, M. see K. Iwai, 141
 Hashimoto, H., Y. Tamai, F. Okazaki, Y. Tamaru, T. Shimizu, T. Araki and M. Sato, The first crystal structure of a family 31 carbohydrate-binding module with affinity to β-1,3-xylan, 4324
 Hashimoto, M., S. Kyo, K. Masutomi, Y. Maida, J. Sakaguchi, Y. Mizumoto, M. Nakamura, W.C. Hahn and M. Inoue, Analysis of telomeric single-strand overhang length in human endometrial cancers, 2959
 Hashimoto, M. see M. Taniguchi, 5785
 Hashimoto, T., M. Kihara, K. Sato, N. Imai, Y. Tanaka, M. Sakai, K. Tamura, N. Hirawa, Y. Toya, H. Kitamura and S. Umemura, Heparin recovers AT1 receptor and its intracellular signal transduction in cultured vascular smooth muscle cells, 281
 Hashimoto, T., M. Kihara, K. Sato, N. Imai, Y. Tanaka, M. Sakai, K. Tamura, N. Hirawa, Y. Toya, H. Kitamura and S. Umemura, Corrigendum to: Heparin recovers AT1 receptor and its intracellular signal transduction in cultured vascular smooth muscle cells (FEBS 29132) [FEBS Letters 579 (2005) 281-284], 2972
 Hashimoto, T. see N. Tamehiro, 5299
 Hashimoto, Y. see K.-I. Oinuma, 1394
 Hasilik, A. see S. Mencarelli, 5501
 Hässig, R. see I. Laffont-Proust, 6333
 Hasunuma, K. see H. Iigusa, 4012
 Hatanaka, H. see T. Nakazawa, 1988
 Hatano, N. see T. Song, 5658
 Hattori, H. see K. Suga, 4226
 Hattori, K. see A. Iwashita, 1389
 Hattori, T. see N. Ohashi, 2557
 Haukland, H.H. see Ø. Samuelsen, 3421
 Haukland, H.H. see Ø. Samuelsen, 5437
 Haumann, M. see S. Löschner, 4287
 Hau, T. see K. Balali-Mood, 1143
 Hauser, F. see F.M. Mendive, 2171
 Hauser, K. see S. Sukumaran, 2546
 Häussinger, D. see M.R. Lornejad-Schäfer, 5791
 Hauw, J.-J. see I. Laffont-Proust, 6333
 Havaux, M., G. Guédenev, M. Hagemann, N. Yeremenko, H.C.P. Matthijs and R. Jeanjean, The chlorophyll-binding protein IsiA is inducible by high light and protects the cyanobacterium *Synechocystis* PCC6803 from photooxidative stress, 2289
 Havelka, A.M. see M. Berndtsson, 3090
 Haworth, O. see J.R. MacFadyen, 2569
 Hawtin, S.R., S.N. Ha, D.J. Pettibone and M. Wheatley, A Gly/Ala switch contributes to high affinity binding of benzoxazinone-based non-peptide oxytocin receptor antagonists, 349
 Hayashi, H. see N. Ohashi, 2557
 Hayashi, I. see H. Toyohara, 2727
 Hayashi, K. see B.-J. Kim, 3075
 Hayashi, T. see M. Morita, 409
 Hayashi, Y. see K. Sugita, 1085
 He, J., T. Sakamoto, Y. Song, A. Saito, A. Harada, H. Azakami and A. Kato, Effect of EPS1 gene deletion in *Saccharomyces cerevisiae* on the secretion of foreign proteins which have disulfide bridges, 2277

- He, W., K. Gong, D.K. Smith and N.Y. Ip, The N-terminal cytokine binding domain of LIFR is required for CNTF binding and signaling, 4317
- He, Y., H. Tang, Z. Yi, H. Zhou and Y. Luo, Fibrillogenesis of apomyoglobin facilitated by aggregation sequence of yeast Sup35 in various regions, 1503
- He, Y.Y. see W. Lu, 2130
- Healy, M.L. see M.A. Priestman, 5773
- Heberle, J. see O.S. Mironova, 3147
- Heberle-Bors, E. see I. Mittermann, 3807
- Hechler, T. see A. Kletzin, 1020
- Hedderich, R. see J.E. Shokes, 1741
- Hedderich, R. see G.J. Mander, 4600
- Hegyesi, H., B. Horváth, É. Pállinger, Z. Pós, V. Molnár and A. Falus, Histamine elevates the expression of Ets-1, a protooncogen in human melanoma cell lines through H2 receptor, 2475
- Heider, U. see H. Besir, 6595
- Heilbronn, R. see S. Weger, 5007
- Heinemann, S.H. see E. Leipold, 3881
- Heinemeyer, J. see N.V. Dudkina, 5769
- Hekman, M., A. Fischer, L.P. Wenngöle, Y.K. Wang, S.L. Campbell and U.R. Rapp, Novel C-Raf phosphorylation sites: serine 296 and 301 participate in Raf regulation, 464
- Helder, J. see U. Kudla, 2451
- Helguera, G. see N. Zhu, 4856
- Hell, K. see N. Terziyska, 179
- Helmlinger, G. see S.V. Aksenov, 1878
- Hempelmann, E. see M.F. Oliveira, 6010
- Henriques, S.T., J. Costa and M.A.R.B. Castanho, Re-evaluating the role of strongly charged sequences in amphipathic cell-penetrating peptides. A fluorescence study using Pep-1, 4498
- Henry, M.D. see M. Kanagawa, 4792
- Henshall, T. see G.R. Sander, 5111
- Heppeler, N. see S. Becker, 1177
- Herbers, K. see J.-O. Giese, 827
- Hermann, M. see H. Lagner, 6486
- Hermesdorf, A. see A. Armbrüster, 1961
- Hermosilla, R. see A. Thielen, 5227
- Herr, A.J., Pathways through the small RNA world of plants, 5879
- Herrera, B., A. Carracedo, M. Diez-Zaera, M. Guzmán and G. Velasco, p38 MAPK is involved in CB₂ receptor-induced apoptosis of human leukaemia cells, 5084
- Herrmann, J.M. see N. Terziyska, 179
- Herron, L.R. see F.J. Gunn-Moore, 5089
- Hersey, P. see J.J. Wu, 1940
- Hervás, M. see J.A. Navarro, 3565
- Herzog, R.I. see T.R. Cummins, 2166
- Hescheler, J. see M. Wartenberg, 4541
- Hesketh, J. see V. Pagmantidis, 792
- Hesketh, J. see H. Gautrey, 2226
- Heyding, R.A. see V.C. Stephenson, 1338
- Hidaka, Y., T. Hagiwara and M. Yamada, Methylation of the guanidino group of arginine residues prevents citrullination by peptidylarginine deiminase IV, 4088
- Hide, M. see Y. Nabeshima, 6653
- Hiester, B.G. see V. Kapulkin, 3063
- Higashi, Y. see Y.C. Lee, 3639
- Higashibata, H. see K.-I. Oinuma, 1394
- Higuchi, Y., T. Miura, T. Kajimoto and Y. Ohta, Effects of disialoganglioside GD3 on the mitochondrial membrane potential, 3009
- Hijikata, A. see H. Kitamura, 567
- Hild, G. see B. Visegrády, 6
- Hildebrandt, P. see S. Löschner, 4287
- Hill, T. see T.P. Larsson, 690
- Himeno, E., K. Yamazaki, H. Kanouchi, M. Matsumoto, Y. Sugimoto and T. Oka, Perchloric acid-soluble protein regulates cell proliferation and differentiation in the spinal cord of chick embryos, 2416
- Himpens, B. see B. Lesage, 5626
- Hinchliffe, K.A. see H.F. Roberts, 2868
- Hintz, M. see R.C. Röhricht, 6433
- Hirabayashi, Y. see N. Yamamoto, 2185
- Hiraga, K. see K. Oda, 5013
- Hiragun, T. see Y. Nabeshima, 6653
- Hirai, I. see R. Araya, 157
- Hirai, K. see M. Asano, 4479
- Hirao, N. see M. Maruoka, 2986
- Hirao, T. and M. Takahashi, Carbonylation of cornified envelopes in the stratum corneum, 6870
- Hiraoka, S. see T. Taniguchi, 1399
- Hiraoka, S. see M. Tokimasa, 3481
- Hirasawa, A. see S. Katsuma, 2576
- Hirashima, M. see N. Nishi, 2058
- Hirata, H. see M. Okada, 4949
- Hirawa, N. see T. Hashimoto, 281
- Hirawa, N. see T. Hashimoto, 2972
- Hirayama, F. see K. Motoyama, 1707
- Hirono, M. see T. Ikeda, 819
- Hirotani, N. see T. Sato, 2907
- Hirsch, E. see G. Alloatti, 133
- Hirschi, K.D. see J.K. Pittman, 2648
- Hirshman, M.F. see N. Musi, 2045
- Hiruma, T. see H. Ishida, 71
- Hishida, A. see N. Ohashi, 2557
- Hjorth, E., K. Hadfi, S. Zauner and U.-G. Maier, Unique genetic compartmentalization of the SUF system in cryptophytes and characterization of a SuF mutant in *Arabidopsis thaliana*, 1129
- Hjorth, S. see E. Ryberg, 259
- Hnia, K. see D. Chazalette, 1079
- Ho, L.-T. see S.-W. Huang, 449
- Ho, Y.-Y. see H. Geng, 6763
- Hoang, L. see H.F. Noller, 855
- Hobbie, S. see J.F. Rippmann, 173
- Hobo, T. see K. Urano, 1557
- Hoch, M. see M. Behr, 6827
- Hodgkinson, C.P. see A. Mander, 3024
- Hoeller, D. see R. Breitling, 6289
- Höfer, T. see C. Salazar, 621
- Hoffmann, E. see M. Wartenberg, 4541
- Hoffmann, J. see M. Koyanagi, 6060
- Hoffmann, M. see J.-O. Giese, 827
- Hofrichter, M. see R. Ullrich, 6247
- Hogue, C.W.V. see H.J. Feldman, 4685
- Hoh, J.H. see D. Pesen, 473
- Hohn, C. see A. Armbrüster, 1961
- Hojo, M. see S. Koshikawa, 1365
- Holán, V. see E. Bouřa, 6549
- Holland, R.C. see G.C. Ness, 3126
- Hollås, H. see S.U. Lauvrak, 203
- Holm, T., S. Netzerreab, M. Hansen, Ü. Langen and M. Hällbrink, Uptake of cell-penetrating peptides in yeasts, 5217
- Holt, I.J. see T. Yasukawa, 2948
- Hon, C.C. see K.Y.C. Chow, 6699
- Honda, T. see R.N. Bhattacharjee, 6604
- Hong, K.H. see M.Y. Kim, 1597
- Hong, Y. see H. Zong, 3579
- Hong, Y.-H. see D.-W. Lee, 1261
- Honma, D. see K. Nitta, 1235
- Horakova, O. see J. Sponarova, 6105
- Hori, N. see M. Taniguchi, 5785
- Horiuchi, M. see Y. Tanaka, 1579
- Horn, C., E. Bremer and L. Schmitt, Functional overexpression and in vitro re-association of OpuA, an osmotically regulated ABC-transport complex from *Bacillus subtilis*, 5765
- Horstkorte, R. see K. Bork, 5079
- Horton, P., M. Wentworth and A. Ruban, Control of the light harvesting function of chloroplast membranes: The LHCII-aggregation model for non-photochemical quenching, 4201
- Horváth, A. see I. Tarkanyi, 1411
- Horváth, B. see H. Hegyesi, 2475
- Horwich, A.L. see E.S. Park, 1183
- Hoshika, S., N. Minakawa, H. Kamiya, H. Harashima and A. Matsuda, RNA interference induced by siRNAs modified with 4'-thioribonucleosides in cultured mammalian cells, 3115
- Hoshino, D. see Y. Temmei, 4417
- Hoshino, K. see R.N. Bhattacharjee, 6604
- Hosoi, M. see H. Toyohara, 2277
- Hosseinkhani, S. see A.R. Madvar, 4701
- Hou, Q. see C. Peng, 2445
- Hough, D.W. see H.J. Lamble, 6865
- Houslay, M.D. see G.S. Baillie, 3264
- Hryszko, T., Y. Suzuki, H. Mogami and T. Urano, Protein S attenuates the invasive potential of THP-1 cells by interfering with plasminogen binding on cell surface via a protein C-independent mechanism, 6023
- Hsiao, H.-h. see C.-k. Chang, 5663
- Hsiao, Y.-M., H.-Y. Liao, M.-C. Lee, T.-C. Yang and Y.-H. Tseng, Clp upregulates transcription of *engA* gene encoding a virulence factor in *Xanthomonas campestris* by direct binding to the upstream tandem Clp sites, 3525
- Hsieh, C.-M. see C.-k. Chang, 5663

- Hsieh, T.-H. see C.-W. Lin, 6089
 Hsu, S.-T.D., see M.B. Ekkelenkamp, 1917
 Hu, C.A. see C.A. Tang, 265
 Hu, D.-E. and K.M. Brindle, Immune cell-induced synthesis of NO and reactive oxygen species in lymphoma cells causes their death by apoptosis, 2833
 Hu, D.-L., S. Suga, K. Omo, Y. Abe, K. Shinagawa, M. Wakui and A. Nakane, Staphylococcal enterotoxin A modulates intracellular Ca^{2+} signal pathway in human intestinal epithelial cells, 4407
 Hu, J.Y. see F. Yang, 3713
 Hu, Y. see H. Zong, 3579
 Hu, Y., J. Nyman, P. Muñonen, H.K. Väänänen and T. Laitala-Leinonen, Inhibition of the osteoclast V-ATPase by small interfering RNAs, 4937
 Huang, C.-L. see C.-P. Tseng, 4395
 Huang, H. see Z.-W. Yi, 3569
 Huang, H.-H. see K.-T. Huang, 4349
 Huang, J.-F. see S.-N. Tang, 1441
 Huang, K.-T., C.-C. Yin, J.-H. Wu and H.-H. Huang, Superoxide determines nitric oxide uptake rate by vascular smooth muscle cells, 4349
 Huang, P. see J. Zhang, 559
 Huang, S.-W., K.-M. Seow, L.-T. Ho, Y. Chien, D.-Y. Chung, C.-L. Chang, Y.-H. Lai, J.-L. Hwang and C.-C. Juan, Resistin mRNA levels are downregulated by estrogen in vivo and in vitro, 449
 Huang, T.-h. see C.-k. Chang, 5663
 Huang, Y. see D.E. Agafonov, 2082
 Huang, Y. see D.E. Agafonov, 2156
 Huang, Z. and A. Tunnacliffe, Gene induction by desiccation stress in human cell cultures, 4973
 Hubank, M. see L. Dartnell, 3037
 Huber, S.K. and A.J. Scheidig, High resolution crystal structures of human Rab4a in its active and inactive conformations, 2821
 Hubert, T. see A. De Gancz, 6673
 Hübschmann, T., H. Yamamoto, T. Gieler, N. Murata and T. Börner, Red and far-red light alter the transcript profile in the cyanobacterium *Synechocystis* sp. PCC 6803: Impact of cyanobacterial phycobilisomes, 1613
 Hughes, E. see C. Perez-Iratxeta, 1795
 Hughes, J. see H.M. Strauss, 3970
 Hughes, J. see A. Coppola, 4654
 Hugon, G. see D. Chazalette, 1079
 Huh, C.-G. see M.E. Durkin, 1191
 Huh, J.-W. see M.-M. Choi, 4125
 Huh, Y.H. see S.H. Yoo, 222
 Huh, Y.H., J.A. Bahk and S.H. Yoo, Distribution profile of inositol 1,4,5-trisphosphate receptor isoforms in adrenal chromaffin cells, 2597
 Huh, Y.H., S.J. Bahk, J.Y. Ghee and S.H. Yoo, Subcellular distribution of chromogranins A and B in bovine adrenal chromaffin cells, 5145
 Hülsmann, A. see F. Scheffel, 2953
 Hum, W.D. see F. Gizard, 5535
 Hummel, A.M. see O. Wiesner, 5305
 Hummel, I., K. Klappe and J.W. Kok, Up-regulation of lactosylceramide synthase in MDR1 overexpressing human liver tumour cells, 3381
 Hung, C.-C. see H.C. Ardley, 571
 Hunter, A.C. see P. Symonds, 6191
 Hunter, D.J.B., G.A. Roberts, T.W.B. Ost, J.H. White, S. Müller, N.J. Turner, S.L. Flitsch and S.K. Chapman, Analysis of the domain properties of the novel cytochrome P450 RHF, 2215
 Hunter, J. see L.S. Coles, 5372
 Hunter, L. see Y. Bao, 41
 Hurt, E. see K. Galani, 969
 Hurtado, C. see J.F. Santibañez, 6459
 Huska, M.R. see C. Perez-Iratxeta, 1795
 Hussain, S. see Z. Li, 3100
 Hutvagner, G., Small RNA asymmetry in RNAi: Function in RISC assembly and gene regulation, 5850
 Huynen, M.A., C.A.E.M. Spronk, T. Gabaldón and B. Snel, Combining data from genomes, Y2H and 3D structure indicates that BolA is a reductase interacting with a glutaredoxin, 591
 Huynen, M.A., T. Gabaldón and B. Snel, Variation and evolution of biomolecular systems: Searching for functional relevance, 1839
 Hvidberg, V., C. Jacobsen, R.K. Strong, J.B. Cowland, S.K. Moestrup and N. Borregaard, The endocytic receptor megalin binds the iron transporting neutrophil-gelatinase-associated lipocalin with high affinity and mediates its cellular uptake, 773
 Hwang, I. see J.H. Joo, 1243
 Hwang, J.-H. see M.-S. Yoon, 5635
 Hwang, J.-L. see S.-W. Huang, 449
 Hwang, S.-G., S.-S. Yu, S.-W. Lee and J.-S. Chun, Wnt-3a regulates chondrocyte differentiation via c-Jun/AP-1 pathway, 4837
 Hwang, S.-K., P.R. Salamone and T.W. Okita, Allosteric regulation of the higher plant ADP-glucose pyrophosphorylase is a product of synergy between the two subunits, 983
 Hwang, S.B. see T.H. Kim, 53
 Hyun, J.W. see K.A. Kang, 6295
- ## I
- Iacobetta, D. see V. Dolce, 633
 Iadevaia, V. see F. Loreni, 5517
 Iarovaia, O.V. see V. Borunova, 4746
 Ibáñez, C.F. see C. Abrescia, 3789
 Ibayashi, S. see R. Matsuo, 2433
 Ibba, M. see A. Ambrogelly, 2629
 Ibuki, Y. see T. Toyooka, 6338
 Ichikawa, T. see H. Michiue, 3965
 Ide, M. see Y. Chen, 2040
 Idkowiak-Baldys, J. see K. Thevissen, 1973
 Iezzi, M., L. Eliasson, M. Fukuda and C.B. Wollheim, Adenovirus-mediated silencing of Synaptotagmin 9 inhibits Ca^{2+} -dependent insulin secretion in islets, 5241
 Igarashi, Y. see T.-J. Kim, 4383
 Iglesias, M.J. see R. Piñeiro, 5163
 Iglesias, R. see M.L.R. de la Concepción, 1670
 Ignatova, Z. see S.C. Viegas, 5069
 Ignjatovic, T. see G. Apic, 1872
 Iguchi, H. see Y. Aramaki, 3731
 Ihälainen, J.A., F. Klimmek, U. Ganeteg, I.H.M. van Stokkum, R. van Grondelle, S. Jansson and J.P. Dekker, Excitation energy trapping in photosystem I complexes depleted in Lhc1 and Lhc4, 4787
 Ihara, Y. see T. Sato, 2907
 Iida, M. see R. Matsuo, 2433
 Iida, T. see R.N. Bhattacharjee, 6604
 Igusa, H., Y. Yoshida and K. Hasunuma, Oxygen and hydrogen peroxide enhance light-induced carotenoid synthesis in *Neurospora crassa*, 4012
 Iizuka, N., M. Oka, H. Yamada-Okabe, N. Mori, T. Tamesa, T. Okada, N. Takemoto, K. Sakamoto, K. Hamada, H. Ishitsuka, T. Miyamoto, S. Uchimura and Y. Hamamoto, Self-organizing-map-based molecular signature representing the development of hepatocellular carcinoma, 1089
 Iizuka, R. see T. Zako, 3718
 Ikeda, K. see T. Ikeda, 819
 Ikeda, T., K. Ikeda, M. Enomoto, M.K. Park, M. Hirose and R. Kambara, The mouse ortholog of EFHC1 implicated in juvenile myoclonic epilepsy is an axonemal protein widely conserved among organisms with motile cilia and flagella, 819
 Ikeguchi, M. see M. Hashido, 5549
 Ikeno, Y. see M. Arioka, 2693
 Ikhmyangan, E.N., N.L. Vasilenko, V.N. Buneva and G.A. Nevinsky, IgG antibodies with peroxidase-like activity from the sera of healthy Wistar rats, 3960
 Ilag, L.L. see H. Videler, 943
 Ilan, N. see E. Cohen, 2334
 Iliev, D.B., J.C. Roach, S. Mackenzie, J.V. Planas and F.W. Goetz, Endotoxin recognition: In fish or not in fish? 6519
 Illenberger, S. see B. Kleinhenz, 4254
 Im, S.-Y. see H.-M. Ko, 2369
 Im, S.-Y. see H.-M. Ko, 6451
 Im, Y.-H. see H.H. Jung, 3941
 Im, Y.-J. see K. Thevissen, 1973
 Im, Y.-J. see I.Y. Perera, 3427
 Im, Y.-J., M. Ji, A.M. Lee, W.F. Boss and A.M. Grunden, Production of a thermostable archaeal superoxide reductase in plant cells, 5521
 Imai, H. see T. Watanabe, 318
 Imai, N. see T. Hashimoto, 281
 Imai, N. see T. Hashimoto, 2972
 Imai, R. see K. Nakaminami, 4887
 Imaizumi, T. see S.-i. Yamagishi, 4265
 Imanaka, T. see M. Morita, 409

- Imoto, S., K. Sugiyama, Y. Sekine and T. Matsuda, Roles for lysine residues of the MH2 domain of Smad3 in transforming growth factor- β signaling, 2853
 Imoto, T. see Y. Izutani, 4333
 Inaba, N. see H. Ishida, 71
 Inagaki, S. see J.-A. Ko, 2236
 Inaka, K. see T. Taniguchi, 1399
 Innocente, S.A. and J.M. Lee, p53 is a NF-Y- and p21-independent, Sp1-dependent repressor of cyclin B1 transcription, 1001
 Inoue, A. see R. Ise, 1732
 Inoue, H. see K.J. Woo, 705
 Inoue, H. see M. Mimuro, 3493
 Inoue, H. see S.-i. Yamagishi, 4265
 Inoue, H. see W.C. Lim, 5430
 Inoue, H. see H.-K. Na, 6279
 Inoue, K. see N. Tamehiro, 5299
 Inoue, M., K. Takahashi, O. Niide, M. Shibata, M. Fukuzawa and C. Ra, LDOCl, a novel MZF-1-interacting protein, induces apoptosis, 604
 Inoue, M. see M. Hashimoto, 2959
 Inoue, T., L. Wu, J. Stuart and C.G. Maki, Control of p53 nuclear accumulation in stressed cells, 4978
 Inui, M. see J.-A. Ko, 2236
 Iossa, S. see M.P. Mollica, 1978
 Ip, N.Y. see W. He, 4317
 Iqbal, K. see L. Sun, 251
 Iqbal, K. see I. Tsujio, 363
 Ironside, J. see C. Soto, 638
 Irvine, R.F. see H.F. Roberts, 2868
 Isaacs, N.W. see A. Riboldi-Tunnicliffe, 5353
 Isacke, C.M. see J.R. MacFadyen, 2569
 Isaev-Ivanov, V.V. see D.V. Lebedev, 1465
 Isaksson, L.A. see V.V. Croitoru, 995
 Ise, R., D. Han, Y. Takahashi, S. Terasaka, A. Inoue, M. Tanji and R. Kiyama, Expression profiling of the estrogen responsive genes in response to phytoestrogens using a customized DNA microarray, 1732
 Ishibashi, H. see K. Migita, 3119
 Ishibashi, M. see H. Besir, 6595
 Ishida, H., A. Togayachi, T. Sakai, T. Iwai, T. Hiruma, T. Sato, R. Okubo, N. Inaba, T. Kudo, M. Gotoh, J. Shoda, N. Tanaka and H. Narimatsu, A novel β 1,3-N-acetylglycosaminyltransferase (β 3Gn-T8), which synthesizes poly-N-acetyllactosamine, is dramatically upregulated in colon cancer, 71
 Ishida, J. see A. Iwashita, 1389
 Ishida, N. see K. Oishi, 3555
 Ishida, T. see T. Taniguchi, 1399
 Ishida, T. see M. Tokimasa, 3481
 Ishidou, E. see H. Iwashita, 2847
 Ishigami, T. see Y. Tanaka, 1579
 Ishihama, A. see H. Mitsuzawa, 48
 Ishii, N. see T. Yasukawa, 2948
 Ishii, T. see K. Funane, 4739
 Ishijima, S. see Y. Izutani, 4333
 Ishikawa, D. see H. Yamamoto, 507
 Ishikawa, F., S. Suga, T. Uemura, M.H. Sato and M. Maeshima, Novel type aquaporin SIPs are mainly localized to the ER membrane and show cell-specific expression in *Arabidopsis thaliana*, 5814
 Ishikawa, M. see M. Sato, 1167
 Ishikawa, M. see M. Asano, 4479
 Ishikita, H., B. Loll, J. Biesiadka, A. Galstyan, W. Saenger and E.-W. Knapp, Tuning electron transfer by ester-group of chlorophylls in bacterial photosynthetic reaction center, 712
 Ishikita, H. and E.-W. Knapp, Redox potential of cytochrome c550 in the cyanobacterium *Thermosynechococcus elongatus*, 3190
 Ishimoto, T. see M. Okada, 4949
 Ishitsuka, H. see N. Iizuka, 1089
 Islam, M.O., Y. Kanemura, J. Tajria, H. Mori, S. Kobayashi, T. Shofuda, J. Miyake, M. Hara, M. Yamasaki and H. Okano, Characterization of ABC transporter ABCB1 expressed in human neural stem/progenitor cells, 3473
 Islamov, A.Kh. see D.V. Lebedev, 1465
 Isobe, K.-i. see A. Nishikimi, 1039
 Isobe, K.-i. see S. Ito, 1995
 Israelson, A. see E. Nahon, 5105
 Issinger, O.-G. see M. Björling-Poulsen, 2604
 Ito, M., K. Kawano, M. Miyagishi and K. Taira, Genome-wide application of RNAi to the discovery of potential drug targets, 5988
 Ito, M. see A. Murányi, 6611
 Ito, S., M. Sawada, M. Haneda, S. Fujii, K. Oh-hashi, K. Kiuchi, M. Takahashi and K.-i. Isobe, Amyloid- β peptides induce cell proliferation and macrophage colony-stimulating factor expression via the PI3-kinase/Akt pathway in cultured Ra2 microglial cells, 1995
 Ito, T. see R. Matsuo, 2433
 Ito, T. see Y. Aramaki, 3731
 Itoh, A. see N. Nishi, 2058
 Itoh, K. see H. Zhu, 3029
 Itoh, Y. see M. Mimuro, 3493
 Iuliano, R. see R. Boito, 6439
 Ivaldi, C. see R. Pinto, 5553
 Ivanov, D., G. Dvoriantchikova, A. Pestova, L. Nathanson and V.I. Shestopalov, Microarray analysis of fiber cell maturation in the lens, 1213
 Iwahara, A. see S. Kojima, 4430
 Iwahashi, H., M. Odani, E. Ishidou and E. Kitagawa, Adaptation of *Saccharomyces cerevisiae* to high hydrostatic pressure causing growth inhibition, 2847
 Iwai, A. see K. Uda, 6756
 Iwai, K., B.R. Lee, M. Hashiguchi, A. Fukushima and M. Iwashima, IkB- α -specific transcript regulation by the C-terminal end of c-Rel, 141
 Iwai, T. see H. Ishida, 71
 Iwakiri, Y. see T. Okabe, 5729
 Iwamoto, M., M. Kurachi, T. Nakashima, D. Kim, K. Yamaguchi, T. Oda, Y. Iwamoto and T. Muramatsu, Structure-activity relationship of alginate oligosaccharides in the induction of cytokine production from RAW264.7 cells, 4423
 Iwamoto, Y. see M. Iwamoto, 4423
 Iwanaga, T. see K. Kimura, 2926
 Iwashima, M. see K. Iwai, 141
 Iwashima, M. see M. Morita, 409
 Iwashita, A., K. Hattori, H. Yamamoto, J. Ishida, Y. Kido, K. Kamijo, K. Murano, H. Miyake, T. Kinoshita, M. Warizaya, M. Ohkubo, N. Matsuoka and S. Mutoh, Discovery of quinazolinone and quinoxaline derivatives as potent and selective poly(ADP-ribose) polymerase-1/2 inhibitors, 1389
 Izutani, Y., T. Murai, T. Imoto, M. Ohnishi, M. Oda and S. Ishijima, Gymnemic acids inhibit rabbit glyceraldehyde-3-phosphate dehydrogenase and induce a smearing of its electrophoretic band and dephosphorylation, 4333
- ## J
- Jackson, J.B. see S.J. Whitehead, 2863
 Jackson, R.G. see E.-K. Lim, 2802
 Jackson, R.G. see D.M. Priest, 4454
 Jacob, J., R.H. Schirmer and S. Gromer, The conserved histidine 106 of large thioredoxin reductases is likely to have a structural role but not a base catalyst function, 745
 Jacobs, H.T. see T. Yasukawa, 2948
 Jacobsen, C. see V. Hvidberg, 773
 Jacobsen, C. see U.B. Westergaard, 1172
 Jacobsen, C. see U.B. Westergaard, 2749
 Jaeger, K.-E. see S. Becker, 1177
 Jaimovich, E., C. Mattei, J.L. Liberona, C. Cardenas, M. Estrada, J. Barbier, C. Debitus, D. Laurent and J. Molgó, Xestospongin B, a competitive inhibitor of IP₃-mediated Ca²⁺ signalling in cultured rat myotubes, isolated myonuclei, and neuroblastoma (NG108-15) cells, 2051
 Jain, T. and B. Jayaram, An all atom energy based computational protocol for predicting binding affinities of protein-ligand complexes, 6659
 Jakob, M. see A. Voigt, 1343
 Jalali, A., F. Bosmans, M. Amininasab, E. Clynen, E. Cuypers, A. Zaremirakabadi, M.-N. Sarbolouki, L. Schoofs, H. Vatanpour and J. Tytgat, ODI-1, the first toxin isolated from the venom of the scorpion *Odontobuthus doriae* active on voltage-gated Na⁺ channels, 4181
 Jaleel, M., A. McBride, J.M. Lizcano, M. Deak, R. Toth, N.A. Morris and D.R. Alessi, Identification of the sucrose non-fermenting related kinase SNRK, as a novel LKB1 substrate, 1417
 James, M.N.G. see Y. Kataoka, 2991
 James, W. see I. Baskakov, 2589
 Janda, K.D. see L.M. Eubanks, 5361
 Jang, C.H. see J.W. Youm, 6737

- Jang, M. see Y. Lee, 4769
 Jang, S.-W. see I.S. Kim, 6044
 Jankovic, J. see T. Pan, 6716
 Janovska, P. see J. Sponarova, 6105
 Janssens, V. see A. Vastiau, 3392
 Jansson, S. see J.A. Ihlainen, 4787
 Jarczowski, F. see M. Weiwig, 1591
 Jarmuszkiewicz, W. see M. Czarna, 3136
 Jarmuszkiewicz, W. see R. Navet, 4437
 Jaspers, M. see A. Vastiau, 3392
 Jaun, B. see J.E. Shokes, 1741
 Javier, J.A.D. see J.-H. Chang, 3601
 Javier, J.A. see E. Albè, 5481
 Jayaram, B. see T. Jain, 6659
 Jayathilaka, N. see S. Lee, 4829
 Jeanjean, R. see M. Havaux, 2289
 Jékely, G., Least of all visible things, 3202
 Jenkins, J.R. see Y. Bao, 41
 Jenne, D.E. see O. Wiesner, 5305
 Jennings, R.C. see G. Zucchelli, 2071
 Jensen, L.J. and L.M. Steinmetz, Re-analysis of data and its integration, 1802
 Jensen, P.E. see A. Khrouchtchova, 4808
 Jenssen, H. see Ø. Samuelsen, 3421
 Jenssen, H. see Ø. Samuelsen, 5437
 Jenzora, A., B. Behrendt, J.V. Small, J. Wehland and T.E.B. Stradal, PREL1 provides a link from Ras signalling to the actin cytoskeleton via Ena/VASP proteins, 455
 Jeon, J.H. see J.W. Youm, 6737
 Jeong, H.-Y. see H. Jun, 6259
 Jeong, J.Y. see J.W. Chang, 2873
 Jeong, P.-Y. see T.H. Kim, 53
 Jeong, S. see M.Y. Kim, 1597
 Jeong, S.-H. see J.-h. Lee, 2507
 Jeong, Y.-J. see K.J. Woo, 705
 Jerome, W.G. see L.L. Swift, 3183
 Jeung, H.C. see M. Yeo, 127
 Ji, H., S.-R. Yeh and D.L. Rousseau, Structural characterization of the $\text{P}_{\text{CO}_2}/\text{O}_2$ compound of cytochrome *c* oxidase, 6361
 Ji, M. see Y.J. Im, 5521
 Ji, Y.Y. see W. Lu, 2130
 Jia, M. and Y. Li, The relationship among gene expression, folding free energy and codon usage bias in *Escherichia coli*, 5333
 Jiang, C. and J.-Y. Chang, Unfolding and breakdown of insulin in the presence of endogenous thiols, 3927
 Jiang, H. see J. Wu, 421
 Jiang, H. see H. Luo, 2623
 Jiang, H. see H. Fu, 3849
 Jiang, J. see H. Wang, 1279
 Jiang, J. see H. Zong, 3579
 Jiang, Q. see Y.-X. Wang, 4843
 Jiang, S., C.L. Wolfe, J.A. Warrington and M.T. Norcum, Three-dimensional reconstruction of the valyl-tRNA synthetase/elongation factor-1H complex and localization of the δ subunit, 6049
 Jiang, W.-H. see W. Lu, 2130
 Jiang, X.-S. see G.-H. Fu, 2105
 Jimenez, A. see C. Lozano, 4219
 Jin, C., P. Ding, Y. Wang and D. Ma, Regulation of EGF receptor signaling by the MARVEL domain-containing protein CKLFSF8, 6375
 Jin, Y. see W.-H. Lee, 4443, 5170
 Jockers, R. see M. Berthouze, 2973
 Jockusch, B.M. see B. Kleinhenz, 4254
 Johannessen, B.R., L.K. Skov, J.S. Kastrup, O. Kristensen, C. Bolwig, J.N. Larsen, M. Spangfort, K. Lund and M. Gajhede, Structure of the house dust mite allergen Der f 2: Implications for function and molecular basis of IgE cross-reactivity, 1208
 Johnson, A. see K.M. Taylor, 427
 Johnson, A.E., The co-translational folding and interactions of nascent protein chains: a new approach using fluorescence resonance energy transfer, 916
 Johnson, D. see S. Lee, 4829
 Johnson, D.M., S. Yamaji, J. Tenant, S.K. Srai and P.A. Sharp, Regulation of divalent metal transporter expression in human intestinal epithelial cells following exposure to non-haem iron, 1923
 Johnson, K.A., E. Kim, M.M. Teeter, S.W. Suh and B. Stec, Crystal structure of α -hordothionin at 1.9 Å resolution, 2301
 Johnson, M.K. see A.D. Smith, 5236
 Johnson, T.J. see Q. Zhang, 3932
 Johnson Jr., J.E. see T. Ohnishi, 500
 Johnston, C.A., J.K. Ramer, R. Blaesius, Z. Fredericks, V.J. Watts and D.P. Siderovski, A bifunctional $\text{G}\alpha_i/\text{G}\alpha_s$ modulatory peptide that attenuates adenylyl cyclase activity, 5746
 Johnston, K., P. Sharp, M. Clifford and L. Morgan, Dietary polyphenols decrease glucose uptake by human intestinal Caco-2 cells, 1653
 Joly, E., M. Bendayan, R. Roduit, A.K. Saha, N.B. Ruderman and M. Prentki, Malonyl-CoA decarboxylase is present in the cytosolic, mitochondrial and peroxisomal compartments of rat hepatocytes, 6581
 Jomaa, H. see R.C. Röhricht, 6433
 Jomori, T. see K. Sugita, 1085
 Jones, A. see U. Kappler, 2491
 Jones, A.K. see G. Winter, 4292
 Jones, D.R., C. Pañeda, A.V. Villar, A. Alonso, F.M. Goñi, P. Bütkofer, U. Brodbeck, P.R. Shepherd and I. Varela-Nieto, Phosphorylation of glycosyl-phosphatidylinositol by phosphatidylinositol 3-kinase changes its properties as a substrate for phospholipases, 59
 Joo, H.G. see K.A. Kang, 6295
 Joo, J.H., H.J. Yoo, I. Hwang, J.S. Lee, K.H. Nam and Y.S. Bae, Auxin-induced reactive oxygen species production requires the activation of phosphatidylinositol 3-kinase, 1243
 Jordheim, L.P. see A.S. Bretonnet, 3363
 Joshi, S., S. Katiyar and W.J. Lennarz, Misfolding of glycoproteins is a prerequisite for peptide: *N*-glycanase mediated deglycosylation, 823
 Jouannic, S., X. Argout, F. Lechauve, C. Fizames, A. Borgel, F. Morcillo, F. Aberlenc-Bertossi, Y. Duval and J. Tregebar, Analysis of expressed sequence tags from oil palm (*Elaeis guineensis*), 2709
 Joung, H. see J.W. Youm, 6737
 Jousse, C. see J. Averous, 2609
 Jovanovska, A. see L.L. Swift, 3183
 Juan, C.-C. see S.-W. Huang, 449
 Julià, L. see C. Lozano, 4219
 Jun, H., S.K. Seo, H.-Y. Jeong, H.-M. Seo, G. Zhu, L. Chen and I.-H. Choi, B7-H1 (CD274) inhibits the development of herpetic stromal keratitis (HSK), 6259
 Jung, B. see H.-M. Ko, 2369
 Jung, H.H., J. Lee, J.H. Kim, K.-J. Ryu, S.-A. Kang, C. Park, K. Sung, D.-H. Nam, W.K. Kang, K. Park and Y.-H. Im, STAT1 and Nmi are downstream targets of Ets-1 transcription factor in MCF-7 human breast cancer cell, 3941
 Jung, M.S. see K.A. Kang, 6295
 Jung, R. see I. Knerl, 3991
 Junge, W. see B.A. Feniouk, 5114
 Junquera, C. see M. Artieda, 4503
 Jurkowska, M. see M.I. Milewski, 483

K

- Kacer, D. see V. Kolev, 5798
 Kagawa, S. see F. Teraishi, 4069
 Kagishita, M. see N. Yamaguchi, 6821
 Kahle, P.J. see J.C. Dächsel, 3913
 Kahnt, J. see G.J. Mander, 4600
 Kai, H. see T. Koga, 2811
 Kajimoto, T. see Y. Higuchi, 3009
 Kajita, S. see K. Nakaminami, 4887
 Kakar, S.S. see A.D. Thompson III, 3195
 Kakehi, T. see T. Taniguchi, 1399
 Kakinuma, Y., M. Ando, M. Kuwabara, R.G. Katare, K. Okudela, M. Kobayashi and T. Sato, Acetylcholine from vagal stimulation protects cardiomyocytes against ischemia and hypoxia involving additive non-hypoxic induction of HIF-1 α , 2111
 Kakizaki, I. see S. Yoshihara, 2722
 Kakkad, B. see L.L. Swift, 3183
 Kalb, R.G. see S. David, 1534
 Kalinina, N.O. see D.V. Rakitina, 4955
 Kamdar, R.P. see G.D. Gupta, 3141
 Kameyoshi, Y. see Y. Nabeshima, 6653
 Kamijo, K. see A. Iwashita, 1389
 Kamijo, R. see M. Takami, 832
 Kamińska, A.M. see C.S. Clemen, 3777
 Kamiński, J.M. see M.H. Wilson, 6205
 Kamiya, H. see S. Hoshika, 3115
 Kamiya, N. see T. Tanaka, 2092

- Kamiya, R. see T. Ikeda, 819
 Kamtekar, S. see A. Ambrogelly, 6017
 Kanagawa, M., D.E. Michele, J.S. Satz, R. Barresi, H. Kusano, T. Sasaki, R. Timpl, M.D. Henry and K.P. Campbell, Disruption of perlecan binding and matrix assembly by post-translational or genetic disruption of dystroglycan function, 4792
 Kanaho, Y. see H. Miyazaki, 6834
 Kanai, M. see M. Morita, 409
 Kanai, T. see S. Namiki, 2781
 Kanaoka, M. see R. Teramoto, 2878
 Kanaoka, M.M., S. Urban, M. Freeman and K. Okada, An *Arabidopsis* Rhomboid homolog is an intramembrane protease in plants, 5723
 Kanapathipillai, M., G. Lentzen, M. Siers and C.B. Park, Ectoine and hydroxyectoine inhibit aggregation and neurotoxicity of Alzheimer's β -amyloid, 4775
 Kanaya, S. see C. Angkawidjaja, 4707
 Kanaya, S. see Y. Suzuki, 5781
 Kanda, E. see H. Mitsuhashi, 48
 Kanda, T. see H. Akiyama, 4485
 Kaneko, S. see H. Toyohara, 2727
 Kaneko, Y. see K. Nitta, 1235
 Kanemura, Y. see M.O. Islam, 3473
 Kang, C.B., J. Tai, J. Chia and H.S. Yoon, The flexible loop of Bcl-2 is required for molecular interaction with immunosuppressant FK-506 binding protein 38 (FKBP38), 1469
 Kang, J.-H. see H.-M. Ko, 6451
 Kang, K.A., K.H. Lee, S. Chae, R. Zhang, M.S. Jung, Y. Lee, S.Y. Kim, H.S. Kim, H.G. Joo, J.W. Park, Y.M. Ham, N.H. Lee and J.W. Hyun, Eckol isolated from *Ecklonia cava* attenuates oxidative stress induced cell damage in lung fibroblast cells, 6295
 Kang, K.Y. see C.Y. Park, 1545
 Kang, S. see Y. Meng, 1311
 Kang, S.-A. see H.H. Jung, 3941
 Kang, W.K. see H.H. Jung, 3941
 Kang, Y.H. see C.Y. Park, 1545
 Kang, Y.H. see B.C. Moon, 3885
 Kang, Y.J. see J. Sun, 5494
 Kano, H. see N. Fujikake, 3842
 Kanoh, N. see T. Teruya, 2463
 Kanouchi, H. see E. Himeno, 2416
 Kantidze, O.L. see D.V. Rakitina, 4955
 Kanzawa, N. see Y. Temmei, 4417
 Kao, C.-Y. see R.W. Harper, 4911
 Kao, M.-C. see T.-D. Way, 145
 Kapiotis, S. see H. Laggner, 6486
 Kapoor, A., F. Agius and J.-K. Zhu, Preventing transcriptional gene silencing by active DNA demethylation, 5889
 Kappler, U., G.R. Hanson, A. Jones and A.G. McEwan, A recombinant diheme SoxAX cytochrome – Implications for the relationship between EPR signals and modified heme-ligands, 2491
 Kapulkina, V., B.G. Hiester and C.D. Link, Compensatory regulation among ER chaperones in *C. elegans*, 3063
 Käpylä, P. see L. Gilbert, 385
 Karamanou, S., G. Sianidis, G. Gouridis, C. Pozidis, Y. Papanikolaou, E. Papanikou and A. Economou, *Escherichia coli* SecA truncated at its termini is functional and dimeric, 1267
 Karande, A.A. see S. Narayanan, 1324
 Kariagina, A. see C.B. Ware, 4465
 Karitskaya, I. see I. Marakhova, 2773
 Karlberg, T. see V.T. Dufe, 6037
 Karliner, J.S. see A.B. Kotlyar, 4861
 Karlson, D. see K. Nakaminami, 4887
 Kasche, V. see S.C. Viegas, 5069
 Kast-Hutcheson, K. see X. Du, 6140
 Kastrup, J.S. see B.R. Johannessen, 1208
 Kastrup, J.S. see P. Naur, 1154
 Kataeva, I.A., J.M. Brewer, V.N. Uversky and L.G. Ljungdahl, Domain coupling in a multimodular cellobiohydrolase CbhA from *Clostridium thermocellum*, 4367
 Kataoka, S. see E. Mori, 5379
 Kataoka, Y., K. Takada, H. Oyama, M. Tsunemi, M.N.G. James and K. Oda, Catalytic residues and substrate specificity of scytalidoglutamic peptidase, the first member of the eqolisin in family (G1) of peptidases, 2991
 Katare, R.G. see Y. Kakinuma, 2111
 Katiyar, S. see S. Joshi, 823
 Katiyar, S. see K.A. Kulkarni, 6775
 Kato, A. see J. He, 2277
 Kato, J. see Y.-N. Cao, 4997
 Kato, J.-y. see A. Fukumoto, 1047
 Kato, K. see C.S. Clemen, 3777
 Kato, K. see T. Shimoyama, 757
 Kato, K. see M. Akutsu, 5385
 Kato, M. see T.-J. Kim, 4383
 Kato, R. see M. Akutsu, 5385
 Kato, Y. see A. Nakamura, 2273
 Kato-Yamada, Y., Isolated ϵ subunit of *Bacillus subtilis* F₁-ATPase binds ATP, 6875
 Katoh, Y. see M. Akutsu, 5385
 Katsuma, S., Y. Ruike, T. Yano, M. Kimura, A. Hirasawa and G. Tsujimoto, Transcriptional regulation of connective tissue growth factor by sphingosine 1-phosphate in rat cultured mesangial cells, 2576
 Katsuyama, M. see C. Fan, 1301
 Katz, A. see G. Levicán, 6383
 Katz, C. see E. Gur, 1935
 Kaufmann, R. see S. Kippenberger, 207
 Kaul, S.C. see C.C. Deocaris, 586
 Kaulin, Yu.A. see O.S. Ostroumov, 5675
 Kaur, M. see A. Cox, 285
 Kavi, H.H., H.R. Fernandez, W. Xie and J.A. Birchler, RNA silencing in *Drosophila*, 5940
 Kawahara, Y. see S. Numazawa, 3560
 Kawamukai, M. see Y. Matsuo, 2737
 Kawanishi, T. see N. Tamehiro, 5299
 Kawano, K. see M. Ito, 5988
 Kawasaki, M. see M. Akutsu, 5385
 Kawashima, T. see F. Teraishi, 4069
 Kawata, K. see S. Kubota, 3751
 Kawata, S. see M. Maruoka, 2986
 Kazmirska, S.L. see G.D. Bowman, 863
 Ke, J.-S. see P. Zhao, 2404
 Kean, M. see E.M. Gonon, 6169
 Keegstra, W. see N.V. Dudkina, 5769
 Keersmaecker, S.D., L.V. Mellaert, K. Schaeirlaekens, W.V. Dessel, K. Vrancken, E. Lammertyn, J. Anné and N. Geukens, Structural organization of the twin-arginine translocation system in *Streptomyces lividans*, 797
 Kellermayer, R., Hailey–Hailey disease as an orthodisease of PMR1 deficiency in *Saccharomyces cerevisiae*, 2021
 Kemp, P.R. see L. Favot, 100
 Kenndler, E. see A. Nicodemou, 5507
 Kennedy, D. see A. Ambrogelly, 6017
 Kentzinger, E. see D.V. Lebedev, 1465
 Kerr, I.D. see A. Rothnie, 3984
 Kerscher, S. see A. Abdrukhananova, 6781
 Keserü, G.M. see D.K. Menyhárd, 5392
 Khafif, M. see J.-P. Reichheld, 337
 Khajeh, K. see A.R. Madvar, 4701
 Khalil, I.G. see S.V. Aksenen, 1878
 Khambay, B.P.S. see P.N.R. Usherwood, 6317
 Khan, S. see A. Malina, 79
 Kharade, S.V., N. Mittal, S.P. Das, P. Sinha and N. Roy, Mrg19 depletion increases *S. cerevisiae* lifespan by augmenting ROS defence, 6809
 Khazen, W., J.-P. M'Bika, C. Tomkiewicz, C. Benelli, C. Chany, A. Achour and C. Forest, Expression of macrophage-selective markers in human and rodent adipocytes, 5631
 Kho, C.W. see Y. Lee, 4769
 Khosravani, H., C. Altier, G.W. Zamponi and M.A. Colicos, The Arg473Cys-neuroligin-1 mutation modulates NMDA mediated synaptic transmission and receptor distribution in hippocampal neurons, 6587
 Khorchutchova, A., M. Hansson, V. Paakkarinen, J.P. Vainonen, S. Zhang, P.E. Jensen, H.V. Scheller, A.V. Vener, E.-M. Aro and A. Haldrup, A previously found thylakoid membrane protein of 14kDa (TMP14) is a novel subunit of plant photosystem I and is designated PSI-P, 4808
 Kida, E. see M. Walus, 1383
 Kidera, A. see M. Hashido, 5549
 Kido, H. see Y. Chen, 2040
 Kido, Y. see A. Iwashita, 1389
 Kielak, A. see U. Kudla, 2451
 Kiernayer, S. see M. Eickmann, 4751
 Kiesslich, T., K. Plaetzer, C.B. Oberdanner, J. Berlanda, F.J. Obermair and B. Krammer, Differential effects of glucose deprivation on the cellular sensitivity towards photodynamic treatment-based production of reactive oxygen species and apoptosis-induction, 185
 Kihara, M. see T. Hashimoto, 281
 Kihara, M. see T. Hashimoto, 2972

- Kikuta, T., M. Ohara-Imaizumi, M. Nakazaki, C. Nishiwaki, Y. Nakamichi, C. Tei, L. Aguilar-Bryan, J. Bryan and S. Nagamatsu, Docking and fusion of insulin secretory granules in SUR1 knock out mouse β -cells observed by total internal reflection fluorescence microscopy, 1602
- Kilbienski, I. see K. Krause, 3707
- Kilimnik, A.Y. see D.P. Kunte, 3497
- Kilkas, S. see M. Weiwasd, 1591
- Kim, B.-J., S.L. Mangala and K. Hayashi, Co-refolding of two peptide fragments derived from *Agrobacterium tumefaciens* β -glucosidase with catalytic activity, 3075
- Kim, B.-J. see K.-H. Moon, 6115
- Kim, C.G. see S.J. Kim, 534
- Kim, D. see M. Iwamoto, 4423
- Kim, D. see M. Amarzguioui, 5974
- Kim, D.-E. see M. Cho, 4213
- Kim, D.-K. see S.-A. Kim, 6559
- Kim, E. see K.A. Johnson, 2301
- Kim, H. see S.A. Christman, 6705
- Kim, H. see J.W. Youm, 6737
- Kim, H.-A. see H.-M. Ko, 2369
- Kim, H.J. see J. Sun, 5494
- Kim, H.-K. see C.H. Park, 2965
- Kim, H.S. see C.Y. Park, 1545
- Kim, H.-S. see Y.-H. Han, 4897
- Kim, H.-S. see Y.-H. Han, 5112
- Kim, H.S. see K.A. Kang, 6295
- Kim, H.S. see J.W. Youm, 6737
- Kim, I.G. see H.S. Byun, 4055
- Kim, I.S., S.-W. Jang, H.J. Sung, J.-S. Lee and J. Ko, Differential CCR1-mediated chemotaxis signaling induced by human CC chemokine HCC-4/CCL16 in HOS cells, 6044
- Kim, J.H. see H.H. Jung, 3941
- Kim, J.-M. see Y.-H. Han, 4897
- Kim, J.-M. see Y.-H. Han, 5112
- Kim, J.-W. see S.-H. Lee, 1027
- Kim, J.-W. see S.-H. Lee, 6288
- Kim, J.S. see H.S. Byun, 4055
- Kim, K.C. see H.S. Byun, 4055
- Kim, K.W. see J.H. Choi, 2795
- Kim, K.-W. see H.-E. Moon, 3797
- Kim, M.-S. see H.-J. Lee, 4867
- Kim, M.C. see B.C. Moon, 3885
- Kim, M.H. see W.-C. Choi, 3461
- Kim, M.Y., C.W. Byeon, K.H. Hong, K.H. Han and S. Jeong, Inhibition of the angiogenesis by the MCP-1 (monocyte chemoattractant protein-1) binding peptide, 1597
- Kim, S.-A., J.-H. Yoon, D.-K. Kim, S.-G. Kim and S.-G. Ahn, CHIP interacts with heat shock factor 1 during heat stress, 6559
- Kim, S.-B. see D.-W. Lee, 1261
- Kim, S.-G. see S.-A. Kim, 6559
- Kim, S.J., S.H. Cheon, S.J. Yoo, J. Kwon, J.H. Park, C.G. Kim, K. Rhee, S. You, J.-Y. Lee, S.I. Roh and H.S. Yoon, Contribution of the PI3K/Akt/PKB signal pathway to maintenance of self-renewal in human embryonic stem cells, 534
- Kim, S.J. see J. Sun, 5494
- Kim, S.-K. see J.-A. Park, 4459
- Kim, S.-K. see Y.-H. Han, 4897
- Kim, S.-K. see Y.-H. Han, 5112
- Kim, S.Y. see K.A. Kang, 6295
- Kim, T.H., S.B. Hwang, P.-Y. Jeong, J. Lee and J.W. Cho, Requirement of tyrosylprotein sulfotransferase-A for proper cuticle formation in the nematode *C. elegans*, 53
- Kim, T.-J., S. Mitsutake, M. Kato and Y. Igarashi, The leucine 10 residue in the pleckstrin homology domain of ceramide kinase is crucial for its catalytic activity, 4383
- Kim, T.K. see M. Cho, 4213
- Kim, T.-W. see J.-A. Park, 4459
- Kim, W.-G. see C.J. Zheng, 5157
- Kim, W.T. see J.-A. Park, 4459
- Kim, Y. see K.S. Sung, 3001
- Kim, Y. see Y.H. Kim, 6272
- Kim, Y.C. see J.W. Chang, 2873
- Kim, Y.C. see S. Lee, 4829
- Kim, Y.H. see K.S. Sung, 3001
- Kim, Y.-H. see C.J. Zheng, 5157
- Kim, Y.H., K.S. Sung, S.-J. Lee, Y.-O. Kim, C.Y. Choi and Y. Kim, Desumoylation of homeodomain-interacting protein kinase 2 (HIPK2) through the cytoplasmic-nuclear shuttling of the SUMO-specific protease SENP1, 6272
- Kim, Y.H. see J.W. Youm, 6737
- Kim, Y.-J. see S.-H. Lee, 1027
- Kim, Y.-J. see S.-H. Lee, 6288
- Kim, Y.-K. see H.-J. Lee, 4867
- Kim, Y.-O. see J.-h. Lee, 2507
- Kim, Y.-O. see Y.H. Kim, 6272
- Kim, Y.-T. see W. Nishii, 6846
- Kimby, E. see J. Flygare, 6885
- Kimura, K. see Y. Tanaka, 1579
- Kimura, K., T. Miki, T. Shibasaki, Y. Zhang, M. Ogawa, H. Saisho, M. Okuno, T. Iwanaga and S. Seino, Functional analysis of transcriptional repressor Otx3/Dmbx1, 2926
- Kimura, M. see H. Mitsuhashi, 48
- Kimura, M. see S. Katsuma, 2576
- Kimura, S. see A. Yamada, 2221
- Kimura, T. see R. Teramoto, 2878
- Kimura, Y. see H. Kitamura, 567
- Kinoshita, M. see Y. Chen, 2040
- Kinoshita, T. see A. Iwashita, 1389
- Kippenberger, S., S. Loitsch, M. Guschel, J. Müller, R. Kaufmann and A. Bernd, Hypotonic stress induces E-cadherin expression in cultured human keratinocytes, 207
- Kirch, T. see A. Schneider, 4622
- Kirchhofer, D., M. Peek, M.T. Lipari, K. Billeci, B. Fan and P. Moran, Hepsin activates pro-hepatocyte growth factor and is inhibited by hepatocyte growth factor activator inhibitor-1B (HAI-1B) and HAI-2, 1945
- Kirino, Y. see T. Yasukawa, 2948
- Kirjavainen, S. see L. Gilbert, 385
- Kirkegaard, K. see U.B. Westergaard, 1172
- Kirkegaard, K. see U.B. Westergaard, 2749
- Kirkpatrick, J.M. see R.W.D. Welford, 6688
- Kirkpatrick, Joanna.M. see R.W.D. Welford, 5170
- Kirsch, J. see B. Kleinhenz, 4254
- Kirsch, J.F. see G. Capitani, 2458
- Kishi, H. see K. Mogami, 393
- Kishida, T. see Y.T. Sato, 3095
- Kishimoto, S. see M. Gokoh, 6473
- Kishore, S.P., M.K. Bungum, J.L. Platt and G.J. Brunn, Selective suppression of Toll-like receptor 4 activation by chemokine receptor 4, 699
- Kiss, A. see A. Murányi, 6611
- Kitagawa, E. see H. Iwahashi, 2847
- Kitagawa, K. see N. Ohashi, 2557
- Kitagawa, M. see N. Ohashi, 2557
- Kitagawa, T. see K.-I. Oinuma, 1394
- Kitamoto, K. see M. Arioka, 2693
- Kitamura, H. see T. Hashimoto, 281
- Kitamura, H., T. Nakagawa, M. Takayama, Y. Kimura, A. Hijikata and O. Ohara, Corrigendum to: Post-transcriptional effects of phorbol 12-myristate 13-acetate on transcriptome of U937 cells (FEBS 2903) [FEBS Letters 578 (2004) 180–184], 567
- Kitamura, H. see T. Hashimoto, 2972
- Kitamura, K. see Y.-N. Cao, 4997
- Kitamura, Y. see T. Taniguchi, 5704
- Kitayama, T. see E. Furuta, 2065
- Kitazono, T. see R. Matsuo, 2433
- Kito, K. see R. Matsuo, 2433
- Kittakoop, P. see S. Na-Ranong, 2744
- Kiuchi, K. see S. Ito, 1995
- Kivipelto, M. see A. Rahman, 6411
- Kiyama, R. see R. Ise, 1732
- Kjaer, S. see C. Abrescia, 3789
- Klagsbrun, M. see A. Stahl, 5338
- Klappe, K. see I. Hummel, 3381
- Klein, J. see S. Kralisch, 6417
- Klein, S., M. Franco, P. Chardin and F. Luton, AlFx affects the formation of focal complexes by stabilizing the Arf-GAP ASAP1 in a complex with Arf1, 5741
- Kleinhenz, B., M. Fabienke, S. Swiniarski, N. Wittenmayer, J. Kirsch, B.M. Jockusch, H.H. Arnold and S. Illenberger, Raver2, a new member of the hnRNP family, 4254
- Klenova, E. see A. El-Kady, 1424
- Kletzin, A., A.S. Ferreira, T. Hechler, T.M. Bandeiras, M. Teixeira and C.M. Gomes, A Rieske ferredoxin typifying a subtype within Rieske proteins: spectroscopic, biochemical and stability studies, 1020
- Klimmek, F. see J.A. Ihlainen, 4787
- Klinck, R. see J. Parenteau, 4873
- Kloer, D.P. see M.S. Birringer, 1376

- Klösgen, R.B. see J.-O. Giese, 827
 Klösgen, R.B. see A. Voigt, 1343
 Klug, A., Francis Crick (8 June 1916–28 July 2004): A Memoir, 852
 Klug, A., Introduction to eukaryotic transcription and chromatin, 890
 Klug, A., Towards therapeutic applications of engineered zinc finger proteins, 892
 Knapnougl, P. see J. Nguyen, 5487
 Knapp, E.-W. see H. Ishikita, 712
 Knapp, E.-W. see H. Ishikita, 3190
 Knauer, R. see M. Schwarz, 6564
 Knerr, I., S.W. Schubert, C. Wich, K. Amann, T. Aigner, T. Vogler, R. Jung, J. Dötsch, W. Rascher and S. Hashemolhosseini, Stimulation of GCMA and syncytin via cAMP mediated PKA signaling in human trophoblastic cells under normoxic and hypoxic conditions, 3991
 Knight, R. see A. Wolfson, 3467
 Knoops, B. see I. Banmeyer, 2327
 Knox, A.J. see J. Stocks, 2551
 Knox, S., A.J. Fosang, K. Last, J. Melrose and J. Whitelock, Perlecan from human epithelial cells is a hybrid heparan/chondroitin/keratan sulfate proteoglycan, 5019
 Ko, H.-M., Y.-M. Park, B. Jung, H.-A. Kim, J.-H. Choi, S.J. Park, H.-K. Lee and S.-Y. Im, Involvement of matrix metalloproteinase-9 in platelet-activating factor-induced angiogenesis, 2369
 Ko, H.-M., J.-H. Kang, J.-H. Choi, S.J. Park, S. Bai and S.-Y. Im, Platelet-activating factor induces matrix metalloproteinase-9 expression through Ca^{2+} - or PI3K-dependent signaling pathway in a human vascular endothelial cell line, 6451
 Ko, J. see I.S. Kim, 6044
 Ko, J.-A., T. Gondo, S. Inagaki and M. Inui, Requirement of the transmembrane semaphorin Sema4C for myogenic differentiation, 2236
 Ko, K.M. see J.H. Cho, 778
 Ko, Y.-P. see R. Wagener, 3323
 Kobarg, C.B., J. Kobarg, D.P. Crosara-Alberto, T.H. Theizen and K.G. Franchini, MEF2C DNA-binding activity is inhibited through its interaction with the regulatory protein Ki-1/57, 2615
 Kobarg, J. see C.B. Kobarg, 2615
 Kobashigawa, Y., Y. Nishimiya, K. Miura, S. Ohgiya, A. Miura and S. Tsuda, A part of ice nucleation protein exhibits the ice-binding ability, 1493
 Kobayashi, M. see Y. Kakinuma, 2111
 Kobayashi, M. see K.-I. Oinuma, 1394
 Kobayashi, M. see M. Mimuro, 3493
 Kobayashi, M. see K. Funane, 4739
 Kobayashi, S. see K. Mogami, 393
 Kobayashi, S. see M.O. Islam, 3473
 Kobbe, B. see R. Wagener, 3323
 Kóbori, L. see K. Monostory, 229
 Koch, J. see J.E. Shokes, 1741
 Koch, J., R. Guntrum and R. Tampé, Exploring the minimal functional unit of the transporter associated with antigen processing, 4413
 Koch, N. see J. Neumann, 6055
 Koenderman, L. see M. Rosas, 191
 Koetsier, J.L. see D.P. Kunte, 3497
 Koga, T., M.A. Suico, H. Nakamura, M. Taura, Z. Lu, T. Shuto, T. Okiyone and H. Kai, Sp1-dependent regulation of Myeloid Elf-1 like factor in human epithelial cells, 2811
 Koga, Y. see C. Angkawidjaja, 4707
 Koga, Y. see Y. Suzuki, 5781
 Kogure, M. see S. Murata, 2137
 Köhalmy, K. see K. Monostory, 229
 Köhler, U. see R.C. Röhricht, 6433
 Kohno, C. see T. Umemoto, 6569
 Kohroki, J., T. Nishiyama, T. Nakamura and Y. Masuho, ASB proteins interact with Cullin5 and Rbx2 to form E3 ubiquitin ligase complexes, 6796
 Koide, S.S. see C. Yang, 5734
 Koide, Y. see Y. Tanaka, 1579
 Koike, C., R. Moore and M. Negishi, Localization of the nuclear receptor CAR at the cell membrane of mouse liver, 6733
 Koizumi, K. see H. Sakurai, 6641
 Kojima, N., N. Shiojiri, Y. Sakai and A. Miyajima, Expression of neuritin during liver maturation and regeneration, 4562
 Kojima, S., A. Iwahara and H. Yanai, Inhibitor-assisted refolding of protease: A protease inhibitor as an intramolecular chaperone, 4430
 Kok, J.W. see I. Hummel, 3381
 Kolacna, L. see G. Hasenbrink, 1723
 Kolch, W., M. Calder and D. Gilbert, When kinases meet mathematics: the systems biology of MAPK signalling, 1891
 Kolev, V., D. Kacer, R. Trifonova, D. Small, M. Duarte, R. Soldi, I. Graziani, O. Sideleva, B. Larman, T. Maciąg and I. Prudovsky, The intracellular domain of Notch ligand Delta1 induces cell growth arrest, 5798
 Kolmar, H. see S. Becker, 1177
 Komatsu, K. see W.-H. Cheng, 1350
 Komine, Y. see K. Nishi, 3596
 Komoda, T. see L. Zhang, 6423
 Komori, A. see K. Migita, 3119
 Komurasaki, T. see S. Murata, 2137
 Kon, A. see S. Yoshihara, 2722
 Konecni, T. see A. Nicodemou, 5507
 Konermann, L. see M.O. Crespin, 271
 Kong, B.-W. see S.A. Christman, 6705
 Kong, G. see T. Chun, 5275
 Kong, I.-S. see J.-h. Lee, 2507
 Kong, J.S. see Y.K. Choi, 3085
 Kong, J.Y. see A. Gómez-Muñoz, 3744
 Kong, X. see T. Arnesen, 6428
 Konishi, K. see K.-I. Oinuma, 1394
 Konishi, Y. see M. Berndtsson, 3090
 Kono, A. see Y. Aramaki, 3731
 Konstantinov, A.A. see I. Belevich, 4567
 Koo, J.B. see M.-S. Yoon, 5635
 Koo, S.C. see B.C. Moon, 3885
 Kooistra, M.R.H., M. Corada, E. Dejana and J.L. Bos, Epcal regulates integrity of endothelial cell junctions through VE-cadherin, 4966
 Kopecky, J. see J. Sponarova, 6105
 Kopitar-Jerala, N., A. Schweiger, R.M. Myers, V. Turk and B. Turk, Sensitization of stefin B-deficient thymocytes towards staurosporin-induced apoptosis is independent of cysteine cathepsins, 2149
 Kopka, J. see N. Schauer, 1332
 Korapati, A.L. see Q. Zhang, 3932
 Kornberg, A. see X. Shi, 2014
 Kornberg, R.D. see H. Boeger, 899
 Körner, H. see P. Wunsch, 4605
 Körper, S. see F. Nolte, 3866
 Kosar, A.J. see M.F. Oliveira, 6010
 Koshikawa, S., R. Cornette, M. Hojo, K. Maekawa, T. Matsumoto and T. Miura, Screening of genes expressed in developing mandibles during soldier differentiation in the termite *Hodotermopsis sjostedti*, 1365
 Košťánová-Poliaková, D. and L. Šabová, Lactate utilization in mitochondria prevents Bax cytotoxicity in yeast *Kluyveromyces lactis*, 5152
 Kostjukova, M.N. see D.P. Kunte, 3497
 Kothe, U. see M.V. Rodnina, 938
 Kotlyar, A.B., J.S. Karliner and G. Cecchini, A novel strong competitive inhibitor of complex I, 4861
 Kotova, E.A. see Y.N. Antonenko, 5247
 Kotula, L. see I. Tsujio, 363
 Kouach, M. see F. Authier, 4309
 Kouril, R., A.A. Arteni, J. Lax, N. Yeremenko, S. D'Haene, M. Röger, H.C.P. Matthijs, J.P. Dekker and E.J. Boekema, Structure and functional role of supercomplexes of IsiA and Photosystem I in cyanobacterial photosynthesis, 3253
 Kovács, I.A., M.S. Szalay and P. Csermely, Water and molecular chaperones act as weak links of protein folding networks: Energy landscape and punctuated equilibrium changes point towards a game theory of proteins, 2254
 Kovalchuk, S.I. see Y.N. Antonenko, 5247
 Kovalio, M. see S. Neuman, 5365
 Kővesi, I. see M. Laberge, 627
 Kovvali, G. and K.M. Das, Molecular mimicry may contribute to pathogenesis of ulcerative colitis, 2261
 Koyanagi, M., C. Urbich, E. Chavakis, J. Hoffmann, S. Rupp, C. Badorff, A.M. Zeiher, A. Starzinski-Powitz, J. Haendeler and S. Dimmeler, Differentiation of circulating endothelial progenitor cells to a cardiomyogenic phenotype depends on E-cadherin, 6060
 Kozany, C. see N. Terzyska, 179
 Kralisch, S., J. Klein, U. Lossner, M. Bluher, R. Paschke, M. Stumvoll and M. Fasshauer, Proinflammatory adipocytokines induce TIMP-1 expression in 3T3-L1 adipocytes, 6417
 Krämer, M. see Ø. Samuelsen, 3421
 Krämer, M. see Ø. Samuelsen, 5437
 Krämer, U. see A.-G. Desbrosses-Fonrouge, 4165
 Krammer, B. see T. Kiesslich, 185
 Kraus, I., E. Bogner, H. Lilie, M. Eickmann and W. Garten, Oligomerization and assembly of the matrix protein of Borna disease virus, 2686

- Kraus, I. see M. Eickmann, 4751
 Krause, G. see D. Leitner, 3534
 Krause, G. see A. Thielin, 5227
 Krause, K., I. Kilbienski, M. Mulisch, A. Rödiger, A. Schäfer and K. Krupinska, DNA-binding proteins of the Whirly family in *Arabidopsis thaliana* are targeted to the organelles, 3707
 Krauskopf, M. see R. Pinto, 5553
 Krauss, G. see R. Beinorovičiūtė-Kellner, 4535
 Kreft, M. see S.K. Sikdar, 6575
 Kreienkamp, H.-J. see W. Wente, 6305
 Kremser, L. see A. Nicodemou, 5507
 Krijanovski, Y. see M.T. Nieman, 25
 Krijger, G.C. see R.F. Mills, 783
 Krippahl, L. see P.N. Palma, 4585
 Kristensen, O. see B.R. Johannessen, 1208
 Kröger, S. see F. Saito, 2359
 Kroneck, P.M.H. see P. Wunsch, 4605
 Krupinska, K. see K. Krause, 3707
 Krylov, S.N. see S.M. Krylova, 1371
 Krylova, S.M., M. Musheev, R. Nutiu, Y. Li, G. Lee and S.N. Krylov, Tau protein binds single-stranded DNA sequence specifically – the proof obtained in vitro with non-equilibrium capillary electrophoresis of equilibrium mixtures, 1371
 Krzyzanowski, P.M. see C. Perez-Iratxeta, 1795
 Ksiezak-Reding, H. see Z. Zhao, 2119
 Kuang, T.-Y. see Z.-W. Yi, 3569
 Kubo, K. see Y.T. Sato, 3095
 Kubo, K. see F. Luckel, 5119
 Kubodera, T. see T. Yamauchi, 2583
 Kubota, H. see R. Matsuo, 2433
 Kubota, M. see A. Fukumoto, 1047
 Kubota, S., Y. Mukudai, N.H. Moritani, K. Nakao and K. Kawata, and M. Takigawa, Translational repression by the *cis*-acting element of structure-anchored repression (CAESAR) of human *ctgf/ccn2* mRNA, 3751
 Kudla, U., L. Qin, A. Milac, A. Kielak, C. Maissen, H. Overmars, H. Popeijus, E. Roze, A. Petrescu, G. Smart, J. Bakker and J. Helder, Origin, distribution and 3D-modeling of Gr-EXPB1, an expansin from the potato cyst nematode *Globodera rostochiensis*, 2451
 Kudo, D. see S. Yoshihara, 2722
 Kudo, T. see H. Ishida, 71
 Kuhn, H. see P. Chaitidis, 3691
 Kuhnle, K. see M.N.M. Gaugler, 753
 Kuipers, F. see B. Cariou, 4076
 Kuklin, A.I. see D.V. Lebedev, 1465
 Kulkarni, K.A., S. Sinha, S. Katiyar, A. Surolia, M. Vijayan and K. Suguna, Structural basis for the specificity of basic winged bean lectin for the Tn-antigen: A crystallographic, thermodynamic and modelling study, 6775
 Kulkarni, M.G. see G.D. Gupta, 3141
 Kumar, R., M. Raclaru, T. Schüßeler, J. Gruber, R. Sadre, W. Lühs, K.M. Zarhloul, W. Friedt, D. Enders, M. Frentzen and D. Weier, Characterisation of plant tocopherol cyclases and their overexpression in transgenic *Brassica napus* seeds, 1357
 Kumar, V. see G.D. Gupta, 3141
 Kumari, D. see V. Handa, 2702
 Kume, K. see T. Song, 5658
 Kumita, H. see K.-I. Oinuma, 1394
 Kunjl, A.J. see S.F. Falsone, 6350
 Kunte, D.P., R.K. Wali, J.L. Koetsier, J. Hart, M.N. Kostjukova, A.Y. Kilimnik, I.G. Pyatkin, S.R. Strelnikova and H.K. Roy, Down-regulation of the tumor suppressor gene C-terminal Src kinase: An early event during premalignant colonic epithelial hyperproliferation, 3497
 Kunze, M. see I. Weinhofer, 5512
 Kurachi, M. see M. Iwamoto, 4423
 Kuret, J. see M. Necula, 1453
 Kuriyan, J. see G.D. Bowman, 863
 Kurnaz, I.A. see I. Oney, 433
 Kurnaz, M.L. see I. Oney, 433
 Kuroda, M., K. Oikawa, T. Ohbayashi, K. Yoshida, K. Yamada, J. Mimura, Y. Matsuda, Y. Fujii-Kuriyama and K. Mukai, A dioxin sensitive gene, mammalian *WAPL*, is implicated in spermatogenesis, 167
 Kuroda, Y. see Y. Chen, 2040
 Kurreck, J. see Z. Zaborowska, 554
 Kurschat, P. see A. Stahl, 5338
 Kusano, H. see M. Kanagawa, 4792
 Kutukova, E.A., V.A. Livshits, I.P. Altman, L.R. Ptitsyn, M.H. Zyatin-dinov, I.L. Tokmakova and N.P. Zakataeva, The *yeaS* (*leuE*) gene of *Escherichia coli* encodes an exporter of leucine, and the Lrp protein regulates its expression, 4629
 Kuwabara, M. see Y. Kakinuma, 2111
 Kuwahara, M. see Y. Temmei, 4417
 Kuwasako, K. see Y.-N. Cao, 4997
 Kuzuyama, T. see K.-J. Puan, 3802
 Kwon, J. see S.J. Kim, 534
 Kwon, T.K. see K.J. Woo, 705
 Kwon, Y.-W. see H.-E. Moon, 3797
 Kycia, S.W. see M.F. Oliveira, 6010
 Kyo, S. see M. Hashimoto, 2959
- ## L
- Labarca, P. see G. Gasque, 5129
 Laberge, M., I. Kövesi, T. Yonetani and J. Fidy, R-state hemoglobin bound to heterotropic effectors: models of the DPG, IHP and RSR13 binding sites, 627
 Labudde, D. see D. Leitner, 3534
 Lachance, D. see M. Cloutier, 4659
 Lack, O. see D.A. Rusling, 6616
 Laezza, C. see D. Sarnataro, 6343
 Laffont-Proust, I., B.A. Faucheuix, R. Hässig, V. Sazdovitch, S. Simon, J. Grassi, J.-J. Hauw, K.L. Moya and S. Haik, The N-terminal cleavage of cellular prion protein in the human brain, 6333
 Laforest, M.-J., L. Delage and L. Maréchal-Drouard, The T-domain of cytosolic tRNA^{Val}, an essential determinant for mitochondrial import, 1072
 Lafranconi, P.G. see G. Santarossa, 2383
 Lagarde, M. see K. Geoffroy, 1249
 Laggner, H., M. Hermann, B. Sturm, B.M.K. Gmeiner and S. Kapoitis, Sulfitate facilitates LDL lipid oxidation by transition metal ions: A pro-oxidant in wine? 6486
 Lago, F. see M. Otero, 295
 Lago, F. see R. Piñeiro, 5163
 Lago, R. see M. Otero, 295
 Lagoutte, B. see P.N. Palma, 4585
 Lai, C.-C. see C.-W. Lin, 6089
 Lai, R. see W.-H. Lee, 4443
 Lai, Y.-H. see S.-W. Huang, 449
 Laigneau, J.-P. see H. Goïot, 1911
 Laisk, A. see H. Pettai, 4017
 Laitala-Leinonen, T. see Y. Hu, 4937
 Lalowski, M. see J.C. Dächsel, 3913
 Lam, E. see C. Lo, 1498
 Lamas, S. see M. Martínez-Moreno, 3159
 Lamble, H.J., A. Theodosius, C.C. Milburn, G.L. Taylor, S.D. Bull, D.W. Hough and M.J. Danson, Promiscuity in the part-phosphorylative Entner–Doudoroff pathway of the archaeon *Sulfolobus solfataricus*, 6865
 Lambrusco, L. see L.S. Coles, 5372
 Lammers, J.J. see M. Rosas, 191
 Lammertyn, E. see S.D. Keersmaeker, 797
 Lancelin, J.M. see A.S. Bretonnet, 3363
 Landrieu, I. see C. Smet, 4159
 Landry, M.M. see S.A. Christman, 6705
 Langel, Ü. see J. Parenteau, 4873
 Langel, Ü. see T. Holm, 5217
 Langer, T., S. Seeramulu, M. Vogtherr, B. Elshorst, M. Betz, U. Schieborr, K. Saxena and H. Schwalbe, Folding and activity of cAMP-dependent protein kinase mutants, 4049
 Langouët, S. see P. Zindy, 95
 Lania, L. see S. Amenta, 683
 Lanni, A. see E. Silvestri, 1639
 Laoteng, K. see S. Na-Ranong, 2744
 Lapenna, D., G. Ciosani, S.D. Pierdomenico, M.A. Giamberardino and F. Cuccurullo, Copper, zinc superoxide dismutase plus hydrogen peroxide: a catalytic system for human lipoprotein oxidation, 245
 Larkum, A.W.D. see M. Chen, 1306
 Larman, B. see V. Kolev, 5798
 Larsen, J.N. see B.R. Johannessen, 1208
 Larsen, R.W. see J. Mikšovská, 3014
 Larsson, N. see E. Ryberg, 259

- Larsson, T.P., C.G. Murray, T. Hill, R. Fredriksson and H.B. Schiöth, Comparison of the current RefSeq, Ensembl and EST databases for counting genes and gene discovery, 690
- LaRusch, J. see M.I. Milewski, 483
- Lasierra, P. see M. Artieda, 4503
- Last, K. see S. Knox, 5019
- Lathe III, W.C. see M. Suyama, 5281
- Lau, A.S.Y. see J.C.B. Li, 3055
- Launay, J.-M. see S. Robert, 1136
- Lauquin, G. see H. Nury, 6031
- Laurent, D. see E. Jaimovich, 2051
- Laurents, D.V. see M. Guo, 3574
- Lauvral, S.U., H. Hollås, A.P. Døskeland, I. Aukrust, T. Flatmark and A. Vedeler, Ubiquitinated annexin A2 is enriched in the cytoskeleton fraction, 203
- Law, K.M. see K.Y.C. Chow, 6699
- Lawrence, A. see R. Neeli, 5582
- Lawrence, C.P. and S.C. Chow, FADD deficiency sensitises Jurkat T cells to TNF- α -dependent necrosis during activation-induced cell death, 6465
- Lax, J. see R. Kouřil, 3253
- Le, W. see T. Pan, 6716
- Le Strat, L. see D.A. Rusling, 6616
- Leali, D. see R. Giuliani, 6251
- Lebedev, D.V., M.V. Filatov, A.I. Kuklin, A.Kh. Islamov, E. Kentzinger, R. Pantina, B.P. Toperverg and V.V. Isaev-Ivanov, Fractal nature of chromatin organization in interphase chicken erythrocyte nuclei: DNA structure exhibits biphasic fractal properties, 1465
- Lechauve, F. see S. Jouannic, 2709
- Leclercq, G. see S. Van Slambrouck, 1665
- Lecoin, L. see K. Sii-Felice, 3547
- Lecompte, M.-F., J. Clavilier, C. Rolland, X. Collet, A. Nègre-Salvayre and R. Salvayre, Effect of 4-hydroxynonenal on phosphatidylethanolamine containing condensed monolayer and on its interaction with apolipoprotein A-I, 5074
- Lecrueur, V., E.L. Ferrec, M. N'diaye, M.L. Vee, C. Gardyn, D. Gilot and O. Fardel, ERK-dependent induction of TNF α expression by the environmental contaminant benzo(a)pyrene in primary human macrophages, 1904
- Ledda, F. see L. Bellik, 2731
- Leduc, D. see L. Touqui, 4923
- Lee, A.M. see Y.J. Im, 5521
- Lee, A.Y. see Y. Lee, 4769
- Lee, B.R. see K. Iwai, 141
- Lee, C.H. see Y. Lee, 4769
- Lee, D. see X. Xu, 549
- Lee, D.C.W. see J.C.B. Li, 3055
- Lee, D.H. see Y. Lee, 4769
- Lee, D.-W., Y.-H. Hong, E.-A. Choe, S.-J. Lee, S.-B. Kim, H.-S. Lee, J.-W. Oh, H.-H. Shin and Y.-R. Pyun, A thermodynamic study of mesophilic, thermophilic, and hyperthermophilic L-arabinose isomerases: The effects of divalent metal ions on protein stability at elevated temperatures, 1261
- Lee, E.B., L.Z. Leng, V.M.-Y. Lee and J.Q. Trojanowski, Meningoencephalitis associated with passive immunization of a transgenic murine model of Alzheimer's amyloidosis, 2564
- Lee, E.-M. see J.-h. Lee, 2507
- Lee, G. see S.M. Krylova, 1371
- Lee, H.-J., M.-S. Kim, Y.-K. Kim, Y.-K. Oh and K.-H. Baek, HAUSP, a deubiquitinating enzyme for p53, is polyubiquitinated, poly neddylated, and dimerized, 4867
- Lee, H.-K. see H.-M. Ko, 2369
- Lee, H.-S. see D.-W. Lee, 1261
- Lee, J. see T.H. Kim, 53
- Lee, J. see G.A. Stepanyuk, 1008
- Lee, J. see H.H. Jung, 3941
- Lee, J.-h. see S.-H. Lee, 1027
- Lee, J.-h., S.-H. Ahn, E.-M. Lee, S.-H. Jeong, Y.-O. Kim, S.-J. Lee and I.-S. Kong, The FAXWXXT motif in the carboxyl terminus of *Vibrio mimicus* metalloprotease is involved in binding to collagen, 2507
- Lee, J.-H. see J.M. Arias, 3907
- Lee, J.-h. see S.-H. Lee, 6288
- Lee, J.H. see C.Y. Park, 1545
- Lee, J.H. see J. Sun, 5494
- Lee, J.-K. see W.-C. Choi, 3461
- Lee, J.M. see S.A. Innocente, 1001
- Lee, J.S. see J.H. Joo, 1243
- Lee, J.S. see Y. Lee, 4769
- Lee, J.-S. see I.S. Kim, 6044
- Lee, J.-Y. see S.J. Kim, 534
- Lee, J.-Y. see T. Chun, 5275
- Lee, K.H. see K.A. Kang, 6295
- Lee, K.S. see M.-S. Yoon, 5635
- Lee, M. see X. Xu, 549
- Lee, M.-C. see Y.-M. Hsiao, 3525
- Lee, N.H. see K.A. Kang, 6295
- Lee, S., D. Johnson, K. Dunbar, H. Dong, X. Ge, Y.C. Kim, C. Wing, N. Jayathilaka, N. Emmanuel, C.Q. Zhou, H.L. Gerber, C.C. Tseng and S.M. Wang, 2.45GHz radiofrequency fields alter gene expression in cultured human cells, 4829
- Lee, S.-H., J.-W. Kim, S.-H. Oh, Y.-J. Kim, S.-B. Rho, K. Park, K.-L. Park and J.-h. Lee, IFN- γ /IRF-1-induced p27^{kip1} down-regulates telomerase activity and human telomerase reverse transcriptase expression in human cervical cancer, 1027
- Lee, S.H. see J.W. Chang, 2873
- Lee, S.-H., J.-W. Kim, S.-H. Oh, Y.-J. Kim, S.-B. Rho, K. Park, K.-L. Park and J.-h. Lee, Corrigendum to: "IFN- γ /IRF-1-induced p27^{kip1} down-regulates telomerase activity and human telomerase reverse transcriptase expression in human cervical cancer (FEBS 29236)" [FEBS Letters 579 (2005) 1027–1033], 6288
- Lee, S.-J. see D.-W. Lee, 1261
- Lee, S.-J. see J.-h. Lee, 2507
- Lee, S.-j. see C.-k. Chang, 5663
- Lee, S.-J. see Y.H. Kim, 6272
- Lee, S.M. see C.Y. Park, 1545
- Lee, S.M. see B.C. Moon, 3885
- Lee, S.-W. see S.-G. Hwang, 4837
- Lee, S.Y. see M. Takami, 832
- Lee, T.-G. see C.J. Zheng, 5157
- Lee, V.M.Y. see E.B. Lee, 2564
- Lee, W.-H., J. Zhang, Y.-X. Zhang, Y. Jin, R. Lai and Y. Zhang, Maximin 9, a novel free thiol containing antimicrobial peptide with anti-mycoplasma activity from frog *Bombina maxima*, 4443
- Lee, Y., D.H. Lee, C.W. Kho, A.Y. Lee, M. Jang, S. Cho, C.H. Lee, J.S. Lee, P.K. Myung, B.C. Park and S.G. Park, Transthyretin-related proteins function to facilitate the hydrolysis of 5-hydroxyisourate, the end product of the uricase reaction, 4769
- Lee, Y. see K.A. Kang, 6295
- Lee, Y.C., Y. Higashi, C. Luu, C. Shimizu and C.A. Strott, Sp1 elements in *SULT2B1b* promoter and 5'-untranslated region of mRNA: Sp1/Sp2 induction and augmentation by histone deacetylase inhibition, 3639
- Lee, Y.J. see W.C. Lim, 5430
- Lee, Y.S. see J. Sun, 5494
- Lee-Hoefflich, S.T., X. Zhao, A. Mehra and L. Attisano, The *Drosophila* type II receptor, Wishful thinking, binds BMP and myoglianin to activate multiple TGF β family signaling pathways, 4615
- Lehle, L. see M. Schwarz, 6564
- Lehmann, A.R., Replication of damaged DNA by translesion synthesis in human cells, 873
- Lehmann, G. see M. Sumper, 3765
- Lehrer, R.I. see Z. Wu, 162
- Leidert, M. see D. Leitner, 3534
- Leimkühler, S. see F. Forlani, 6786
- Leipold, E., A. Hansel, B.M. Olivera, H. Terlau and S.H. Heinemann, Molecular interaction of δ -conotoxins with voltage-gated sodium channels, 3881
- Leitgeb, S., B. Petschacher, D.K. Wilson and B. Nidetzky, Fine tuning of coenzyme specificity in family 2 aldo-keto reductases revealed by crystal structures of the Lys-274 \rightarrow Arg mutant of *Candida tenuis* xylose reductase (AKR2B5) bound to NAD $^+$ and NADP $^+$, 763
- Leitner, D., M. Wahl, D. Labudde, G. Krause, A. Diehl, P. Schmid, J.R. Pires, M. Fossi, U. Wiedemann, M. Leidert and H. Oschkinat, The solution structure of an N-terminally truncated version of the yeast CDC24p PB1 domain shows a different β -sheet topology, 3534
- Lemansky, P. see S. Mencarelli, 5501
- Lemassu, A. see M.-J. Torija, 3999
- Lemerle, C., B. Di Ventura and L. Serrano, Space as the final frontier in stochastic simulations of biological systems, 1789
- Lenain, V. see A. Abderrahmani, 6199
- Leng, B., X.-D. Liu and Q.-X. Chen, Inhibitory effects of anticancer peptide from *Mercenaria* on the BGC-823 cells and several enzymes, 1187
- Leng, L.Z. see E.B. Lee, 2564
- Lennarz, W.J. see S. Joshi, 823
- Lentzen, G. see M. Kanapathipillai, 4775
- Lenz, O. see G. Winter, 4292
- León, S., B. Touraine, J.-F. Briat and S. Lobréaux, Mitochondrial localization of *Arabidopsis thaliana* Isu Fe–S scaffold proteins, 1930

- Lepiniec, L. see M. Santos Mendoza, 4666
 Lequeu, J., F. Simon-Plas, J. Fromentin, P. Etienne, A.-S. Petitot, J.-P. Blein and L. Sutty, Proteasome comprising a β 1 inducible subunit acts as a negative regulator of NADPH oxidase during elicitation of plant defense reactions, 4879
 Leroy, O. see P. Delobel, 1
 Lesage, B., M. Beullens, H. Ceulemans, B. Himpens and M. Bollen, Determinants of the nucleolar targeting of protein phosphatase-1, 5626
 Lesavre, P. see J. Nguyen, 5487
 Leshchiner, A.D. see D.V. Rakitina, 4955
 Letcher, A.J. see H.F. Roberts, 2868
 Letunic, I. see E.M. Zdobnov, 3355
 Leung, B.C.S. see Z. Liu, 1477
 Leung, F.C.C. see K.Y.C. Chow, 6699
 Levi, R. see G. Alloatti, 133
 Levicán, G., A. Katz, P. Valenzuela, D. Söll and O. Orellana, A tRNA^{Glu} that uncouples protein and tetrapyrrole biosynthesis, 6383
 Levy, I. see M. Bakhanashvili, 1435
 Levy, P. see E. Pinzar, 5100
 Leyls, D. see R. Neeli, 5582
 Lezoualc'h, F. see S. Robert, 1136
 Lezoualc'h, F. see M. Berthouze, 2973
 Li, C. see Z. Wang, 1683
 Li, E.R. and F.M. Watt, Topo II α reporter mice reveal proliferative regions in the epidermis and small intestine, 6479
 Li, F.Q., H. Xiao, J.P. Tam and D.X. Liu, Sumoylation of the nucleocapsid protein of severe acute respiratory syndrome coronavirus, 2387
 Li, G. see Q. Zhang, 3674
 Li, G. see Y. Fang, 4175
 Li, G.G. see Y. Fang, 6365
 Li, H. see J. Wu, 421
 Li, H.-W. and S.-W. Ding, Antiviral silencing in animals, 5965
 Li, J. see J. Gao, 122
 Li, J. see H. Qin, 1220
 Li, J.C.B., D.C.W. Lee, B.K.W. Cheung and A.S.Y. Lau, Mechanisms for HIV Tat upregulation of IL-10 and other cytokine expression: Kinase signaling and PKR-mediated immune response, 3055
 Li, J.-Y. see C.-W. Lin, 6089
 Li, L.-J. see Z.-G. Wang, 4928
 Li, L.-l. see M. Ye, 3437
 Li, Q. see T. Yamashita, 241
 Li, S. see A. Zaslavsky, 3899
 Li, T., F. ter Veld, H.R. Nürnberg and F. Wehner, A novel hypertonicity-induced cation channel in primary cultures of human hepatocytes, 2087
 Li, W. see J. Frank, 959
 Li, W. see M. Ye, 3437
 Li, W. see Q. Zhang, 3674
 Li, X. see Q. Zhang, 3674
 Li, X. see T. Pan, 6716
 Li, Y. see S.M. Krylova, 1371
 Li, Y. see H. Zhu, 3029
 Li, Y. see F. Yokoi, 4822
 Li, Y. see M. Jia, 5333
 Li, Y.-T. see S. Mencarelli, 5501
 Li, Y.X. see W. Lu, 2130
 Li, Z. see H. Wang, 1279
 Li, Z., Y. Xiong, Y. Peng, J. Pan, Y. Chen, X. Wu, S. Hussain, P. Tien and D. Guo, Specific inhibition of HIV-1 replication by short hairpin RNAs targeting human cyclin T1 without inducing apoptosis, 3100
 Li, Z. see H. Zong, 3579
 Li, Z. see Q. Zhang, 3674
 Liang, N.-C. see Z. Liu, 1477
 Liang, Y. see H. Qin, 1220
 Liao, H.-Y. see Y.-M. Hsiao, 3525
 Liberona, J.L. see E. Jaimovich, 2051
 Licciardo, P. see S. Amante, 683
 Lichtenberg-Fraté, H. see G. Hasenbrink, 1723
 Lidke, K.A. see J.N. Post, 325
 Liebl, D. see E. Bouïa, 6549
 Lijun, Y. see K. Sugita, 1085
 Lilie, H. see I. Kraus, 2686
 Liljas, A. see G. von Heijne, 851
 Liljas, A. see S. Hansson, 4492
 Lillehaug, J.R. see T. Arnesen, 6428
 Lim, C.O. see C.Y. Park, 1545
 Lim, C.O. see B.C. Moon, 3885
 Lim, C.R. see S. Murata, 2137
 Lim, E.-K., R.G. Jackson and D.J. Bowles, Identification and characterisation of *Arabidopsis* glycosyltransferases capable of glucosylating coniferyl aldehyde and sinapyl aldehyde, 2802
 Lim, L. see L. Yeow-Fong, 5040
 Lim, W.C., M. Park, J.-J. Bahn, H. Inoue and Y.J. Lee, Hypertonic sodium chloride induction of cyclooxygenase-2 occurs independently of NF- κ B and is inhibited by the glucocorticoid receptor in A549 cells, 5430
 Limido, L. see C. Soto, 638
 Lin, A. see F. Teraishi, 6681
 Lin, C.-W., F.-J. Tsai, L. Wan, C.-C. Lai, K.-H. Lin, T.-H. Hsieh, S.-Y. Shiu and J.-Y. Li, Binding interaction of SARS coronavirus 3CL^{pro} protease with vacuolar-H⁺ ATPase G1 subunit, 6089
 Lin, G.-M. see W. Lu, 2130
 Lin, J.-K. see T.-D. Way, 145
 Lin, K.-H. see C.-W. Lin, 6089
 Lin, Y. see W. Lu, 2130
 Lin, Z. see T. Arnesen, 6428
 Linder, S. see M. Berndtsson, 3090
 Linding, R. see T. Pawson, 1808
 Ling, K.K.Y., N.L. Siow, R.C.Y. Choi and K.W.K. Tsim, ATP potentiates the formation of AChR aggregate in the co-culture of NG108-15 cells with C2C12 myotubes, 2469
 Ling, S. see H.J. Feldman, 4685
 Link, C.D. see V. Kapulkin, 3063
 Linse, S. see J. Fast, 6095
 Lint, C.V. see F. T'Sas, 66
 Lionetti, L. see M.P. Mollica, 1978
 Lipari, M.T. see D. Kirchhofer, 1945
 Lippens, G. see C. Smet, 4159
 Lipps, G. see R. Beinoravičiūtė-Kellner, 4535
 Litwiller, R.D. see O. Wiesner, 5305
 Liu, C. see P. Zhang, 1446
 Liu, D.X. see F.Q. Li, 2387
 Liu, J. see Y. Gong, 115
 Liu, J. see Y. Zhang, 2897
 Liu, J.-k. see M. Ye, 3437
 Liu, L. see H. Zong, 3579
 Liu, M. see B. Bryan, 1015
 Liu, M. see J. Zhou, 1715
 Liu, M. see W. Chen, 2267
 Liu, M. see P. Zhao, 2404
 Liu, R. see Y. Wen, 4591
 Liu, S. see L. Sun, 251
 Liu, S.-f. see M. Ye, 3437
 Liu, X. see Y. Zhang, 2897
 Liu, X.-D. see B. Leng, 1187
 Liu, X.-F. see Y.-X. Wang, 4843
 Liu, X.-G., J.-J. Zhao and Q.-Y. Wu, Oxidative stress and metal ions effects on the cores of phycobilisomes in *Synechocystis* sp. PCC 6803, 4571
 Liu, Y. see J. Zhou, 1715
 Liu, Y.-H. see Y.-J. Zhang, 6230
 Liu, Y.-M. see H. Geng, 6763
 Liu, Z., E.K.W. Ng, N.-C. Liang, Y.-f. Deng, B.C.S. Leung and G.G. Chen, Cell death induced by *Pteris semipinnata* L. is associated with p53 and oxidant stress in gastric cancer cells, 1477
 Liu, Z. see Q. Zhang, 3674
 Liu, Z. see M.R. Warr, 5603
 Liu, Z.-J., X. Lu, Y. Zhang, S. Zhong, S.-Z. Gu, X.-B. Zhang, X. Yang and H.-M. Xin, Downregulated mRNA expression of ASPP and the hypermethylation of the 5'-untranslated region in cancer cell lines retaining wild-type p53, 1587
 Liverini, G. see M.P. Mollica, 1978
 Livshits, V.A. see E.A. Kutukova, 4629
 Lizcano, J.M. see M. Jaleel, 1417
 Ljungdahl, L.G. see I.A. Kataeva, 4367
 Llewellyn, D.H. see A.G. Roberts, 1061
 Llige, D. see R. Gonzalo, 6909
 Lo, A.W.-I. see H. Geng, 6763
 Lo, C., N. Wang and E. Lam, Inducible double-stranded RNA expression activates reversible transcript turnover and stable translational suppression of a target gene in transgenic tobacco, 1498
 Lo Han, J.H. see J.W. Youm, 6737
 Lobo, A. see C.E. Dempsey, 3646
 Lobreaux, S. see S. Léon, 1930
 LoBrutto, R. see T. Ohnishi, 500
 Logan, D.T. see S. Hansson, 4492
 Loiseau, L. see S. Ollagnier-de Choudens, 3737

- Loitsch, S. see S. Kippenberger, 207
 Loll, B. see H. Ishikita, 712
 Lombardi, A. see E. Silvestri, 1639
 London, J. see M.L. Pecheur, 3613
 Longstaff, C. and C. Thelwell, Understanding the enzymology of fibrinolysis and improving thrombolytic therapy, 3303
 Lopez, A. see M.I. Milewski, 483
 Lopez, M. see N. Reymond, 2243
 López-Bigas, N., B. Audit, C. Ouzounis, G. Parra and R. Guigó, Are splicing mutations the most frequent cause of hereditary disease? 1900
 López-Durán, R.M. see M. Rodriguez-Sosa, 6403
 Lopez-Ilasaca, M.A., J.C. Bernabe-Ortiz, S.-Y. Na, V.J. Dzau and R.J. Xavier, Bioluminescence resonance energy transfer identify scaffold protein CNK1 interactions in intact cells, 648
 López-Soriano, F.J. see S. Busquets, 717
 López-Soriano, F.J. see E. Barreiro, 1646
 Lorch, Y. see H. Boeger, 899
 Loreni, F., V. Iadevaia, E. Tino, S. Calderola and F. Amaldi, RACK1 mRNA translation is regulated via a rapamycin-sensitive pathway and coordinated with ribosomal protein synthesis, 5517
 Lörinczy, D. see B. Visegrády, 6
 Lornejad-Schäfer, M.R., U. Albrecht, D. Poppek, T. Gehrmann, T. Grune, J.G. Bode, D. Häussinger and F. Schliess, Osmotic regulation of STAT3 stability in H4IIE rat hepatoma cells, 5791
 Lösscher, S., I. Zebger, L.K. Andersen, P. Hildebrandt, W. Meyer-Klaucke and M. Haumann, The structure of the Ni–Fe site in the isolated HoxC subunit of the hydrogen-sensing hydrogenase from *Ralstonia eutropha*, 4287
 Lossner, U. see S. Kralisch, 6417
 Lotfipour, F. see A. Basak, 4813
 Lotti, M. see G. Santarossa, 2383
 Lotti, M. see D. Ami, 3433
 Lottin-Divoux, S., M. Barel and R. Frade, RB18A enhances expression of mutant p53 protein in human cells, 2323
 Low, B.C. see B.L. Lua, 577
 Löw, P., G.C. Talián and M. Sass, Up- and downregulated genes in muscles that undergo developmentally programmed cell death in the insect *Manduca sexta*, 4943
 Lowe, J. see I. Morin, 1117
 Löwe, J. see F. van den Ent, 3837
 Loyer, P. see F. Desmots, 5691
 Lozano, C., J.L. Torres, L. Julià, A. Jimenez, J.J. Centelles and M. Cascante, Effect of new antioxidant cysteinyl-flavanol conjugates on skin cancer cells, 4219
 Lu, B. see J. Zhang, 559
 Lu, H. see F. Zhou, 3369
 Lu, W. see Z. Wu, 162
 Lu, W., X.-D. Wu, M.D. Shi, R.F. Yang, Y.Y. He, C. Bian, T.L. Shi, S. Yang, X.-L. Zhu, W.-H. Jiang, Y.X. Li, L.-C. Yan, Y.Y. Ji, Y. Lin, G.-M. Lin, L. Tian, J. Wang, H.X. Wang, Y.H. Xie, G. Pei, J.R. Wu and B. Sun, Synthetic peptides derived from SARS coronavirus S protein with diagnostic and therapeutic potential, 2130
 Lu, X. see Z.-J. Liu, 1587
 Lu, Y. see P. Zhao, 2404
 Lu, Y.-F. see H. Michiue, 3965
 Lu, Z. see T. Koga, 2811
 Lu, Z.-x. see M. Ye, 3437
 Lua, B.L. and B.C. Low, Cortactin phosphorylation as a switch for actin cytoskeletal network and cell dynamics control, 577
 Lubkowski, J. see Z. Wu, 162
 Luckel, F., K. Kubo, K. Tsumoto and K. Yoshikawa, Enhancement and inhibition of DNA transcriptional activity by spermine: A marked difference between linear and circular templates, 5119
 Lücking, C.B. see J.C. Dächsel, 3913
 Ludden, P.W. see R.K. Ponnuraj, 5751
 Ludwig, I.S. see K.P.J.M. van Gisbergen, 6159
 Ludwig, J. see G. Hasenbrink, 1723
 Lüersen, K., *Leishmania major* thialysine N^ε-acetyltransferase: Identification of amino acid residues crucial for substrate binding, 5347
 Lüersen, K. see V.T. Dufe, 6037
 Luger, K. see S. Chakravarthy, 895
 Lühs, W. see R. Kumar, 1357
 Luiken, J.J.F.P. see A. Chabowski, 2428
 Lukovic, D. see M. Orzáez, 1633
 Lund, K. see B.R. Johannessen, 1208
 Lundgren, K. see N. Schauer, 1332
 Luo, H., Q. Chen, J. Chen, K. Chen, X. Shen and H. Jiang, The nucleocapsid protein of SARS coronavirus has a high binding affinity to the human cellular heterogeneous nuclear ribonucleoprotein A1, 2623
 Luo, L. see B. Xue, 4081
 Luo, S. see J. Wu, 421
 Luo, Y. see Y. He, 1503
 Luo, Y. see Z.-G. Wang, 4928
 Luton, F. see S. Klein, 5741
 Lutz, T. see N. Terziyska, 179
 Lutz, Y. see R.A. Bersaoui, 2715
 Luu, C. see Y.C. Lee, 3639
 Lyons, G.E. see S.M. Metcalfe, 609
 Lyons, P.A. see E.C.J.M. de Vet, 2355
- # M
- Ma, D. see C. Jin, 6375
 Ma, H., M. Azuma and T.R. Shearer, Degradation of human aquaporin 0 by m-calpain, 6745
 Ma, J.-x. see Y. Takahashi, 5414
 Ma, L. see J. Gao, 122
 Ma, W.-J. see L.-C. Zeng, 5443
 Mabuchi, I. see K. Nakano, 5181
 Maceyka, M. see S. Sarkar, 5313
 MacFadyen, J.R., O. Haworth, D. Roberston, D. Hardie, M.-T. Webster, H.R. Morris, M. Panico, M. Sutton-Smith, A. Dell, P. van der Geer, D. Wienke, C.D. Buckley and C.M. Isacke, Endosialin (TEM1, CD248) is a marker of stromal fibroblasts and is not selectively expressed on tumour endothelium, 2569
 Maci, R. see G. Cappelletti, 4781
 Maciag, T. see V. Kolev, 5798
 Macías-Silva, M. see A. Vázquez-Macías, 3701
 Maciaszczyk, E. see D. Rakus, 5577
 Mackenzie, S. see D.B. Iliev, 6519
 Madan, R. see F.J. Gunn-Moore, 5089
 Madan, V., M.d.J. Garcia, M.A. Sanz and L. Carrasco, Viroporin activity of murine hepatitis virus E protein, 3607
 Madrid, R., J.E. Gasteier, J. Bouchet, S. Schröder, M. Geyer, S. Benichou and O.T. Fackler, Oligomerization of the diaphanous-related formin FHOD1 requires a coiled-coil motif critical for its cytoskeletal and transcriptional activities, 441
 Madsen, P. see U.B. Westergaard, 1172
 Madsen, P. see U.B. Westergaard, 2749
 Madvar, A.R., S. Hosseinkhani, K. Khajeh, B. Ranjbar and A. Assoodeh, Implication of a critical residue (Glu175) in structure and function of bacterial luciferase, 4701
 Madziva, M.T. see C.L. Gouill, 4985
 Maeda, M. see C. Sumita, 4038
 Maeda, T. see S. Ohkouchi, 1745
 Maeda, Y. see K. Migita, 3119
 Maehama, T. see H. Miyazaki, 6834
 Maekawa, K. see S. Koshikawa, 1365
 Maeshima, M. see H. Mimura, 3625
 Maeshima, M. see F. Ishikawa, 5814
 Magalhaes, J.R. see L.V. Modolo, 3814
 Magini, A. see S. Mencarelli, 5501
 Magnusson, J. see X.P. Wang, 3107
 Mahon, M.J. and M. Shimada, Calmodulin interacts with the cytoplasmic tails of the parathyroid hormone 1 receptor and a sub-set of class b G-protein coupled receptors, 803
 Maia, R. see E. Silles, 4044
 Maida, Y. see M. Hashimoto, 2959
 Maier, U.-G. see E. Hjorth, 1129
 Mailliére, B. see A. Babon, 1658
 Maillet, M. see S. Robert, 1136
 Maiolica, A. see C. Carissimi, 2348
 Maiorino, M., P. Mauri, A. Roveri, L. Benazzi, S. Toppo, V. Bosello and F. Ursini, Primary structure of the nuclear forms of phospholipid hydroperoxide glutathione peroxidase (PHGPx) in rat spermatozoa, 667
 Maissen, C. see U. Kudla, 2451
 Maitani, T. see H. Akiyama, 4485
 Majello, B. see S. Amenta, 683
 Makde, R.D. see G.D. Gupta, 3141
 Maki, C.G. see T. Inoue, 4978
 Maki, M. see S. Ohkouchi, 1745
 Makifuchi, T. see T. Yasukawa, 2948
 Malan, D. see G. Alloatti, 133

- Malev, V.V. see O.S. Ostroumova, 5675
 Malhotra, R. see X. Zhong, 5643
 Malina, A., S. Khan, C.B. Carlson, Y. Svitkin, I. Harvey, N. Sonenberg, P.A. Beal and J. Pelletier, Inhibitory properties of nucleic acid-binding ligands on protein synthesis, 79
 Malorni, W. see E. Straface, 2759
 Mambula, S.S. see J.R. Thériault, 1951
 Mamczur, P., D. Rakus, A. Gizak, D. Dus and A. Dzugaj, The effect of calcium ions on subcellular localization of aldolase-FBPase complex in skeletal muscle, 1607
 Manabe, T. see T. Ohtsuki, 6769
 Mancuso, S. see D. Santelia, 5399
 Mander, A., C.P. Hodgkinson and G.J. Sale, Knock-down of LAR protein tyrosine phosphatase induces insulin resistance, 3024
 Mander, G.J., M.S. Weiss, R. Hedderich, J. Kahnt, U. Ermler and E. Warkentin, X-ray structure of the γ -subunit of a dissimilatory sulfite reductase: Fixed and flexible C-terminal arms, 4600
 Mangala, S.L. see B.-J. Kim, 3075
 Mangano, V. see A. De Blasio, 615
 Mann, H.H. see R. Wagener, 3323
 Mann, N.H. see S. Bailey, 275
 Manser, E. see L. Yeow-Fong, 5040
 Manso, M.A. see I. De Dios, 6355
 Mansouri, A. see Q. Zhang, 3932
 Mäntele, W. see S. Sukumaran, 2546
 Manyá, H. see F. Saito, 2359
 Manzano, A. see M. Gómez, 357
 Manzoni, R. see E. Sacco, 6851
 Manzur, K.L. and M.-M. Zhou, An archaeal SET domain protein exhibits distinct lysine methyltransferase activity towards DNA-associated protein MC1- α , 3859
 Mao, L.-Z. see W.-Y. Chen, 4692
 Maoka, T. see T. Tsuchiya, 2125
 Marakhova, I., I. Karitskaya, N. Aksenov, V. Zenin and T. Vinogradova, Interleukin-2-dependent regulation of Na/K pump in human lymphocytes, 2773
 Maras, B. see M. Bertoldi, 5175
 Marcantonio, A. see G. Alloatti, 133
 Marchand, C. see I. Banmeyer, 2327
 Marchi, U.D. see S. Campello, 3695
 Marco, V.D. see E. Teardo, 4991
 Mardanyan, S.S. see N.A. Andreasyan, 643
 Maréchal-Drouard, L. see M.-J. Laforest, 1072
 Marek, M. see E. Bouřa, 6549
 Margioris, A.N. see C. Tsatsanis, 4259
 Marhl, M., M. Perc and S. Schuster, Selective regulation of cellular processes via protein cascades acting as band-pass filters for time-limited oscillations, 5461
 Marinaro, C. see R. Boito, 6439
 Marín-García, P. see J. Sánchez-Nogueiro, 3783
 Marini, S. see M.E. Clementi, 2913
 Marino, A. see M. García-Marcos, 5407
 Mariotto, S. see A.R. Ciampa, 6839
 Markesberry, W. see R. Russo, 6027
 Markova, S.V. see G.A. Stepanyuk, 1008
 Marlinghaus, E. see A.R. Ciampa, 6839
 Martí, R. see R. Gonzalo, 6909
 Martianov, I. see R. Catena, 3401
 Martin, J.-L. see M. Négrerie, 2643
 Martinelli, C. and J. Spring, T-box and homeobox genes from the ctenophore *Pleurobrachia pileus*: Comparison of *Brachury*, *Tbx2/3* and *Tlx* in basal metazoans and bilaterians, 5024
 Martinelli, R. and V. De Simone, Short and highly efficient synthetic promoters for melanoma-specific gene expression, 153
 Martínez, E.M. see C. Mendoza-Milla, 3947
 Martínez del Pozo, Á. see F. García-Mayoral, 6859
 Martínez-Lorenzo, M.J. see M. Artieda, 4503
 Martinez-Moreno, M., A. Álvarez-Barrientos, F. Roncal, J.P. Albar, F. Gavilanes, S. Lamas and I. Rodríguez-Crespo, Direct interaction between the reductase domain of endothelial nitric oxide synthase and the ryanodine receptor, 3159
 Martinez-Salas, E. see S. Reigadas, 6803
 Martinoia, E. see D. Santelia, 5399
 Martinou, J.-C. see S. Campello, 3695
 Marty, F. see S. Prudent, 3872
 Maruoka, M., J. Suzuki, S. Kawata, K. Yoshida, N. Hirao, S. Sato, S.P. Goff, T. Takeya, K. Tani and T. Shishido, Identification of B cell adaptor for PI3-kinase (BCAP) as an Abl interactor 1-regulated substrate of Abl kinases, 2986
 Maruyama, K. see S. Numazawa, 3560
 Maruyama, M. see A. Nishikimi, 1039
 Maruyama, T. see K. Nishi, 3596
 Marzo, I. see M. Gómez-Benito, 6217
 MasaharuTakigawa, see S. Kubota, 3751
 Maslen, S.L. see K. Goyal, 4093
 Massacrier, C. see O. Berthier-Vergnes, 3660
 Massimino, M.L. see M. Toni, 741
 Masuda, S., K. Hasegawa and T.-a. Ono, Adenosine diphosphate moiety does not participate in structural changes for the signaling state in the sensor of blue-light using FAD domain of AppA, 4329
 Masuda, T., H. Akita and H. Harashima, Evaluation of nuclear transfer and transcription of plasmid DNA condensed with protamine by microinjection: The use of a nuclear transfer score, 2143
 Masuhiro, Y. see N. Yamaguchi, 6821
 Masuho, Y. see J. Kohroki, 6796
 Masukawa, H. see M. Mochimaru, 6111
 Masutomi, K. see M. Hashimoto, 2959
 Matarrese, P. see E. Straface, 2759
 Matifat, F. see G. Coiret, 2995
 Matsubara, K. see S. Murata, 2137
 Matsuda, A. see S. Hoshika, 3115
 Matsuda, H. see Y. Matsuo, 2737
 Matsuda, T. see S. Imoto, 2853
 Matsuda, T. see C. Sumita, 4038
 Matsuda, Y. see M. Kuroda, 167
 Matsuda, Y. see T. Uchiyama, 2499
 Matsui, H. see H. Michiue, 3965
 Matsui, T. see S.-i. Yamagishi, 4265
 Matsumoto, M. see E. Himeno, 2416
 Matsumoto, T. see S. Koshikawa, 1365
 Matsumura, K. see F. Saito, 2359
 Matsuo, R., H. Kubota, T. Obata, K. Kito, K. Ota, T. Kitazono, S. Ibayashi, T. Sasaki, M. Iida and T. Ito, The yeast eIF4E-associated protein Eap1p attenuates *GCN4* translation upon TOR-inactivation, 2433
 Matsuo, Y., K. Tanaka, H. Matsuda and M. Kawamukai, *cda1*⁺, encoding chitin deacetylase is required for proper spore formation in *Schizosaccharomyces pombe*, 2737
 Matsuo, D. see M. Nakasako, 1067
 Matsuo, H. see K. Muranaka, 6084
 Matsuo, N. see A. Iwashita, 1389
 Matsusaka, S. and I. Wakabayashi, 5-Hydroxytryptamine as a potent migration enhancer of human aortic endothelial cells, 6721
 Matsushita, M. see H. Michiue, 3965
 Matsura, K. see K. Yamada, 1509
 Matsusue, K. see Y. Aramaki, 3731
 Matsuyama, S. see T. Taniguchi, 5704
 Mattei, C. see E. Jaimovich, 2051
 Matters, G.L. see J.S. Bond, 3317
 Mattevi, A. see F. Forneris, 2203
 Matthews, G.D., R.M. Gould and L. Vardimon, A single glutamine synthetase gene produces tissue-specific subcellular localization by alternative splicing, 5527
 Matthews, P.M. see A. Basoah, 6511
 Matthijs, H.C.P. see M. Havaux, 2289
 Matthijs, H.C.P. see R. Kouril, 3253
 Mattiussi, M. see V. Di Stefano, 5473
 Matuschewski, K. see H. Schüler, 655
 Mauen, S. see F. T'Sas, 66
 Mauri, P. see M. Maiorino, 667
 Maurin, A.-C. see J. Averous, 2609
 Maurin, D. see S. Canaan, 215
 Mayama, S. see H. Nakayashiki, 488
 Mayawala, K., D.G. Vlachos and J.S. Edwards, Heterogeneities in EGF receptor density at the cell surface can lead to concave up scatchard plot of EGF binding, 3043
 Mazda, O. see Y.T. Sato, 3095
 M'Bika, J.-P. see W. Khazen, 5631
 McBride, A. see M. Jaleel, 1417
 McCabe, P., Federation of European Biochemical Societies, 840
 McCabe, P. see F. Wieland, 1897
 McCloskey, J.A. see A. Sauerwald, 2807
 McConnell, J. see H. Gautrey, 2226
 McCreath, K.J. see A. Sanjuán-Pla, 2669
 McDonald, C.J. see O. Wiesner, 5305
 McEwan, A.G. see U. Kappler, 2491
 McIntyre, N.R. see G.H. Chew, 4678
 McKay, A.R.C. see H. Videler, 943
 McMahon, R. see A. Rothnie, 3984
 McMahon, T. see P.M. Newton, 671

- McManus, E.J. see A. Mora, 3632
 McNeill, L.A. see R.W.D. Welford, 5170
 McNeill, L.A. see R.W.D. Welford, 6688
 McPherson, P.S. see J.L. Burman, 2177
 Meek, D. see M. Bjørling-Poulsen, 2604
 Meert, E.M.K. see K. Thevissen, 1973
 Meflah, K. see M. Pelletier, 2364
 Megli, F.M., L. Russo and K. Sabatini, Oxidized phospholipids induce phase separation in lipid vesicles, 4577
 Mehra, A. see S.T. Lee-Hoefflich, 4615
 Mehta, M., H.M. Sonawat and S. Sharma, Malaria parasite-infected erythrocytes inhibit glucose utilization in uninfected red cells, 6151
 Mei, F. see G. Sun, 5419
 Meli, R. see A. Coppola, 4654
 Mellaert, L.V. see S.D. Keersmaeker, 797
 Meller, N. see A. Nishikimi, 1039
 Mellett, M. see L. Gilbert, 385
 Melrose, J. see S. Knox, 5019
 Mencarelli, S., C. Cavalieri, A. Magini, B. Tancini, L. Bassi, P. Lemansky, A. Hasilik, Y.-T. Li, V. Chigorno, A. Orlacchio, C. Emilianni and S. Sonnino, Identification of plasma membrane associated mature β -hexosaminidase A, active towards GM2 ganglioside, in human fibroblasts, 5501
 Mendes, P.A.M. see C.S.A. Dayler, 5616
 Mendive, F.M., T. van Loy, S. Claeysen, J. Poels, M. Williamson, F. Hauser, C.J.P. Grimmelikhuijzen, G. Vassart and J. Vandendriessche, *Drosophila* molting neurohormone bursicon is a heterodimer and the natural agonist of the orphan receptor DLGR2, 2171
 Mendoza-Lujambio, I. see G. Granados-Gonzalez, 6667
 Mendoza-Milla, C., C.M. Rodríguez, E.C. Alarcón, A.E. Bernal, E.M. Toledo-Cuevas, E.M. Martínez and A.Z. Dehesa, NF- κ B activation but not PI3K/Akt is required for dexamethasone dependent protection against TNF- α cytotoxicity in L929 cells, 3947
 Ménez, A. see A. Babon, 1658
 Menezes, D. see M.F. Oliveira, 6010
 Meng, Y., S. Kang and D.A. Fishman, Lysophosphatidic acid inhibits anti-Fas-mediated apoptosis enhanced by actin depolymerization in epithelial ovarian cancer, 1311
 Menniti, M. see R. Boito, 6439
 Menyhárd, D.K. and G.M. Keserü, Protonation state of Asp30 exerts crucial influence over surface loop rearrangements responsible for NO release in nitrophorin 4, 5392
 Mercken, L. see S. Robert, 1136
 Merkler, D.J. see G.H. Chew, 4678
 Mertens, H.D.T. and P.R. Gooley, Validating the use of database potentials in protein structure determination by NMR, 5542
 Mesecke, N. see N. Terziyska, 179
 Meshi, T. see M. Asano, 4479
 Messaoudi, S.E. see J. Oliva, 4278
 Messina, C. see A. De Blasio, 615
 Messing, R.O. see P.M. Newton, 671
 Métais, J.-Y., C. Navarro, M.-J. Santoni, S. Audebert and J.-P. Borg, hScrib interacts with ZO-2 at the cell-cell junctions of epithelial cells, 3725
 Metalli, D. see E. Sacco, 6851
 Metani, Y. see M. Gokoh, 6473
 Metcalfe, S.M., P.A.D.S. Muthukumarana, H.L. Thompson, M.A. Haendel and G.E. Lyons, Leukaemia inhibitory factor (LIF) is functionally linked to axotrophin and both LIF and axotrophin are linked to regulatory immune tolerance, 609
 Meyer, E. see J.-P. Reichheld, 337
 Meyer, Y. see J.-P. Reichheld, 337
 Meyer-Klaucke, W. see S. Löscher, 4287
 Meyerkord, C.L. see R. Araya, 157
 Miao, J. see J. Zhao, 5809
 Miao, S. see C. Yang, 5734
 Miao, Z.-H. see Y. Chen, 3683
 Michalczyk, A. see S. Becker, 1177
 Michaud-Soret, I. see A. Tiss, 5454
 Michele, D.E. see M. Kanagawa, 4792
 Michiels, C. see S. Paris, 105
 Michiue, H., K. Tomizawa, M. Matsushita, T. Tamiya, Y.-F. Lu, T. Ichikawa, I. Date and H. Matsui, Ubiquitination-resistant p53 protein transduction therapy facilitates anti-cancer effect on the growth of human malignant glioma cells, 3965
 Mietton, F. see R. Pinto, 5553
 Migita, K., Y. Maeda, S. Abiru, A. Komori, T. Yokoyama, Y. Takii, M. Nakamura, H. Yatsuhashi, K. Eguchi and H. Ishibashi, Peroxynitrite-mediated matrix metalloproteinase-2 activation in human hepatic stellate cells, 3119
 Mihera, S. see Y. Nabeshima, 6653
 Miki, T. see K. Kimura, 2926
 Mikoyan, A. see A.V. Alessenko, 5571
 Mikšovská, J., R.B. Gennis and R.W. Larsen, Photothermal studies of CO photodissociation from mixed valence *Escherichia coli* cytochrome *b*_o₃, 3014
 Milac, A. see U. Kudla, 2451
 Milatovic, D. see M.B. Ekkelenkamp, 1917
 Milburn, C.C. see H.J. Lamble, 6865
 Miled, N. see A. Sayari, 976
 Milewski, M.I., A. Lopez, M. Jurkowska, J. LaRusch and G.R. Cutting, PDZ-binding motifs are unable to ensure correct polarized protein distribution in the absence of additional localization signals, 483
 Millard, C.J., I.D. Campbell and A.R. Pickford, Gelatin binding to the ⁸F1⁹F1 module pair of human fibronectin requires site-specific N-glycosylation, 4529
 Miller, J. and C. Gordon, The regulation of proteasome degradation by multi-ubiquitin chain binding proteins, 3224
 Miller, S.A. see G.H. Chew, 4678
 Mills, R.F., A. Francini, P.S.C. Ferreira da Rocha, P.J. Baccarini, M. Aylett, G.C. Krijger and L.E. Williams, The plant P_{1B}-type ATPase AtHMA4 transports Zn and Cd and plays a role in detoxification of transition metals supplied at elevated levels, 783
 Milstien, S. see S. Sarkar, 5313
 Mimura, H., Y. Nakanishi and M. Maeshima, Disulfide-bond formation in the H⁺-pyrophosphatase of *Streptomyces coelicolor* and its implications for redox control and enzyme structure, 3625
 Mimura, J. see M. Kuroda, 167
 Mimuro, M. see T. Tsuchiya, 2125
 Mimuro, M., T. Tsuchiya, H. Inoue, Y. Sakuragi, Y. Itoh, T. Gotoh, H. Miyashita, D.A. Bryant and M. Kobayashi, The secondary electron acceptor of photosystem I in *Gloeobacter violaceus* PCC 7421 is menaquinone-4 that is synthesized by a unique but unknown pathway, 3493
 Min, H., H. Guo and J. Xiong, Rhythmic gene expression in a purple photosynthetic bacterium, *Rhodobacter sphaeroides*, 808
 Min, K.-J. see H.-E. Moon, 3797
 Minakawa, N. see S. Hoshika, 3115
 Minami, N. see T. Watanabe, 318
 Minami, Y. see K. Wada, 6543
 Mingarro, I. see M. Orzáez, 1633
 Mingorance, A. see R. Gavín, 4099
 Minoura, K. see T. Taniguchi, 1399
 Minoura, K. see M. Tokimasa, 3481
 Mintz, E. see I. Morin, 1117
 Miquel, M. see M. Santos Mendoza, 4666
 Miras-Portugal, M.T. see J. Sánchez-Nogueiro, 3783
 Mironchik, M. see Y. Shechter, 2439
 Mironova, O.S., R.G. Efremov, B. Person, J. Heberle, I.L. Budyak, G. Büldt and R. Schlesinger, Functional characterization of sensory rhodopsin II from *Halobacterium salinarum* expressed in *Escherichia coli*, 3147
 Misawa, N. see T. Tsuchiya, 2125
 Mise, K. see T. Watanabe, 318
 Misiti, F. see M.E. Clementi, 2913
 Mitchell, T.J. see A. Riboldi-Tunnicliffe, 5353
 Mitsui, K., D. Nakagawa, M. Nakamura, T. Okamoto and K. Tsurugi, Valproic acid induces apoptosis dependent of Yca1p at concentrations that mildly affect the proliferation of yeast, 723
 Mitsui, S. see F. Yokoi, 4822
 Mitsutake, S. see T.-J. Kim, 4383
 Mitsuzawa, H., M. Kimura, E. Kanda and A. Ishihama, Glyceraldehyde-3-phosphate dehydrogenase and actin associate with RNA polymerase II and interact with its Rpb7 subunit, 48
 Mittal, N. see S.V. Kharade, 6809
 Mittermann, I., V. Voronin, E. Heberle-Bors and R. Valenta, Identification of a villin-related tobacco protein as a novel cross-reactive plant allergen, 3807
 Miura, A. see Y. Kobashigawa, 1493
 Miura, K. see Y. Kobashigawa, 1493
 Miura, T. see S. Koshikawa, 1365
 Miura, T. see Y. Higuchi, 3009
 Miyagishi, M. see M. Ito, 5988
 Miyaji-Yamaguchi, M. see T. Shimoyama, 757
 Miyajima, A. see N. Kojima, 4562
 Miyake, H. see A. Iwashita, 1389
 Miyake, J. see M.O. Islam, 3473
 Miyake, K. see K. Motoyama, 1707
 Miyamoto, K. see K. Yamada, 1509
 Miyamoto, T. see N. Iizuka, 1089
 Miyashita, H. see T. Tsuchiya, 2125

- Miyashita, H. see M. Mimuro, 3493
 Miyazaki, H., M. Yamazaki, H. Watanabe, T. Maehama, T. Yokozeki and Y. Kanaho, The small GTPase ADP-ribosylation factor 6 negatively regulates dendritic spine formation, 6834
 Miyazaki, J. see Y. Oikawa, 3975
 Miyoshi, D. see T. Yamauchi, 2583
 Mizuguchi, H. see Y. Chen, 2040
 Mizumoto, Y. see M. Hashimoto, 2959
 Mizutani, M. see F. Saito, 2359
 Mizuchi, E. see T. Nakazawa, 1988
 Moazed, D. see A. Verdel, 5872
 Mochimaru, M., H. Masukawa and S. Takaichi, The cyanobacterium *Anabaena* sp. PCC 7120 has two distinct β -carotene ketolases: CrtO for echinenone and CrtW for ketomyxol synthesis, 6111
 Mochizuki, A. see M. Asano, 4479
 Mochizuki, T., H. Satsu and M. Shimizu, Signaling pathways involved in tumor necrosis factor α -induced upregulation of the taurine transporter in Caco-2 cells, 3069
 Mocibob, M. see D. Ahel, 4344
 Mock, H.-P. see A. Schneider, 4622
 Modolo, L.V., O. Augusto, I.M.G. Almeida, J.R. Magalhaes and I. Salgado, Nitrite as the major source of nitric oxide production by *Arabidopsis thaliana* in response to *Pseudomonas syringae*, 3814
 Moelling, K. see M. Schwenecker, 1751
 Moestrup, S.K. see V. Hvidberg, 773
 Mogami, H. see T. Hryszko, 6023
 Mogami, K., H. Kishi and S. Kobayashi, Sphingomyelinase causes endothelium-dependent vasorelaxation through endothelial nitric oxide production without cytosolic Ca^{2+} elevation, 393
 Mogemark, L. see M. Yuan, 2339
 Moghimi, S.M. see P. Symonds, 6191
 Mohajeri, M.H. see M.N.M. Gaugler, 753
 Mohler, P.J. see L.L. Swift, 3183
 Moiseyev, G. see Y. Takahashi, 5414
 Mokranjac, D. see N. Terziyska, 179
 Molgó, J. see E. Jaimovich, 2051
 Molina, A. see R. Pinto, 5553
 Molina, M.L. see J.A. Encinar, 5199
 Molina, R. see H. González-Díaz, 4297
 Moll, U.M. see A. Nemajerova, 6079
 Mollerup, J. and M.W. Berchtold, The co-chaperone p23 is degraded by caspases and the proteasome during apoptosis, 4187
 Mollica, M.P., L. Lionetti, R. Crescenzo, R. Tasso, A. Barletta, G. Liverini and S. Iossa, Cold exposure differently influences mitochondrial energy efficiency in rat liver and skeletal muscle, 1978
 Molnár, V. see H. Hegyesi, 2475
 Momose, T. see H. Yamamoto, 507
 Moncrieffe, M.C., K.M. Stott and N.J. Gay, Solution structure of the isolated Pelle death domain, 3920
 Mongelard, F. see R. Pinto, 5553
 Monget, P. see P. Froment, 2376
 Monostory, K., K. Köhalmy, R.A. Prough, L. Kóbori and L. Vereczkey, The effect of synthetic glucocorticoid, dexamethasone on CYP1A1 inducibility in adult rat and human hepatocytes, 229
 Monsan, P. see S. Pizzut-Serin, 1405
 Monté, D. see F. T'Sas, 66
 Montel, E. see J. Fliegmann, 6647
 Monti, D. see M. De Martinis, 2035
 Monti, M. see S. Amenta, 683
 Montoya, J. see R. Gonzalo, 6909
 Montruccchio, G. see G. Alloatti, 133
 Mook-Jung, I. see J.W. Youm, 6737
 Moolenaar, W.H. see J. Mulder, 6121
 Moon, B.C. see C.Y. Park, 1545
 Moon, B.C., M.S. Choi, Y.H. Kang, M.C. Kim, M.S. Cheong, C.Y. Park, J.H. Yoo, S.C. Koo, S.M. Lee, C.O. Lim, M.J. Cho and W.S. Chung, *Arabidopsis* ubiquitin-specific protease 6 (AtUBP6) interacts with calmodulin, 3885
 Moon, E.-Y. see Y.-H. Han, 4897
 Moon, E.-Y. see Y.-H. Han, 5112
 Moon, H.-E., M.-Y. Ahn, J.A. Park, K.-J. Min, Y.-W. Kwon and K.-W. Kim, Negative regulation of hypoxia inducible factor-1 α by nedrin, 3797
 Moon, K.-H., B.-J. Kim and B.J. Song, Inhibition of mitochondrial aldehyde dehydrogenase by nitric oxide-mediated S-nitrosylation, 6115
 Moon, M.S. see H.S. Byun, 4055
 Moore, A.L. see P.G. Crichton, 331
 Moore, K.L. see G. Tachedjian, 379
 Moore, R. see C. Koike, 6733
 Moosavi-Movahedi, A.A. see I. Haque, 3891
 Mora, A., K. Sakamoto, E.J. McManus and D.R. Alessi, Role of the PDK1-PKB-GSK3 pathway in regulating glycogen synthase and glucose uptake in the heart, 3632
 Mora, S.I. and L.I. Escobar, Phosphorylation of a tyrosine at the N-terminus regulates the surface expression of GIRK5 homomultimers, 3019
 Moran, O. and O. Zegarra-Moran, A quantitative description of the activation and inhibition of CFTR by potentiators: Genistein, 3979
 Moran, P. see D. Kirchhofer, 1945
 Morandini, F. see R. Giuliani, 6251
 Morello, F. see S. Jouannic, 2709
 Morel, E. see S. Robert, 1136
 Morel, F. see F. Desmots, 5691
 Moreno, M. see E. Silvestri, 1639
 Morgado-Díaz, J.A. see S.S. de Oliveira, 6179
 Morgan, H.E. see K.M. Taylor, 427
 Morgan, L. see K. Johnston, 1653
 Mori, E., M. Thomas, K. Motoki and S. Kataoka, Distinct function of monoclonal antibody to TRAIL-R2 as potentiator or inhibitor of the ligand TRAIL-induced apoptosis, 5379
 Mori, H. see T. Yamashita, 241
 Mori, H. see M.O. Islam, 3473
 Mori, H. see T. Taniguchi, 5704
 Mori, H. see T. Okabe, 5729
 Mori, M. and K. Dohi, The "resurrection method" for modification of specific proteins in higher plants, 6210
 Mori, N. see N. Iizuka, 1089
 Morin, I., M. Cuillier, J. Lowe, S. Crouzy, F. Guillain and E. Mintz, Cd²⁺- or Hg²⁺-binding proteins can replace the Cu⁺-chaperone Atx1 in delivering Cu⁺ to the secretory pathway in yeast, 1117
 Morio, T. see Y.K. Choi, 3085
 Morishima-Kawashima, M. see T. Sato, 2907
 Morita, C.T. see K.-J. Puan, 3802
 Morita, E. see Y. Nabeshima, 6653
 Morita, M., I. Takahashi, M. Kanai, F. Okafuji, M. Iwashima, T. Hayashi, S. Watanabe, T. Hamazaki, N. Shimozawa, Y. Suzuki, H. Furuya, T. Yamada and T. Imanaka, Baicalein 5,6,7-trimethyl ether, a flavonoid derivative, stimulates fatty acid β -oxidation in skin fibroblasts of X-linked adrenoleukodystrophy, 409
 Morita, S.-y., M. Nakano, A. Sakurai, Y. Deharu, A. Vertut-Doi and T. Handa, Formation of ceramide-enriched domains in lipid particles enhances the binding of apolipoprotein E, 1759
 Moritani, N.H. see S. Kubota, 3751
 Moritz, T. see N. Schauer, 1332
 Moriyama, A. see S. Rajapakse, 6879
 Mornet, D. see D. Chazalette, 1079
 Morosinotto, T. see G. Zucchielli, 2071
 Morozov, S.Y. see D.V. Rakitina, 4955
 Morrice, N.A. see M. Jaleel, 1417
 Morrice, P.C. see J.E. Drew, 6135
 Morris, H.R. see J.R. MacFadyen, 2569
 Morris, T.J. see F. Qu, 5958
 Morrow, C.J., A. Gray and C. Dive, Comparison of phosphatidylinositol-3-kinase signalling within a panel of human colorectal cancer cell lines with mutant or wild-type PIK3CA, 5123
 Morten, K.J. see A. Basoah, 6511
 Morth, J.P., S. Gossmann, E. Nowak and P.A. Tucker, A novel two-component system found in *Mycobacterium tuberculosis*, 4145
 Morty, R.E., A.Y. Shih, V. Fülöp and N.W. Andrews, Identification of the reactive cysteine residues in oligopeptidase B from *Trypanosoma brucei*, 2191
 Moser, M. see F. T'Sas, 66
 Mossberg, A.-K. see J. Fast, 6095
 Motoki, K. see E. Mori, 5379
 Motoyama, K., H. Arima, Y. Nishimoto, K. Miyake, F. Hirayama and K. Uekama, Involvement of CD14 in the inhibitory effects of dimethyl- α -cyclodextrin on lipopolysaccharide signaling in macrophages, 1707
 Moura, J.J.G. see P.N. Palma, 4585
 Moya, K.L. see I. Laffont-Proust, 6333
 Mozzarelli, A. see B. Pioselli, 2197
 Mtibaa, H. see A. Sayari, 976
 Mueller, A. see F. Wieland, 1897
 Mueller, A.-K. see H. Schüller, 655
 Mueller, G.A. see B.G. Bobay, 5669
 Muonen, P. see Y. Hu, 4937
 Mukai, K. see M. Kuroda, 167
 Mukherjee, K., J. Sen and A. Chaudhuri, Common co-lipids, in synergy, impart high gene transfer properties to transfection-incompetent cationic lipids, 1291

- Mukudai, Y. see S. Kubota, 3751
 Mulder, J., A. Ariens, F.P.G. van Horck and W.H. Moolenaar, Inhibition of RhoA-mediated SRF activation by p116^{Rip}, 6121
 Mulet, J.M. see F. Portillo, 512
 Mulisch, M. see K. Krause, 3707
 Müller, D.J. see A. Sharma, 2001
 Müller, F. see M. Nowicki, 2161
 Müller, J. see S. Kippenberger, 207
 Müller, M. see C. Burkhardt, 3821
 Müller, S. see D.J.B. Hunter, 2215
 Munro, A.W. see R. Neeli, 5582
 Murai, T. see Y. Izutani, 4333
 Murakami, M.T., R.K. Arni, D.S. Vieira, L. Degrève, R. Ruller and R.J. Ward, Correlation of temperature induced conformation change with optimum catalytic activity in the recombinant G/11 xylose A from *Bacillus subtilis* strain 168 (1A1), 6505
 Muramatsu, T. see M. Iwamoto, 4423
 Muramatsu, T. see W. Nishii, 6846
 Muranaka, K., Y. Yanagi, Y. Tamaki, H. Takahashi, T. Usui, K. Ohashi, H. Matsuoka and T. Senda, Suppression of laser-induced choroidal neovascularization by oral administration of SA3443 in mice, 6084
 Murano, K. see A. Iwashita, 1389
 Murányi, A., D. Derkach, F. Erdödi, A. Kiss, M. Ito and D.J. Hartshorne, Phosphorylation of Thr695 and Thr850 on the myosin phosphatase target subunit: Inhibitory effects and occurrence in A7r5 cells, 6611
 Murata, N. see T. Hübschmann, 1613
 Murata, S., T. Yoshiara, C.R. Lim, M. Sugino, M. Kogure, T. Ohnuki, T. Komurasaki and K. Matsubara, Psychophysiological stress-regulated gene expression in mice, 2137
 Murbartián, J. see J.M. Arias, 3907
 Muro, E.M. see C. Perez-Iratxeta, 1795
 Murota, K. and J. Terao, Quercetin appears in the lymph of unanesthetized rats as its phase II metabolites after administered into the stomach, 5343
 Murphy, M.P. see A. Sanjuán-Pla, 2669
 Murray, C.G. see T.P. Larsson, 690
 Murray, J. see B. Schilling, 2485
 Murray, J.C. see P. Symonds, 6191
 Murray, J.T., L.A. Cummings, G.B. Bloomberg and P. Cohen, Identification of different specificity requirements between SGK1 and PKB α , 991
 Murray, M., A.M. Butler, E. Fiala-Beer and G.M. Su, Phospho-STAT5 accumulation in nuclear fractions from vitamin A-deficient rat liver, 3669
 Murzin, A.G. see B.G. Bobay, 5669
 Mus-Veteau, I. see M. De Rivoyre, 1529
 Musci, G. see A.R. Ciampa, 6839
 Musheev, M. see S.M. Krylova, 1371
 Musi, N., M.F. Hirshman, M. Arad, Y. Xing, N. Fujii, J. Pomerleau, F. Ahmad, C.I. Berul, J.G. Seidman, R. Tian and L.J. Goodyear, Functional role of AMP-activated protein kinase in the heart during exercise, 2045
 Musso, O. see P. Zindy, 95
 Mustard, K.J. see J. Sponarova, 6105
 Musumeci, F. see M. Gulino, 6101
 Mutualik, V.K., A.P. Singh, J.S. Edwards and K.V. Venkatesh, Corrigendum to: Robust global sensitivity in multiple enzyme cascade system explains how the downstream cascade structure may remain unaffected by cross-talk (FEBS 28047) [FEBS Letters 558 (2004) 79–84], 292
 Muthukumarana, P.A.D.S. see S.M. Metcalfe, 609
 Mutoh, S. see A. Iwashita, 1389
 Muzzin, P. see P. Flandin, 3411
 Myers, R.M. see N. Kopitar-Jerala, 2149
 Myung, P.K. see Y. Lee, 4769
- Nabel, E.G. see S. Nallamshetty, 6529
 Nabeshima, Y., T. Hiragun, E. Morita, S. Mihara, Y. Kameyoshi and M. Hide, IL-4 modulates the histamine content of mast cells in a mast cell/fibroblast co-culture through a Stat6 signaling pathway in fibroblasts, 6653
 Nadano, D. see J. Aoyama, 6326
 Naddeo, M., L. Vitagliano, A. Russo, G. Gotte, G. D'Alessio and S. Sorrentino, Interactions of the cytotoxic RNase A dimers with the cytosolic ribonuclease inhibitor, 2663
 Nadesalingam, J., K.B.M. Reid and N. Palaniyar, Collectin surfactant protein D binds antibodies and interlinks innate and adaptive immune systems, 4449
 Nagai, Y. see N. Fujikake, 3842
 Nagamatsu, S. see T. Kikuta, 1602
 Nagamune, T. see T. Nakazawa, 1988
 Nagamune, T. see T. Tanaka, 2092
 Nagao, T. see N. Tamehiro, 5299
 Nagaoka, M.H. see H. Akiyama, 4485
 Nagata, K. see T. Shimoyama, 757
 Nagy, L., Spotlight on...Laszlo Nagy, Editor of *FEBS Letters* since 2005, 6009
 Nahon, E., A. Israelson, S. Abu-Hamad and V. Shoshan-Barmatz, Fluoxetine (Prozac) interaction with the mitochondrial voltage-dependent anion channel and protection against apoptotic cell death, 5105
 Nair, A.V. see A. Giorgetti, 1968
 Naito, S. see M. Asano, 4479
 Naito, Y. see M. Okada, 4949
 Nakada, M. see W. Nishii, 6846
 Nakagawa, D. see K. Mitsui, 723
 Nakagawa, T. see H. Kitamura, 567
 Nakahara, K. see M. Sato, 1167
 Nakai, S. see T. Yamauchi, 2583
 Nakamaru-Ogiso, E. see I. Velazquez, 3164
 Nakamichi, Y. see T. Kikuta, 1602
 Nakaminami, K., K. Sasaki, S. Kajita, H. Takeda, D. Karlson, K. Ohgi and R. Imai, Heat stable ssDNA/RNA-binding activity of a wheat cold shock domain protein, 4887
 Nakamoto, H. see K. Nitta, 1235
 Nakamura, A., T. Suzawa, Y. Kato and T. Watanabe, Significant species-dependence of P700 redox potential as verified by spectroelectrochemistry: Comparison of spinach and *Theromosynechococcus elongatus*, 2273
 Nakamura, H. see T. Koga, 2811
 Nakamura, K. see S.-i. Yamagishi, 4265
 Nakamura, M. see K. Mitsui, 723
 Nakamura, M. see M. Hashimoto, 2959
 Nakamura, M. see K. Migita, 3119
 Nakamura, T. see N. Nishi, 2058
 Nakamura, T. see S. Namiki, 2781
 Nakamura, T. see J. Kohroki, 6796
 Nakane, A. see D.-L. Hu, 4407
 Nakanishi, Y. see H. Mimura, 3625
 Nakano, K., R. Arai and I. Mabuchi, Small GTPase Rho5 is a functional homologue of Rho1, which controls cell shape and septation in fission yeast, 5181
 Nakano, K., F. Bunai and O. Numata, Stg1 is a novel SM22/transgelin-like actin-modulating protein in fission yeast, 6311
 Nakano, M. see S.-y. Morita, 1759
 Nakao, K. see H. Toyohara, 2727
 Nakao, K. see S. Kubota, 3751
 Nakasako, M., D. Matsuoka, K. Zikihara and S. Tokutomi, Quaternary structure of LOV-domain containing polypeptide of *Arabidopsis* FK1 protein, 1067
 Nakashima, K. see Y. Yoshimoto, 1197
 Nakashima, S. see M. Arioka, 2693
 Nakashima, T. see M. Iwamoto, 4423
 Nakaso, K. see Y. Yoshimoto, 1197
 Nakatsuka, T. see M. Nishihara, 6074
 Nakayama, K. see M. Akutsu, 5385
 Nakayama, Y. see J. Aoyama, 6326
 Nakayashiki, H., T. Awa, Y. Tosa and S. Mayama, The C-terminal chromodomain-like module in the integrase domain is crucial for high transposition efficiency of the retrotransposon MAGGY, 488
 Nakayashiki, H., RNA silencing in fungi: Mechanisms and applications, 5950
 Nakazaki, M. see T. Kikuta, 1602
 Nakazawa, H. see S. Yoshihara, 2722

N

- Na, H.-K., H. Inoue and Y.-J. Surh, ET-18-O-CH₃-induced apoptosis is causally linked to COX-2 upregulation in H-ras transformed human breast epithelial cells, 6279
 Na, S.-Y. see M.A. Lopez-Illasaca, 648

- Nakazawa, T., T. Takai, H. Hatanaka, E. Mizuuchi, T. Nagamune, K. Okumura and H. Ogawa, Multiple-mutation at a potential ligand-binding region decreased allergenicity of a mite allergen Der f 2 without disrupting global structure, 1988
- Nallamshetty, S., M. Crook, M. Boehm, T. Yoshimoto, M. Olive and E.G. Nabel, The cell cycle regulator p27^{Kip1} interacts with MCM7, a DNA replication licensing factor, to inhibit initiation of DNA replication, 6529
- Nam, D.-H. see H.H. Jung, 3941
- Nam, K.H. see J.H. Joo, 1243
- Namiki, S., T. Nakamura, S. Oshima, M. Yamazaki, Y. Sekine, K. Tsuchiya, R. Okamoto, T. Kanai and M. Watanabe, IRF-1 mediates upregulation of LMP7 by IFN- γ and concerted expression of immunosubunits of the proteasome, 2781
- Nandan, M.O., S. Chanchevalap, W.B. Dalton and V.W. Yang, Krüppel-like factor 5 promotes mitosis by activating the cyclin B1/Cdc2 complex during oncogenic Ras-mediated transformation, 4757
- Napolitano, G. see S. Amente, 683
- Na-Ranong, S., K. Laoteng, P. Kittakoop, M. Tantichareon and S. Cheevadhanarak, Substrate specificity and preference of Δ^6 -desaturase of *Mucor rouxii*, 2744
- Narayanan, S., K. Surendranath, N. Bora, A. Surolia and A.A. Karande, Ribosome inactivating proteins and apoptosis, 1324
- Nariai, T. see C. Sumita, 4038
- Narimatsu, H. see H. Ishida, 71
- Nascimento, A.M. see K.R. Guidugli, 4961
- Nassal, M. see M. Vogel, 5211
- Natalello, A. see D. Ami, 3433
- Nathanson, L. see D. Ivanov, 1213
- Naur, P., B. Vestergaard, L.K. Skov, J. Egebjerg, M. Gajhede and J.S. Kastrup, Crystal structure of the kainate receptor GluR5 ligand-binding core in complex with (S)-glutamate, 1154
- Naval, J. see M. Gómez-Benito, 6217
- Navarro, C. see J.-Y. Métais, 3725
- Navarro, J.A., R.V. Durán, M.A. De la Rosa and M. Hervás, Respiratory cytochrome *c* oxidase can be efficiently reduced by the photosynthetic redox proteins cytochrome *c*₆ and plastocyanin in cyanobacteria, 3565
- Navarro-Sabaté, A. see M. Gómez, 357
- Navet, R., P. Douette, F. Puttine-Marique, C.M. Sluse-Goffart, W. Jarmuszkiewicz and F.E. Sluse, Regulation of uncoupling protein activity in phosphorylating potato tuber mitochondria, 4437
- Ndiaye, M. see V. Lecœur, 1904
- Necula, M. and J. Kuret, Site-specific pseudophosphorylation modulates the rate of tau filament dissociation, 1453
- Nedergaard, J. see J.M. Fredriksson, 5680
- Nedev, H. see D. Poger, 5287
- Neduva, V. and R.B. Russell, Linear motifs: Evolutionary interaction switches, 3342
- Neeli, R., H.M. Girvan, A. Lawrence, M.J. Warren, D. Leys, N.S. Scrutton and A.W. Munro, The dimeric form of flavocytochrome P450 BM3 is catalytically functional as a fatty acid hydroxylase, 5582
- Neese, F. see P. Wunsch, 4605
- Negishi, M. see C. Koike, 6733
- Negrerie, M., J.-L. Martin and H.-O. Nghiêm, Functionality of nitrated acetylcholine receptor: The two-step formation of nitrotyrosines reveals their differential role in effectors binding, 2643
- Négre-Salvayre, A. see M.-F. Lecompte, 5074
- Nemajerova, A., S. Wolff, O. Petrenko and U.M. Moll, Viral and cellular oncogenes induce rapid mitochondrial translocation of p53 in primary epithelial and endothelial cells early in apoptosis, 6079
- Nerinckx, W., T. Desmet, K. Piens and M. ClaeysSENS, An élaboration on the *syn-anti* proton donor concept of glycoside hydrolases: electrostatic stabilisation of the transition state as a general strategy, 302
- Ness, G.C. and R.C. Holland, Degradation of HMG-CoA reductase in rat liver is cholesterol and ubiquitin independent, 3126
- Netzereab, S. see T. Holm, 5217
- Neuman, S., M. Kovalio, D. Yaffe and U. Nudel, The *Drosophila* homologue of the dystrophin gene – Introns containing promoters are the major contributors to the large size of the gene, 5365
- Neumann, J. and N. Koch, Assembly of major histocompatibility complex class II subunits with invariant chain, 6055
- Neumeier, M. see J. Weigert, 5565
- Neupert, W. see N. Terziyska, 179
- Nevinsky, G.A. see E.N. Ikhmyangan, 3960
- Newby, A.C. see G.B. Sala-Newby, 6493
- Newland, S.A.B. see E.C.J.M. de Vet, 2355
- Newton, P.M., K. Tully, T. McMahon, J. Connolly, J. Dadgar, S.N. Treistman and R.O. Messing, Chronic ethanol exposure induces an N-type calcium channel splice variant with altered channel kinetics, 671
- Ng, E.K.W. see Z. Liu, 1477
- Ng, K.K.-S. see K. Oda, 5013
- Nghiêm, H.-O. see M. Negrerie, 2643
- Nguyen, A.D., C.-J. Pan, J.-J. Shieh and J.Y. Chou, Increased cellular cholesterol efflux in glycogen storage disease type Ia mice: A potential mechanism that protects against premature atherosclerosis, 4713
- Nguyen, J., P. Knapnougel, P. Lesavre and B. Bauvois, Inhibition of matrix metalloproteinase-9 by interferons and TGF- β 1 through distinct signalings accounts for reduced monocyte invasiveness, 5487
- Ni, Y. see W.-Y. Chen, 4692
- Ni, Z.-M. see Y. Wang, 1055
- Nibbelink, M. see S. Caspar-Bauguil, 3487
- Nicholson, R.I. see K.M. Taylor, 427
- Nicodemou, A., M. Petsch, T. Konecsni, L. Kremser, E. Kenndler, J.M. Casasnovas and D. Blaas, Rhinovirus-stabilizing activity of artificial VLDL-receptor variants defines a new mechanism for virus neutralization by soluble receptors, 5507
- Nicolas, O. see R. Gavin, 4099
- Nidetzky, B. see S. Leitgeb, 763
- Niederhauser, G. see A. Abderrahmani, 6199
- Nield, J. see M. Chen, 1306
- Nielsen, C.K. see C.K. Thodeti, 5589
- Nielsen, M.S. see U.B. Westergaard, 1172
- Nielsen, M.S. see U.B. Westergaard, 2749
- Nieman, M.T., E. Pagan-Ramos, M. Warnock, Y. Krijanovski, A.A.K. Hasan and A.H. Schmaier, Mapping the interaction of bradykinin 1–5 with the exodomain of human protease activated receptor 4, 25
- Niemenlinen, A.-L. see M. Wang, 2411
- Niide, O. see M. Inoue, 604
- Nikami, H. see J.M. Fredriksson, 5680
- Nilius, B. see A. Vastiau, 3392
- Nilsson, H. see J. Fast, 6095
- Nimtz, M. see F. Forlani, 6786
- Ninane, N. see S. Paris, 105
- Nishi, K., Y. Komine, N. Sakai, T. Maruyama and M. Otagiri, Cooperative effect of hydrophobic and electrostatic forces on alcohol-induced α -helix formation of α_1 -acid glycoprotein, 3596
- Nishi, N., A. Itoh, A. Fujiyama, N. Yoshida, S.-i. Araya, M. Hirashima, H. Shoji and T. Nakamura, Development of highly stable galectins: Truncation of the linker peptide confers protease-resistance on tandem-repeat type galectins, 2058
- Nishida, K. see T. Umemoto, 6569
- Nishiguchi, M. see M. Asano, 4479
- Nishihara, M., T. Nakatsuka and S. Yamamura, Flavonoid components and flower color change in transgenic tobacco plants by suppression of chalcone isomerase gene, 6074
- Nishihira, K. see Y.-N. Cao, 4997
- Nishii, W., T. Suzuki, M. Nakada, Y.-T. Kim, T. Muramatsu and K. Takahashi, Cleavage mechanism of ATP-dependent Lon protease toward ribosomal S2 protein, 6846
- Nishikimi, A., N. Meller, N. Uekawa, K.-i. Isobe, M.A. Schwartz and M. Maruyama, Zizimin2: a novel, DOCK180-related Cdc42 guanine nucleotide exchange factor expressed predominantly in lymphocytes, 1039
- Nishimaki-Mogami, T. see N. Tamehiro, 5299
- Nishimiyama, Y. see Y. Kobashigawa, 1493
- Nishimoto, Y. see K. Motoyama, 1707
- Nishimura, A. see T. Yamauchi, 2583
- Nishinaka, T. see C. Fan, 1301
- Nishino, M., Y. Sugita, T. Yoda and Y. Okamoto, Structures of a peptide fragment of β_2 -microglobulin studied by replica-exchange molecular dynamics simulations – Towards the understanding of the mechanism of amyloid formation, 5425
- Nishiwaki, C. see T. Kikuta, 1602
- Nishiyama, T. see J. Kohroki, 6796
- Nishizawa, Y., T. Yabuki, E. Fukuda and T. Wakagi, Gene expression and characterization of two 2-oxoacid:ferredoxin oxidoreductases from *Aeropyrum pernix* K1, 2319
- Nisizaki, M. see F. Teraishi, 4069
- Nitsch, R.M. see M.N.M. Gaugler, 753
- Nitta, K., N. Suzuki, D. Honma, Y. Kaneko and H. Nakamoto, Ultrastructural stability under high temperature or intensive light stress conferred by a small heat shock protein in cyanobacteria, 1235
- Niu, Z. see H. Zong, 3579
- Nivière, V. see L. Filisetti, 2817
- Noda, Y. see Y. Tanaka, 1579

- Noegel, A.A. see C.S. Clemen, 3777
 Nolasco, S., J. Bellido, J. Gonçalves, J.C. Zabala and H. Soares, Tubulin cofactor A gene silencing in mammalian cells induces changes in microtubule cytoskeleton, cell cycle arrest and cell death, 3515
 Noller, H.F., L. Hoang and K. Fredrick, The 30S ribosomal P site: a function of 16S rRNA, 855
 Nolte, F., O. Friedrich, M. Rojewski, R.H.A. Fink, H. Schrezenmeier and S. Körper, Corrigendum to: Depolarisation of the plasma membrane in the arsenic trioxide (As₂O₃)- and anti-CD95-induced apoptosis in myeloid cells (FEBS 29005) [FEBS Letters 578 (2004) 85–89], 3866
 Nomura, T. see T. Zako, 3718
 Nonaka, K. see N. Yamaguchi, 6821
 Norcum, M.T. see S. Jiang, 6049
 Norman, M.A. see X.P. Wang, 3107
 Novikov, V.K. see D.V. Rakitina, 4955
 Novikova, A.E. see N.N. Samsonova, 4107
 Novitsky, E. see M. Bakhanashvili, 1435
 Novo, M. see M.-J. Torija, 3999
 Nowak, E. see J.P. Morth, 4145
 Nowicki, M., F. Müller and M. Frentzen, Cardiolipin synthase of *Ara-bidopsis thaliana*, 2161
 Nudel, U. see S. Neuman, 5365
 Nüesch, E. see D. Altenbach, 4647
 Nugent, J.H.A. see M.C.W. Evans, 3081
 Numata, H. see T. Yamashita, 241
 Numata, O. see K. Nakano, 6311
 Numazawa, S., S. Shindo, K. Maruyama, F. Chibana, Y. Kawahara, T. Ashino, S. Tanaka and T. Yoshida, Impaired nuclear translocation of CAR in hepatic preneoplastic lesions: Association with an attenuated CYP2B induction by phenobarbital, 3560
 Nürnberg, H.R. see T. Li, 2087
 Nury, H., C. Dahout-González, V. Trézéguet, G. Lauquin, G. Brändolin and E. Pebay-Peyroula, Structural basis for lipid-mediated interactions between mitochondrial ADP/ATP carrier monomers, 6031
 Nutiu, R. see S.M. Krylova, 1371
 Nyitrai, M. see B. Visegrády, 6
 Nyman, J. see Y. Hu, 4937

O

- Obach, M. see M. Gómez, 357
 Obata, T. see R. Matsuo, 2433
 Oberdanner, C.B. see T. Kiesslich, 185
 Obermair, F.J. see T. Kiesslich, 185
 O'Brien, P.J. see N. Shangari, 5596
 O'Connell, P.J., S.C. Pingle and G.P. Ahern, Dendritic cells do not transduce inflammatory stimuli via the capsaicin receptor TRPV1, 5135
 Oda, K. see Y. Kataoka, 2991
 Oda, K., T. Takahashi, K. Takada, M. Tsunemi, K.K.-S. Ng, K. Hiraga and S. Harada, Exploring the subsite-structure of vimelysin and thermolysin using FRET-libraries, 5013
 Oda, M. see Y. Izutani, 4333
 Oda, T. see N. Ohashi, 2557
 Oda, T. see M. Iwamoto, 4423
 Odani, M. see H. Iwahashi, 2847
 O'Donnell, M. see G.D. Bowman, 863
 Oesterhelt, D. see H. Besir, 6595
 Ogata-Kawata, H. see K. Yamada, 1509
 Ogawa, H. see T. Nakazawa, 1988
 Ogawa, K. see Y. Aramaki, 3731
 Ogawa, M. see K. Kimura, 2926
 Ogawa, T. see T. Okabe, 5729
 Ogiwara, K. see S. Rajapakse, 6879
 Oh, J.-W. see D.-W. Lee, 1261
 Oh, S. see M. Cho, 4213
 Oh, S.-H. see S.-H. Lee, 1027
 Oh, S.-H. see S.-H. Lee, 6288
 Oh, T.-K. see W.-C. Choi, 3461
 Oh, Y.-K. see H.-J. Lee, 4867
 Ohara, K. see K. Sasaki, 2514
 Ohara, O. see H. Kitamura, 567
 Ohara-Imaizumi, M. see T. Kikuta, 1602
 Ohashi, K. see K. Muranaka, 6084
 Ohashi, N., T. Yamamoto, C. Uchida, A. Togawa, H. Fukasawa, Y. Fujigaki, S. Suzuki, K. Kitagawa, T. Hattori, T. Oda, H. Hayashi, A. Hishida and M. Kitagawa, Transcriptional induction of Smurf2 ubiquitin ligase by TGF-β, 2557
 Ohbayashi, T. see M. Kuroda, 167
 Ohgi, K. see K. Nakaminami, 4887
 Ohgiya, S. see Y. Kobashigawa, 1493
 Oh-hashi, K. see S. Ito, 1995
 Ohkouchi, S., H. Saito, F. Aruga, T. Maeda, H. Shibata and M. Maki, *Dictyostelium discoideum* requires an Alix/AIP1 homolog, DdAlix, for morphogenesis in alkaline environments, 1745
 Ohkubo, M. see A. Iwashita, 1389
 Ohkura, N. see K. Oishi, 3555
 Ohnishi, M. see Y. Izutani, 4333
 Ohnishi, T., J.E. Johnson Jr., T. Yano, R. LoBrutto and W.R. Widger, Thermodynamic and EPR studies of slowly relaxing ubisemiquinone species in the isolated bovine heart complex I, 500
 Ohnishi, T. see I. Velazquez, 3164
 Ohnishi, T. and J.C. Salerno, Conformation-driven and semiquinone-gated proton-pump mechanism in the NADH-ubiquinone oxidoreductase (complex I), 4555
 Ohno, Y. see N. Tamehiro, 5299
 Ohnuki, T. see S. Murata, 2137
 Oh-oka, H. see J. Harada, 1983
 Ohshima, C. see H. Yamamoto, 507
 Ohta, S. see T. Yasukawa, 2948
 Ohta, T. see K.-I. Oinuma, 1394
 Ohta, Y. see Y. Higuchi, 3009
 Ohtsuki, T. see M. Sakurai, 2767
 Ohtsuka, T., T. Manabe and M. Sisido, Multiple incorporation of non-natural amino acids into a single protein using tRNAs with non-standard structures, 6769
 Ohwa, Y. see H. Yamamoto, 507
 Ohyama, T. see T. Okabe, 5729
 Oikawa, K. see M. Kuroda, 167
 Oikawa, Y., E. Yamato, F. Tashiro, M. Yamamoto, N. Uozumi, A. Shimada, T. Shimizu and J. Miyazaki, Protective role for cytosolic phospholipase A_{2α} in autoimmune diabetes of mice, 3975
 Oinuma, K.-I., H. Kumita, T. Ohta, K. Konishi, Y. Hashimoto, H. Higashibata, T. Kitagawa, Y. Shiro and M. Kobayashi, Stopped-flow spectrophotometric and resonance Raman analyses of aldoxime dehydratase involved in carbon–nitrogen triple bond synthesis, 1394
 Oishi, K., N. Ohkura, N. Amagai and N. Ishida, Involvement of circadian clock gene *Clock* in diabetes-induced circadian augmentation of plasminogen activator inhibitor-1 (*PAI-1*) expression in the mouse heart, 3555
 Oja, V. see H. Pettai, 4017
 Oka, M. see N. Iizuka, 1089
 Oka, S. see M. Gokoh, 6473
 Oka, T. see E. Himeno, 2416
 Okabe, T., Y. Iwakiri, H. Mori, T. Ogawa and T. Ohyama, An S-like ribonuclease gene is used to generate a trap-leaf enzyme in the carnivorous plant *Drosera adelae*, 5729
 Okada, K. see R.N. Bhattacharjee, 6604
 Okada, K. see M.M. Kanaoka, 5723
 Okada, M., T. Ishimoto, Y. Naito, H. Hirata and H. Yagisawa, Phospholipase Cδ₁ associates with importin β1 and translocates into the nucleus in a Ca²⁺-dependent manner, 4949
 Okada, T. see N. Iizuka, 1089
 Okada, Y. see S. Tanabe, 517
 Okafuji, F. see M. Morita, 409
 Okamoto, R. see S. Namiki, 2781
 Okamoto, T. see K. Mitsui, 723
 Okamoto, Y. see M. Nishino, 5425
 Okano, H. see M.O. Islam, 3473
 Okano, T. see T. Umemoto, 6569
 Okazaki, F. see H. Hashimoto, 4324
 O'Keefe, R.J. see V.B. Andela, 6814
 Oker-Blom, C. see L. Gilbert, 385
 Okita, T.W. see S.-K. Hwang, 983
 Okiyoneda, T. see T. Koga, 2811
 Okochi, M. see T. Zako, 3718
 Oksche, A. see A. Thielen, 5227
 Okubo, R. see H. Ishida, 71
 Okudela, K. see Y. Kakinuma, 2111
 Okumura, K. see T. Nakazawa, 1988

- Okuno, M. see K. Kimura, 2926
 Okuno, T. see T. Watanabe, 318
 Oldham, N.J. see R.W.D. Welford, 5170
 Oldham, N.J. see R.W.D. Welford, 6688
 Oliva, J., S.E. Messaoudi, F. Pellestor, M. Fuentes, V. Georget, P. Baguer, V. Cavaillès, F. Vignon and E. Badia, Involvement of HPL α protein in irreversible transcriptional inactivation by antiestrogens in breast cancer cells, 4278
 Olive, M. see S. Nallamshetty, 6529
 Oliveira, H.B. see J.-H. Chang, 3601
 Oliveira, M.F., S.W. Kycia, A. Gomez, A.J. Kosar, D.S. Bohle, E. Hempelmann, D. Menezes, M.A. Vannier-Santos, P.L. Oliveira and S.T. Ferreira, Structural and morphological characterization of hemozoin produced by *Schistosoma mansoni* and *Rhodnius prolixus*, 6010
 Oliveira, P.L. see M.F. Oliveira, 6010
 Oliveira, S. see M. Broco, 4803
 Oliver, L. see M. Pelletier, 2364
 Olivera, B.M. see E. Leipold, 3881
 Ollagnier-de Choudens, S., L. Loiseau, Y. Sanakis, F. Barras and M. Fontecave, Quinolinate synthetase, an iron–sulfur enzyme in NAD biosynthesis, 3737
 Olsson, M.H.M., P.K. Sharma and A. Warshel, Simulating redox coupled proton transfer in cytochrome *c* oxidase: Looking for the proton bottleneck, 2026
 Omholt, S. see K.R. Guidugli, 4961
 Omodeo Salè, F., E. Vanzulli, S. Caielli and D. Taramelli, Regulation of human erythrocyte glyceraldehyde-3-phosphate dehydrogenase by ferric protoporphyrin IX, 5095
 Omoe, K. see D.-L. Hu, 4407
 O'Neill, L.A.J. see A. Dunne, 3330
 Oney, I., I.A. Kurnaz and M.L. Kurnaz, Cytoplasmic-to-nuclear volume ratio affects AP-1 complex formation as an indicator of cell cycle responsiveness, 433
 Ong, D.É. see L.L. Swift, 3183
 Ono, H. see K. Funane, 4739
 Ono, T.-a. see S. Masuda, 4329
 Ontko, A.C. see X. Yang, 1458
 Orellana, O. see G. Levicán, 6383
 Orgad, S., N. Goldfinger, G. Cohen, V. Rotter and B. Solomon, Single chain antibody against the common epitope of mutant p53 restores wild-type activity to mutant p53 protein, 5609
 Orlacchio, A. see S. Mencarelli, 5501
 Orsini, F. see M.E. Clementi, 2913
 Ortiz, E. see K. El-Kouhen, 6067
 Orzáez, M., D. Lukovic, C. Abad, E. Pérez-Payá and I. Mingarro, Influence of hydrophobic matching on association of model transmembrane fragments containing a minimised glycoporphin A dimerisation motif, 1633
 Osada, H. see T. Teruya, 2463
 Oschkinat, H. see D. Leitner, 3534
 Oshima, S. see S. Namiki, 2781
 Osorio, H. see E. Silles, 4044
 Ost, T.W.B. see D.J.B. Hunter, 2215
 Österberg, F. and J. Aqvist, Exploring blocker binding to a homology model of the open hERG K⁺ channel using docking and molecular dynamics methods, 2939
 Ostromova, O.S., V.V. Malev, Yu.A. Kaulin, Ph.A. Gurnev, J.Y. Takemoto and L.V. Schagina, Voltage-dependent synchronization of gating of syringomycin E ion channels, 5675
 Ota, K. see R. Matsuo, 2433
 Otagiri, M. see K. Nishi, 3596
 Otero, M., R. Lago, F. Lago, F.F. Casanueva, C. Dieguez, J.J. Gómez-Reino and O. Gualillo, Leptin, from fat to inflammation: old questions and new insights, 295
 Ouadid-Ahidouch, H. see G. Coiret, 2995
 Queslati, M. see A. Thielen, 5227
 Ouwehand, K., A.J.M. de Ruijter, C. van Bree, H.N. Caron and A.B.P. van Kuilenburg, Histone deacetylase inhibitor BL1521 induces a G1-phase arrest in neuroblastoma cells through altered expression of cell cycle proteins, 1523
 Ouzounis, C. see N. López-Bigas, 1900
 Overmars, H. see U. Kudla, 2451
 Owsianik, G. see A. Vastiau, 3392
 Oyama, H. see Y. Kataoka, 2991
 Ozanne, S.E. see J.-H. Chen, 6388
 Ozimek, L.K., G.J.W. Euverink, M.J.E.C. van der Maarel and L. Dijkhuizen, Mutational analysis of the role of calcium ions in the *Lactobacillus reuteri* strain 121 fructosyltransferase (levansucrase and inulosucrase) enzymes, 1124
 Paakkari, V. see A. Khrouchchova, 4808
 Pacheco, A. see S. Reigadas, 6803
 Padan, E. see P. Dibrov, 373
 Pagan-Ramos, E. see M.T. Nieman, 25
 Pagani, S. see F. Forlani, 6786
 Pagmantidis, V., G. Bermano, S. Villette, I. Broom, J. Arthur and J. Hesketh, Effects of Se-depletion on glutathione peroxidase and selenoprotein W gene expression in the colon, 792
 Pai, H.-S. see J.-A. Park, 4459
 Paine, M.G., J. Ramesh Babu, M.L. Seibenhenner and M.W. Wooten, Evidence for p62 aggregate formation: Role in cell survival, 5029
 Palanichamy, K. see X. Yang, 1458
 Palanivel, R. and G. Sweeney, Regulation of fatty acid uptake and metabolism in L6 skeletal muscle cells by resistin, 5049
 Palaniyar, N. see J. Nadesalingam, 4449
 Palazzi, L.M. see G. Cesareni, 1828
 Palidwor, G. see C. Perez-Iratxeta, 1795
 Palladino, P., B. Tizzano, C. Pedone, R. Ragone, F. Rossi, G. Saviano, T. Tancredi and E. Benedetti, Structural determinants of unexpected agonist activity in a retro-peptide analogue of the SDF-1 α N-terminus, 5293
 Pallardó, F.V. see J. Viña, 2541
 Pállinger, É. see H. Hegyesi, 2475
 Palma, P.N., B. Lagoutte, L. Krippahl, J.J.G. Moura and F. Guerlesquin, *Synechocystis* ferredoxin/ferredoxin-NADP⁺-reductase/NADP⁺ complex: Structural model obtained by NMR-restrained docking, 4585
 Palmieri, C. see R. Boito, 6439
 Palmieri, F. see V. Dolce, 633
 Palumbo, M.C., A. Colosimo, A. Giuliani and L. Farina, Functional essentiality from topology features in metabolic networks: A case study in yeast, 4642
 Paly, E. see M.L. Pecher, 3613
 Pan, A. see S. Das, 5205
 Pan, C.-J. see A.D. Nguyen, 4713
 Pan, D.A. see K. Dokladda, 236
 Pan, D.A. see K. Dokladda, 2019
 Pan, J. see Z. Li, 3100
 Pan, T., X. Li, W. Xie, J. Jankovic and W. Le, Valproic acid-mediated Hsp70 induction and anti-apoptotic neuroprotection in SH-SY5Y cells, 6716
 Pan, W. see P. Zhao, 2404
 Pan, X.-Y. see G.-H. Fu, 2105
 Pan, Y.-M. see W.-Y. Chen, 4692
 Pañeda, C. see D.R. Jones, 59
 Panelli, D. see V. Petruzzella, 3770
 Pang, L. see J. Stocks, 2551
 Pang, Y., H. Zhu, P. Wu and J. Chen, The characterization of plasma membrane Ca²⁺-ATPase in rich sphingomyelin–cholesterol domains, 2397
 Pangršic, T. see S.K. Sikdar, 6575
 Panico, M. see J.R. MacFadyen, 2569
 Pantano, S., M. Zaccolo and P. Carloni, Molecular basis of the allosteric mechanism of cAMP in the regulatory PKA subunit, 2679
 Pantina, R. see D.V. Lebedev, 1465
 Papa, S. see V. Petruzzella, 3770
 Papageorgiou, L.G. see L. Dartnell, 3037
 Papanikolau, Y. see S. Karamanou, 1267
 Papanikou, E. see S. Karamanou, 1267
 Pappalardo, A. see M. Gulino, 6101
 Paradisi, F., R. Woolfson, K.F. Geoghegan and P.C. Engel, Identification of the residue responsible for catalysing regeneration of activity in the inactive glutamate dehydrogenase mutant D165N, 2830
 Pareollo, C. see R. Catena, 3401
 Parenteau, J., R. Klinck, L. Good, Ü. Langen, R.J. Wellinger and S.A. Elela, Free uptake of cell-penetrating peptides by fission yeast, 4873
 Parenti, A. see L. Bellik, 2731
 Parhar, K. see A. Gómez-Muñoz, 3744
 Paris, S., H. Denis, E. Delaive, M. Dieu, V. Dumont, N. Ninane, M. Raes and C. Michiels, Up-regulation of 94-kDa glucose-regulated protein by hypoxia-inducible factor-1 in human endothelial cells in response to hypoxia, 105

- Park, B.C. see Y. Lee, 4769
 Park, C. see H.H. Jung, 3941
 Park, C.B. see M. Kanapathipillai, 4775
 Park, C.H., E.R. Hahm, S. Park, H.-K. Kim and C.H. Yang, The inhibitory mechanism of curcumin and its derivative against β -catenin/Tcf signaling, 2965
 Park, C.Y., J.H. Lee, J.H. Yoo, B.C. Moon, M.S. Choi, Y.H. Kang, S.M. Lee, H.S. Kim, K.Y. Kang, W.S. Chung, C.O. Lim and M.J. Cho, WRKY group II δ transcription factors interact with calmodulin, 1545
 Park, C.Y. see B.C. Moon, 3885
 Park, E.S., W.A. Fenton and A.L. Horwitz, No evidence for a forced-unfolding mechanism during ATP/GroES binding to substrate-bound GroEL: no observable protection of metastable Rubisco intermediate or GroEL-bound Rubisco from tritium exchange, 1183
 Park, J.A. see H.-E. Moon, 3797
 Park, J.-A., T.-W. Kim, S.-K. Kim, W.T. Kim and H.-S. Pai, Silencing of *NbECR* encoding a putative enoyl-CoA reductase results in disorganized membrane structures and epidermal cell ablation in *Nicotiana benthamiana*, 4459
 Park, J.H. see S.J. Kim, 534
 Park, J.S. see Y.K. Choi, 3085
 Park, J.-W. see K.J. Woo, 705
 Park, J.W. see K.A. Kang, 6295
 Park, K. see S.-H. Lee, 1027
 Park, K. see H.H. Jung, 3941
 Park, K. see S.-H. Lee, 6288
 Park, K.-L. see S.-H. Lee, 1027
 Park, K.-L. see S.-H. Lee, 6288
 Park, K.-S. see R.N. Bhattacharjee, 6604
 Park, M. see W.C. Lim, 5430
 Park, M.J. see J.H. Choi, 2795
 Park, M.K. see T. Ikeda, 819
 Park, M.K. see J. Sun, 5494
 Park, S. see C.H. Park, 2965
 Park, S. see M. Cho, 4213
 Park, S.G. see Y. Lee, 4769
 Park, S.H. see J.H. Choi, 2795
 Park, S.J. see H.-M. Ko, 2369
 Park, S.J. see H.-M. Ko, 6451
 Park, Y.-J. see S. Chakravarthy, 895
 Park, Y.-M. see H.-M. Ko, 2369
 Park, Y.S. see Y.K. Choi, 3085
 Park, Z.-Y. see J.W. Chang, 2873
 Parker, M.J. see B.R. Burkhardt, 5759
 Parmar, V.S. see S. Van Slambrouck, 1665
 Parmely, T.J. see J.W. Conaway, 904
 Parra, B. see R. Gavín, 4099
 Parra, B. see J. Castilla, 6237
 Parra, G. see N. López-Bigas, 1900
 Parrou, J.-L. see M.-J. Torija, 3999
 Parto, S. see M. Sadeghi, 3397
 Parvinen, M. see R. Catena, 3401
 Pascal, T., F. Debacq-Chainiaux, A. Chrétien, C. Bastin, A.-F. Dabée, V. Bertholet, J. Remacle and O. Toussaint, Comparison of replicative senescence and stress-induced premature senescence combining differential display and low-density DNA arrays, 3651
 Paschke, R. see S. Kräisch, 6417
 Pashkovskaya, A.A. see Y.N. Antonenko, 5247
 Pasinetti, G.M. see Z. Zhao, 2119
 Patenge, N. see J.C. Dächsel, 3913
 Patrucco, E. see G. Alloatti, 133
 Paugh, S.W. see S. Sarkar, 5313
 Paul, A. see C. Angkawidjaja, 4707
 Paulsson, M. see R. Wagener, 3323
 Pavlov, E., C. Grimbly, C.T.M. Diao and R.J. French, A high-conductance mode of a poly-3-hydroxybutyrate/calcium/polyphosphate channel isolated from competent *Escherichia coli* cells, 5187
 Pavoni, E., F. Sciandra, S. Barca, B. Giardina, T.C. Petrucci and A. Brancaccio, Immunodetection of partially glycosylated isoforms of α -dystroglycan by a new monoclonal antibody against its β -dystroglycan-binding epitope, 493
 Pawson, T. and R. Linding, Synthetic modular systems – reverse engineering of signal transduction, 1808
 Paya, M. see L. Touqui, 4923
 Peano, S. see C. Soto, 638
 Pearson, M. see L. Randau, 2945
 Pebay-Peyroula, E. see H. Nury, 6031
 Pecheur, M.L., E. Bourdon, E. Paly, L. Farout, B. Friguet and J. London, Oxidized SOD1 alters proteasome activities in vitro and in the cortex of SOD1 overexpressing mice, 3613
 Pechstein, A. see M. Weiwad, 1591
 Pecht, I. and D.M. Gakamsky, Spatial coordination of CD8 and TCR molecules controls antigen recognition by CD8 $^{+}$ T-cells, 3336
 Pecul, M. see W. Dzwolak, 6601
 Pedone, C. see P. Palladino, 5293
 Peek, M. see D. Kirchhofer, 1945
 Péguet-Navarro, J. see O. Berthier-Vergnes, 3660
 Pei, G. see W. Lu, 2130
 Peiter, E., M. Fischer, K. Sidaway, S.K. Roberts and D. Sanders, The *Saccharomyces cerevisiae* Ca $^{2+}$ channel Cch1pMid1p is essential for tolerance to cold stress and iron toxicity, 5697
 Pellestor, F. see J. Oliva, 4278
 Pelletier, J. see A. Malina, 79
 Pelletier, M., L. Oliver, K. Mefflah and F.M. Vallette, Caspase-3 can be pseudo-activated by a Ca $^{2+}$ -dependent proteolysis at a non-canonical site, 2364
 Pellizzoni, L. see C. Carissimi, 2348
 Peñarrubia, L. see S.E. Abdel-Ghany, 2307
 Penefsky, H.S., Pi binding by the F₁-ATPase of beef heart mitochondria and of the *Escherichia coli* plasma membrane, 2250
 Peng, C., C. Dong, Q. Hou, C. Xu and J. Zhao, The hydrophobic surface of PaAMP from pokeweed seeds is essential to its interaction with fungal membrane lipids and the antifungal activity, 2445
 Peng, C. see Q. Zhang, 3674
 Peng, J. see Y. Fang, 6365
 Peng, X. see Y. Gong, 115
 Peng, X. see G. Sun, 5419
 Peng, Y. see Z. Li, 3100
 Pénicaud, L. see S. Caspar-Bauguil, 3487
 Perales, J.C. see M. Gómez, 357
 Perc, M. see M. Marhl, 5461
 Perera, I.Y., A.J. Davis, D. Galanopoulou, Y.J. Im and W.F. Boss, Characterization and comparative analysis of *Arabidopsis* phosphatidylinositol phosphate 5-kinase 10 reveals differences in *Arabidopsis* and human phosphatidylinositol phosphate kinases, 3427
 Pérez, C. see L.E. Fernández, 3508
 Pérez-Arellano, I., V. Rubio and J. Cervera, Dissection of *Escherichia coli* glutamate 5-kinase: Functional impact of the deletion of the PUA domain, 6903
 Perez-Iratxeta, C., G. Palidwor, C.J. Porter, N.A. Sanche, M.R. Huska, B.P. Suomela, E.M. Muro, P.M. Krzyzanowski, E. Hughes, P.A. Campbell, M.A. Rudnicki and M.A. Andrade, Study of stem cell function using microarray experiments, 1795
 Pérez-Ortíz, J.E. see L.E. Rosaleny, 4063
 Pérez-Payá, E. see M. Orzáez, 1633
 Perez-Reyes, E. see J.M. Arias, 3907
 Pérez-Sala, D. see J. Gayarre, 5803
 Perno, C.-F. see J. Auwerx, 2294
 Perrotti, N. see R. Boito, 6439
 Persichini, T. see A.R. Ciampa, 6839
 Persico, M. see G. Cesareni, 1828
 Person, B. see O.S. Mironova, 3147
 Perumal, T.E. see K. Sathishkumar, 6444
 Pesen, D. and J.H. Hoh, Modes of remodeling in the cortical cytoskeleton of vascular endothelial cells, 473
 Pessaire, D. see M.-A. Robin, 6895
 Pestova, A. see D. Ivanov, 1213
 Petersen, C.M. see U.B. Westergaard, 1172
 Petersen, C.M. see U.B. Westergaard, 2749
 Petit, M.M.R., K.R.M.O. Crombez, H.B.V.K. Vervenne, N. Weyns and W.J.M. Van de Ven, The tumor suppressor Scrib selectively interacts with specific members of the zyxin family of proteins, 5061
 Petitot, A.-S. see J. Lequeu, 4879
 Petrenko, O. see A. Nemajerova, 6079
 Petrescu, A. see U. Kudla, 2451
 Petrescu, J. see M. Wartenberg, 4541
 Petrucci, T.C. see E. Pavoni, 493
 Petruzzella, V., D. Panelli, A. Torraco, A. Stella and S. Papa, Mutations in the *NDUFS4* gene of mitochondrial complex I alter stability of the splice variants, 3770
 Petsch, M. see A. Nicodemou, 5507
 Petschacher, B. see S. Leitgeb, 763
 Pettai, H., V. Oja, A. Freiberg and A. Laisk, The long-wavelength limit of plant photosynthesis, 4017
 Pettibone, D.J. see S.R. Hawtin, 349

- Peyrat, J.-P. see F. Gizard, 5535
 Pfeiffer, M. see R.C. Röhricht, 6433
 Philp, A. see P.T.W. Cohen, 3278
 Piñeiro, A. see E. Díaz-Rodríguez, 4020
 Piñeiro, R., M.J. Iglesias, R. Gallego, K. Raghay, S. Eiras, J. Rubio, C. Diéguez, O. Gualillo, J.R. González-Juanatey and F. Lago, Adiponectin is synthesized and secreted by human and murine cardiomyocytes, 5163
 Piccini, A. see R. Russo, 6027
 Piccinini, A.-M. see S.F. Falsone, 6350
 Pickford, A.R. see C.J. Millard, 4529
 Piens, K. see W. Nerinkx, 302
 Pierdomenico, S.D. see D. Lapenna, 245
 Pierre, J. see J. Raingeaud, 3953
 Pietrapiana, D., M. Sala, M. Prat and F. Sinigaglia, Met identification on human platelets: Role of hepatocyte growth factor in the modulation of platelet activation, 4550
 Pilon, M. see S.E. Abdel-Ghany, 2307
 Pinelli, C. see K. Goyal, 4093
 Pingle, S.C. see P.J. O'Connell, 5135
 Pintado, B. see J. Castilla, 6237
 Pinto, R., C. Ivaldi, M. Reyes, C. Doyen, F. Mietton, F. Mongelard, M. Alvarez, A. Molina, S. Dimitrov, M. Krauskopf, M.I. Vera and P. Bouvet, Seasonal environmental changes regulate the expression of the histone variant macroH2A in an eurythermal fish, 5553
 Pinzar, E., T. Wang, M.R. Garrido, W. Xu, P. Levy and S.P. Bottari, Angiotensin II induces tyrosine nitration and activation of ERK1/2 in vascular smooth muscle cells, 5100
 Pioselli, B., S. Bettati and A. Mozzarelli, Confinement and crowding effects on tryptophan synthase $\alpha_2\beta_2$ complex, 2197
 Pipaon, C., P.J. Real and J.L. Fernandez-Luna, Defective binding of transcriptional repressor ZEB via DNA methylation contributes to increased constitutive levels of p73 in Fanconi anemia cells, 4610
 Pires, J.R. see D. Leitner, 3534
 Pisano, M.M. see D.R. Warner, 3539
 Pisanti, S. see D. Sarnataro, 6343
 Pisselet, C. see P. Fromet, 2376
 Pittman, J.K., T. Shigaki and K.D. Hirschi, Evidence of differential pH regulation of the *Arabidopsis* vacuolar $\text{Ca}^{2+}/\text{H}^+$ antiporters CAX1 and CAX2, 2648
 Pizzut-Serin, S., G. Potocki-Véronèse, B.A. van der Veen, C. Albenne, P. Monsan and M. Remaud-Simeon, Characterisation of a novel amylosucrase from *Deinococcus radiodurans*, 1405
 Plaetzer, K. see T. Kiesslich, 185
 Planas, J.V. see D.B. Iliev, 6519
 Plasterk, R.H.A. see E. Wienholds, 5911
 Platt, J.L. see S.P. Kishore, 699
 Pochiari, M. see C. Soto, 638
 Pochet, S. see M. García-Marcos, 5407
 Pocovi, M. see M. Artieda, 4503
 Poels, J. see F.M. Mendive, 2171
 Pogier, D., J.-F. Fuchs, H. Nedev, M. Ferrand and S. Crouzy, Molecular dynamics study of the metallochaperone Hah1 in its apo and Cu(I)-loaded states: Role of the conserved residue M10, 5287
 Poitout, V. see H. Bihan, 2284
 Pomerleau, J. see N. Musi, 2045
 Ponnuraj, R.K., L.M. Rubio, S.K. Grunwald and P.W. Ludden, NAD-, NMN-, and NADP-dependent modification of dinitrogenase reductases from *Rhodospirillum rubrum* and *Azotobacter vinelandii*, 5751
 Pontecorvo, G. see S. Fantaccione, 2519
 Popeijus, H. see U. Kudla, 2451
 Popescu, N.C. see M.E. Durkin, 1191
 Popiel, H.A. see N. Fujikake, 3842
 Popova, L.G., G.A. Shumkova, I.M. Andreev and Y.V. Balnokin, Functional identification of electrogenic Na^+ -translocating ATPase in the plasma membrane of the halotolerant microalga *Dunaliella maritima*, 5002
 Poppek, D. see M.R. Lornejad-Schäfer, 5791
 Porter, C.J. see C. Perez-Iratxeta, 1795
 Portillo, F., J.M. Mulet and R. Serrano, A role for the non-phosphorylated form of yeast Snf1: tolerance to toxic cations and activation of potassium transport, 512
 Portmann, R. and M. Solioz, Purification and functional reconstitution of the human Wilson copper ATPase, ATP7B, 3589
 Pós, Z. see H. Hegyesi, 2475
 Post, J.N., K.A. Lidke, B. Rieger and D.J. Arndt-Jovin, One- and two-photon photoactivation of a paGFP-fusion protein in live *Drosophila* embryos, 325
 Potenza, N. see M.L. Chiusano, 4919
 Potocki-Véronèse, G. see S. Pizzut-Serin, 1405
 Pottosin, I. see T. Wherrett, 6890
 Pouponnot, C. see K. Sii-Felice, 3547
 Poveda, J.A. see J.A. Encinar, 5199
 Powell, B.C. see G.R. Sander, 4851
 Powell, B.C. see G.R. Sander, 5111
 Powers, V.E.C. see D.A. Rusling, 6616
 Poy, G. see V. Handa, 2702
 Pozidis, C. see S. Karamanou, 1267
 Prada, P.O. see R.R. Prattali, 3152
 Prasad, T.K., N. Rangaraj and N.M. Rao, Quantitative aspects of endocytic activity in lipid-mediated transfections, 2635
 Prat, M. see D. Pietrapiana, 4550
 Prates, M.V. see C.S.Á. Dayler, 5616
 Prattali, R.R., G.C. Barreiro, C.T. Caliseo, F.Y. Fugiwara, M. Ueno, P.O. Prada, L.A. Velloso, M.J.A. Saad and J.B.C. Carvalheira, Aspirin inhibits serine phosphorylation of insulin receptor substrate 1 in growth hormone treated animals, 3152
 Prentki, M. see E. Joly, 6581
 Preveral, S. see F. Verret, 1515
 Priest, D.M., R.G. Jackson, D.A. Ashford, S.R. Abrams and D.J. Bowles, The use of abscisic acid analogues to analyse the substrate selectivity of UGT71B6, a UDP-glycosyltransferase of *Arabidopsis thaliana*, 4454
 Priestman, M.A., T. Funke, I.M. Singh, S.S. Crupper and E. Schönbrunn, 5-Enolpyruvylshikimate-3-phosphate synthase from *Staphylococcus aureus* is insensitive to glycoprotein, 728
 Priestman, M.A., M.L. Healy, T. Funke, A. Becker and E. Schönbrunn, Molecular basis for the glycoprotein-insensitivity of the reaction of 5-enolpyruvylshikimate 3-phosphate synthase with shikimate, 5773
 Proud, C.G. see A.R. Tee, 4763
 Prough, R.A. see K. Monostori, 229
 Prudent, S., F. Marty and M. Charbonnier, The yeast osmosensitive mutant *fps1Δ* transformed by the cauliflower BobTIP1;1 aquaporin withstand a hypo-osmotic shock, 3872
 Prudovsky, I. see V. Kolev, 5798
 Prystowsky, M.B. see F.J. Gunn-Moore, 5089
 Ptitsyn, L.R. see N.N. Samsonova, 4107
 Ptitsyn, L.R. see E.A. Kutukova, 4629
 Puan, K.-J., H. Wang, T. Dairi, T. Kuzuyama and C.T. Morita, *fldA* is an essential gene required in the 2-C-methyl-D-erythritol 4-phosphate pathway for isoprenoid biosynthesis, 3802
 Pucci, P. see S. Amente, 683
 Pucci, P. see C. Caporale, 3048
 Puig, S. see S.E. Abdel-Ghany, 2307
 Pungerčar, J.R. see O. Vasiljeva, 1285
 Puri, M. see R.W.D. Welford, 5170
 Puri, M. see R.W.D. Welford, 6688
 Puscheck, E. see Y. Xie, 398
 Püschel, A.W. see C. Burkhardt, 3821
 Putmans, P. see F. T'Sas, 66
 Puttine-Marique, F. see R. Navet, 4437
 Puzas, E.J. see V.B. Andela, 6814
 Pyatkin, I.G. see D.P. Kunte, 3497
 Pyun, Y.-R. see D.-W. Lee, 1261

Q

- Qanungo, S. see M. Wang, 2411
 Qi, C. see G. Wang, 4005
 Qi, Y. and G.J. Hannon, Uncovering RNAi mechanisms in plants: Biochemistry enters the foray, 5899
 Qi, Z.-T. see P. Zhao, 2404
 Qian, L.-X. see Y.-X. Wang, 4843
 Qiang, B. see Y. Gong, 115
 Qin, H., D. Du, Y. Zhu, J. Li, L. Feng, Y. Liang and H. Han, The P_cG protein HPC2 inhibits RBP-J-mediated transcription by interacting with LIM protein KyoT2, 1220
 Qin, L. see U. Kudla, 2451
 Qin, Z.-L. see P. Zhao, 2404
 Qu, F. and T.J. Morris, Suppressors of RNA silencing encoded by plant viruses and their role in viral infections, 5958
 Qu, X. see F. Xing, 5035

R

- Ra, C. see M. Inoue, 604
 Rábano, A. see J. Castilla, 6237
 Rabe, K.S. see D.E. Agafonov, 2082
 Raclaru, M. see R. Kumar, 1357
 Raes, M. see S. Paris, 105
 Raghay, K. see R. Piñeiro, 5163
 Ragni, M. see E. Silvestri, 1639
 Ragone, R. see P. Palladino, 5293
 Raha, S. see P. Sen, 4402
 Rahav, G. see M. Bakhanashvili, 1435
 Rahman, A., S. Akterin, A. Flores-Morales, M. Crisby, M. Kivipelto, M. Schultzberg and A. Cedazo-Mínguez, High cholesterol diet induces tau hyperphosphorylation in apolipoprotein E deficient mice, 6411
 Raingeaud, J. and J. Pierre, Interleukin-4 downregulates TNF α -induced IL-8 production in keratinocytes, 3953
 Raj, H.G. see G.U. Gurudutta, 3503
 Rajagopal, R. see E. Albè, 5481
 Rajamohan, G. see M. Dahiya, 1565
 Rajapakse, S., K. Ogiwara, N. Takano, A. Moriyama and T. Takahashi, Biochemical characterization of human kallikrein 8 and its possible involvement in the degradation of extracellular matrix proteins, 6879
 Rakitina, D.V., O.L. Kantidze, A.D. Leshchiner, A.G. Solovyev, V.K. Novikov, S.Y. Morozov and N.O. Kalinina, Coat proteins of two filamentous plant viruses display NTPase activity in vitro, 4955
 Rakus, D. see P. Mamczur, 1607
 Rakus, D., E. Maciaszczyk, D. Wawrzyczka, S. Ułaszewski, K. Eschrich and A. Dzugaj, The origin of the high sensitivity of muscle fructose 1,6-bisphosphatase towards AMP, 5577
 Ramajo, J. see S. Reigadas, 6803
 Ramer, J.K. see C.A. Johnston, 5746
 Ramesh Babu, J. see M.G. Paine, 5029
 Ramírez, M.A. see J. Castilla, 6237
 Ramsey, J.J. see K. Hagopian, 2009
 Ramudo, L. see I. De Dios, 6355
 Randau, L., M. Pearson and D. Söll, The complete set of tRNA species in *Nanoarchaeum equitans*, 2945
 Rangaraj, N. see T.K. Prasad, 2635
 Ranjbar, B. see M. Sadeghi, 3397
 Ranjbar, B. see A.R. Madvar, 4701
 Rao, B.J. see G.D. Gupta, 3141
 Rao, M.N.A. see X. Yang, 1458
 Rao, N.M. see T.K. Prasad, 2635
 Rapp, U.R. see M. Hekman, 464
 Rappolee, D.A. see Y. Xie, 398
 Rappsilber, J. see C. Carissimi, 2348
 Rascher, W. see I. Knerr, 3991
 Rastogi, R.K. see K. Goyal, 4093
 Rauscher, A. see S. Sukumaran, 2546
 Raveendran, M., J. Wang, D. Senthil, J. Wang, B. Utama, Y. Shen, D. Dudley, Y. Zhang and X.L. Wang, Endogenous nitric oxide activation protects against cigarette smoking induced apoptosis in endothelial cells, 733
 Ravich, D. see M.H. Glickman, 3214
 Ray, K. see M. Sarkar, 3449
 Razin, S.V. see V. Borunova, 4746
 Reach, G. see H. Bihan, 2284
 Real, P.J. see C. Pipaon, 4610
 Reche, P.A. see M. Bhasin, 4302
 Recio, J.S. see I. De Dios, 6355
 Redding, S.J. see A.G. Roberts, 1061
 Reddy, M.K. see S.K. Yadav, 6265
 Regazzi, R. see A. Abderrahmani, 6199
 Reichenberg, A. see R.C. Röhricht, 6433
 Reichenstein, M., T. German and I. Barash, BLG-e1 – A novel regulatory element in the distal region of the β -lactoglobulin gene promoter, 2097
 Reichheld, J.-P., E. Meyer, M. Khafif, G. Bonnard and Y. Meyer, AtNTRB is the major mitochondrial thioredoxin reductase in *Arabidopsis thaliana*, 337
 Reid, K.B.M. see J. Nadesalingam, 4449
 Reigadas, S., A. Pacheco, J. Ramajo, S.L. de Quinto and E. Martínez-Salas, Specific interference between two unrelated internal ribosome entry site elements impairs translation efficiency, 6803
 Reinherz, E.L. see M. Bhasin, 4302
 Reinstein, J. see Y. Groemping, 5713
 Remacle, J. see T. Pascal, 3651
 Remaud-Simeon, M. see S. Pizzut-Serin, 1405
 Ren, J. see X. Yang, 1458
 Ren, J. see F. Xing, 5035
 Ren, K. see J. Zhou, 1715
 Renart, M.L. see J.A. Encinar, 5199
 Renedo, M. see J. Gayarre, 5803
 Renshaw, S.A. see C.E. Dempsey, 3646
 Resing, K.A. and N.G. Ahn, Proteomics strategies for protein identification, 885
 Reudelhuber, T.L. see A. Salvas, 5621
 Reutter, W. see K. Bork, 5079
 Révillion, F. see F. Gizard, 5535
 Reyes, M. see R. Pinto, 5553
 Reymond, N., S. Garrido-Urbani, J.-P. Borg, P. Dubreuil and M. Lopez, PICK-1: A scaffold protein that interacts with Nectins and JAMs at cell junctions, 2243
 Rha, S.Y. see M. Yeo, 127
 Rhee, K. see S.J. Kim, 534
 Rho, S.-B. see S.-H. Lee, 1027
 Rho, S.-B. see S.-H. Lee, 6288
 Rho, S.B. see T. Chun, 5275
 Ribichich, K.F. and S.L. Gomes, *Blastocladiella emersonii* expresses a centrin similar to *Chlamydomonas reinhardtii* isoform not found in late-diverging fungi, 4355
 Riboldi-Tunnicliffe, A., N.W. Isaacs and T.J. Mitchell, 1.2 Å crystal structure of the *S. pneumoniae* PhtA histidine triad domain a novel zinc binding fold, 5353
 Richards, K.M. see G.H. Chew, 4678
 Richaud, P. see F. Verret, 1515
 Richt, J.A. see M. Eickmann, 4751
 Richter, D. see W. Wente, 6305
 Rico, M. see M. Guo, 3574
 Rider, D.A. see L.D. Church, 1539
 Rieger, B. see J.N. Post, 325
 Riekenberg, S., B. Witjes, M. Šarić, I. Bruchhaus and H. Scholze, Identification of EhICP1, a chagasin-like cysteine protease inhibitor of *Entamoeba histolytica*, 1573
 Rigden, D.J., Analysis of glycoside hydrolase family 98: Catalytic machinery, mechanism and a novel putative carbohydrate binding module, 5466
 Rimon, A. see P. Dibrov, 373
 Rippmann, J.F., A. Schnapp, A. Weith and S. Hobbie, Gene silencing with STAT6 specific siRNAs blocks eotaxin release in IL-4/TNF α stimulated human epithelial cells, 173
 Rissel, M. see F. Desmots, 5691
 Ritsema, T. see D. Altenbach, 4647
 Ritter, B. see J.L. Burman, 2177
 Rivail, L. see M. Berthouze, 2973
 Rivera, I. see M. Rodríguez-Sosa, 6403
 Rivier, F. see D. Chazalette, 1079
 Ro, H.-S. see W.-C. Choi, 3461
 Roach, J.C. see D.B. Iliev, 6519
 Roach, P.J. see R.M. de Paula, 2208
 Roach, P.J. see M.-J. Torija, 3999
 Robertson, D. see J.R. MacFadyen, 2569
 Robert, I. see R.A. Bersaoui, 2715
 Robert, S., M. Maillet, E. Morel, J.-M. Launay, R. Fischmeister, L. Mercken and F. Lezoualc'h, Regulation of the amyloid precursor protein ectodomain shedding by the 5-HT₄ receptor and Epac, 1136
 Robert Wang, H.-C. see P. Song, 90
 Roberts, A.G., S.J. Redding and D.H. Llewellyn, An alternatively spliced exon in the 5'-UTR of human ALAS1 mRNA inhibits translation and renders it resistant to haem-mediated decay, 1061
 Roberts, G.A. see D.J.B. Hunter, 2215
 Roberts, H.F., J.H. Clarke, A.J. Letcher, R.F. Irvine and K.A. Hincliffe, Effects of lipid kinase expression and cellular stimuli on phosphatidylinositol 5-phosphate levels in mammalian cell lines, 2868
 Roberts, S.K. see E. Peiter, 5697
 Robillard, R. see F. Gizard, 5535
 Robin, M.-A., I. Sauvage, T. Grandperret, V. Descatoire, D. Pessaire and B. Fromenty, Ethanol increases mitochondrial cytochrome P450 2E1 in mouse liver and rat hepatocytes, 6895
 Robinson, C. see S. Bailey, 275
 Robinson, C.V. see H. Videler, 943
 Robinson, P.A. see H.C. Ardley, 571
 Rödiger, A. see K. Krause, 3707

- Rodnina, M.V., K.B. Gromadski, U. Kothe and H.-J. Wieden, Recognition and selection of tRNA in translation, 938
- Rodrigues-Lima, F. see J. Dairou, 4719
- Rodrigues-Pousada, C. see M. Broco, 4803
- Rodríguez, C.M. see C. Mendoza-Milla, 3947
- Rodríguez, E. see G. Granados-Gonzalez, 6667
- Rodríguez, M.H. see L.E. Fernández, 3508
- Rodríguez-Barrios, F. see J. Auwerx, 2294
- Rodríguez-Crespo, I. see M. Martínez-Moreno, 3159
- Rodríguez-Sosa, M., G. Elizondo, R.M. López-Durán, I. Rivera, F.J. Gonzalez and L. Vega, Over-production of IFN- γ and IL-12 in AhR-null mice, 6403
- Roduit, R. see E. Joly, 6581
- Roeder, R.G., Transcriptional regulation and the role of diverse coactivators in animal cells, 909
- Roessner-Tunali, U. see N. Schauer, 1332
- Rögner, M. see R. Kouril, 3253
- Roh, J.K. see M. Yeo, 127
- Roh, S.I. see S.J. Kim, 534
- Röhrlach, R.C., N. Englert, K. Troschke, A. Reichenberg, M. Hintz, F. Seeger, E. Balconi, A. Aliverti, G. Zanetti, U. Köhler, M. Pfeiffer, E. Beck, H. Jomaa and J. Wiesner, Reconstitution of an apicoplast-localised electron transfer pathway involved in the isoprenoid biosynthesis of *Plasmodium falciparum*, 6433
- Roig-Zamboni, V. see S. Canaan, 215
- Rojewski, M. see F. Nolte, 3866
- Roldan, E.R.S. see W.-Y. Chen, 4692
- Rolland, C. see M.-F. Lecompte, 5074
- Romanov, G. see N. Yamamoto, 2185
- Romero, N.B. see C.S. Clemen, 3777
- Ron, E.Z. see E. Gur, 1935
- Roncal, F. see M. Martínez-Moreno, 3159
- Roncero, C. see L.J. García-Rodríguez, 6186
- Roosen, J. see K. Thevissen, 1973
- Rosa, J.L. see F.R. García-Gonzalo, 343
- Rosaleny, L.E., O. Antúnez, A.B. Ruiz-García, J.E. Pérez-Ortíz and V. Tordera, Yeast *HAT1* and *HAT2* deletions have different life-span and transcriptome phenotypes, 4063
- Rosas, M., K.U. Birkenkamp, J.J. Lammers, L. Koenderman and P.J. Cofer, Cytokine mediated suppression of TF-1 apoptosis requires PI3K activation and inhibition of Bim expression, 191
- Roseboom, W., M. Blokesch, A. Böck and S.P.J. Albracht, The biosynthetic routes for carbon monoxide and cyanide in the Ni-Fe active site of hydrogenases are different, 469
- Rosenblatt, J.D. see V.B. Andela, 6814
- Rosenthal, W. see A. Thielen, 5227
- Rosier, R.N. see V.B. Andela, 1765
- Rosier, R.N. see V.B. Andela, 6814
- Rossi, F. see P. Palladino, 5293
- Rossi, J.J. see M.S. Weinberg, 1619
- Rossi, J.J. see M. Amarzguioui, 5974
- Rossington, K.E. see S.J. Whitehead, 2863
- Rossmeisl, M. see J. Sponarova, 6105
- Roth, U. see C.S. Clemen, 3777
- Rothonie, A., J. Storm, R. McMahon, A. Taylor, I.D. Kerr and R. Callaghan, The coupling mechanism of *P*-glycoprotein involves residue L339 in the sixth membrane spanning segment, 3984
- Rotter, V. see S. Orgad, 5609
- Rouault, C. see H. Bihan, 2284
- Rousseau, D.L. see H. Ji, 6361
- Rousset, M. see M. Broco, 4803
- Roveri, A. see M. Maiorino, 667
- Row, R.H. see B. Schilling, 2485
- Roy, H.K. see D.P. Kunte, 3497
- Roy, N. see S.V. Kharade, 6809
- Roze, E. see U. Kudla, 2451
- Ru, M.-G. see Z.-G. Wang, 4928
- Rubach, J.K., X. Brazzolotto, J. Gaillard and M. Fontecave, Biochemical characterization of the HydE and HydG iron-only hydrogenase maturation enzymes from *Thermatoga maritima*, 5055
- Ruban, A. see P. Horton, 4201
- Rubinstein, M. see Y. Shechter, 2439
- Rubio, J. see R. Piñeiro, 5163
- Rubio, L.M. see R.K. Ponnuraj, 5751
- Rubio, V. see I. Pérez-Arellano, 6903
- Ruderman, N.B. see E. Joly, 6581
- Rudnicki, M.A. see C. Perez-Iratxeta, 1795
- Ruel, L. see M. De Rivoyre, 1529
- Ruike, Y. see S. Katsuma, 2576
- Ruiz-García, A.B. see L.E. Rosaleny, 4063
- Ruiz-Mendoza, A.B. see A. Vázquez-Macías, 3701
- Ruller, R. see M.T. Murakami, 6505
- Rupp, S. see M. Koyanagi, 6060
- Rusch, A. see P.M. Barral, 2752
- Rusling, D.A., L. Le Strat, V.E.C. Powers, V.J. Broughton-Head, J. Booth, O. Lack, T. Brown and K.R. Fox, Combining nucleoside analogues to achieve recognition of oligopurine tracts by triplex-forming oligonucleotides at physiological pH, 6616
- Russell, R. and G. Superti-furga, Systems Biology: Understanding the Biological Mosaic, 1771
- Russell, R.B. see P. Aloy, 1854
- Russell, R.B. see G. Apic, 1872
- Russell, R.B. see V. Neduvia, 3342
- Russo, A. see M. Naddeo, 2663
- Russo, G.M.R. see M.L. Chiusano, 4919
- Russo, L. see F.M. Megli, 4577
- Russo, O. see M. Berthouze, 2973
- Russo, R., R. Borghi, W. Markesberry, M. Tabaton and A. Piccini, Neprylisin decreases uniformly in Alzheimer's disease and in normal aging, 6027
- Ryberg, E., H.K. Vu, N. Larsson, T. Groblewski, S. Hjorth, T. Elebring, S. Sjögren and P.J. Greasley, Identification and characterisation of a novel splice variant of the human CB1 receptor, 259
- Ryu, K.-J. see H.H. Jung, 3941
- Ryu, S.R. see W.-C. Choi, 3461

S

- Saa, P. see C. Soto, 638
- Saad, M.J.A. see R.R. Prattali, 3152
- Sabatini, K. see F.M. Megli, 4577
- Sabová, L. see D. Košťanová-Poliaková, 5152
- Saburi, S. see J. Aoyama, 6326
- Sacchi, A. see V. Di Stefano, 5473
- Sacco, E., S. Fantinato, R. Manzoni, D. Metalli, L. De Gioia, P. Fantucci, L. Alberghina and M. Vanoni, The isolated catalytic hairpin of the Ras-specific guanine nucleotide exchange factor Cdc25^{Mm} retains nucleotide dissociation activity but has impaired nucleotide exchange activity, 6851
- Sachs, J.N. see C.-N. Chin, 3855
- Sadehgiri, M., S. Parto, S. Arab and B. Ranjbar, Prediction of protein secondary structure based on residue pair types and conformational states using dynamic programming algorithm, 3397
- Sadre, R. see R. Kumar, 1357
- Saenger, W. see H. Ishikita, 712
- Saga, Y. see J. Harada, 1983
- Saha, A.K. see E. Joly, 6581
- Saido, T.C. see T. Sato, 2907
- Saiiki, I. see H. Sakurai, 6641
- Saini, H.K. see N. Siew, 3175
- Saisho, H. see K. Kimura, 2926
- Saito, A. see J. He, 2277
- Saito, A. see K. Suga, 4226
- Saito, F., M. Blank, J. Schröder, H. Many, T. Shimizu, K.P. Campbell, T. Endo, M. Mizutani, S. Kröger and K. Matsunaga, Aberrant glycosylation of α -dystroglycan causes defective binding of laminin in the muscle of chicken muscular dystrophy, 2359
- Saito, H. see S. Ohkouchi, 1745
- Saito, N. see T. Taniguchi, 1399
- Saito, N. see T. Taniguchi, 5704
- Saito, R. see H. Suzuki, 6499
- Saito, T. see N. Yamaguchi, 6821
- Sakaguchi, J. see M. Hashimoto, 2959
- Sakai, M. see T. Hashimoto, 281
- Sakai, M. see Y. Tanaka, 1579
- Sakai, M. see T. Hashimoto, 2972
- Sakai, N. see K. Nishi, 3596
- Sakai, T. see H. Ishida, 71
- Sakai, Y. see N. Kojima, 4562
- Sakamoto, K. see N. Iizuka, 1089
- Sakamoto, K. see A. Mora, 3632
- Sakamoto, S. see W.-H. Cheng, 1350

- Sakamoto, T. see J. He, 2277
 Sakharov, D.V., E.D.R. Elstak, B. Chernyak and K.W.A. Wirtz, Prolonged lipid oxidation after photodynamic treatment. Study with oxidation-sensitive probe C11-BODIPY^{581/591}, 1255
 Sakuragi, Y. see M. Mimuro, 3493
 Sakurai, A. see S.-y. Morita, 1759
 Sakurai, H., P. Singhirunusorn, E. Shimotabira, A. Chino, S. Suzuki, K. Koizumi and I. Saiki, TAK1-mediated transcriptional activation of CD28-responsive element and AP-1-binding site within the IL-2 promoter in Jurkat T cells, 6641
 Sakurai, M., T. Ohtsuki, T. Suzuki and K. Watanabe, Unusual usage of wobble modifications in mitochondrial tRNAs of the nematode *Ascaris suum*, 2767
 Sala, M. see D. Pietrapiana, 4550
 Sala, R. see E. Bevilacqua, 3376
 Sala-Newby, G.B., S.J. George, M. Bond, G.K. Dhoot and A.C. Newby, Regulation of vascular smooth muscle cell proliferation, migration and death by heparan sulfate 6-O-endosulfatase1, 6493
 Salamone, P.R. see S.-K. Hwang, 983
 Salazar, C. and T. Höfer, Activation of the transcription factor NFAT1: concerted or modular regulation? 621
 Salcedo, M. see A. Babon, 1658
 Sale, G.J. see A. Mander, 3024
 Salerno, J.C. see T. Ohnishi, 4555
 Salgado, I. see L.V. Modolo, 3814
 Salguero, F.J. see J. Castilla, 6237
 Salh, B. see A. Gómez-Muñoz, 3744
 Salvases, A., S. Benjannet, T.L. Reudelhuber, M. Chrétien and N.G. Seidah, Evidence for proprotein convertase activity in the endoplasmic reticulum/early Golgi, 5621
 Salvato, B. see M. Toni, 741
 Salvayre, R. see M.-F. Lecompte, 5074
 Sambo, A.V. see P. Delobel, 1
 Samsonova, N.N., S.V. Smirnov, A.E. Novikova and L.R. Ptitsyn, Identification of *Escherichia coli* K12 YdcW protein as a γ -aminobutyraldehyde dehydrogenase, 4107
 Samuelsen, Ø., H.H. Haukland, H. Jenssen, M. Krämer, K. Sandvik, H. Ulvatne and L.H. Vorland, Induced resistance to the antimicrobial peptide lactoferricin B in *Staphylococcus aureus*, 3421
 Samuelsen, Ø., H.H. Haukland, H. Jenssen, M. Krämer, K. Sandvik, H. Ulvatne and L.H. Vorland, Corrigendum to: "Induced resistance to the antimicrobial peptide lactoferricin B in *Staphylococcus aureus* (FEBS 29639)" [FEBS Lett. 579 (2005) 3421–3426], 5437
 Sanakis, Y. see S. Ollagnier-de Coudens, 3737
 Sanchez, N.A. see C. Perez-Iratxeta, 1795
 Sánchez-Nogueiro, J., P. Marín-García and M.T. Miras-Portugal, Characterization of a functional P2X₇-like receptor in cerebellar granule neurons from P2X₇ knockout mice, 3783
 Sánchez-Prieto, J. see M.C. Godino, 768
 Sander, B. see J. Flygare, 6885
 Sander, C. see M.P. Cary, 1815
 Sander, G.R., A.G. Cummins and B.C. Powell, Rapid disruption of intestinal barrier function by gliadin involves altered expression of apical junctional proteins, 4851
 Sander, G.R., A.G. Cummins, T. Henshall and B.C. Powell, Corrigendum to "Rapid disruption of intestinal barrier function by gliadin involves altered expression of apical junctional proteins FEBS (29865)" [FEBS Letters 579 (2005) 4851–4855], 5111
 Sanders, D. see E. Peiter, 5697
 Sandmann, J., K.S. Schwedhelm and D. Tsikas, Specific transport of S-nitrosocysteine in human red blood cells: Implications for formation of S-nitrosothiols and transport of NO bioactivity within the vasculature, 4119
 Sandvik, K. see Ø. Samuelsen, 3421
 Sandvik, K. see Ø. Samuelsen, 5437
 Sang, N. see T. Arnesen, 6428
 Sanjuán-Pla, A., A.M. Cervera, N. Apostolova, R. Garcia-Bou, V.M. Víctor, M.P. Murphy and K.J. McCreath, A targeted antioxidant reveals the importance of mitochondrial reactive oxygen species in the hypoxic signaling of HIF-1 α , 2669
 Sankala, H. see S. Sarkar, 5313
 Sansom, M.S.P. see J.D. Campbell, 4193
 Santarossa, G., P.G. Lafranconi, C. Alquati, L. DeGioia, L. Alberghina, P. Fantucci and M. Lotti, Mutations in the "lid" region affect chain length specificity and thermostability of a *Pseudomonas fragi* lipase, 2383
 Santelia, D., V. Vincenzetti, E. Azzarello, L. Bovet, Y. Fukao, P. Düchtig, S. Mancuso, E. Martinoia and M. Geisler, MDR-like ABC transporter AtPGP4 is involved in auxin-mediated lateral root and root hair development, 5399
 Santibañez, J.F. and C. Hurtado, Ha-Ras sensitizes transformed mouse skin cells to Anisomycin-induced apoptosis, 6459
 Santoni, M.-J. see J.-Y. Métais, 3725
 Santos Mendoza, M., B. Dubreucq, M. Miquel, M. Caboche and L. Lepiniec, LEAFY COTYLEDON 2 activation is sufficient to trigger the accumulation of oil and seed specific mRNAs in *Arabidopsis* leaves, 4666
 Santulli, A. see A. De Blasio, 615
 Sanz, M.A. see V. Madan, 3607
 Sarangapani, R. see S.V. Aksenen, 1878
 Sarbolouki, M.-N. see A. Jalali, 4181
 Sargisova, Y.G. see N.A. Andreyanov, 643
 Šarić, M. see S. Riekenberg, 1573
 Sarkar, M., S. Das, A. Bandyopadhyaya, K. Ray and K. Chaudhuri, Upregulation of human mitochondrial NADH dehydrogenase subunit 5 in intestinal epithelial cells is modulated by *Vibrio cholerae* pathogenesis, 3449
 Sarkar, S., M. Maceyka, N.C. Hait, S.W. Paugh, H. Sankala, S. Milstien and S. Spiegel, Sphingosine kinase 1 is required for migration, proliferation and survival of MCF-7 human breast cancer cells, 5313
 Sarnataro, D., C. Grimaldi, S. Pisanti, P. Gazzero, C. Læzza, C. Zurzolo and M. Bifulco, Plasma membrane and lysosomal localization of CB1 cannabinoid receptor are dependent on lipid rafts and regulated by anandamide in human breast cancer cells, 6343
 Sarti, P. see A. Giuffrè, 2528
 Sasaki, K., K. Ohara and K. Yazaki, Gene expression and characterization of isoprene synthase from *Populus alba*, 2514
 Sasaki, K. see K. Nakaminami, 4887
 Sasaki, M. see S. Yoshihara, 2722
 Sasaki, S. see Y. Temmei, 4417
 Sasaki, T. see R. Matsuo, 2433
 Sasaki, T. see M. Kanagawa, 4792
 Sass, M. see P. Löw, 4943
 Sassone-Corsi, P. see R. Catena, 3401
 Sastre, J. see J. Viña, 2541
 Sathishkumar, K., M. Haque, T.E. Perumal, J. Francis and R.M. Uppu, A major ozonation product of cholesterol, 3 β -hydroxy-5-oxo-5,6-secocholestan-6-al, induces apoptosis in H9c2 cardiomyoblasts, 6444
 Sato, H. see K. Fukumoto, 3829
 Sato, K. see M. Ueda, 11
 Sato, K. see T. Hashimoto, 281
 Sato, K. see T. Hashimoto, 2972
 Sato, K. see M. Taniguchi, 5785
 Sato, M., K. Nakahara, M. Yoshii, M. Ishikawa and I. Uyeda, Selective involvement of members of the eukaryotic initiation factor 4E family in the infection of *Arabidopsis thaliana* by potyviruses, 1167
 Sato, M. see H. Hashimoto, 4324
 Sato, M.H. see T. Uemura, 2842
 Sato, M.H. see F. Ishikawa, 5814
 Sato, S. see J.W. Conaway, 904
 Sato, S. see M. Maruoka, 2986
 Sato, T. see H. Ishida, 71
 Sato, T. see H. Yamamoto, 507
 Sato, T. see Y. Kakinuma, 2111
 Sato, T., Y. Tanimura, N. Hirotani, T.C. Saido, M. Morishima-Kawashima and Y. Ihara, Blocking the cleavage at midportion between γ - and e-sites remarkably suppresses the generation of amyloid β -protein, 2907
 Sato, Y. see H. Akiyama, 4485
 Sato, Y. see N. Tamemiro, 5299
 Sato, Y.T., T. Hamada, K. Kubo, A. Yamada, T. Kishida, O. Mazda and K. Yoshikawa, Folding transition into a loosely collapsed state in plasmid DNA as revealed by single-molecule observation, 3095
 Satoh, R. see M. Asano, 4479
 Satsu, H. see T. Mochizuki, 3069
 Satsu, H. see D.O. Son, 4671
 Satsu, H. see M. Kanagawa, 4792
 Sauer, H. see M. Wartenberg, 4541
 Sauerwald, A., D. Sitaramaiah, J.A. McCloskey, D. Söll and P.F. Crain, N⁶-Acetyladenosine: A new modified nucleoside from *Methanopyrus kandleri* tRNA, 2807
 Sauvage, I. see M.-A. Robin, 6895
 Saviano, G. see P. Palladino, 5293
 Sawada, J.-i. see H. Akiyama, 4485
 Sawada, M. see S. Ito, 1995
 Sawamura, T. see J.R. Thériault, 1951
 Sawyer, A. see C. Carissimi, 2348
 Saxena, K. see T. Langer, 4049

- Sayari, A., F. Frika, N. Miled, H. Mtibaa, Y.B. Ali, R. Verger and Y. Gargouri, N-terminal peptide of *Rhizopus oryzae* lipase is important for its catalytic properties, 976
- Sazdovitch, V. see I. Laffont-Proust, 6333
- Scanlan, D.J. see S. Bailey, 275
- Scapozza, L. see M.S. Birringer, 1376
- Scappuccini-Calvo, L. see S. Canaan, 215
- Scarcia, P. see V. Dolce, 633
- Schaerlaekens, K. see S.D. Keersmaeker, 797
- Schäfer, A. see K. Krause, 3707
- Schäffler, A. see J. Weigert, 5565
- Schaftingen, E.V. see E. Wiame, 294
- Schagina, L.V. see O.S. Ostroumov, 5675
- Schatz, G., The risks of playing safe, 569
- Schatz, G., Chauvinism in science, 1321
- Schatz, G., Voices of the night, 6697
- Schauer, N., D. Steinhauser, S. Strelkov, D. Schomburg, G. Allison, T. Moritz, K. Lundgren, U. Roessner-Tunali, M.G. Forbes, L. Willmitzer, A.R. Fernie and J. Kopka, GC-MS libraries for the rapid identification of metabolites in complex biological samples, 1332
- Scheffel, F., U. Demmer, E. Warkentin, A. Hülsmann, E. Schneider and U. Ermler, Structure of the ATPase subunit CysA of the putative sulfate ATP-binding cassette (ABC) transporter from *Alicyclobacillus acidocaldarius*, 2953
- Scheidig, A.J. see S.K. Huber, 2821
- Scheller, H.V. see A. Khrouchtchova, 4808
- Schiavo, L. see A. Coppola, 4654
- Schieborr, U. see T. Langer, 4049
- Schilling, B., R. Aggeler, B. Schulenberg, J. Murray, R.H. Row, R.A. Capaldi and B.W. Gibson, Mass spectrometric identification of a novel phosphorylation site in subunit NDUFA10 of bovine mitochondrial complex I, 2485
- Schiöth, H.B. see T.P. Larsson, 690
- Schirmer, R.H. see J. Jacob, 745
- Schlesinger, R. see O.S. Mironova, 3147
- Schliess, F. see M.R. Lornejad-Schäfer, 5791
- Schlitt, T. and A. Brazma, Modelling gene networks at different organisational levels, 1859
- Schmaier, A.H. see M.T. Nieman, 25
- Schmid, T. see S.E. Schnitzer, 529
- Schmidt, D. see S.C. Viegas, 5069
- Schmieder, P. see D. Leitner, 3534
- Schmieder, P. see H.M. Strauss, 3970
- Schmitt, D. see O. Berthier-Vergnes, 3660
- Schmitt, L. see C. Horn, 5765
- Schmucker, J. see A. Burger-Kentischer, 1693
- Schnapp, A. see J.F. Rippmann, 173
- Schneider, A., T. Kirch, T. Gigolashvili, H.-P. Mock, U. Sonnewald, R. Simon, U.-I. Flügge and W. Werr, A transposon-based activation-tagging population in *Arabidopsis thaliana* (TAMARA) and its application in the identification of dominant developmental and metabolic mutations, 4622
- Schneider, E. see F. Scheffel, 2953
- Schneider, M.V. see G. Cesareni, 1828
- Schnitzer, S.E., T. Schmid, J. Zhou, G. Eisenbrand and B. Brüne, Inhibition of GSK3 β by indirubins restores HIF-1 α accumulation under prolonged periods of hypoxia/anoxia, 529
- Schofield, C.J. see R.W.D. Welford, 5170
- Schofield, C.J. see R.W.D. Welford, 6688
- Schölmerich, J. see J. Weigert, 5565
- Scholze, H. see S. Riekenberg, 1573
- Schomburg, D. see N. Schauer, 1332
- Schönbrunn, E. see M.A. Priestman, 728
- Schönbrunn, E. see M.A. Priestman, 5773
- Schönheit, P. see C. Bräsen, 477
- Schöning, J.C. and D. Staiger, At the pulse of time: protein interactions determine the pace of circadian clocks, 3246
- Schoofs, L. see A. Jalali, 4181
- Schrenzenmeier, H. see F. Nolte, 3866
- Schröder, A. see A.-G. Desbrosses-Fonrouge, 4165
- Schröder, J. see F. Saito, 2359
- Schröder, R. see C.S. Clemen, 3777
- Schröder, S. see R. Madrid, 441
- Schröder-Borm, H., R. Bakalova and J. Andrä, The NK-lysin derived peptide NK-2 preferentially kills cancer cells with increased surface levels of negatively charged phosphatidylserine, 6128
- Schroder, L.A. see G.H. Chew, 4678
- Schubert, S. see Z. Zaborowska, 554
- Schubert, S.W. see I. Knerr, 3991
- Schülein, R. see A. Thielen, 5227
- Schulenberg, B. see B. Schilling, 2485
- Schüler, H., A.-K. Mueller and K. Matuschewski, Unusual properties of *Plasmodium falciparum* actin: new insights into microfilament dynamics of apicomplexan parasites, 655
- Schultz, E. see J.C. Dächsel, 3913
- Schultzberg, M. see A. Rahman, 6411
- Schulz, G.E. see M.S. Birringer, 1376
- Schulze-Osthoff, K. see H. Bantel, 5559
- Schumacher, K. see A. Armbrüster, 1961
- Schüßeler, T. see R. Kumar, 1357
- Schuster, S. see A. Fajmut, 4361
- Schuster, S. see M. Marhl, 5461
- Schütz, C. see J. Weigert, 5565
- Schwalbe, H. see T. Langer, 4049
- Schwappach, B. see A. Wächtter, 1149
- Schwartz, L.M. see Z. Gao, 5651
- Schwartz, M.A. see A. Nishikimi, 1039
- Schwarz, E.M. see V.B. Andela, 6814
- Schwarz, M., R. Knauer and L. Lehle, Yeast oligosaccharyltransferase consists of two functionally distinct sub-complexes, specified by either the Ost3p or Ost6p subunit, 6564
- Schwarzer, S. see G. Hasenbrink, 1723
- Schwedhelm, K.S. see J. Sandmann, 4119
- Schweiger, A. see N. Kopitar-Jerala, 2149
- Schweneker, M., A.S. Bachmann and K. Moelling, JM4 is a four-transmembrane protein binding to the CCR5 receptor, 1751
- Schwindt, H. see M. Wartenberg, 4541
- Sciandra, F. see E. Pavoni, 493
- Scordino, A. see M. Gulino, 6101
- Scott, C. see L. Favot, 100
- Scott, J.D. see G.S. Baillie, 3264
- Scott, M. see G. Whyteside, 2981
- Scott, R.A. see J.E. Shokes, 1741
- Scrutton, N.S. see R. Neeli, 5582
- Seeber, F. see R.C. Röhrich, 6433
- Segafredo, C. see S. Caspar-Bauguil, 3487
- Ségal-Bendirdjian, E. see I. Tarkanyi, 1411
- Segalla, A. see E. Teardo, 4991
- Segovia, L. see L.E. Fernández, 3508
- Séguin, A. see M. Cloutier, 4659
- Segundo, F.D.S. see J. Castilla, 6237
- Seibenhener, M.L. see M.G. Paine, 5029
- Seidah, N.G. see A. Salvás, 5621
- Seidel, R. see Y. Groemping, 5713
- Seidel, T., D. Golldack and K.-J. Dietz, Mapping of C-termini of V-ATPase subunits by *in vivo*-FRET measurements, 4374
- Seidman, J.G. see N. Musi, 2045
- Seino, S. see K. Kimura, 2926
- Sekimizu, K. see Y. Aramaki, 3731
- Sekine, Y. see S. Imoto, 2853
- Sekine, Y. see S. Namiki, 2781
- Sem, D.S. see H. Yao, 661
- Sen, J. see K. Mukherjee, 1291
- Sen, P., P.K. Chakraborty and S. Raha, p38 mitogen-activated protein kinase (p38MAPK) upregulates catalase levels in response to low dose H₂O₂ treatment through enhancement of mRNA stability, 4402
- Senba, H. see K. Fukumoto, 3829
- Senda, T. see K. Muranaka, 6084
- Sengle, G. see R. Wagener, 3323
- Sengupta, A. see L. Sun, 251
- Sengupta, J. see J. Frank, 959
- Senior, A.E. see Z. Ahmad, 523
- Senthil, D. see M. Raveendran, 733
- Seo, H.-M. see H. Jun, 6259
- Seo, H.G. see J. Sun, 5494
- Seo, S. see X. Xu, 549
- Seo, S.K. see H. Jun, 6259
- Seow, K.-M. see S.-W. Huang, 449
- Sergiev, P.V., A.A. Bogdanov and O.A. Dontsova, How can elongation factors EF-G and EF-Tu discriminate the functional state of the ribosome using the same binding site? 5439
- Serrano, L. see C. Lemerle, 1789
- Serrano, R. see F. Portillo, 512
- Setiadi, H. see R.W. Harper, 4911
- Sgadari, A. see E. Straface, 2759
- Shabala, S. see T. Wherrett, 6890
- Shalitin, Y. see P. Dibrov, 373
- Shan, S.-o. and P. Walter, Co-translational protein targeting by the signal recognition particle, 921
- Shang, L. see Z.-G. Wang, 4928

- Shangari, N., F. Depeint, R. Furrer, W.R. Bruce and P.J. O'Brien, The effects of partial thiamin deficiency and oxidative stress (i.e., glyoxal and methylglyoxal) on the levels of α -oxoaldehyde plasma protein adducts in Fischer 344 rats, 5596
- Sharma, A., K.I. Anderson and D.J. Müller, Actin microridges characterized by laser scanning confocal and atomic force microscopy, 2001
- Sharma, P.K. see M.H.M. Olsson, 2026
- Sharma, R.K. see G.U. Gurudutta, 3503
- Sharma, S. see M. Mehta, 6151
- Sharma, S.K. see S. Van Slambrouck, 1665
- Sharp, P. see K. Johnston, 1653
- Sharp, P.A. see D.M. Johnson, 1923
- Shaw, M. see I. Baskakov, 2589
- Sheard, M.A. see L. Dubská, 4149
- Shearer, T.R. see H. Ma, 6745
- Shechter, Y., H. Tsubery, M. Mironchik, M. Rubinstein and M. Fridkin, Reversible PEGylation of peptide YY₃₋₃₆ prolongs its inhibition of food intake in mice, 2439
- Shen, A. see G. Sun, 5419
- Shen, H. see H. Wang, 1279
- Shen, P. see P. Zhang, 1446
- Shen, S. see C. Xu, 2788
- Shen, S. see Q. Zhang, 3674
- Shen, W.-W. see G.-H. Fu, 2105
- Shen, W.-Z. see G.-H. Fu, 2105
- Shen, X. see H. Luo, 2623
- Shen, X. see H. Zong, 3579
- Shen, X.H. see M. Yeo, 127
- Shen, Y. see M. Raveendran, 733
- Shepherd, P.R. see D.R. Jones, 59
- Shestopalov, V.I. see D. Ivanov, 1213
- Shi, L. see Y. Gong, 115
- Shi, M.D. see W. Lu, 2130
- Shi, Q.-X. see W.-Y. Chen, 4692
- Shi, T.L. see W. Lu, 2130
- Shi, X. and A. Kornberg, Endopolyphosphatase in *Saccharomyces cerevisiae* undergoes post-translational activations to produce short-chain polyphosphates, 2014
- Shi, Y. see C. Xu, 2788
- Shi, Y. see H. Fu, 3849
- Shiba, T. see M. Akutsu, 5385
- Shibaguchi, H. see R. Al Bersaoui, 2715
- Shibasaki, T. see K. Kimura, 2926
- Shibata, H. see S. Ohkouchi, 1745
- Shibata, M. see M. Inoue, 604
- Shieh, J.-J. see A.D. Nguyen, 4713
- Shigaki, T. see J.K. Pittman, 2648
- Shigematsu, Y. see Y. Chen, 2040
- Shih, A.Y. see R.E. Morty, 2191
- Shih, H.-Y. see X. Xu, 549
- Shimada, A. see Y. Oikawa, 3975
- Shimada, M. see M.J. Mahon, 803
- Shimizu, C. see Y.C. Lee, 3639
- Shimizu, M. see T. Mochizuki, 3069
- Shimizu, M. see D.O. Son, 4671
- Shimizu, T. see F. Saito, 2359
- Shimizu, T. see Y. Oikawa, 3975
- Shimizu, T. see H. Hashimoto, 4324
- Shimotabira, E. see H. Sakurai, 6641
- Shimoyama, T., K. Kato, M. Miyaji-Yamaguchi and K. Nagata, Synergistic action of MLL, a TRX protein with template activating factor-I, a histone chaperone, 757
- Shimozawa, N. see M. Morita, 409
- Shin, H.-H. see D.-W. Lee, 1261
- Shin, J.-G. see M. Cho, 4213
- Shinagawa, K. see D.-L. Hu, 4407
- Shindo, S. see S. Numazawa, 3560
- Shingarova, L.N. see A.V. Aleskenko, 5571
- Shinmura, K., P. Tarapore, Y. Tokuyama, K.R. George and K. Fukasawa, Characterization of centrosomal association of nucleophosmin/B23 linked to Crm1 activity, 6621
- Shinozaki, K. see K. Urano, 1557
- Shiojiri, N. see N. Kojima, 4562
- Shiro, Y. see K.-I. Oinuma, 1394
- Shishido, T. see M. Maruoka, 2986
- Shiu, S.-Y. see C.-W. Lin, 6089
- Shoda, J. see H. Ishida, 71
- Shofuda, T. see M.O. Islam, 3473
- Shoji, H. see N. Nishi, 2058
- Shoji, T. see H. Akiyama, 4485
- Shokes, J.E., E.C. Duin, C. Bauer, B. Jaun, R. Hedderich, J. Koch and R.A. Scott, Direct interaction of coenzyme M with the active-site Fe-S cluster of heterodisulfide reductase, 1741
- Shore, G.C. see M.R. Warr, 5603
- Shoshan, M. see M. Berndtsson, 3090
- Shoshan-Barmatz, V. see E. Nahon, 5105
- Shumkova, G.A. see L.G. Popova, 5002
- Shupik, M.A. see A.V. Aleskenko, 5571
- Shuto, T. see T. Koga, 2811
- Sianidis, G. see S. Karamanou, 1267
- Sicsic, S. see M. Berthouze, 2973
- Sidaway, K. see E. Peiter, 5697
- Sideleva, O. see V. Kolev, 5798
- Siderovski, D.P. see C.A. Johnston, 5746
- Siebert, S., C.A. Fielding, B.D. Williams and P. Brennan, Mutation of the extracellular domain of tumour necrosis factor receptor 1 causes reduced NF- κ B activation due to decreased surface expression, 5193
- Siersk, M. see M. Kanapathipillai, 4775
- Siew, N., H.K. Saini and D. Fischer, A putative novel alpha/beta hydrolase ORFan family in *Bacillus*, 3175
- Sii-Felice, K., C. Pouponnot, S. Gillet, L. Lecoin, J.-A. Girault, A. Eychine and M.-P. Felder-Schmittbuhl, MafA transcription factor is phosphorylated by p38 MAP kinase, 3547
- Sikdar, S.K., M. Kreft, T. Pangrcic, S. Grile and R. Zorec, FM1-43 measurements of local exocytotic events in rat melanotrophs, 6575
- Sillero, A. see E. Silles, 4044
- Sillero, A. see M.A. Günther Sillero, 6223
- Silles, E., H. Osorio, R. Maia, M.A. Günther Sillero and A. Sillero, Micromolar HgCl₂ concentrations transitorily duplicate the ATP level in *Saccharomyces cerevisiae* cells, 4044
- Silles, E. see M.A. Günther Sillero, 6223
- Silveri, M.C. see E. Straface, 2759
- Silvestri, E., M. Moreno, A. Lombardi, M. Ragni, P. de Lange, S.E.H. Alexson, A. Lanni and F. Goglia, Thyroid-hormone effects on putative biochemical pathways involved in UCP3 activation in rat skeletal muscle mitochondria, 1639
- Siman-Tov, R. see S. Bernes, 6395
- Simeonidis, E. see L. Dartnell, 3037
- Simizu, S. see T. Teruya, 2463
- Simões, Z.L.P. see K.R. Guidugli, 4961
- Simon, R. see A. Schneider, 4622
- Simon, S. see C.S. Clemen, 3777
- Simon, S. see I. Laffont-Proust, 6333
- Simon-Plas, F. see J. Lequeu, 4879
- Simos, G. see K. Galani, 969
- Simpkins, J.W. see Y. Wen, 4591
- Singaravelu, G. see J.H. Cho, 778
- Singh, A.P. see V.K. Mutualik, 292
- Singh, I.M. see M.A. Priestman, 728
- Singh, R. see I. Haque, 3891
- Singh, R. see S. Hansson, 4492
- Singh, V.K. see G.U. Gurudutta, 3503
- Singhal, J. see S.S. Singhal, 4635
- Singhal, S.S., S. Yadav, J. Singhal, K. Drake, Y.C. Awasthi and S. Awasthi, The role of PKC α and RLIP76 in transport-mediated doxorubicin-resistance in lung cancer, 4635
- Singhirunnusorn, P. see H. Sakurai, 6641
- Singla-Pareek, S.L. see S.K. Yadav, 6265
- Sinha, P. see S.V. Kharade, 6809
- Sinha, S. see K.A. Kulkarni, 6775
- Sinigaglia, F. see D. Pietrapiana, 4550
- Siow, N.L. see K.K.Y. Ling, 2469
- Sisido, M. see T. Ohtsuki, 6769
- Sitaramiah, D. see A. Sauerwald, 2807
- Sivak, J.M. see N.J. Harmer, 1161
- Sjögren, S. see E. Ryberg, 259
- Sjöstrand, D. see C. Abrescia, 3789
- Skalski, M. see E.M. Gonon, 6169
- Skarratt, K.K., S.J. Fuller, R. Sluyter, L.-P. Dao-Ung, B.J. Gu and J.S. Wiley, A 5' intronic splice site polymorphism leads to a null allele of the P2X₇ gene in 1–2% of the Caucasian population, 2675
- Skov, L.K. see P. Naur, 1154
- Skov, L.K. see B.R. Johannessen, 1208
- Slade, D. see D. Ahel, 4344
- Sluis-Cremer, N. see G. Tachedjian, 379
- Sluse, F.E. see R. Navet, 4437
- Sluse-Goffart, C.M. see R. Navet, 4437
- Sluyter, R. see K.K. Skarratt, 2675
- Small, D. see V. Kolev, 5798

- Small, J.V. see A. Jenzora, 455
 Smant, G. see U. Kudla, 2451
 Smet, C., J.-M. Wieruszkeski, L. Buée, I. Landrieu and G. Lippens, Regulation of Pin1 peptidyl-prolyl *cis/trans* isomerase activity by its WW binding module on a multi-phosphorylated peptide of Tau protein, 4159
 Smirnov, S.V. see N.N. Samsonova, 4107
 Smith, A.D., J. Frazzon, D.R. Dean and M.K. Johnson, Role of conserved cysteines in mediating sulfur transfer from IscS to IscU, 5236
 Smith, C.I.E. see N. Hamada, 4131
 Smith, D.K. see W. He, 4317
 Snel, B. see M.A. Huynen, 591
 Snel, B. see M.A. Huynen, 1839
 Soares, H. see S. Nolasco, 3515
 Soberón, M. see L.E. Fernández, 3508
 Sobhani, I. see H. Goiot, 1911
 Sobko, A.A. see Y.N. Antonenko, 5247
 Sokolov, E.P. see I.M. Sokolova, 313
 Sokolova, I.M. and E.P. Sokolov, Evolution of mitochondrial uncoupling proteins: novel invertebrate UCP homologues suggest early evolutionary divergence of the UCP family, 313
 Solano, A. see R. Gonzalo, 6909
 Soldi, R. see V. Kolev, 5798
 Solioz, M. see R. Portmann, 3589
 Söll, D. see A. Ambrogelly, 2629
 Söll, D. see A. Sauerwald, 2807
 Söll, D. see L. Randau, 2945
 Söll, D. see D. Ahel, 4344
 Söll, D. see A. Ambrogelly, 6017
 Söll, D. see G. Levcán, 6383
 Solomon, B. see S. Orgad, 5609
 Solovyev, A.G. see D.V. Rakitina, 4955
 Sommermeyer-Leroux, G. see R.A. Bersaoui, 2715
 Somogyi, B. see B. Visegrády, 6
 Son, D.O., H. Satsu and M. Shimizu, Histidine inhibits oxidative stress- and TNF- α -induced interleukin-8 secretion in intestinal epithelial cells, 4671
 Sonawat, H.M. see M. Mehta, 6151
 Sonenberg, N. see A. Malina, 79
 Song, B.J. see K.-H. Moon, 6115
 Song, G. see F. Xing, 5035
 Song, H.-Y. see Y.-X. Wang, 4843
 Song, J. see H. Wei, 1272
 Song, M. see N. Zhu, 4856
 Song, P., J. Wei and H.-C. Robert Wang, Distinct roles of the ERK pathway in modulating apoptosis of Ras-transformed and non-transformed cells induced by anticancer agent FR901228, 90
 Song, S. see B.R. Burkhardt, 5759
 Song, T., N. Hatano, K. Kume, K. Sugimoto, F. Yamaguchi, M. Tokuda and Y. Watanabe, Inhibition of neuronal nitric-oxide synthase by phosphorylation at Threonine1296 in NG108-15 neuronal cells, 5658
 Song, Y. see J. He, 2277
 Sonnewald, U. see J.-O. Giese, 827
 Sonnewald, U. see A. Schneider, 4622
 Sonnino, S. see S. Mencarelli, 5501
 Sopory, S.K. see S.K. Yadav, 6265
 Sorbo, L.D. see G. Alloatti, 133
 Sørensen, E.S. see U.B. Westergaard, 1172
 Sørensen, E.S. see U.B. Westergaard, 2749
 Soriano, E. see R. Gavín, 4099
 Sorrentino, S. see M. Naddeo, 2663
 Soto, C., L. Andere, S. Suardi, F. Cardone, J. Castilla, M.-J. Frosard, S. Peano, P. Saa, L. Limido, M. Carbonatto, J. Ironside, J.-M. Torres, M. Pochiari and F. Tagliavini, Pre-symptomatic detection of prions by cyclic amplification of protein misfolding, 638
 Spangfort, M. see B.R. Johannessen, 1208
 Specks, U. see O. Wiesner, 5305
 Spiegel, S. see S. Sarkar, 5313
 Spiess, J. see C. Tsatsanis, 4259
 Špišek, R. see E. Bouřa, 6549
 Spisni, E. see M. Toni, 741
 Sponarova, J., K.J. Mustard, O. Horakova, P. Flachs, M. Rossmeisl, P. Brauner, K. Bardova, M. Thomason-Hughes, R. Braunerova, P. Janovska, D.G. Hardie and J. Kopecky, Involvement of AMP-activated protein kinase in fat depot-specific metabolic changes during starvation, 6105
 Spring, J. see C. Martinelli, 5024
 Sprinzl, M. see D.E. Agafonov, 2082
 Sprinzl, M. see D.E. Agafonov, 2156
 Spronk, C.A.E.M. see M.A. Huynen, 591
 Srai, S.K. see D.M. Johnson, 1923
 Sreejayan, N. see X. Yang, 1458
 Sreeramulu, S. see T. Langer, 4049
 Staels, B. see H. Bihani, 2284
 Staels, B. see B. Cariou, 4076
 Staels, B. see F. Gizard, 5535
 Staender, L.H. see C.A. Guzmán, 813
 Stahl, A., X. Wu, A. Wenger, M. Klagsbrun and P. Kurschat, Endothelial progenitor cell sprouting in spheroid cultures is resistant to inhibition by osteoblasts: A model for bone replacement grafts, 5338
 Staiger, D. see J.C. Schöning, 3246
 Stalder, R. see S. de Breyne, 5685
 Stamatakis, K. see J. Gayarre, 5803
 Starzinski-Powitz, A. see M. Koyanagi, 6060
 Stathopoulos, C. see A. Ambrogelly, 6017
 Stec, B. see K.A. Johnson, 2301
 Stefani, E. see N. Zhu, 4856
 Steinbrecher, U.P. see A. Gómez-Muñoz, 3744
 Steinhauser, D. see N. Schauer, 1332
 Steinmetz, L.M. see L.J. Jensen, 1802
 Steitz, T.A., On the structural basis of peptide-bond formation and antibiotic resistance from atomic structures of the large ribosomal subunit, 955
 Stella, A. see V. Petruzzella, 3770
 Stepanyuk, G.A., S. Golz, S.V. Markova, L.A. Frank, J. Lee and E.S. Vysotski, Interchange of aequorin and obelin bioluminescence color is determined by substitution of one active site residue of each photoprotein, 1008
 Stephens, E. see K. Goyal, 4093
 Stephenson, V.C., R.A. Heyding and D.F. Weaver, The "promiscuous drug concept" with applications to Alzheimer's disease, 1338
 Stevenson, M.A. see J.R. Thériault, 1951
 Stiles, D. see V. Handa, 2702
 Stillman, B., Origin recognition and the chromosome cycle, 877
 Stocks, J., D. Bradbury, L. Corbett, L. Pang and A.J. Knox, Cytokines upregulate vascular endothelial growth factor secretion by human airway smooth muscle cells: Role of endogenous prostanoids, 2551
 Stoilova, T.B. see Y.N. Antonenko, 5247
 Stoka, V., S.F. Chen, V. Turk and D.E. Bredesen, Developmental shift in the apostat: Comparison of neurones and astrocytes, 6147
 Štokrová, J. see E. Bouřa, 6549
 Storm, J. see A. Rothnie, 3984
 Stott, K.M. see M.C. Moncrieffe, 3920
 Straccia, M. see C. Carissimi, 2348
 Stradal, T.E.B. see A. Jenzora, 455
 Strader, J.R. see J.T. Colston, 2533
 Straface, E., P. Matarrese, L. Gambardella, R. Vona, A. Sgadari, M.C. Silveri and W. Malorni, Oxidative imbalance and cathepsin D changes as peripheral blood biomarkers of Alzheimer disease: A pilot study, 2759
 Stratton, J.S. see H. Boeger, 899
 Straub, T., I.K. Dahlsveen and P.B. Becker, Dosage compensation in flies: Mechanism, models, mystery, 3258
 Strauss, H.M., P. Schmieder and J. Hughes, Light-dependent dimerisation in the N-terminal sensory module of cyanobacterial phytochrome 1, 3970
 Strelkov, S. see N. Schauer, 1332
 Strelnikova, S.R. see D.P. Kunte, 3497
 Strong, R.K. see V. Hvidberg, 773
 Strott, C.A. see Y.C. Lee, 3639
 Stuart, J. see T. Inoue, 4978
 Stumvoll, M. see S. Kralisch, 6417
 Sturm, B. see H. Laggner, 6486
 Su, G.M. see M. Murray, 3669
 Suardi, S. see C. Soto, 638
 Sue, S.-C. see C.-k. Chang, 5663
 Suga, K., H. Hattori, A. Saito and K. Akagawa, RNA interference-mediated silencing of the syntaxin 5 gene induces Golgi fragmentation but capable of transporting vesicles, 4226
 Suga, S. see D.-L. Hu, 4407
 Suga, S. see F. Ishikawa, 5814
 Sugimoto, K. see T. Song, 5658
 Sugimoto, N. see T. Yamauchi, 2583
 Sugimoto, Y. see E. Himeno, 2416
 Sugino, H., ICAM-3, a ligand for DC-SIGN, was duplicated from ICAM-1 in mammalian evolution, but was lost in the rodent genome, 2901
 Sugino, M. see S. Murata, 2137

- Sugita, K., S. Endo-Kasahara, Y. Tada, Y. Lijun, H. Yasuda, Y. Hayashi, T. Jomori, H. Ebinuma and F. Takaishi, Genetically modified rice seeds accumulating GLP-1 analogue stimulate insulin secretion from a mouse pancreatic beta-cell line, 1085
 Sugita, Y. see M. Nishino, 5425
 Sugiura, T. see M. Gokoh, 6473
 Sugiyama, D. see J. Aoyama, 6326
 Sugiyama, K. see S. Imoto, 2853
 Sugiyama, S. see T. Taniguchi, 1399
 Suguna, K. see K.A. Kulkarni, 6775
 Suh, S.W. see K.A. Johnson, 2301
 Sui, S.-F. see Z.-W. Yi, 3569
 Suico, M.A. see T. Koga, 2811
 Sukumaran, S., K. Hauser, A. Rauscher and W. Mäntele, Thermal stability of outer membrane protein porin from *Paracoccus denitrificans*: FT-IR as a spectroscopic tool to study lipid–protein interaction, 2546
 Sulzenbacher, G. see S. Canaan, 215
 Sumbayev, V.V., E.C. Bonefeld-Jørgensen, T. Wind and P.A. Andreasen, A novel pesticide-induced conformational state of the oestrogen receptor ligand-binding domain, detected by conformation-specific peptide binding, 541
 Sumida, M. see T. Taniguchi, 1399
 Sumida, M. see M. Tokimasa, 3481
 Sumita, C., M. Yamane, T. Matsuda, M. Maeda, T. Narai, Y. Fujio and J. Azuma, Platelet activating factor induces cytoskeletal reorganization through Rho family pathway in THP-1 macrophages, 4038
 Sumper, M., E. Brunner and G. Lehmann, Biomineralization in diatoms: Characterization of novel polyamines associated with silica, 3765
 Sun, B. see W. Lu, 2130
 Sun, G., M. Guo, A. Shen, F. Mei, X. Peng, R. Gong, D. Guo, J. Wu, P. Tien and G. Xiao, Bovine PrP^C directly interacts with α B-crystalline, 5419
 Sun, J., S.J. Kim, M.K. Park, H.J. Kim, I. Tsuy, Y.J. Kang, Y.S. Lee, H.G. Seo, J.H. Lee and K.C. Chang, Selective activation of adrenergic β_1 receptors induces heme oxygenase 1 production in RAW264.7 cells, 5494
 Sun, L., X. Wang, S. Liu, Q. Wang, J. Wang, M. Bennecib, C.-X. Gong, A. Sengupta, I. Grundke-Iqbali and K. Iqbali, Bilateral injection of isoproterenol into hippocampus induces Alzheimer-like hyperphosphorylation of tau and spatial memory deficit in rat, 251
 Sun, S. see B. Xue, 4081
 Sun, T. see Y. Xie, 398
 Sun, Z. see Z. Zi, 1101
 Sun, Z. see H. Fu, 3849
 Sung, H.J. see I.S. Kim, 6044
 Sung, K. see H.H. Jung, 3941
 Sung, K.S., Y.Y. Go, J.-H. Ahn, Y.H. Kim, Y. Kim and C.Y. Choi, Differential interactions of the homeodomain-interacting protein kinase 2 (HIPK2) by phosphorylation-dependent sumoylation, 3001
 Sung, K.S. see Y.H. Kim, 6272
 Sung, M.-H. see Z. Zi, 1101
 Suomela, B.P. see C. Perez-Iratxeta, 1795
 Superti-furga, G. see R. Russell, 1771
 Surendranath, K. see S. Narayanan, 1324
 Surh, Y.-J. see H.-K. Na, 6279
 Surolia, A. see S. Narayanan, 1324
 Surolia, A. see K.A. Kulkarni, 6775
 Surovoy, A.Y. see Y.N. Antonenko, 5247
 Surrey, T. see G. Cappelletti, 4781
 Sutton-Smith, M. see J.R. MacFadyen, 2569
 Sutty, L. see J. Lequeu, 4879
 Suyama, M., W.C. Lathe III and P. Bork, Palindromic repetitive DNA elements with coding potential in *Methanocaldococcus jannaschii*, 5281
 Suzawa, T. see A. Nakamura, 2273
 Suzuki, H., R. Saito and M. Tomita, A problem in multivariate analysis of codon usage data and a possible solution, 6499
 Suzuki, H. see A.R. Ciampa, 6839
 Suzuki, J. see M. Maruoaka, 2986
 Suzuki, K. see K. Fukumoto, 3829
 Suzuki, N. see K. Nitta, 1235
 Suzuki, S. see N. Ohashi, 2557
 Suzuki, S. see H. Sakurai, 6641
 Suzuki, T. see T. Watanabe, 318
 Suzuki, T. see N. Fujimoto, 1688
 Suzuki, T. see M. Sakurai, 2767
 Suzuki, T. see T. Yasukawa, 2948
 Suzuki, T. see N. Tamehiro, 5299
 Suzuki, T. see L. Zhang, 6423
 Suzuki, T. see K. Uda, 6756
 Suzuki, T. see W. Nishii, 6846
 Suzuki, Y. see M. Morita, 409
 Suzuki, Y., O.Y. Win, Y. Koga, K. Takano and S. Kanaya, Binding analysis of a psychrotrophic FKBP22 to a folding intermediate of protein using surface plasmon resonance, 5781
 Suzuki, Y. see T. Hryszko, 6023
 Svanborg, C. see J. Fast, 6095
 Svitkin, Y. see A. Malina, 79
 Swamy, M.J. see V. Anbazhagan, 2933
 Swanson, S.K. see J.W. Conaway, 904
 Sweeney, G. see R. Palanivel, 5049
 Swift, L.L., B. Kakkar, C. Boone, A. Jovanovska, W.G. Jerome, P.J. Mohler and D.E. Ong, Microsomal triglyceride transfer protein expression in adipocytes: A new component in fat metabolism, 3183
 Swiniarski, S. see B. Kleinhenz, 4254
 Sychev, S.V. see Y.N. Antonenko, 5247
 Sychrova, H. see G. Hasenbrink, 1723
 Sychrova, H. see H. Flegelova, 4733
 Symonds, P., J.C. Murray, A.C. Hunter, G. Debska, A. Szewczyk and S.M. Moghimi, Low and high molecular weight poly(L-lysine)s/poly(L-lysine)-DNA complexes initiate mitochondrial-mediated apoptosis differently, 6191
 Szabó, I. see S. Campello, 3695
 Szabó, I. see E. Teardo, 4991
 Szalay, M.S. see I.A. Kovács, 2254
 Szatmari, I. see I. Tarkanyi, 1411
 Szewczyk, A. see P. Bednarczyk, 1625
 Szewczyk, A. see P. Symonds, 6191
 Szondy, Z. see L. Fésüs, 3297

T

- Tabaton, M. see R. Russo, 6027
 Tachedjian, G., K.L. Moore, S.P. Goff and N. Sluis-Cremer, Efavirenz enhances the proteolytic processing of an HIV-1 pol polyprotein precursor and reverse transcriptase homodimer formation, 379
 Tada, Y. see K. Sugita, 1085
 Tadakuma, H. see T. Zako, 3718
 Tagliavini, F. see C. Soto, 638
 Taha, M.-K. see L. Touqui, 4923
 Tahiri-Alaoui, A. see I. Baskakov, 2589
 Tai, J. see C.B. Kang, 1469
 Taira, K. see C.C. Deocaris, 586
 Taira, K. see M. Ito, 5988
 Tajiria, J. see M.O. Islam, 3473
 Takada, K. see Y. Kataoka, 2991
 Takada, K. see K. Oda, 5013
 Takada, Y. see C.K. Thodeti, 5589
 Takagaki, K. see S. Yoshihara, 2722
 Takagi, M. see H. Toyohara, 2727
 Takahashi, H. see K. Muranaka, 6084
 Takahashi, I. see M. Morita, 409
 Takahashi, K. see M. Inoue, 604
 Takahashi, K., S.N.V. Arjunan and M. Tomita, Space in systems biology of signaling pathways – towards intracellular molecular crowding in silico, 1783
 Takahashi, K. see W. Nishii, 6846
 Takahashi, M. see S. Ito, 1995
 Takahashi, M. see T. Hirao, 6870
 Takahashi, N. see S. Tanabe, 517
 Takahashi, S. see T. Uchiyama, 2499
 Takahashi, T. see K. Oda, 5013
 Takahashi, T. see S. Rajapakse, 6879
 Takahashi, Y. see R. Ise, 1732
 Takahashi, Y., G. Moiseyev, Y. Chen and J.-x. Ma, Identification of conserved histidines and glutamic acid as key residues for isomero-hydrolase activity of RPE65, an enzyme of the visual cycle in the retinal pigment epithelium, 5414
 Takahashi, Y. see K. Wada, 6543
 Takai, T. see T. Nakazawa, 1988
 Takaichi, S. see T. Tsuchiya, 2125
 Takaichi, S. see M. Mochimaru, 6111

- Takaiwa, F. see K. Sugita, 1085
 Takami, M., E.S. Cho, S.Y. Lee, R. Kamijo and M. Yim, Phosphodiesterase inhibitors stimulate osteoclast formation via TRANCE/RANKL expression in osteoblasts: possible involvement of ERK and p38 MAPK pathways, 832
 Takano, K. see C. Angkawidjaja, 4707
 Takano, K. see Y. Suzuki, 5781
 Takano, N. see S. Rajapakse, 6879
 Takayama, M. see H. Kitamura, 567
 Takeda, A. see T. Watanabe, 318
 Takeda, H. see K. Nakaminami, 4887
 Takeda, K. see R.N. Bhattacharjee, 6604
 Takemoto, J. see K. Thevissen, 1973
 Takemoto, J.Y. see O.S. Ostroumov, 5675
 Takemoto, N. see N. Iizuka, 1089
 Takeuchi, M. see S.-i. Yamagishi, 4265
 Takeuchi, O. see R.N. Bhattacharjee, 6604
 Takeya, T. see M. Maruoka, 2986
 Takeyasu, K. see T. Uemura, 2842
 Takigawa, M. see S. Kubota, 3751
 Takiguchi, S. see Y. Aramaki, 3731
 Takii, Y. see K. Migita, 3119
 Talián, G.C. see P. Löw, 4943
 Talla, E., V. Anthouard, C. Bouchier, L. Frangeul and B. Dujon, The complete mitochondrial genome of the yeast *Kluyveromyces thermotolerans*, 30
 Tam, J.P. see F.Q. Li, 2387
 Tamai, Y. see H. Hashimoto, 4324
 Tamaki, Y. see K. Muranaka, 6084
 Tamaru, Y. see H. Hashimoto, 4324
 Tamehiro, N., Y. Sato, T. Suzuki, T. Hashimoto, Y. Asakawa, S. Yokoyama, T. Kawanishi, Y. Ohno, K. Inoue, T. Nagao and T. Nishimaki-Mogami, Riccardin C: A natural product that functions as a liver X receptor (LXR) α agonist and an LXR β antagonist, 5299
 Tamesa, T. see N. Iizuka, 1089
 Tamiaki, H. see J. Harada, 1983
 Tamiya, T. see H. Michie, 3965
 Tampé, R. see J. Koch, 4413
 Tamura, K. see T. Hashimoto, 281
 Tamura, K. see Y. Tanaka, 1579
 Tamura, K. see T. Hashimoto, 2972
 Tamura, Y. see H. Yamamoto, 507
 Tan, M. see M. Ye, 3437
 Tanabe, S., X. Wang, N. Takahashi, H. Uramoto and Y. Okada, HCO₃⁻-independent rescue from apoptosis by stilbene derivatives in rat cardiomyocytes, 517
 Tanaka, C. see T. Taniguchi, 1399
 Tanaka, C. see T. Taniguchi, 5704
 Tanaka, K. see N. Fujimoto, 1688
 Tanaka, K. see Y. Matsuo, 2737
 Tanaka, N. see H. Ishida, 71
 Tanaka, N. see F. Teraishi, 4069
 Tanaka, R., T.-M. Yi and J. Doyle, Some protein interaction data do not exhibit power law statistics, 5140
 Tanaka, S. see S. Numazawa, 3560
 Tanaka, T., N. Kamiya and T. Nagamune, N-terminal glycine-specific protein conjugation catalyzed by microbial transglutaminase, 2092
 Tanaka, Y. see T. Hashimoto, 281
 Tanaka, Y., K. Tamura, Y. Koide, M. Sakai, Y. Tsurumi, Y. Noda, M. Umemura, T. Ishigami, K. Uchino, K. Kimura, M. Horiuchi and S. Umemura, The novel angiotensin II type 1 receptor (AT1R)-associated protein ATRAP downregulates AT1R and ameliorates cardiomyocyte hypertrophy, 1579
 Tanaka, Y. see T. Hashimoto, 2972
 Tancini, B. see S. Mencarelli, 5501
 Tancredi, T. see P. Palladino, 5293
 Tandon, N.N. see A. Chabowski, 2428
 Tang, C.A., C.A. Hu, C.-W. Wei and J.-J. Wang, Synergism of *Rana catesbeiana* ribonuclease and IFN- γ triggers distinct death machineries in different human cancer cells, 265
 Tang, H. see Y. He, 1503
 Tang, J., H.Y. Chang and X. Yang, The death domain-associated protein modulates activity of the transcription co-factor Skip/NcoA62, 2883
 Tang, K. see Q. Zhang, 3674
 Tang, S.-N. and J.-F. Huang, Evolution of different oligomeric glycyl-tRNA synthetases, 1441
 Tang, W.-K., C.-B. Chan, C.H.K. Cheng and W.-P. Fong, Seabream antiquitin: Molecular cloning, tissue distribution, subcellular localization and functional expression, 3759
 Tang, Y. see C. Xu, 2788
 Tango, Y. see F. Teraishi, 4069
 Tani, K. see M. Maruoka, 2986
 Taniguchi, M., M. Hashimoto, N. Hori and K. Sato, CCAAT/enhancer binding protein- β (C/EBP- β), a pivotal regulator of the TATA-less promoter in the rat catalase gene, 5785
 Taniguchi, T., M. Sumida, S. Hiraoka, K. Tomoo, T. Kakehi, K. Minoura, S. Sugiyama, K. Inaka, T. Ishida, N. Saito and C. Tanaka, Effects of different anti-tau antibodies on tau fibrillogenesis: RTA-1 and RTA-2 counteract tau aggregation, 1399
 Taniguchi, T. see M. Tokimasa, 3481
 Taniguchi, T., N. Doe, S. Matsuyama, Y. Kitamura, H. Mori, N. Saito and C. Tanaka, Transgenic mice expressing mutant (N279K) human tau show mutation dependent cognitive deficits without neurofibrillary tangle formation, 5704
 Tanimura, Y. see T. Sato, 2907
 Tanji, M. see R. Ise, 1732
 Tano, Y. see T. Umemoto, 6569
 Tantichareon, M. see S. Na-Ranong, 2744
 Taramelli, D. see F. Omodeo Salé, 5095
 Tarapore, P. see K. Shinmura, 6621
 Tarkanyi, I., A. Horváth, I. Szatmari, H. Eizert, G. Vámosi, S. Damjanovich, E. Ségall-Bendirdjian and J. Aradi, Inhibition of human telomerase by oligonucleotide chimeras, composed of an antisense moiety and a chemically modified homo-oligonucleotide, 1411
 Tashiro, F. see Y. Oikawa, 3975
 Tasso, R. see M.P. Mollica, 1978
 Tatebe, D. see E. Furuta, 2065
 Tatur, J. and W.R. Hagen, The dinuclear iron-oxo ferroxidase center of *Pyrococcus furiosus* ferritin is a stable prosthetic group with unexpectedly high reduction potentials, 4729
 Taura, M. see T. Koga, 2811
 Tavernář, J.M. see F.J. Gunn-Moore, 5089
 Tavernarakis, N. see M. Artal-Sanz, 3287
 Tay, A. see W.-H. Yap, 4470
 Taylor, A. see A. Rothnie, 3984
 Taylor, G.L. see H.J. Lamble, 6865
 Taylor, K.M., H.E. Morgan, A. Johnson and R.I. Nicholson, Structure-function analysis of a novel member of the LIV-1 subfamily of zinc transporters, ZIP14, 427
 Teardo, E., E. Frare, A. Segalla, V.D. Marco, G.M. Giacometti and I. Szabó, Localization of a putative CIC chloride channel in spinach chloroplasts, 4991
 Tee, A.R., J. Blenis and C.G. Proud, Analysis of mTOR signaling by the small G-proteins, Rheb and RhebL1, 4763
 Teeter, M.M. see K.A. Johnson, 2301
 Tei, C. see T. Kikuta, 1602
 Teixeira, M. see A. Kletzin, 1020
 Temmei, Y., S. Uchida, D. Hoshino, N. Kanzawa, M. Kuwahara, S. Sasaki and T. Tsuchiya, Water channel activities of *Mimosa pudica* plasma membrane intrinsic proteins are regulated by direct interaction and phosphorylation, 4417
 Teng, K.S. see E. Davies, 1702
 Tennant, J. see D.M. Johnson, 1923
 Teraishi, F., S. Kagawa, T. Watanabe, Y. Tango, T. Kawashima, T. Umeoka, M. Nisizaki, N. Tanaka and T. Fujiwara, ZD1839 (Gefitinib, 'Iressa'), an epidermal growth factor receptor-tyrosine kinase inhibitor, enhances the anti-cancer effects of TRAIL in human esophageal squamous cell carcinoma, 4069
 Teraishi, F., L. Zhang, W. Guo, F. Dong, J.J. Davis, A. Lin and B. Fang, Activation of c-Jun NH₂-terminal kinase is required for gemcitabine's cytotoxic effect in human lung cancer H1299 cells, 6681
 Teramoto, R., M. Aoki, T. Kimura and M. Kanaoka, Prediction of siRNA functionality using generalized string kernel and support vector machine, 2878
 Terao, J. see K. Murota, 5343
 Terasaka, S. see R. Ise, 1732
 Terenzi, H.F. see R.M. de Paula, 2208
 Terlau, H. see E. Leipold, 3881
 Teruya, T., S. Simizu, N. Kanoh and H. Osada, Phoslactomycin targets cysteine-269 of the protein phosphatase 2A catalytic subunit in cells, 2463
 Terziyska, N., T. Lutz, C. Kozany, D. Mokranjac, N. Mesecke, W. Neupert, J.M. Herrmann and K. Hell, Mia40, a novel factor for protein import into the intermembrane space of mitochondria is able to bind metal ions, 179
 Teshima, R. see H. Akiyama, 4485
 Tesoriere, G. see A. De Blasio, 615
 ter Veld, F. see T. Li, 2087
 Thai, P. see R.W. Harper, 4911

- Theile, S. see S. Becker, 1177
 Theizen, T.H. see C.B. Kobarg, 2615
 Thelwell, C. see C. Longstaff, 3303
 Theodossis, A. see H.J. Lamble, 6865
 Théret, N. see P. Zindy, 95
 Thériault, J.R., S.S. Mambula, T. Sawamura, M.A. Stevenson and S.K. Calderwood, Extracellular HSP70 binding to surface receptors present on antigen presenting cells and endothelial/epithelial cells, 1951
 Thérond, P. see M. De Rivoyre, 1529
 Thevissen, K., J. Idkowiak-Baldys, Y.-J. Im, J. Takemoto, I.E.J.A. François, K.K.A. Ferket, A.M. Aerts, E.M.K. Meert, J. Winderickx, J. Roosen and B.P.A. Cammue, *SKN1*, a novel plant defensin-sensitivity gene in *Saccharomyces cerevisiae*, is implicated in sphingolipid biosynthesis, 1973
 Thiele, M. see A. Burger-Kentischer, 1693
 Thielen, A., M. Oueslati, R. Hermosilla, G. Krause, A. Oksche, W. Rosenthal and R. Schülein, The hydrophobic amino acid residues in the membrane-proximal C tail of the G protein-coupled vasopressin V2 receptor are necessary for transport-competent receptor folding, 5227
 Thodeti, C.K., C. Fröhlich, C.K. Nielsen, Y. Takada, R. Fässler, R. Albrechtsen and U.M. Wewer, ADAM12-mediated focal adhesion formation is differently regulated by $\beta 1$ and $\beta 3$ integrins, 5589
 Thomann, A., M. Dieterle and P. Genschik, Plant CULLIN-based E3s: Phytohormones come first, 3239
 Thomas, M. see E. Mori, 5379
 Thomason-Hughes, M. see J. Sponarova, 6105
 Thomine, S. see A.-G. Desbrosses-Fonrouge, 4165
 Thompson, H.L. see S.M. Metcalfe, 609
 Thompson III, A.D. and S.S. Kakar, Insulin and IGF-1 regulate the expression of the pituitary tumor transforming gene (PTTG) in breast tumor cells, 3195
 Thorgerisson, S.S. see M.E. Durkin, 1191
 Thouron, F. see L. Touqui, 4923
 Tian, L. see W. Lu, 2130
 Tian, L. see Q. Zhang, 3932
 Tian, R. see N. Musi, 2045
 Tie, Y. see H. Fu, 3849
 Tien, P. see Z. Li, 3100
 Tien, P. see G. Sun, 5419
 Tikhonov, D.B. and B.S. Zhorov, Sodium channel activators: Model of binding inside the pore and a possible mechanism of action, 4207
 Tikka, P.J. see L. Gilbert, 385
 Tikkanen, R. see N. Crosetto, 3231
 Timpl, R. see M. Kanagawa, 4792
 Tino, E. see F. Loreni, 5517
 Tirk, F. see S.F. Falsone, 6350
 Tiss, A., O. Barre, I. Michaud-Soret and E. Forest, Characterization of the DNA-binding site in the ferric uptake regulator protein from *Escherichia coli* by UV crosslinking and mass spectrometry, 5454
 Tizzano, B. see P. Palladino, 5293
 Toda, T. see N. Fujikake, 3842
 Togawa, A. see N. Ohashi, 2557
 Togayachi, A. see H. Ishida, 71
 Toh, Y. see Y. Aramaki, 3731
 Tokimasa, M., K. Minoura, S. Hiraoka, K. Tomoo, M. Sumida, T. Taniguchi and T. Ishida, Importance of local structures of second and third repeat fragments of microtubule-binding domain for tau filament formation, 3481
 Tokmakova, I.L. see E.A. Kutukova, 4629
 Tokuda, M. see T. Song, 5658
 Tokunaga, M. see H. Besir, 6595
 Tokutomi, S. see M. Nakasako, 1067
 Tokuyama, Y. see K. Shimura, 6621
 Toledo-Cuevas, E.M. see C. Mendoza-Milla, 3947
 Tomasi, V. see M. Toni, 741
 Tombola, F. see S. Campello, 3695
 Tomita, M. see K. Takahashi, 1783
 Tomita, M. see H. Suzuki, 6499
 Tomiyama, T. see T. Yamashita, 241
 Tomizawa, K. see H. Michiue, 3965
 Tomkiewicz, C. see W. Khazen, 5631
 Tomoda, K. see A. Fukumoto, 1047
 Tomomori-Sato, C. see J.W. Conaway, 904
 Tomoo, K. see T. Taniguchi, 1399
 Tomoo, K. see M. Tokimasa, 3481
 Tompa, P., The interplay between structure and function in intrinsically unstructured proteins, 3346
 Toni, M., M.L. Massimino, C. Griffoni, B. Salvato, V. Tomasi and E. Spisni, Extracellular copper ions regulate cellular prion protein (PrP^C) expression and metabolism in neuronal cells, 741
 Toperverg, B.P. see D.V. Lebedev, 1465
 Toppo, S. see M. Maiorino, 667
 Tordera, V. see L.E. Rosaleny, 4063
 Torija, M.-J., M. Novo, A. Lemassu, W. Wilson, P.J. Roach, J. François and J.-L. Parrou, Glycogen synthesis in the absence of glycogenin in the yeast *Saccharomyces cerevisiae*, 3999
 Toro, L. see N. Zhu, 4856
 Torraco, A. see V. Petruzzella, 3770
 Torre, V. see A. Giorgetti, 1968
 Torres, J.L. see C. Lozano, 4219
 Torres, J.-M. see C. Soto, 638
 Torres, J.M. see R. Gavín, 4099
 Torres, J.M. see J. Castilla, 6237
 Torres, M. see M.C. Godino, 768
 Tosa, Y. see H. Nakayashiki, 488
 Toth, J. see H. Yang, 3385
 Toth, R. see M. Jaleel, 1417
 Totsuka, M. see H. Akiyama, 4485
 Touqui, L., M. Paya, F. Thouron, A. Guiyoule, M.-L. Zarantonelli, D. Leduc, Y. Wu, M.-K. Taha and J.-M. Alonso, *Neisseria meningitidis* pili induce type-IIA phospholipase A₂ expression in alveolar macrophages, 4923
 Touraine, B. see S. Léon, 1930
 Toussaint, O. see T. Pascal, 3651
 Tovar, G.E.M. see A. Burger-Kentischer, 1693
 Tove, S. see X. Du, 6140
 Toya, Y. see T. Hashimoto, 281
 Toya, Y. see T. Hashimoto, 2972
 Toyohara, H., S. Yamamoto, M. Hosoi, M. Takagi, I. Hayashi, K. Nakao and S. Kaneko, Scallop DMT functions as a Ca^{2+} transporter, 2727
 Toyomizu, M. see M. Ueda, 11
 Toyooka, T. and Y. Ibuki, Coexposure to benzo[a]pyrene and UVA induces phosphorylation of histone H2AX, 6338
 Tracy, J. see M.N.M. Gaugler, 753
 Trayhurn, P. see Y. Bao, 41
 Tregear, J. see S. Jouannic, 2709
 Treinies, I. see W. Wente, 6305
 Treistman, S.N. see P.M. Newton, 671
 Tress, M.L. see B. Contreras-Moreira, 1203
 Trézéguet, V. see H. Nury, 6031
 Trifonova, R. see V. Kolev, 5798
 Triglia, A. see M. Gulino, 6101
 Tripodi, G. see R. Boito, 6439
 Trojanowski, J.Q. see E.B. Lee, 2564
 Troncy, L. see K. Geoffroy, 1249
 Troschke, K. see R.C. Röhrich, 6433
 Trujillo-Ferrara, J.G. see L.M. Espinoza-Fonseca, 6726
 Tsai, C.-K. see C.-k. Chang, 5663
 Tsai, F.-J. see C.-W. Lin, 6089
 T'Sas, F., C. Brenner, S. Mauen, P. Putmans, D. Monté, C. Van Lint, M. Moser, J.-L. Baert and Y. de Launoit, Expression of the Ets transcription factor Erm is regulated through a conventional PKC signaling pathway in the Molt4 lymphoblastic cell line, 66
 Tsatsanis, C., A. Androulidaki, E. Dermitzaki, I. Charalampopoulos, J. Spiess, A. Gravanis and A.N. Margioris, Urocortin 1 and Urocortin 2 induce macrophage apoptosis via CRFR₂, 4259
 Tschopp, M. see G. Capitani, 2458
 Tseng, C.C. see S. Lee, 4829
 Tseng, C.-P., P. Chang, C.-L. Huang, J.-C. Cheng and S.-S. Chang, Autocrine signaling of platelet-derived growth factor regulates disabled-2 expression during megakaryocytic differentiation of K562 cells, 4395
 Tseng, Y.-H. see Y.-M. Hsiao, 3525
 Tsien, R.Y., Building and breeding molecules to spy on cells and tumors, 927
 Tsikas, D. see J. Sandmann, 4119
 Tsim, K.W.K. see K.K.Y. Ling, 2469
 Tsoka, S. see L. Dartnell, 3037
 Tsoy, I. see J. Sun, 5494
 Tsubery, H. see Y. Shechter, 2439
 Tsuchiya, K. see S. Namiki, 2781
 Tsuchiya, T., S. Takaichi, N. Misawa, T. Maoka, H. Miyashita and M. Mimuro, The cyanobacterium *Gloeobacter violaceus* PCC 7421 uses bacterial-type phytene desaturase in carotenoid biosynthesis, 2125
 Tsuchiya, T. see M. Mimuro, 3493
 Tsuchiya, T. see Y. Temmei, 4417
 Tsuda, S. see Y. Kobashigawa, 1493
 Tsuda, S. see M. Asano, 4479
 Tsujimoto, G. see S. Katsuma, 2576

- Tsujo, I., T. Zaidi, J. Xu, L. Kotula, I. Grundke-Iqbali and K. Iqbali, Inhibitors of protein phosphatase-2A from human brain structures, immunocytochemical localization and activities towards dephosphorylation of the Alzheimer type hyperphosphorylated tau, 363
 Tsumoto, K. see F. Luckel, 5119
 Tsunemi, M. see Y. Kataoka, 2991
 Tsunemi, M. see K. Oda, 5013
 Tsurugi, K. see K. Mitsui, 723
 Tsurumi, Y. see Y. Tanaka, 1579
 Tucker, P.A. see J.P. Morth, 4145
 Tully, K. see P.M. Newton, 671
 Tunnacliffe, A. see K. Goyal, 4093
 Tunnacliffe, A. see Z. Huang, 4973
 Turk, B. see O. Vasiljeva, 1285
 Turk, B. see N. Kopitar-Jerala, 2149
 Turk, V. see O. Vasiljeva, 1285
 Turk, V. see N. Kopitar-Jerala, 2149
 Turk, V. see V. Stoka, 6147
 Turlin, B. see P. Zindy, 95
 Turnell, A.S. see P.M. Barral, 2752
 Turner, N.J. see D.J.B. Hunter, 2215
 Turton, R. see S. Albouz-Abo, 1034
 Tuschl, T. see A. Aravin, 5830
 Tytgat, J. see A. Jalali, 4181

U

- Ubbink, M. see I. Diaz-Moreno, 2891
 Uchida, C. see N. Ohashi, 2557
 Uchida, S. see Y. Temmei, 4417
 Uchimura, S. see N. Iizuka, 1089
 Uchino, K. see Y. Tanaka, 1579
 Uchiyama, T., Y. Matsuda, M. Wada, S. Takahashi and T. Fujita, Functional regulation of Na^+ -dependent neutral amino acid transporter ASCT2 by *S*-nitrosothiols and nitric oxide in Caco-2 cells, 2499
 Uda, K., A. Iwai and T. Suzuki, Hypotaurocystamine kinase evolved from a gene for arginine kinase, 6756
 Ueda, H. see K. Ayabe, 4389
 Ueda, M., K. Watanabe, K. Sato, Y. Akiba and M. Toyomizu, Possible role for *avPGC-1 α* in the control of expression of fiber type, along with *avUCP* and *avANT* mRNAs in the skeletal muscles of cold-exposed chickens, 11
 Uekama, K. see K. Motoyama, 1707
 Uekawa, N. see A. Nishikimi, 1039
 Uematsu, S. see R.N. Bhattacharjee, 6604
 Uemura, T., M.H. Sato and K. Takeyasu, The longin domain regulates subcellular targeting of VAMP7 in *Arabidopsis thaliana*, 2842
 Uemura, T. see F. Ishikawa, 5814
 Ueno, M. see R.R. Prattali, 3152
 Ueno, T. see T. Zako, 3718
 Uetz, P. and R.L. Finley Jr., From protein networks to biological systems, 1821
 Ułaszewski, S. see D. Rakus, 5577
 Ullah, M. see O. Wolkenhauer, 1846
 Ullrich, R. and M. Hofrichter, The haloperoxidase of the agaric fungus *Agrocybe aegerita* hydroxylates toluene and naphthalene, 6247
 Ulvatne, H. see Ø. Samuelsen, 3421
 Ulvatne, H. see Ø. Samuelsen, 5437
 Umehoto, T., M. Yamato, K. Nishida, C. Kohno, J. Yang, Y. Tano and T. Okano, Rat limbal epithelial side population cells exhibit a distinct expression of stem cell markers that are lacking in side population cells from the central cornea, 6569
 Umemura, M. see Y. Tanaka, 1579
 Umemura, S. see T. Hashimoto, 281
 Umemura, S. see Y. Tanaka, 1579
 Umemura, S. see T. Hashimoto, 2972
 Umeoka, T. see F. Teraishi, 4069
 Unger, M. see K. Dueckershoff, 2480
 Uozumi, N. see Y. Oikawa, 3975
 Uppu, R.M. see K. Sathishkumar, 6444
 Uprichard, S.L., The therapeutic potential of RNA interference, 5996
 Uramoto, H. see S. Tanabe, 517
 Urano, K., T. Hobo and K. Shinozaki, *Arabidopsis ADC* genes involved in polyamine biosynthesis are essential for seed development, 1557

- Urano, T. see T. Hryszko, 6023
 Urban, S. see M.M. Kanaoka, 5723
 Urbanke, C. see C. Bräsen, 477
 Urbich, C. see M. Koyanagi, 6060
 Ureña, J.M. see R. Gavín, 4099
 Uriarte, E. see H. González-Díaz, 4297
 Ursini, F. see M. Maiorino, 667
 Usdin, K. see V. Handa, 2702
 Usherwood, P.N.R., H. Vais, B.P.S. Khambay, T.G.E. Davies and M.S. Williamson, Sensitivity of the *Drosophila para* sodium channel to DDT is not lowered by the *super-kdr* mutation M918T on the IIS4-S5 linker that profoundly reduces sensitivity to permethrin and deltamethrin, 6317
 Usui, T. see K. Muranaka, 6084
 Utama, B. see M. Raveendran, 733
 Utsumi, R. see E. Furuta, 2065
 Uversky, V.N. see I.A. Kataeva, 4367
 Uyeda, I. see M. Sato, 1167

V

- Väänänen, H.K. see Y. Hu, 4937
 Vadas, M.A. see L.S. Coles, 5372
 Vainonen, J.P. see A. Khrouchtchova, 4808
 Vais, H. see P.N.R. Usherwood, 6317
 Valencia, A. see B. Contreras-Moreira, 1203
 Valenta, R. see I. Mittermann, 3807
 Valenzuela, P. see G. Levicán, 6383
 Välijeho, O. see L. Gilbert, 385
 Valle, M. see J. Frank, 959
 Valle, R. see L.J. García-Rodríguez, 6186
 Vallette, F.M. see M. Pelletier, 2364
 Valton, J. see L. Filisetti, 2817
 Vámosi, G. see I. Tarkanyi, 1411
 van Bree, C. see K. Ouwehand, 1523
 Van de Ven, W.J.M. see M.M.R. Petit, 5061
 van den Berg, M. see C. Williams, 3416
 van den Ent, F. and J. Löwe, Crystal structure of the ubiquitin-like protein YukD from *Bacillus subtilis*, 3837
 van der Geer, P. see J.R. MacFadyen, 2569
 van der Maarel, M.J.E.C. see L.K. Ozimek, 1124
 van der Veen, B.A. see S. Pizzati-Serin, 1405
 van Dijk, T. see B. Cariou, 4076
 Van Driessche, B., S. Coddens, V. Van Mullem and J. Vandenhauwe, Glucose deprivation mediates interaction between CTDK-I and Snf1 in *Saccharomyces cerevisiae*, 5318
 van Gisbergen, K.P.J.M., I.S. Ludwig, T.B.H. Geijtenbeek and Y. van Kooyk, Interactions of DC-SIGN with Mac-1 and CEACAM1 regulate contact between dendritic cells and neutrophils, 6159
 van Grondelle, R. see J.A. Ihlainen, 4787
 van Harmelen, K. see B. Cariou, 4076
 van Horck, F.P.G. see J. Mulder, 6121
 Van Impe, K. see A. De Ganck, 6673
 van Kooyk, Y. see K.P.J.M. van Gisbergen, 6159
 van Kuilenburg, A.B.P. see K. Ouwehand, 1523
 van Loy, T. see F.M. Mendiva, 2171
 Van Mullem, V. see B. Van Driessche, 5318
 Van Nieuwenhove, J. see J. Auwerx, 2294
 Van Nostrand, W.E. see N. Yamamoto, 2185
 van Nuland, N.A.J. see M.B. Ekkelenkamp, 1917
 Van Schaftingen, E. see E. Wiame, 294
 Van Slambrouck, S., V.S. Parmar, S.K. Sharma, B.D. Bondt, F. Fore, P. Coopman, B.W. Vanhoecke, T. Boterberg, H.T. Depypere, G. Leclercq and M.E. Bracke, Tangeretin inhibits extracellular-signal-regulated kinase (ERK) phosphorylation, 1665
 van Spanning, R.J.M. see P. Wunsch, 4605
 van Stokkum, I.H.M. see J.A. Ihlainen, 4787
 Vandekerckhove, J. see A. De Ganck, 6673
 Vanden Broeck, J. see F.M. Mendive, 2171
 Vandenhauwe, J. see B. Van Driessche, 5318
 Vanhoecque, B.W. see S. Van Slambrouck, 1665
 Vanin, A.F. see A.V. Alessenko, 5571
 Vannier-Santos, M.A. see M.F. Oliveira, 6010
 Vanoni, M. see E. Sacco, 6851

- Vanoni, M.A. see F. Forneris, 2203
 Vanzulli, E. see F. Omodeo Salè, 5095
 Vardimon, L. see G.D. Matthews, 5527
 Varela-Nieto, I. see D.R. Jones, 59
 Varhaug, J.E. see T. Arnesen, 6428
 Vasilenko, N.L. see E.N. Ikhmyangan, 3960
 Vasiljeva, O., M. Dolinar, J.R. Pungerčar, V. Turk and B. Turk, Recombinant human procathepsin S is capable of autocatalytic processing at neutral pH in the presence of glycosaminoglycans, 1285
 Vásquez, C.C. see A. Caniuguir, 2313
 Vassart, G. see F.M. Mendive, 2171
 Vassetzky, Y.S. see V. Borunova, 4746
 Vastiau, A., L. Cao, M. Jaspers, G. Owsianik, V. Janssens, H. Cuppens, J. Goris, B. Nilius and J.-J. Cassiman, Interaction of the protein phosphatase 2A with the regulatory domain of the cystic fibrosis transmembrane conductance regulator channel, 3392
 Vatanpour, H. see A. Jalali, 4181
 Vaupel, K. see J.C. Dächsel, 3913
 Vavasseur, A. see F. Verret, 1515
 Vázquez-Macias, A., A.B. Ruiz-Mendoza, M.A. Fonseca-Sánchez, M.A. Briones-Orta and M. Macías-Silva, Downregulation of Ski and SnoN co-repressors by anisomycin, 3701
 Vázquez-Martín, C. see P.T.W. Cohen, 3278
 Vedeler, A. see S.U. Lauvrak, 203
 Vee, M.L. see V. Lecureur, 1904
 Vega, L. see M. Rodríguez-Sosa, 6403
 Velasco, G. see B. Herrera, 5084
 Velázquez, I., E. Nakamaru-Ogiso, T. Yano, T. Ohnishi and T. Yagi, Amino acid residues associated with cluster N3 in the NuoF subunit of the proton-translocating NADH-quinone oxidoreductase from *Escherichia coli*, 3164
 Velázquez, S. see J. Auwerx, 2294
 Velloso, L.A. see R.R. Prattali, 3152
 Vener, A.V. see A. Khrouchtchova, 4808
 Venkatesh, B. see W.-H. Yap, 4470
 Venkatesh, K.V. see V.K. Mutalik, 292
 Venkatesh, K.V. see P.J. Bhat, 597
 Venkateswarlu, K. see F.J. Gunn-Moore, 5089
 Vento, R. see A. De Blasio, 615
 Ventura, F. see F.R. Garcia-Gonzalo, 343
 Vera, M.I. see R. Pinto, 5553
 Verdel, A. and D. Moazed, RNAi-directed assembly of heterochromatin in fission yeast, 5872
 Vereczkey, L. see K. Monostory, 229
 Verger, R. see A. Sayari, 976
 Verhoef, J. see M.B. Ekkelenkamp, 1917
 Verin, A.D. see A.A. Birukova, 4031
 Verkhovsky, M.I. see I. Belevich, 4567
 Verma, Y.K. see G.U. Gurudutta, 3503
 Verret, F., A. Gravot, P. Auroy, S. Preveral, C. Forestier, A. Vavasseur and P. Richaud, Heavy metal transport by AtHMA4 involves the N-terminal degenerated metal binding domain and the C-terminal His₁₁ stretch, 1515
 Vertut-Doï, A. see S.-y. Morita, 1759
 Vervenne, H.B.V.K. see M.M.R. Petit, 5061
 Vestergaard, B. see P. Naur, 1154
 Vicart, P. see C.S. Clemen, 3777
 Víctor, V.M. see A. Sanjuán-Pla, 2669
 Vidal, M. Interactome modeling, 1834
 Videler, H., L.L. Ilag, A.R.C. McKay, C.L. Hanson and C.V. Robinson, Mass spectrometry of intact ribosomes, 943
 Viegas, S.C., D. Schmidt, V. Kasche, C.M. Arraiano and Z. Ignatova, Effect of the increased stability of the penicillin amidase mRNA on the protein expression levels, 5069
 Vieira, D.S. see M.T. Murakami, 6505
 Vigneault, F. see M. Cloutier, 4659
 Vignon, F. see J. Oliva, 4278
 Vijayan, M. see K.A. Kulkarni, 6775
 Villar, A.V. see D.R. Jones, 59
 Villarroya, F. see M.L. Rodriguez de la Concepción, 1670
 Villette, S. see V. Pagmantidis, 792
 Villoutreix, B.O. see B. Dahlbäck, 3310
 Viña, J., C. Borrás, J. Gambini, J. Sastre and F.V. Pallardó, Why females live longer than males? Importance of the upregulation of longevity-associated genes by oestrogenic compounds, 2541
 Vincenzetti, V. see D. Santelia, 5399
 Vinogradov, E. and M. Caroff, Structure of the *Bordetella trematum* LPS O-chain subunit, 18
 Vinogradova, T. see I. Marakhova, 2773
 Virgona, N. see K. Fukumoto, 3829
 Visegrády, B., D. Lörinczy, G. Hild, B. Somogyi and M. Nyitrai, A simple model for the cooperative stabilisation of actin filaments by phalloidin and jasplakinolide, 6
 Viss, M.A. see O. Wiesner, 5305
 Vitagliano, L. see M. Naddeo, 2663
 Vitko, I. see J.M. Arias, 3907
 Vlachos, D.G. see K. Mayawala, 3043
 Vlodavsky, I. see E. Cohen, 2334
 Vogel, M., M. Diez, J. Eisfeld and M. Nassal, In vitro assembly of mosaic hepatitis B virus capsid-like particles (CLPs): Rescue into CLPs of assembly-deficient core protein fusions and FRET-suited CLPs, 5211
 Vogler, T. see I. Knerr, 3991
 Vogttherr, M. see T. Langer, 4049
 Voigt, A., M. Jakob, R.B. Klösgen and M. Guttensohn, At least two Toc34 protein import receptors with different specificities are also present in spinach chloroplasts, 1343
 Voigt, K. see A.-G. Desbrosses-Fonrouge, 4165
 Voinnet, O., Non-cell autonomous RNA silencing, 5858
 Voltattorni, C.B. see M. Bertoldi, 5175
 von Heijne, G. and A. Liljas, Molecular Mechanisms in Biological Processes. Nobel Symposium 130, 851
 Von Itzstein, M. see S. Álbouz-Abo, 1034
 von Mering, C. see E.M. Zdobnov, 3355
 Vona, R. see E. Straface, 2759
 Vorgerd, M. see C.S. Clemen, 3777
 Vorland, L.H. see Ø. Samuelsen, 3421
 Vorland, L.H. see Ø. Samuelsen, 5437
 Voronin, V. see I. Mittermann, 3807
 Vrancken, K. see S.D. Keersmaecker, 797
 Vu, H.K. see E. Ryberg, 259
 Vuento, M. see L. Gilbert, 385
 Vysotski, E.S. see G.A. Stepanyuk, 1008

W

- Wabitsch, M. see Y. Bao, 41
 Wächter, A. and B. Schwappach, The yeast CLC chloride channel is proteolytically processed by the furin-like protease Kex2p in the first extracellular loop, 1149
 Wada, K., Y. Hasegawa, Z. Gong, Y. Minami, K. Fukuyama and Y. Takahashi, Crystal structure of *Escherichia coli* SufA involved in biosynthesis of iron–sulfur clusters: Implications for a functional dimer, 653
 Wada, M. see T. Uchiyama, 2499
 Wadhwa, R. see C.C. Deocaris, 586
 Waeber, G. see A. Abderrahmani, 6199
 Wagener, R., H.W.A. Ehlen, Y.-P. Ko, B. Kobbe, H.H. Mann, G. Sengle and M. Paulsson, The matrilins – adaptor proteins in the extracellular matrix, 3323
 Wagner, A., Robustness, evolvability, and neutrality, 1772
 Wahl, M. see D. Leitner, 3534
 Wakabayashi, I. see S. Matsusaka, 6721
 Wakagi, T. see Y. Nishizawa, 2319
 Wakatsuki, S. see M. Akutsu, 5385
 Wakui, M. see D.-L. Hu, 4407
 Wali, R.K. see D.P. Kunte, 3497
 Walker, J.E. see J.E. Cronan, 4892
 Walma, T. see F. Wieland, 1897
 Walma, T., Spotlight on... Irmgard Sinning, 2751
 Walma, T., Spotlight on... Laszlo Nagy, 6009
 Walma, T., Spotlight on... Peter Brzezinski, 5113
 Walma, T., Spotlight on... R. Russell, 4043
 Walma, T., Featuring... Elke Deuerling, 3205
 Walter, P. see S.-o. Shan, 921
 Walter, R.D. see V.T. Dufe, 6037
 Walus, M., E. Kida, K.E. Wisniewski and A.A. Golabek, Ser475, Glu272, Asp276, Asp327, and Asp360 are involved in catalytic activity of human tripeptidyl-peptidase I, 1383
 Wan, L. see C.-W. Lin, 6089
 Wang, C.-H. and W.-g. Wu, Amphiphilic β-sheet cobra cardiotoxin targets mitochondria and disrupts its network, 3169
 Wang, F. see Y. Xie, 398
 Wang, G., C. Qi, G.-H. Fan, H.-Y. Zhou and S.-D. Chen, PACAP protects neuronal differentiated PC12 cells against the neurotoxi-

- city induced by a mitochondrial complex I inhibitor, rotenone, 4005
 Wang, H. see K.-J. Puan, 3802
 Wang, H. see H. Zong, 3579
 Wang, H., H. Shen, Y. Wang, Z. Li, H. Yin, H. Zong, J. Jiang and J. Gu, Overexpression of small glutamine-rich TPR-containing protein promotes apoptosis in 7721 cells, 1279
 Wang, H.-G. see R. Araya, 157
 Wang, H.X. see W. Lu, 2130
 Wang, J. see L. Sun, 251
 Wang, J. see M. Raveendran, 733
 Wang, J. see M. Raveendran, 733
 Wang, J. see Z. Zhao, 2119
 Wang, J. see W. Lu, 2130
 Wang, J. see Q. Zhang, 3674
 Wang, J. see F. Yang, 3713
 Wang, J.-J. see C.A. Tang, 265
 Wang, J.-Z. see Y.J. Zhang, 2421
 Wang, J.-Z. see Y.-J. Zhang, 6230
 Wang, L. see Q. Zhang, 3674
 Wang, L. see C. Yang, 5734
 Wang, L.-H. see F. Yang, 3713
 Wang, M., S. Qanungo, M.T. Crow, M. Watanabe and A.-L. Nieminen, Apoptosis repressor with caspase recruitment domain (ARC) is expressed in cancer cells and localizes to nuclei, 2411
 Wang, M. see J.M. Watson, 5982
 Wang, N. see C. Lo, 1498
 Wang, Q. see L. Sun, 251
 Wang, Q.T. see Y. Xie, 398
 Wang, S. see C. Xu, 2788
 Wang, S.-M. see Y.-C. Chen, 4337
 Wang, S.M. see S. Lee, 4829
 Wang, S.W. see A. Gómez-Muñoz, 3744
 Wang, T. see E. Pinzar, 5100
 Wang, X. see Y. Gong, 115
 Wang, X. see L. Sun, 251
 Wang, X. see S. Tanabe, 517
 Wang, X. see H.-f. Zhao, 1551
 Wang, X.C. see Y.J. Zhang, 2421
 Wang, X.L. see M. Raveendran, 733
 Wang, X.P., J. Yang, M.A. Norman, J. Magnusson, F.J. DeMayo and F.C. Brunicardi, SSTR5 ablation in islet results in alterations in glucose homeostasis in mice, 3107
 Wang, X.-R. see Q.-Y. Zeng, 2657
 Wang, Y. see Y. Xie, 398
 Wang, Y. see J. Zhang, 559
 Wang, Y., Z.-M. Ni and C.-F. Zhou, Denervation-induced spatiotemporal upregulation of ephrin-A2 in the mouse hippocampus after transections of the perforant path, 1055
 Wang, Y. see H. Wang, 1279
 Wang, Y. see G.-H. Fu, 2105
 Wang, Y. see C. Jin, 6375
 Wang, Y.K. see M. Hekman, 464
 Wang, Y.-X., L.-X. Qian, Z. Yu, Q. Jiang, Y.-X. Dong, X.-F. Liu, X.-Y. Yang, T.P. Zhong and H.-Y. Song, Requirements of myocyte-specific enhancer factor 2A in zebrafish cardiac contractility, 4843
 Wang, Z., W. Xie, F. Chi and C. Li, Identification of non-specific lipid transfer protein-1 as a calmodulin-binding protein in *Arabidopsis*, 1683
 Wang, Z.-G., Z.-H. Zheng, L. Shang, L.-J. Li, L.-M. Cong, M.-G. Feng, Y. Luo, S.-Y. Cheng, Y.-J. Zhang, M.-G. Ru, Z.-X. Wang and Q.-Y. Bao, Molecular evolution and multilocus sequence typing of 145 strains of SARS-CoV, 4928
 Wang, Z.-X. see Z.-G. Wang, 4928
 Wang, Z.-Z. see Q.-B. Gao, 3444
 Wanker, E.E. see J.C. Dächsel, 3913
 Ward, R.J. see M.T. Murakami, 6505
 Ware, C.B., A. Kariagina, S. Zonis, D. Alon and V. Cheskova, Leukemia inhibitory factor signaling is implicated in embryonic development of the HPA axis, 4465
 Warizaya, M. see A. Iwashita, 1389
 Warkentin, E. see F. Scheffel, 2953
 Warkentin, E. see G.J. Mander, 4600
 Warner, D.R., R.M. Greene and M.M. Pisano, Cross-talk between the TGF β and Wnt signaling pathways in murine embryonic maxillary mesenchymal cells, 3539
 Warnock, M. see M.T. Nieman, 25
 Warr, M.R., S. Acoca, Z. Liu, M. Germain, M. Watson, M. Blachette, S.S. Wing and G.C. Shore, BH3-ligand regulates access of MCL-1 to its E3 ligase, 5603
 Warren, M.J. see R. Neeli, 5582
 Warrington, J.A. see S. Jiang, 6049
 Warshel, A. see M.H.M. Olsson, 2026
 Wartenberg, M., E. Hoffmann, H. Schwindt, F. Grünheck, J. Petros, J.R.S. Arnold, J. Hescheler and H. Sauer, Reactive oxygen species-linked regulation of the multidrug resistance transporter P-glycoprotein in Nox-1 overexpressing prostate tumor spheroids, 4541
 Warzecha, H. see K. Dueckershoff, 2480
 Washburn, M.P. see J.W. Conaway, 904
 Wasik, S. see J.L. Burman, 2177
 Wasilewski, M. and L. Wojciech, Effects of N-acylethanolamines on the respiratory chain and production of reactive oxygen species in heart mitochondria, 4724
 Wasserfall, C.H. see B.R. Burkhardt, 5759
 Watabe, K. see E. Furuta, 2065
 Watanabe, H. see H. Miyazaki, 6834
 Watanabe, K. see M. Ueda, 11
 Watanabe, K. see M. Sakurai, 2767
 Watanabe, K. see T. Yasukawa, 2948
 Watanabe, K. see L. Zhang, 6423
 Watanabe, M. see M. Wang, 2411
 Watanabe, M. see S. Namiki, 2781
 Watanabe, S. see M. Morita, 409
 Watanabe, T., A. Takeda, K. Mise, T. Okuno, T. Suzuki, N. Minami and H. Imai, Stage-specific expression of microRNAs during *Xenopus* development, 318
 Watanabe, T. see A. Nakamura, 2273
 Watanabe, T. see F. Teraishi, 4069
 Watanabe, T. see H. Akiyama, 4485
 Watanabe, Y. see T. Song, 5658
 Waterhouse, P.M. see J.M. Watson, 5982
 Watson, J.M., A.F. Fusaro, M. Wang and P.M. Waterhouse, RNA silencing platforms in plants, 5982
 Watson, M. see M.R. Warr, 5603
 Watt, F.M. see E.R. Li, 6479
 Watts, V.J. see C.A. Johnston, 5746
 Wawrzyncka, D. see D. Rakus, 5577
 Waxman, S.G. see T.R. Cummings, 2166
 Way, T.-D., M.-C. Kao and J.-K. Lin, Degradation of HER2/neu by apigenin induces apoptosis through cytochrome c release and caspase-3 activation in HER2/neu-overexpressing breast cancer cells, 145
 Waye, M.M.-Y. see H. Geng, 6763
 Weaver, D.F. see V.C. Stephenson, 1338
 Webster, M.-T. see J.R. MacFadyen, 2569
 Weger, S., E. Hammer and R. Heilbronn, Topors acts as a SUMO-1 E3 ligase for p53 in vitro and in vivo, 5007
 Wehland, J. see A. Jenzora, 455
 Wehner, F. see T. Li, 2087
 Wei, C.-W. see C.A. Tang, 265
 Wei, H., L. Fang, J. Song and S. Chatterjee, Statin-inhibited endothelial permeability could be associated with its effect on PECAM-1 in endothelial cells, 1272
 Wei, J. see P. Song, 90
 Wei, L. see C. Xu, 2788
 Weier, D. see R. Kumar, 1357
 Weigert, J., M. Neuemeier, A. Schäffler, M. Fleck, J. Schölmerich, C. Schütz and C. Buechler, The adiponectin paralog CORS-26 has anti-inflammatory properties and is produced by human monocytic cells, 5565
 Weinberg, M.S. and J.J. Rossi, Comparative single-turnover kinetic analyses of *trans*-cleaving hammerhead ribozymes with naturally derived non-conserved sequence motifs, 1619
 Weindrich, R. see K. Hagopian, 2009
 Weinhofen, I., S. Forss-Petter, M. Kunze, M. Žigman and J. Berger, X-linked adrenoleukodystrophy mice demonstrate abnormalities in cholesterol metabolism, 5512
 Weiss, M.S. see G.J. Mander, 4600
 Weith, A. see J.F. Rippmann, 173
 Weiwad, M., F. Erdlich, F. Erdmann, F. Jarczowski, S. Kilk, M. Dorn, A. Pechstein and G. Fischer, A reassessment of the inhibitory capacity of human FKBP38 on calcineurin, 1591
 Welford, R.W.D., Joanna.M. Kirkpatrick, L.A. McNeill, M. Puri, N.J. Oldham and C.J. Schofield, Incorporation of oxygen into the succinate co-product of iron(II) and 2-oxoglutarate dependent oxygenases from bacteria, plants and humans, 5170
 Welford, R.W.D., J.M. Kirkpatrick, L.A. McNeill, M. Puri, N.J. Oldham and C.J. Schofield, Corrigendum to "Incorporation of oxygen into the succinate co-product of iron(II) and 2-oxoglutarate dependent oxygenases from bacteria, plants and humans (FEBS 29930)" [FEBS Lett. 579 (2005) 5170–5174], 6688
 Wellinger, R.J. see J. Parenteau, 4873

- Wellstead, P. see O. Wolkenhauer, 1846
 Wellstead, P. see K.-H. Cho, 4520
 Welsh, G.I. see F.J. Gunn-Moore, 5089
 Wen, Y., S. Yang, R. Liu and J.W. Simpkins, Cell-cycle regulators are involved in transient cerebral ischemia induced neuronal apoptosis in female rats, 4591
 Weng, X.-x. see M. Ye, 3437
 Wenger, A. see A. Stahl, 5338
 Wennogle, L.P. see M. Hekman, 464
 Wente, W., A.M. Efancov, I. Treinies, H. Zitzer, J. Gromada, D. Richter and H.-J. Kreienkamp, The PDZ/coiled-coil domain containing protein PIST modulates insulin secretion in MIN6 insulinoma cells by interacting with somatostatin receptor subtype 5, 6305
 Wentworth, M. see P. Horton, 4201
 Wentzel, A. see S. Becker, 1177
 Werner, E., Genome semantics, *in silico* multicellular systems and the Central Dogma, 1779
 Werr, W. see A. Schneider, 4622
 Westergaard, U.B., K. Kirkegaard, E.S. Sørensen, C. Jacobsen, M.S. Nielsen, C.M. Petersen and P. Madsen, SorCS3 does not require propeptide cleavage to bind nerve growth factor, 1172
 Westergaard, U.B., K. Kirkegaard, E.S. Sørensen, C. Jacobsen, M.S. Nielsen, C.M. Petersen and P. Madsen, Corrigendum to: SorCS3 does not require propeptide cleavage to bind nerve growth factor (FEBS 29259) [FEBS Letters 579 (2005) 1172–1176], 2749
 Westover, K.D. see H. Boeger, 899
 Wewer, U.M. see C.K. Thodeti, 5589
 Weygand-Durasevic, I. see D. Ahel, 4344
 Weyns, N. see M.M.R. Petit, 5061
 Wheatley, M. see S.R. Hawtin, 349
 Wherrett, T., S. Shabala and I. Pottosin, Different properties of SV channels in root vacuoles from near isogenic Al-tolerant and Al-sensitive wheat cultivars, 6890
 White, J.H. see D.J.B. Hunter, 2215
 Whitehead, S.J., K.E. Rossington, A. Hafiz, N.P.J. Cotton and J.B. Jackson, Zinc ions selectively inhibit steps associated with binding and release of NADP(H) during turnover of proton-translocating transhydrogenase, 2863
 Whitelock, J. see S. Knox, 5019
 Whyte, M.K.B. see C.E. Dempsey, 3646
 Whyteside, G., L. Gibson, M. Scott and M.E. Finbow, Assembly of the yeast vacuolar H⁺-ATPase and ATP hydrolysis occurs in the absence of subunit c'', 2981
 Wiame, E., A. Duquenne, G. Delpierre and E. Van Schaftingen, Corrigendum to: Identification of enzymes acting on α -glycated amino acids in *Bacillus subtilis* (Febs 28976) [FEBS Letters 577 (2004) 469–472], 294
 Wich, C. see I. Knerr, 3991
 Widger, W.R. see T. Ohnishi, 500
 Wiedemann, U. see D. Leitner, 3534
 Wieden, H.-J. see M.V. Rodnina, 938
 Wieland, F., P. McCabe, T. Walma and A. Mueller, *FEBS Letters* Updates, 1897
 Wiemken, A. see D. Altenbach, 4647
 Wienholds, E. and R.H.A. Plasterk, MicroRNA function in animal development, 5911
 Wienke, D. see J.R. MacFadyen, 2569
 Wiernsperger, N. see K. Geoffroy, 1249
 Wieruszewski, J.-M. see C. Smet, 4159
 Wiesner, J. see R.C. Röhrlrich, 6433
 Wiesner, O., R.D. Litwiller, A.M. Hummel, M.A. Viss, C.J. McDonald, D.E. Jenne, D.N. Fass and U. Specks, Differences between human proteinase 3 and neutrophil elastase and their murine homologues are relevant for murine model experiments, 5305
 Wiley, J.S. see K.K. Skarratt, 2675
 Wilhelm, S. see S. Becker, 1177
 Wilks, S.P. see E. Davies, 1702
 Williams, B.D. see S. Siebert, 5193
 Williams, C., M. van den Berg and B. Distel, *Saccharomyces cerevisiae* Pex14p contains two independent Pex5p binding sites, which are both essential for PTS1 protein import, 3416
 Williams, L.E. see R.F. Mills, 783
 Williamson, M. see F.M. Mendive, 2171
 Williamson, M.S. see P.N.R. Usherwood, 6317
 Willmitzer, L. see N. Schauer, 1332
 Wilson, D.K. see S. Leitgeb, 763
 Wilson, J.C. see S. Albouz-Abo, 1034
 Wilson, M.H., J.M. Kaminski and A.L. George Jr., Functional zinc finger/sleeping beauty transposase chimeras exhibit attenuated over-production inhibition, 6205
 Wilson, W. see M.-J. Torija, 3999
 Wilson, W.A. see R.M. de Paula, 2208
 Win, O.Y. see Y. Suzuki, 5781
 Wind, T. see V.V. Sumbayev, 541
 Winderickx, J. see K. Thevissen, 1973
 Wing, C. see S. Lee, 4829
 Wing, S.S. see M.R. Warr, 5603
 Winogrodzki, A. see P. Dibrov, 373
 Winter, G., T. Buhrke, O. Lenz, A.K. Jones, M. Forgber and B. Friedrich, A model system for [NiFe] hydrogenase maturation studies: Purification of an active site-containing hydrogenase large subunit without small subunit, 4292
 Wirtz, K.W.A. see D.V. Sakharov, 1255
 Wisniewski, K.E. see M. Walus, 1383
 Witjes, B. see S. Riekenberg, 1573
 Wittenmayer, N. see B. Kleinhenz, 4254
 Wojtczak, L. see M. Wasilewski, 4724
 Wolfe, C.L. see S. Jiang, 6049
 Wolff, D. see K. Castillo, 1675
 Wolff, S. see A. Nemajerova, 6079
 Wolfson, A. and R. Knight, Occurrence of the aminoacyl-tRNA synthetases in high-molecular weight complexes correlates with the size of substrate amino acids, 3467
 Wolkenhauer, O., M. Ullah, P. Wellstead and K.-H. Cho, The dynamic systems approach to control and regulation of intracellular networks, 1846
 Wolkenhauer, O. see K.-H. Cho, 4520
 Woolheim, C.B. see M. Iezzi, 5241
 Won, J. see M. Cho, 4213
 Woo, K.J., Y.-J. Jeong, H. Inoue, J.-W. Park and T.K. Kwon, Chrysin suppresses lipopolysaccharide-induced cyclooxygenase-2 expression through the inhibition of nuclear factor for IL-6 (NF-IL6) DNA-binding activity, 705
 Wood, J. see V.B. Andela, 1765
 Woolfson, R. see F. Paradisi, 2830
 Wooten, M.W. see M.G. Paine, 5029
 Wright, D.W. see G.H. Chew, 4678
 Wrighton, K. see B. Bryan, 1015
 Wu, G. see B. Bryan, 1015
 Wu, J., S. Luo, H. Jiang and H. Li, Mammalian CHORD-containing protein 1 is a novel heat shock protein 90-interacting protein, 421
 Wu, J. see C. Xu, 2788
 Wu, J. see G. Sun, 5419
 Wu, J.-H. see K.-T. Huang, 4349
 Wu, J.J., X.D. Zhang, S. Gillespie and P. Hersey, Selection for TRAIL resistance results in melanoma cells with high proliferative potential, 1940
 Wu, J.R. see W. Lu, 2130
 Wu, L. see T. Inoue, 4978
 Wu, P. see Y. Pang, 2397
 Wu, Q.-Y. see X.-G. Liu, 4571
 Wu, R. see R.W. Harper, 4911
 Wu, W.-g. see C.-H. Wang, 3169
 Wu, W.-J. see C.-k. Chang, 5663
 Wu, X. see Z. Li, 3100
 Wu, X. see A. Stahl, 5338
 Wu, X.-D. see W. Lu, 2130
 Wu, Y. see B. Xue, 4081
 Wu, Y. see L. Touqui, 4923
 Wu, Z., F. Cocchi, D. Gentles, B. Ericksen, J. Lubkowski, A. DeVico, R.I. Lehrer and W. Lu, Human neutrophil α -defensin 4 inhibits HIV-1 infection in vitro, 162
 Wunsch, P., H. Körner, F. Neese, R.J.M. van Spanning, P.M.H. Krooneck and W.G. Zumft, NosX function connects to nitrous oxide (N₂O) reduction by affecting the Cu_Z center of NosZ and its activity *in vivo*, 4605
 Wuytack, F. see E. Zádor, 749
 Wymann, M. see G. Alloatti, 133

X

- Xavier, R.J. see M.A. Lopez-Illasaca, 648
 Xi, Y.-H. see G.-H. Fu, 2105
 Xia, X. see Z. Zi, 1101

- Xiao, G. see G. Sun, 5419
 Xiao, H. see F.Q. Li, 2387
 Xie, W. see Z. Wang, 1683
 Xie, W. see H.H. Kavi, 5940
 Xie, W. see T. Pan, 6716
 Xie, Y., T. Sun, Q.T. Wang, Y. Wang, F. Wang, E. Puscheck and D.A. Rappolee, Acquisition of essential somatic cell cycle regulatory protein expression and implied activity occurs at the second to third cell division in mouse preimplantation embryos, 398
 Xie, Y.H. see W. Lu, 2130
 Xin, H.-M. see Z.-J. Liu, 1587
 Xing, F., G. Song, J. Ren, J.B. Chaires and X. Qu, Molecular recognition of nucleic acids: Coralyne binds strongly to poly(A), 5035
 Xing, Y. see N. Musi, 2045
 Xiong, J. see H. Min, 808
 Xiong, M., C.A. Feghali-Bostwick, F.C. Arnett and X. Zhou, A systems biology approach to genetic studies of complex diseases, 5325
 Xiong, Y. see Z. Li, 3100
 Xu, C. see C. Peng, 2445
 Xu, C., P. Zheng, S. Shen, Y. Xu, L. Wei, H. Gao, S. Wang, C. Zhu, Y. Tang, J. Wu, Q. Zhang and Y. Shi, NMR structure and regulated expression in APL cell of human SH3BGRL3, 2788
 Xu, C. see H. Fu, 3849
 Xu, C. see R.W. Harper, 4911
 Xu, D. and H. Guo, Electrostatic influence of active-site waters on the nucleophilic aromatic substitution catalyzed by 4-chlorobenzoyl-CoA dehalogenase, 4249
 Xu, J. see I. Tsujio, 363
 Xu, W. see E. Pinzar, 5100
 Xu, X., D. Lee, H.-Y. Shih, S. Seo, J. Ahn and M. Lee, Linking integrin to IP₃ signaling is important for ovulation in *Caenorhabditis elegans*, 549
 Xu, Y. see C. Xu, 2788
 Xu, Y. see J. Guo, 3619
 Xu, Y. see A. Zaslavsky, 3899
 Xu, Y.F. see Y.J. Zhang, 2421
 Xu, Y.-F. see Y.-J. Zhang, 6230
 Xue, B., Y. Wu, Z. Yin, H. Zhang, S. Sun, T. Yi and L. Luo, Regulation of lipopolysaccharide-induced inflammatory response by glutathione S-transferase P1 in RAW264.7 cells, 4081
 Xue, Y. see F. Zhou, 3369

Y

- Yabe-Nishimura, C. see C. Fan, 1301
 Yabuki, T. see Y. Nishizawa, 2319
 Yadav, S. see S.S. Singhal, 4635
 Yadav, S.K., S.L. Singla-Pareek, M.K. Reddy and S.K. Sopory, Transgenic tobacco plants overexpressing glyoxalase enzymes resist an increase in methylglyoxal and maintain higher reduced glutathione levels under salinity stress, 6265
 Yaeda, Y. see J. Harada, 1983
 Yaffe, D. see S. Neuman, 5365
 Yagi, T. see I. Velazquez, 3164
 Yagisawa, H. see M. Okada, 4949
 Yamada, A. and S. Kimura, Induction of uteroglobin-related protein 2 (*Ugrp2*) expression by EGF and TGF α , 2221
 Yamada, A. see Y.T. Sato, 3095
 Yamada, K. see M. Kuroda, 167
 Yamada, K., H. Ogata-Kawata, K. Matsuura and K. Miyamoto, SHARP-2/Stra13/DEC1 as a potential repressor of phosphoenolpyruvate carboxykinase gene expression, 1509
 Yamada, K. see K. Fukumoto, 3829
 Yamada, K. see H. Akiyama, 4485
 Yamada, M. see Y. Hidaka, 4088
 Yamada, T. see M. Morita, 409
 Yamada-Okabe, H. see N. Iizuka, 1089
 Yamagishi, S.-i., M. Takeuchi, T. Matsui, K. Nakamura, T. Imaizumi and H. Inoue, Angiotensin II augments advanced glycation end product-induced pericyte apoptosis through RAGE overexpression, 4265
 Yamaguchi, F. see T. Song, 5658
 Yamaguchi, H. see N. Yamamoto, 2185
 Yamaguchi, K. see M. Iwamoto, 4423

- Yamaguchi, M. see Y. Chen, 2040
 Yamaguchi, M. see N. Fujikake, 3842
 Yamaguchi, N., J.G.M. Argueta, Y. Masuhiro, M. Kagishita, K. Nonaka, T. Saito, S. Hanazawa and Y. Yamashita, Adiponectin inhibits Toll-like receptor family-induced signaling, 6821
 Yamaguchi, N. see J. Aoyama, 6326
 Yamaguchi, S. see Y. Chen, 2040
 Yamaguchi, Y. see M. Akutsu, 5385
 Yamaji, S. see D.M. Johnson, 1923
 Yamamoto, A. see J.C. Dächsel, 3913
 Yamamoto, D. see N. Hamada, 4131
 Yamamoto, H., T. Momose, Y.-i. Yatsukawa, C. Ohshima, D. Ishikawa, T. Sato, Y. Tamura, Y. Ohwa and T. Endo, Identification of a novel member of yeast mitochondrial Hsp70-associated motor and chaperone proteins that facilitates protein translocation across the inner membrane, 507
 Yamamoto, H. see A. Iwashita, 1389
 Yamamoto, H. see T. Hübschmann, 1613
 Yamamoto, K. see E. Furuta, 2065
 Yamamoto, M. see H. Zhu, 3029
 Yamamoto, M. see Y. Oikawa, 3975
 Yamamoto, N., Y. Hirabayashi, M. Amari, H. Yamaguchi, G. Romanov, W.E. Van Nostrand and K. Yanagisawa, Assembly of hereditary amyloid β -protein variants in the presence of favorable gangliosides, 2185
 Yamamoto, S. see H. Toyohara, 2727
 Yamamoto, T. see N. Ohashi, 2557
 Yamamura, S. see M. Nishihara, 6074
 Yamanaoka, T. see M. Asano, 4479
 Yamane, M. see C. Sumita, 4038
 Yamasaki, M. see M.O. Islam, 3473
 Yamashita, T., T. Tomiyama, Q. Li, H. Numata and H. Mori, Regulation of tau exon 10 splicing by a double stem-loop structure in mouse intron 10, 241
 Yamashita, Y. see N. Yamaguchi, 6821
 Yamato, E. see Y. Oikawa, 3975
 Yamato, M. see T. Umemoto, 6569
 Yamauchi, T., D. Miyoshi, T. Kubodera, A. Nishimura, S. Nakai and N. Sugimoto, Roles of Mg²⁺ in TPP-dependent riboswitch, 2583
 Yamazaki, K. see E. Himeno, 2416
 Yamazaki, M. see S. Namiki, 2781
 Yamazaki, M. see H. Miyazaki, 6834
 Yan, C. see Q.-B. Gao, 3444
 Yan, L.-C. see W. Lu, 2130
 Yan, W. see W. Chen, 2267
 Yanagi, Y. see K. Muranaka, 6084
 Yanagisawa, K. see N. Yamamoto, 2185
 Yanai, H. see S. Kojima, 4430
 Yang, C., S. Miao, S. Zong, S.S. Koide and L. Wang, Identification and characterization of rDJL, a novel member of the DnaJ protein family, in rat testis, 5734
 Yang, C.H. see C.H. Park, 2965
 Yang, F., L.-H. Wang, J. Wang, Y.-H. Dong, J.Y. Hu and L.-H. Zhang, Quorum quenching enzyme activity is widely conserved in the sera of mammalian species, 3713
 Yang, H., T. Burke, J. Dempsey, B. Diaz, E. Collins, J. Toth, R. Beckmann and X. Ye, Mitotic requirement for aurora A kinase is bypassed in the absence of aurora B kinase, 3385
 Yang, H.S. see Y.-G. Yao, 1227
 Yang, J. see X.P. Wang, 3107
 Yang, J. see T. Umemoto, 6569
 Yang, K., K. Fang, L. Fromondi and K.W. Chan, Low temperature completely rescues the function of two misfolded K_{ATP} channel disease-mutants, 4113
 Yang, R.F. see W. Lu, 2130
 Yang, S. see W. Lu, 2130
 Yang, S. see Y. Wen, 4591
 Yang, S.-J. see M.-M. Choi, 4125
 Yang, S.H. see M. Yeo, 127
 Yang, T.-C. see Y.-M. Hsiao, 3525
 Yang, U.S. see J.H. Choi, 2795
 Yang, V.W. see M.O. Nandan, 4757
 Yang, W., Portraits of a Y-family DNA polymerase, 868
 Yang, W. see J. Guo, 3619
 Yang, X., K. Palanichamy, A.C. Ontko, M.N.A. Rao, C.X. Fang, J. Ren and N. Sreejayan, A newly synthetic chromium complex – chromium(phenylalanine)₃ improves insulin responsiveness and reduces whole body glucose tolerance, 1458
 Yang, X. see Z.-J. Liu, 1587
 Yang, X. see J. Tang, 2883

- Yang, X.-Y. see Y.-X. Wang, 4843
 Yano, N. see S. Yano, 839
 Yano, S., N. Arroyo and N. Yano, Corrigendum to: SHP2 binds catalase and acquires a hydrogen peroxide-resistant phosphatase activity via integrin-signaling (FEBS 28930) [FEBS Letters 577 (2004) 327–332], 839
 Yano, T. see T. Ohnishi, 500
 Yano, T. see S. Katsuma, 2576
 Yano, T. see I. Velazquez, 3164
 Yano, T. see K. Fukumoto, 3829
 Yano, Y. see K. Fukumoto, 3829
 Yao, D. see Y. Chen, 2040
 Yao, H. and D.S. Sem, Cofactor fingerprinting with STD NMR to characterize proteins of unknown function: identification of a rare cCMP cofactor preference, 661
 Yao, T. see J.W. Conaway, 904
 Yao, X. see F. Zhou, 3369
 Yao, Y.-G., H.S. Yang, Z. Cao, J. Danielsson and E.J. Duh, Upregulation of placental growth factor by vascular endothelial growth factor via a post-transcriptional mechanism, 1227
 Yap, W.-H., E. Yeoh, A. Tay, S. Brenner and B. Venkatesh, *STAT4* is a target of the hematopoietic zinc-finger transcription factor Ikaros in T cells, 4470
 Yasuda, H. see K. Sugita, 1085
 Yasukawa, T., Y. Kirino, N. Ishii, I.J. Holt, H.T. Jacobs, T. Makifuchi, N. Fukuhara, S. Ohta, T. Suzuki and K. Watanabe, Wobble modification deficiency in mutant tRNAs in patients with mitochondrial diseases, 2948
 Yatsuhashi, H. see K. Migita, 3119
 Yatsukawa, Y.-i. see H. Yamamoto, 507
 Yazaki, K. see K. Sasaki, 2514
 Ye, M., J.-k. Liu, Z.-x. Lu, Y. Zhao, S.-f. Liu, L.-l. Li, M. Tan, X.-x. Weng, W. Li and Y. Cao, Grifolin, a potential antitumor natural product from the mushroom *Albatrellus confluens*, inhibits tumor cell growth by inducing apoptosis in vitro, 3437
 Ye, X. see H. Yang, 3385
 Yea, S.S. see M. Cho, 4213
 Yeh, S.-R. see H. Ji, 6361
 Yellin, A. see A. Fait, 415
 Yeo, M., S.Y. Rha, H.C. Jeung, X.H. Shen, S.H. Yang, S.W. An, J.K. Roh and H.C. Chung, Different role of functional domains of hTR in DNA binding to telomere and telomerase reconstruction, 127
 Yeoh, E. see W.-H. Yap, 4470
 Yeow-Fong, L., L. Lim and E. Manser, SNX9 as an adaptor for linking synaptojanin-1 to the Cdc42 effector ACK1, 5040
 Yeremenko, N. see M. Havaux, 2289
 Yeremenko, N. see R. Kouřil, 3253
 Yeung, Y.S. see K.Y.C. Chow, 6699
 Yi, T. see B. Xue, 4081
 Yi, T.-M. see R. Tanaka, 5140
 Yi, Z. see Y. He, 1503
 Yi, Z.-W., H. Huang, T.-Y. Kuang and S.-F. Sui, Three-dimensional architecture of phycobilisomes from *Nostoc flagelliforme* revealed by single particle electron microscopy, 3569
 Yim, M. see M. Takami, 832
 Yin, B. see Y. Gong, 115
 Yin, C.-C. see K.-T. Huang, 4349
 Yin, H. see H. Wang, 1279
 Yin, J. see Y.-J. Zhang, 6230
 Yin, Z. see B. Xue, 4081
 Yoda, T. see M. Nishino, 5425
 Yohda, M. see T. Zako, 3718
 Yokoi, F., M.T. Dang, S. Mitsui and Y. Li, Exclusive paternal expression and novel alternatively spliced variants of ε-sarcoglycan mRNA in mouse brain, 4822
 Yokoyama, S. see N. Tamehiro, 5299
 Yokoyama, T. see K. Migita, 3119
 Yokozeki, T. see H. Miyazaki, 6834
 Yonath, A. see D. Baram, 948
 Yonath, A. see M. Amit, 3207
 Yoneda-Kato, N. see A. Fukumoto, 1047
 Yonetani, T. see M. Laberge, 627
 Yoo, H.J. see J.H. Joo, 1243
 Yoo, J.A. see Y.H. Huh, 2597
 Yoo, J.H. see C.Y. Park, 1545
 Yoo, J.H. see B.C. Moon, 3885
 Yoo, J.-S. see C.J. Zheng, 5157
 Yoo, S.H., S.H. You and Y.H. Huh, Presence of syntaxin 1A in secretory granules of chromaffin cells and interaction with chromogranins A and B, 222
 Yoo, S.H. see Y.H. Huh, 2597
 Yoo, S.H. see Y.H. Huh, 5145
 Yoo, S.J. see S.J. Kim, 534
 Yoo, Y.J. see J.W. Chang, 2873
 Yoon, H.S. see S.J. Kim, 534
 Yoon, H.S. see C.B. Kang, 1469
 Yoon, J.-H. see S.-A. Kim, 6559
 Yoon, M.-S., J.B. Koo, J.-H. Hwang, K.S. Lee and J.-S. Han, Activation of phospholipase D by 8-Br-cAMP occurs through novel pathway involving Src, Ras, and ERK in human endometrial stromal cells, 5635
 Yoon, M.-Y. see K.-J. Choi, 4903
 Yoshiara, T. see S. Murata, 2137
 Yoshida, K. see M. Maruoka, 2986
 Yoshida, K., Cell-cycle-dependent regulation of the human and mouse Tome-1 promoters, 1488
 Yoshida, K. see M. Kuroda, 167
 Yoshida, N. see N. Nishi, 2058
 Yoshida, T. see S. Numazawa, 3560
 Yoshida, Y. see H. Iigusa, 4012
 Yoshihara, S., A. Kon, D. Kudo, H. Nakazawa, I. Kakizaki, M. Sasaki, M. Endo and K. Takagaki, A hyaluronan synthase suppressor, 4-methylumbelliferone, inhibits liver metastasis of melanoma cells, 2722
 Yoshii, M. see M. Sato, 1167
 Yoshikawa, K. see Y.T. Sato, 3095
 Yoshikawa, K. see F. Luckel, 5119
 Yoshimoto, T. see S. Nallamshetty, 6529
 Yoshimoto, Y., K. Nakaso and K. Nakashima, L-dopa and dopamine enhance the formation of aggregates under proteasome inhibition in PC12 cells, 1197
 Yoshioka, Y. see H. Akiyama, 4485
 You, S. see S.J. Kim, 534
 You, S.H. see S.H. Yoo, 222
 Youm, J.W., H. Kim, J.H.L. Han, C.H. Jang, H.J. Ha, I. Mook-Jung, J.H. Jeon, C.Y. Choi, Y.H. Kim, H.S. Kim and H. Joung, Transgenic potato expressing Aβ reduce Aβ burden in Alzheimer's disease mouse model, 6737
 Young, S.P. see L.D. Church, 1539
 Yu, D.-Y. see Y.-H. Han, 4897
 Yu, D.-Y. see Y.-H. Han, 5112
 Yu, S.-Q. see W.-Y. Chen, 4692
 Yu, S.-S. see S.-G. Hwang, 4837
 Yu, T.-h. see C.-k. Chang, 5663
 Yu, Y.G. see K.-J. Choi, 4903
 Yu, Z. see Y.-X. Wang, 4843
 Yuan, B.-Z. see M.E. Durkin, 1191
 Yuan, J. see Y. Gong, 115
 Yuan, M., L. Mogemark and M. Fällman, Fyn binding protein, Fyb, interacts with mammalian actin binding protein, mAbp1, 2339
 Yuan, Y.-Y. see W.-Y. Chen, 4692
 Yubero, P. see M.L.R. de la Concepción, 1670
 Yum, J.J. see H.S. Byun, 4055
 Yun, X. see H. Zong, 3579

Z

- Zabala, J.C. see S. Nolasco, 3515
 Zaborowska, Z., S. Schubert, J. Kurreck and V.A. Erdmann, Deletion analysis in the catalytic region of the 10–23 DNA enzyme, 554
 Zaccolo, M. see S. Pantano, 2679
 Zádor, E., R. Fenyesi and F. Wuytack, Expression of SERCA2a is not regulated by calcineurin or upon mechanical unloading in skeletal muscle regeneration, 749
 Zaidi, T. see I. Tsujio, 363
 Zakataeva, N.P. see E.A. Kutukova, 4629
 Zako, T., R. Iizuka, M. Okochi, T. Nomura, T. Ueno, H. Tadakuma, M. Yohda and T. Funatsu, Facilitated release of substrate protein from prefoldin by chaperonin, 3718
 Zako, T. see K. Ayabe, 4389
 Zampella, V. see S. Fantaccione, 2519
 Zamponi, G.W. see H. Khosravani, 6587
 Zanetti, G. see R.C. Röhricht, 6433
 Zanotti, I. see E. Favari, 6537
 Zarantonelli, M.-L. see L. Touqui, 4923

- Zaremirakabadi, A. see A. Jalali, 4181
 Zarhloul, K.M. see R. Kumar, 1357
 Zaslavsky, A., S. Li and Y. Xu, Sphingosine-1-phosphate induces a PDGFR-dependent cell detachment via inhibiting β_1 integrin in HEK293 cells, 3899
 Zauner, S. see E. Hjorth, 1129
 Zavialov, A. see J. Frank, 959
 Zdobnov, E.M., C. von Mering, I. Letunic and P. Bork, Consistency of genome-based methods in measuring Metazoan evolution, 3355
 Zegeber, I. see S. Lüscher, 4287
 Zegarra-Moran, O. see O. Moran, 3979
 Zeiher, A.M. see M. Koyanagi, 6060
 Zeng, F. see K.Y.C. Chow, 6699
 Zeng, L.-C., Z.-G. Han and W.-J. Ma, Elucidation of subfamily segregation and intramolecular coevolution of the olfactomedin-like proteins by comprehensive phylogenetic analysis and gene expression pattern assessment, 5443
 Zeng, Q.-Y. and X.-R. Wang, Catalytic properties of glutathione-binding residues in a τ class glutathione transferase (PtGSTU1) from *Pinus tabulaeformis*, 2657
 Zenin, V. see I. Marakhova, 2773
 Zerres, K. see C.S. Clemen, 3777
 Zeth, K. see H. Besir, 6595
 Zhang, C. see P. Zhang, 1446
 Zhang, C.-Y. see P. Zhang, 1446
 Zhang, G.-J. see H.-f. Zhao, 1551
 Zhang, H. see B. Xue, 4081
 Zhang, H. see M. Bhasin, 4302
 Zhang, H.-Y., One-compound-multiple-targets strategy to combat Alzheimer's disease, 5260
 Zhang, J., Y. Wang, Y. Zhou, Z. Cao, P. Huang and B. Lu, Yeast two-hybrid screens imply that GGNBP1, GGNBP2 and OAZ3 are potential interaction partners of testicular germ cell-specific protein GGN1, 559
 Zhang, J. see P. Zhang, 1446
 Zhang, J. see J. Zhou, 1715
 Zhang, J. see W.-H. Lee, 4443
 Zhang, L. see J. Guo, 3619
 Zhang, L., N.C. Ging, T. Komoda, T. Hanada, T. Suzuki and K. Watanabe, Antibiotic susceptibility of mammalian mitochondrial translation, 6423
 Zhang, L. see F. Teraishi, 6681
 Zhang, L.-H. see F. Yang, 3713
 Zhang, P., C. Liu, C. Zhang, Y. Zhang, P. Shen, J. Zhang and C.-Y. Zhang, Free fatty acids increase PGC-1 α expression in isolated rat islets, 1446
 Zhang, Q. see C. Xu, 2788
 Zhang, Q., J. Wang, S. Fan, L. Wang, L. Cao, K. Tang, C. Peng, Z. Li, W. Li, K. Gan, Z. Liu, X. Li, S. Shen and G. Li, Expression and functional characterization of *LRRC4*, a novel brain-specific member of the LRR superfamily, 3674
 Zhang, Q., L. Tian, A. Mansouri, A.L. Korapati, T.J. Johnson and F.X. Claret, Inducible expression of a degradation-resistant form of p27^{Kip1} causes growth arrest and apoptosis in breast cancer cells, 3932
 Zhang, R. see K.A. Kang, 6295
 Zhang, S. see A. Khrouchtchova, 4808
 Zhang, S. see J. Zhao, 5809
 Zhang, X.-B. see Z.-J. Liu, 1587
 Zhang, X.D. see J.J. Wu, 1940
 Zhang, Y. see M. Ravveendran, 733
 Zhang, Y. see P. Zhang, 1446
 Zhang, Y. see Z.-J. Liu, 1587
 Zhang, Y., X. Liu and J. Liu, Recombinant human α A-crystallin can protect the enzymatic activity of CpUDG against thermal inactivation, 2897
 Zhang, Y. see K. Kimura, 2926
 Zhang, Y. see W.-H. Lee, 4443
 Zhang, Y.C. see B.R. Burkhardt, 5759
 Zhang, Y.J., Y.F. Xu, X.Q. Chen, X.C. Wang and J.-Z. Wang, Nitration and oligomerization of tau induced by peroxynitrite inhibit its microtubule-binding activity, 2421
 Zhang, Y.-J. see Z.-G. Wang, 4928
 Zhang, Y.-J., Y.-F. Xu, Y.-H. Liu, J. Yin and J.-Z. Wang, Nitric oxide induces tau hyperphosphorylation via glycogen synthase kinase-3 β activation, 6230
 Zhang, Y.-X. see W.-H. Lee, 4443
 Zhang, Z. see J. Guo, 3619
 Zhang, Z. see H. Fu, 3849
 Zhang, Z. see Y. Gong, 5265
 Zhao, B. see J. Zhao, 5809
 Zhao, H.-f., X. Wang and G.-J. Zhang, Lysosome destabilization by cytosolic extracts, putative involvement of Ca²⁺/phospholipase C, 1551
 Zhao, J. see C. Peng, 2445
 Zhao, J., J. Miao, B. Zhao and S. Zhang, Upregulating of Fas, integrin β 4 and P53 and depressing of PC-PLC activity and ROS level in VEC apoptosis by safrole oxide, 5809
 Zhao, J.-J. see X.-G. Liu, 4571
 Zhao, L.-J. see P. Zhao, 2404
 Zhao, P., Z.-L. Qin, J.-S. Ke, Y. Lu, M. Liu, W. Pan, L.-J. Zhao, J. Cao and Z.-T. Qi, Small interfering RNA inhibits SARS-CoV nucleocapsid gene expression in cultured cells and mouse muscles, 2404
 Zhao, W.-M. see Y. Chen, 3683
 Zhao, X. see S.T. Lee-Hoefflich, 4615
 Zhao, Y. see M. Ye, 3437
 Zhao, Z., H. Ksieczak-Reding, J. Wang and G.M. Pasinetti, Expression of tau reduces secretion of A β without altering the amyloid precursor protein content in CHOsw cells, 2119
 Zheng, C.J., J.-S. Yoo, T.-G. Lee, H.-Y. Cho, Y.-H. Kim and W.-G. Kim, Fatty acid synthesis is a target for antibacterial activity of unsaturated fatty acids, 5157
 Zheng, J. see Z. Zi, 1101
 Zheng, P. see C. Xu, 2788
 Zheng, X. see H. Fu, 3849
 Zheng, Z. see W. Chen, 2267
 Zheng, Z.-H. see Z.-G. Wang, 4928
 Zhong, S. see Z.-J. Liu, 1587
 Zhong, T.P. see Y.-X. Wang, 4843
 Zhong, X., R. Malhotra and G. Guidotti, A eukaryotic carboxyl-terminal signal sequence translocating large hydrophilic domains across membranes, 5643
 Zhong, Y. see J. Zhou, 1715
 Zhorov, B.S. see D.B. Tikhonov, 4207
 Zhou, A. see J. Zhou, 1715
 Zhou, C.-F. see Y. Wang, 1055
 Zhou, C.Q. see S. Lee, 4829
 Zhou, F., Y. Xue, H. Lu, G. Chen and X. Yao, A genome-wide analysis of sumoylation-related biological processes and functions in human nucleus, 3369
 Zhou, H. see Y. He, 1503
 Zhou, H.-Y. see G. Wang, 4005
 Zhou, J. see S.E. Schnitzer, 529
 Zhou, J., C. Fan, Y. Zhong, Y. Liu, M. Liu, A. Zhou, K. Ren and J. Zhang, Genomic organization, promoter characterization and roles of Sp1 and AP-2 in the basal transcription of mouse *PDIP1* gene, 1715
 Zhou, M.-M. see K.L. Manzur, 3859
 Zhou, X. see M. Xiong, 5325
 Zhou, Y. see J. Zhang, 559
 Zhou, C. see C. Xu, 2788
 Zhu, G. see H. Jun, 6259
 Zhu, H. see Y. Pang, 2397
 Zhu, H., K. Itoh, M. Yamamoto, J.L. Zweier and Y. Li, Role of Nrf2 signaling in regulation of antioxidants and phase 2 enzymes in cardiac fibroblasts: Protection against reactive oxygen and nitrogen species-induced cell injury, 3029
 Zhu, J. see H. Fu, 3849
 Zhu, J.-K. see A. Kapoor, 5889
 Zhu, N., M. Eghbali, G. Helguera, M. Song, E. Stefani and L. Toro, Alternative splicing of Slo channel gene programmed by estrogen, progesterone and pregnancy, 4856
 Zhu, X.-L. see W. Lu, 2130
 Zhu, Y. see H. Qin, 1220
 Zi, Z., K.-H. Cho, M.-H. Sung, X. Xia, J. Zheng and Z. Sun, In silico identification of the key components and steps in IFN- γ induced JAK-STAT signaling pathway, 1101
 Zigman, M. see I. Weinhofer, 5512
 Zikihara, K. see M. Nakasako, 1067
 Zimmetti, F. see E. Favari, 6537
 Zindy, P., L. Andrieux, D. Bonnier, O. Musso, S. Langouët, J.P. Campion, B. Turlin, B. Clément and N. Théret, Upregulation of DNA repair genes in active cirrhosis associated with hepatocellular carcinoma, 95
 Zitzer, H. see W. Wente, 6305
 Zolkiewski, M. see I.-T. Chow, 4242
 Zong, H. see H. Wang, 1279
 Zong, H., Z. Li, L. Liu, Y. Hong, X. Yun, J. Jiang, Y. Chi, H. Wang, X. Shen, Y. Hu, Z. Niu and J. Gu, Cyclin-dependent kinase 11^{p58} interacts with HBO1 and enhances its histone acetyltransferase activity, 3579
 Zong, S. see C. Yang, 5734
 Zonis, S. see C.B. Ware, 4465

- Zoratti, M. see S. Campello, 3695
Zorec, R. see S.K. Sikdar, 6575
Zucchelli, G., T. Morosinotto, F.M. Garlaschi, R. Bassi and R.C. Jennings, The low energy emitting states of the Lhca4 subunit of higher plant photosystem I, 2071
Zumft, W.G. see P. Wunsch, 4605
Zurzolo, C. see D. Sarnataro, 6343
Zweier, J.L. see H. Zhu, 3029
Zwicker, K. see A. Abdurakhmanova, 6781
Ziyatdinov, M.H. see E.A. Kutukova, 4629