

## What adult CHD (and other) patients must do/expect during the COVID-19 pandemic and beyond

- Social distancing (all, until further notice)
- Shielding of high-risk patients [i.e. single ventricle physiology, pulmonary arterial hypertension, immunosuppressed/compromised patients, other specific patients (consult your local provider)]
- Tele-health clinics and deferment of elective/prognostic procedures to minimize COVID exposure; these temporary measures need/should not compromise outlook

- Made aware of contingency plans for urgent care: Where, How, When? Follow guidance from NHS and other sites, particularly so from local providers
- Regular updates/information sharing about COVID-19
- Mental and psychosocial well-being, exercise, lifestyle modification(s), improve oneself
- A new improved model of care after COVID, utilizing technology, artificial intelligence, and, crucially, education and patient empowerment



doi:10.1093/eurheartj/ehaa412

## Heart Team meetings during COVID-19

### Different formats of multidisciplinary Heart Team meetings under the gathering restriction rules due to the coronavirus disease-2019 pandemic are discussed

#### Introduction


At the end of 2019, a novel strain of the coronavirus emerged in Wuhan, China and caused a respiratory infection named coronavirus disease 2019 (COVID-19).<sup>1</sup> Due to the rapid worldwide spread of the virus, the World Health Organization (WHO) officially declared COVID-19 a pandemic on 11 March 2020.<sup>2</sup> In order to minimize the spread of the disease, many countries enacted precautionary measures, such as restrictions on gatherings and social distancing, following WHO guidelines.<sup>3</sup>

In daily clinical practice, the coming together of physicians for multidisciplinary team (MDT) meetings is essential for good patient

care. Examples in the cardiovascular field are Heart Team evaluations for coronary revascularization, valvular pathologies, and endocarditis, which have been recommended by the European Society of Cardiology (ESC).<sup>4-6</sup> Although these meetings are necessary and by definition not restricted, they could potentially increase the risk of spreading the virus, which should be prevented at all costs, particularly between healthcare professionals. In order to continue to provide good patient care while minimizing the risk of spreading the virus, other alternatives for conducting MDT meetings should be considered. In this article, we present four alternative methods (*Figure 1*), along with their benefits and drawbacks (*Table 1*).

**Table 1** Benefits and drawbacks of the four alternative methods proposed for the Heart Team meetings

Methods	Benefits	Drawbacks
Adjusted physical meeting	Physical meeting with same setting Small effort to change	Remaining risk of infection or transmission of microorganisms
Video conference	No risk of infection or transmission of microorganisms Possibility of participation for healthcare professionals from other hospitals	Connection problems Loss of non-verbal communication Organizing challenge to prevent miscommunication Need for secured software system Technical challenge in displaying the same desktop image to all participants
Electronic communication	No risk of infection Clearly written communication Conclusion of the meeting directly communicated to the attending physician	Time consuming Organizing challenge to prevent miscommunication Loss of non-verbal communication
Extended reality	No risk of infection Virtual interaction comparable with physical interaction	Still in development Not available for all healthcare professionals



**Figure 1** Options for physician meetings in this digital era.

## Alternative methods

### Adjusted physical method

Presumably, physical meetings remain the most common method for physicians working in the same hospital to come together. However, these meetings should be adjusted to minimize viral transmission by avoiding any direct physical contact, restricting the number of participants and gathering in larger conference rooms. Before and after the meetings, participants should be reminded to sanitize their hands. Since the key characteristic of this method—the physical presence of the participants in the same area—remains unchanged and little effort is required from the participants, many physicians might prefer this approach during the COVID-19 pandemic. However, even if the risk of spreading the virus is relatively small, the risk still exists, and can be seen as a significant drawback.

### Video conferencing

Video conferencing is an obvious alternative when physical meeting is not possible, with the benefit of eliminating the risk of viral spreading. Another advantage is the possibility to involve health-care providers from other hospitals. However, there are a number of drawbacks, including connection issues, which could hamper communication and the loss of facial expression and body language, due to the often limited resolution during a video call. Other pitfalls may include the challenge of organizing the meeting and preventing miscommunication, the need for secured software,

and finding a way for participants to watch the same screen as the presenter of the case.

### Electronic communication

Another form of telemedicine is the use of electronic communication systems, such as electronic mail (E-mail) and the electronic health record (EHR). The proposed method could be achieved by communicating the designated case through EHR or E-mail with one person that coordinates the entire communication with all the participants. Using the EHR is preferable because it is usually a more secure data system than E-mail and the conclusion of the meeting is directly communicated to the attending physician. The benefits of this communication method are similar to those of video conferencing, with the addition of clearer communication since all participants are required to send a written response. However, a major drawback is the time-consuming nature of this type of communication, which is not desirable when decisions have to be made quickly. Needless to say, there is a loss of facial expression, tone, and body language.

### Extended reality

Extended reality (XR) refers to all technologies that are used to create computer-generated digital three-dimensional interfaces that combine physical (real-world) and virtual images that allow users to view and interact with both realities simultaneously.<sup>7</sup> XR interfaces can provide various types of human-machine interaction, including augmented reality (digital overlays on to the physically

observed reality), virtual reality (fully digital/imagined virtual world), and mixed reality (a hybrid of virtual and digital worlds that is responsive to the user and the real world).<sup>8</sup> Using wearables (e.g. remote controllers) and head-mounted devices (e.g. Microsoft HoloLens, Oculus Rift), the user is able to view, engage, and interact with these digital interfaces.<sup>8,9</sup>

Due to recent advances in the field of XR, virtual reality has found application in medical education and communication.<sup>10,11</sup> Regarding communication, there is a growing body of literature on the development of software and hardware platforms that offer communication facilitated by XR modalities.<sup>12,13</sup> These technologies enable teleconferencing and communication through the addition of new dimensions and features, such as video avatars, virtual rooms, animations, and digital interaction.<sup>12–14</sup> There have been recent news reports on the use of XR in a telemedicine conference between three surgeons facilitated by a mixed reality interface.<sup>15</sup> The benefits of this method are similar to those of video conferencing with the addition that the virtual interaction could be comparable with physical interaction.

However, the main question remains of whether these platforms are suitable for medical telecommunication purposes. In the context of medical televirtuality, platforms should preferably meet some strict security requirements to protect medical records and patient data. In addition, the hardware and software should be easy to use and allow interaction between physicians. With the recent and rapid developments in these emerging technologies, it is vital to assume that the application of XR in medical televirtuality will become a reality in the near future.

### Essential role of a coordinator

The coordinator should have the responsibility to gather all information needed for each meeting, invite the essential participants, explain the steps of the meeting, and coordinate the meeting so it will be run smoothly. The role of a coordinator is essential in all of the proposed methods, especially in those that are prone to miscommunication.

## Conclusion

To minimize the risks of transmission during the COVID-19 pandemic, alternative communication methods for MDT meetings, such as adjusted physical meetings, video conferencing, electronic communication, and immersive telecommunication (extended reality), may be considered based on local needs and resources.

## Acknowledgements

We thank all the following from Erasmus Medical Center Rotterdam for their contribution to this work: Dr Nelianne J. Verkaik, Microbiologist; Dr Tjebbe W. Galema, Cardiologist; Dr Carolina A.M. Schurink, Infectious Disease Specialist; Dr Margreet W.A. Bekker, Cardio-Thoracic Surgeon; Edris Mahtab MD, PhD, Cardio-Thoracic Surgeon; Ad J.J.C. Bogers MD, PhD, Cardio-Thoracic Surgeon; Ricardo P.J. Budde MD, PhD, Radiologist; and Jolien W. Roos-Hesselink MD, PhD, Cardiologist.

Ali R. Wahadat<sup>1,2,3\*</sup>, Amir H. Sadeghi<sup>4</sup>, and Wilco Tanis<sup>3</sup>

<sup>1</sup>Department of Cardiology, Thoraxcenter, Erasmus Medical Center, Rotterdam, The Netherlands; <sup>2</sup>Department of Radiology and Nuclear Medicine, Erasmus Medical Center, Rotterdam, The Netherlands; <sup>3</sup>Department of Cardiology, Haga Teaching Hospital, The Hague, The Netherlands; and <sup>4</sup>Department of Cardio-Thoracic Surgery, Thoraxcenter, Erasmus Medical Center, Rotterdam, The Netherlands

\*Corresponding author. Erasmus Medical Center, Department of Radiology and Nuclear Medicine, ND-547, Dr. Molewaterplein 40, 3015 GD Rotterdam, The Netherlands. Tel: +31 10 703 2055, Fax: +31 10 703 39 93, Email: a.wahadat@erasmusmc.nl

**Conflict of interest:** none declared.

## References

References are available as [supplementary material](#) at *European Heart Journal* online.

doi:10.1093/eurheartj/ehaa338

# CardioEgypt 2020

## Report from The Egyptian Society of Cardiology (EgSC) 47<sup>th</sup> Annual Meeting in Cairo, Egypt 24–27 February 2020

Since its establishment in 1951, the EgSC has had a clear vision to help preventing and treating CVD all over Egypt through advocacy, education, research, and patient awareness programs.



CardioEgypt 2020, the largest regional cardiology meeting in the Middle East and Africa, was organized this year by Ain Shams University chaired by Professor Maiy El Sayed and Professor Magdy Abdelhamid President of the EgSC.

For 4 days, there were more than 10 parallel halls, training villages, case corners, and a hub with several hands-on tailored workshops and a large number of renowned speakers from all over the world. This year's faculty list included more than 1210 specialists both local and international. The conference was attended by more than 5734 doctors from Egypt, Africa, and the Middle East, as well as several Asian and