



Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.



ELSEVIER



EDITORIAL

Scientific Publications During the COVID-19 Pandemic

COVID-19 pandemic has shocked our world in a few months, not only by attacking individual health, but also public health and economic systems, the way people relate to each other, but has also changed scientific and editorial practices.

By now, more than 4.7 million persons have been infected by SARS COV 2 virus, and more than 315,000 have died worldwide. As there is no vaccine to prevent the disease, or a specific therapeutic drug to treat patients, health care systems treat the sick with supportive measures, hoping that each person's immunologic system can confront the disease. But the rush of scientists to quickly understand the virus and its behavior, and to design proper prevention and therapeutical interventions must not sacrifice rigorous science, as vital decisions must be taken daily not only by health care workers but also by national policymakers.

Clinical research and Evidence based medicine have been the tools by which physicians and public health policymakers take informed decisions. Both strategies follow strict rules in order to make strong scientific observations and recommendations. Retrospective analysis of uncontrolled clinical experience often leads to erroneous conclusions about the efficacy of a treatment. Thus, solid scientific conclusions must be derived from randomized controlled studies. Furthermore, systematic reviews and meta-analysis confirm valuable findings. Validity then, in therapeutic trials, depends on the power of the methods and the degree in which they can be generalized in clinical settings (Figure 1).

Evidence based medicine refers to the process of systematically reviewing, appraising and using clinical research findings to deliver optimal clinical care to patients. The combination of principles and methods ensure that medical decisions, guidelines and policies are based on the current best evidence.

COVID-19 has quickly spread globally, causing countries health systems to collapse due to the great number of simultaneous patients with moderate and severe disease. Daily, doctors and administrators must urgently decide on the best treatment or recommendation in the field of public health, with very scarce information, as it is a new disease (1). The possibility of making mistakes increases. For example, treatments based on what is known about the pathogenesis of the disease led very early to point out that the use of steroids should not be recommended due to the

possibility of disease spreading. However, the role of cytokine storm as a complication was later identified and the use of steroids is now known to improve patients' conditions and prevent the use of ventilators (2).

From the ethical point of view, it is considered that, given the imminent possibility of a patient's death and the lack of proof that a treatment is useful, but having the possibility that it will produce some benefit, treatment should be offered. The problem is that it may become routine to treat in that way without having clear evidence of its benefit or even exposing patients to unnecessary risk. Furthermore, many of these studies are either not properly reviewed in a research ethics committee or are poorly designed (3).

Scientists have relentlessly rushed to analyze information, but the strongest evidence flows very slowly. In the past few weeks, we have seen an exponential growth of publications related to COVID-19. Torres-Salinas D, (4) recently reported 9,435 documents retrieved by Dimensions by April 8th, 2020, with an exponential growth (R2) of 0.92, with more than 500 new documents published daily. An analysis by our team revealed 9,381 documents in Scopus and 3,697 by Web of Science by April 30th, 2020 (Table 1). More than 90% of the published information is in English language, followed by Chinese, German, French and Spanish (Figure 2). The journals with the highest publication of COVID-19 articles are: British Medical Journal, The Lancet, Journal of Medical Virology, and Nature.

The majority of the publications have been originated in China and the United States of America, followed by Italy, United Kingdom and India (Figure 3).

Co-occurrence of keywords for published articles shows that "COVID-19", "Coronavirus", "Pandemic", "Outbreak", "Wuhan", "Coronavirus disease 2019", "Viruses", "China" are the most frequent. Co-occurrence is an indicator of semantic proximity in which it is observed that the keywords have coincidences between the analyzed documents (larger clusters). (Figure 4).

Funding opportunities for COVID-19 research projects have appeared worldwide, and many free COVID-19 resource centers have been created in order to bring information to scientists and health care workers: For example, Elsevier <https://www.elsevier.com/connect/coronavirus-information-center> and The Lancet https://www.thelancet.com/coronavirus?dgcid=kr_pop-up_tlcoronavirus20, among many others.




Figure 1. Type of studies and force of evidence.


But does all this information add up to our knowledge of the disease? Glasziou PP, et al. published, in a very recent editorial in BMJ (5), their concern about the quality of the research that is being done and published, principally related to low quality of trials (low sample size, non-randomization or patients, poor outcome measures, etc.), repeated trials and poor reporting. Measurement errors are increasingly evident due to the lack of sensitivity and specificity of tests to diagnose SARS-CoV-2, either by molecular biology or by antibody measurements, and possible confusion biases generated by a lack of control of all the potential variables that can influence the results in most studies.

A big problem with what is being published is the lack of original findings, as almost half correspond to editorials, opinions, letter to the editor, commentaries, news, proceedings/conference or data paper, book chapter, short survey or reprint (Figure 5).

Table 1. Published documents in Web of Science (WoS)/Scopus by April 30th, 2020

WoS		Scopus	
	No.		No.
General Internal Medicine	717	Orthopedics	28
Public Environmental Occupational Health	167	ObstetricsGynecology	27
InfectiousDiseases	164	Dentistry Oral Surgery Medicine	26
Virology	163	Business Economics	25
Science, Technology, OtherTopics	138	Psychology	25
Microbiology	109	Social Sciences Other Topics	23
Research Experimental Medicine	107	Biomedical Social Sciences	21
Biochemistry Molecular Biology	101	Nursing	21
Immunology	96	UrologyNephrology	21
Radiology Nuclear Medicine Medical Imaging	91	Tropica Medicine	20
Surgery	91	NutritionDietetics	17
PharmacologyPharmacy	84	Transplantation	17
Oncology	77	Rheumatology	14
Cardiovascular systemCardiology	75	GovernmentLaw	13
CellBiology	74	Medical Informatics	13
VeterinaySciences	66	Parasitology	13
Engineering	64	Biophysics	12
Pediatrics	64	IntegrativeComplementary Medicine	12
Chemistry	59	Material Science	11
HealthCareSciencesServices	55	Mathematical Computational Biology	11
NeurosciencesNeurology	51	Anthropology	10
RespiratorySystem	49	ComputerScience	10
Anesthesiology	48	Education Educational Research	10
Dermatology	41	GeneticsHeredity	10
Life Sciences Biomedicine Other Topics	39	Allergy	9
Hematology	38	Mathematics	9
Emergency Medicine	37	Medical Laboratory Technology	9
GastroenterologyHepatology	35	Sport Sciences	9
Ophthalmology	35	Pathology	8
Otorhinolaryngology	35	Rehabilitation	8
EnvironmentalSciencesEcology	32	Medical Ethics	7
Psychiatry	32	Substance Abuse	7
Biotechnology Applied Microbiology	30	Agriculture	6
GeriatricsGerontology	29	Food Science Technology	6
EndocrinologyMetabolism	28	Other	88
		Arts and Humanities	23
		Biochemistry, Genetics and Molecular Biology	662
		Business, Management and Accounting	41
		ChemicalEngineering	30
		Chemistry	38
		Dentistry	80
		Earth and PlanetarySciences	9
		Energy	6
		Engineering	60
		EnvironmentalScience	159
		HealthProfessions	152
		Immunology and Microbiology	778
		MaterialsScience	32
		Mathematics	25
		Medicine	6044
		Multidisciplinary	176
		Neuroscience	216
		Nursing	223
		Pharmacology, Toxicology and Pharmaceutics	271
		Physics and Astronomy	32
		Social Sciences	207
		Veterinary	92
		Undefined	25

Retrieval of information strategy: (coronavirus) OR (SARS-CoV-2) OR (2019-nCoV) OR (novel coronavirus) OR (Coronavirus disease-19). Subcategories “Psychology”, “Agricultural and Biological Science”, “Computer Science and Decision Sciences” and “Economics”, Econometrics and finance” were excluded.



Language of Publications


Figure 2. Language of published documents.

Unfortunately, another problem that cannot be neglected is that a lot of information is supported by the pharmaceutical industry. There is a clear intention to help, but it is known that it is an unfair race, where some powerful companies that have a greater potential to disseminate the results of a study, which favor their products, and on the other hand, smaller companies find it more difficult to get their information properly and quickly to users (6).

Publication during the pandemic has also become complicated as Scientific journals have had to adapt to

manage regular submissions along with an increasing amount of manuscripts related to COVID-19, in many cases with a shortage in personnel and a shortage of experts available for peer review, as many of them are attending doctors in COVID hospitals.

The flaws of peer review, slow traditional publication times, and the urgent need to share information have led to the rise of Pre prints, (manuscripts submitted to publicly accessible repositories, which may or may not be later submitted to a formal Scientific Journal). COVID-19 has



Country of origin

Figure 3. Country of origin of publication.




Figure 4. Co-occurrence of keywords.

promoted the use of repositories such as BioRxiv and MedRxiv to make communication more agile, open and accessible. Outbreak Science Rapid PREREVIEW, an open-source platform for rapid review of preprints related to COVID-19 (7) has been recently created.

But the quality and scientific robustness of some of these articles has led to further retraction of papers, (like the one posted on BioRxiv in late January claiming that the similarities between SARS COV 2 coronavirus and HIV-1 were “unlikely to be fortuitous in Nature”, which led to a conspiracy theory that the virus was a man-made bioweapon, and was later retracted after thousands of scientists cleared out that “although there were some genetic similarities between the two viruses, these similarities are shared by many other viruses as well”), creating confusion among information consumers. Also, a problem is that dissemination of the information occurs as if they were final results accepted by the scientific community.

Editorial processes have been modified in response to COVID-19 pandemic, for SARSCoV2 papers and for regular

submissions. The Journal of Clinical Investigation (8), Cell systems (9) and eLife (10), for example, relaxed some of their policies on regular submissions, as many laboratories have closed or established social distancing policies during the pandemic, and will allow authors more flexible times to




Figure 5. Type of publication (Scopus outside circle, WoS inside circle).




Figure 6. Country of origin of COVID-19 manuscripts received in *Archives of Medical Research* (up to April 30th, 2020).

respond to reviewers, flexible times for reviewers, or curtail requests for additional experiments. For COVID-19 papers, many journals offer expedite peer review.

Archives of Medical Research has adapted to this crisis by speeding up editorial processes for COVID-19 manuscripts. Editors daily analyze newly arrived documents and make a first editorial decision. Daily follow up of “in process” manuscripts are done and peer reviewers are urged to speed their analysis. “Accepted for publication” reviews and original research (Biomedical, Clinical or Epidemiological) are all peer-reviewed, as we are engaged with maintaining our

editorial quality. We know peer review is not perfect, but is still better than the alternatives.

We want to thank the scientific community as an increasing amount of manuscripts have arrived to our Journal in the last two months, from countries worldwide (Figure 6), and we countersign our commitment to fulfill our authors and our readers expectations. As to April 30th, 2020, one third of the incoming manuscripts were accepted and sent to on-line publication (average of 4.3 d), and 14% are still under peer review. Figure 7 shows the type of articles that have been received.

In a scenario like the one that we are experiencing nowadays, the responsibility of all actors to ensure that the published information is useful is very important (11). Researchers must reflect on their responsibility and remember that, although we are experiencing an emergency, there must be robust scientific results. This is a good time to search for the interaction between the need to do (treat patients) and the need to learn (try treatments) (12).

Universities, Institutions, Hospital Centers where the research studies are being carried out must supervise that the projects are being properly evaluated by the research and ethics committees and not be carried away by the pressure of who should publish first, but who is doing better research, and whose evidence will be more useful to patients. Financial institutions that support research, in addition to guaranteeing that the research carried out complies with all the appropriate ethical and methodological requirements, must avoid duplication of information and over investing. Open and accessible databases must be generated in different languages for researchers’ consultation. Priority should be given to research that has the greatest application in the shortest term.




Figure 7. Type of article related to COVID-19 received in *Archives of Medical Research* (up to April 30th, 2020).

Journals must continue to ensure that published articles comply to methodological and ethical quality standards, and have no conflict of interest. Impartiality, transparency, objectivity and confidentiality must always be observed. The “urge to publish” must never prevail over good editorial practices.

References

1. Zhai MZ, Lye CT, Kesselheim AS. Need for transparency and reliable evidence in emergency use authorizations for coronavirus disease 2019 (COVID-19) Therapies. *JAMA Intern Med*, 2020, E1–E2. <https://doi.org/10.1001/jamainternmed.2020.2402>.
2. Sanders JM, Monogue ML, Jodlowski TZ, et al. Pharmacologic treatments for coronavirus disease 2019 (COVID-19): a review. *JAMA* 2020;323:1824–1836.
3. Goodman JL, Borio L. Finding effective treatments for COVID-19: scientific integrity and public confidence in a time of crisis. *JAMA* 2020;323:1899–1900.
4. Torres-Salinas DIn: Ritmo de crecimiento diario de la producción científica sobre Covid-19. Análisis en bases de datos y repositorios en acceso abierto. El profesional de la información, 29, 2020. p. e290215. <https://doi.org/10.3145/epi.2020.mar15>.
5. Glasziou PP, Sanders S, Hoffmann T. Waste in COVID-19 research. *BMJ* 2020;369:m1847. <https://doi.org/10.1136/bmj.m1847>.
6. Bero LA. Producing independent, systematic review evidence: cochrane’s response to COVID-19. *Am J Public Health*, 2020e1–e2. <https://doi.org/10.2105/AJPH.2020.305734>.
7. Johansson M, Saderi D. Fast peer review for COVID 19 preprints. *Nature* 2020;579:29.
8. Ahima R, Jackson S, Casadervall A, et al. Changing the editorial process at JCI and JCI Insight in response to COVID-19 pandemic. *J Clin Invest* 2020;130:2147.
9. Justman Q. Keeping the wheels of the scientific endeavor turning during the COVID-19 Pandemic. *Cell Syst* 2020;10:307.
10. Eisen M, Akhmanova A, Behrens T, et al. Publishing in the time of COVID 19. *eLife* 2020;9:e57162.
11. Ioannidis J, Greenland S, Hlatky M, et al. Increasing value and reducing waste in research design, conduct, and analysis. *Lancet* 2014;383:166–175.
12. Angus DC. Optimizing the trade-off between learning and doing in a pandemic. *JAMA* 2020;323:1895–1896.

ANA CAROLINA SEPÚLVEDA-VILDÓSOLA

*Coordinación de Investigación en Salud
Centro Medico Nacional Siglo XXI
Instituto Mexicano del Seguro Social
Ciudad de México, México*

JUAN MANUEL MEJÍA-ARANGURÉ

*Coordinación de Investigación en Salud
Centro Medico Nacional Siglo XXI
Instituto Mexicano del Seguro Social
Ciudad de México, México*

CAROLINA BARRERA-CRUZ

*Centro Nacional de Información Documental en Salud
Centro Medico Nacional Siglo XXI
Instituto Mexicano del Seguro Social
Ciudad de México, México*

NATXIELI ALEXANDRA FUENTES-MORALES

CARLOS RODRIGUEZ-ZERON

*Facultad de Medicina, Universidad Nacional Autónoma de México
Ciudad de México
México*

Address reprint requests to: Ana Carolina Sepúlveda-Vildósola
Coordinación de Investigación en Salud, Edificio Bloque B. 4to Piso,
Centro Médico Nacional Siglo XXI, Instituto Mexicano del Seguro Social,
Av. Cuauhtémoc 330. Colonia Doctores, Alcaldía Cuauhtémoc 06725,
Ciudad de México, México; E-mail: ana.sepulvedav@imss.gob.mx

Received for publication May 22, 2020; accepted May 22, 2020
(ARCMED_2020_770).