

Comparison of sugammadex and pyridostigmine bromide for reversal of rocuronium-induced neuromuscular blockade in short-term pediatric surgery: A prospective randomized study: Retraction

The article, “Comparison of sugammadex and pyridostigmine bromide for reversal of rocuronium-induced neuromuscular blockade in short-term pediatric surgery: A prospective randomized study”,^[1] is being retracted. The authors reported after publication that the data used in the article, aside from secondary outcome regarding postoperative agitation in children, have already been reported in “Comparison of sugammadex and pyridostigmine bromide for reversal of rocuronium-induced neuromuscular blockade in short-term pediatric surgery: a prospective randomized study”.^[2]

References

- [1] An J, Lee J-H, Kim E. Comparison of sugammadex and pyridostigmine bromide for reversal of rocuronium-induced neuromuscular blockade in short-term pediatric surgery: A prospective randomized study. *Medicine* 2020;997:e19130.
- [2] An J, Lee J-H, Kim E. Comparison of sugammadex and pyridostigmine bromide for reversal of rocuronium-induced neuromuscular blockade in short-term pediatric surgery: a prospective randomized study. *Anesth Pain Med.* 14;13:288-293.

Copyright © 2020 the Author(s). Published by Wolters Kluwer Health, Inc.

This is an open access article distributed under the Creative Commons Attribution License 4.0 (CCBY), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: An J, Lee J-H, Kim E. Comparison of sugammadex and pyridostigmine bromide for reversal of rocuronium-induced neuromuscular blockade in short-term pediatric surgery: A prospective randomized study. *Medicine* 2020;99:24(e20879).

<http://dx.doi.org/10.1097/MD.00000000000020879>