

Technical Note

Updates to the Symbol Nomenclature for Glycans guidelines

Sriram Neelamegham^{1,2}, Kiyoko Aoki-Kinoshita^{1,3}, Evan Bolton^{1,4}, Martin Frank⁵, Frederique Lisacek^{1,6}, Thomas Lütteke⁷, Noel O'Boyle⁸, Nicolle H Packer⁹, Pamela Stanley¹⁰, Philip Toukach^{1,1}, Ajit Varki^{1,2}, Robert J Woods^{1,3} and The SNFG Discussion Group^{1,4}

²Department of Chemical & Biological Engineering and Medicine, State University of New York, 906 Furnas Hall, Buffalo, NY 14260, USA ³Glycan & Life System Integration Center (GaLSIC), Faculty of Science and Engineering, Soka University, 1-236 Tangi-machi, Hachioji, Tokyo 192-8577, Japan ⁴National Library of Medicine, 8600 Rockville Pike, Bldg. 38A, Room 8S810, Bethesda, MD 20896, USA ⁵Biognos AB, Generatorsgatan 1/Box 8963, 402 74 Göteborg, Sweden ⁶Proteome Informatics Group, SIB Swiss Institute of Bioinformatics, Computer Science Department, University of Geneva, route de Drize 7, CH - 1227 Geneva Switzerland, and also Section of Biology, University of Geneva, Geneva, Switzerland ⁷GIP GmbH, Strahlenberger Str. 112, 63067 Offenbach, Germany ⁸NextMove Software, Innovation Centre, Cambridge Science Park, Milton Road, Cambridge, CB4 0EY, UK ⁹Department of Molecular Sciences, Faculty of Science & Engineering, Rm 307, Building E8C, Macquarie University, Sydney, NSW 2109, Australia ¹⁰Department of Cell Biology, Albert Einstein College of Medicine, 1300 Morris Park Ave, New York, NY, 10461, USA ¹¹Laboratory of Carbohydrate Chemistry, Zelinsky Institute of Organic Chemistry, Russian Academy of Sciences. 119991 Moscow, Leninsky prospect 47, Russia ¹²Glycobiology Research and Training Center, University of California, San Diego, La Jolla, CA 92093, USA, and ¹³Complex Carbohydrate Research Center, University of Georgia, 315 Riverbend Rd, Athens, GA, 30602, USA

¹To whom correspondence should be addressed: Tel: 716-645-1200; Fax: 716-645-3822; e-mail: neel@buffalo.edu

Received 27 March 2019; Revised 15 May 2019; Editorial Decision 6 June 2019; Accepted 6 June 2019

Abstract

The Symbol Nomenclature for Glycans (SNFG) is a community-curated standard for the depiction of monosaccharides and complex glycans using various colored-coded, geometric shapes, along with defined text additions. It is hosted by the National Center for Biotechnology Information (NCBI) at the NCBI-Glycans Page (www.ncbi.nlm.nih.gov/glycans/snfg.html). Several changes have been made to the SNFG page in the past year to update the rules for depicting glycans using the SNFG, to include more examples of use, particularly for non-mammalian organisms, and to provide guidelines for the depiction of ambiguous glycan structures. This Glycoforum article summarizes these recent changes.

Key words: database, glycobiology, glycoscience, software, symbol nomenclature

SNFG

The Symbol Nomenclature for Glycans (SNFG) is a community-curated, broadly utilized standard for the depiction of glycans using various colored, geometric shapes (Varki et al. 2015). It has been

adopted by various publications including the journal *Glycobiology* (Haltiwanger 2016) and others listed at https://www.ncbi.nlm. nih.gov/glycans/snfgorg.html, and by major glycoscience databases (Table I). The historical background of the SNFG, which now spans




Fig. 1. Footnotes, white symbols and variable modifications in the SNFG. (A) *Drosophila* O-glycan with generic Hexose and HexNAc (Tiemeyer et al. 2015). (B) Bacterial glycan from *Citrobacter braakii* including D-Fucose, 2-O-acetylation and 4-deoxy-D-arabinohexose (a deoxyhexose variant; Katzenellenbogen et al. 2003). All rings are pyranose. (C) Use of pentagon with single non-italicized letter to depict product not defined by the SNFG (lyase reaction shown above sketch, adopted from Shaya et al. 2010). (D) Positron emission tomography tracer 2-deoxy-2[¹⁸F]fluoro-α-D-glucopyranose. (E) 9-*O*-acetyl-8-*O*-methyl-*N*-acetylneuraminic acid (Neu5,9Ac₂8Me). Purple diamond, Neu5Ac, already includes 5Ac modification. (F) O-polysaccharide from *Providencia alcalifaciens* with variable modification on GalNAc (Ovchinnikova et al. 2007). (G) Glycan chain of α-dystroglycan containing ribitol-5-phosphate and phosphate at 6-position of mannose (Kanagawa et al. 2016). The "σ" in the pink star represents the alditol of the monosaccharide.

nearly 40 years, has been previously reviewed (Varki et al. 2015). Currently, the SNFG is hosted by the National Center for Biotechnology Information (NCBI) at the NCBI Glycans Page (www.ncbi.nlm.nih.gov/glycans/snfg.html), and it is curated by an international group of researchers in the field (see SNFG Discussion Group list). Additionally, various software programs for sketching glycans have been developed to support the implementation of this nomenclature (Table II).

The overall goal of the SNFG is (1) to facilitate communications and presentations of monosaccharides and glycans for researchers in the glycosciences and for scientists and students less familiar with the field; (2) to ensure uniform usage of the nomenclature in the literature, thus helping to ensure scientific accuracy in journal and online publications; and (3) to continue to develop the SNFG and its applications to aid wider use by the scientific community. With these goals in mind, updates have been made this year to the NCBI Glycans page that hosts the SNFG. Specifically, the footnotes to Table I at the SNFG page that include the rules for depicting glycans have been modified. No changes were made to the table. The footnotes are now organized into 10 themes in order to help streamline their use. These footnotes provide guidelines for (i) general usage of the SNFG, (ii) CMYK/RGB color codes, (iii) symbol colors and shapes, (iv) ring configurations, (v) bond linkage presentation, (vi) sialic acids, (vii) glycan modifications, (viii) amino substitutions, (ix) handling

ambiguous or partially defined glycans and (x) depicting non-glycan entities using SNFG renderings.

More examples have been included for non-mammalian species (Figure 1), with the realization that there is much greater diversity in monosaccharide composition and modifications in these organisms compared to vertebrates. This necessitates the need to engender greater flexibility with respect to SNFG use. To address this issue, several changes have been made.

First, white symbols of various shapes were previously used to define monosaccharides of unknown/undefined stereochemistry (white circle for hexose, type undefined, white diamond for deoxynonulosonic acids etc.). This usage of white symbols remains in the current revision. For example, Figure 1A depicts a *Drosophila* O-glycan that contains generic hexose and N-acetylhexosamine. However, while the white, flat hexagon was previously used to denote both heptoses and unknown monosaccharides, its usage is now restricted to depicting only unknown or partially defined monosaccharides.

Second, a single, non-italicized letter (A...Z) is now permitted inside white symbols to provide additional information about a monosaccharide that is not defined by a colored symbol. Footnotes/figure legends associated with these single letters convey structural details regarding this annotated symbol. When using the white symbol with a single letter, it is necessary to ensure that the chemical

S Neelamegham et al.

 $\textbf{Table I.} \ \ \text{SNFG compliant and actively maintained glycan databases}^{\text{a}}$

Name	Link	Contents	Reference
Asian Community of	acgg.asia/db/	Includes glycan disease, glycogene, lectin frontier and curated protocols developed by	Maeda et al. (2015)
Glycoscience and Glycotechnology		the Japanese Consortium for Glycobiology and Glycotechnology and other collaborators	
Consortium for	www.functionalglycomics.org	Glycan array, Glycan mass spectrometry	
Functional		profiling, glycogene microarray and mouse	Raman et al. (2006)
Glycomics		phenotyping data repository	
Gateway		Manually arrand harmaid along and formal	
Carbohydrate Structure	csdb.glycoscience.ru/database	Manually curated bacterial, plant and fungal carbohydrate structure database	Toukach and Egorova
Database (CSDB)		carbony drate structure database	(2016)
CSDB_GT	csdb.glycoscience.ru/gt.html	Manually curated database of	T
(CSDB Glycosyl-		glycosyltrasferases with confirmed activity	Egorova et al. (2019)
transferases)		(in 2019, of Escherichia coli and Arabidopsis	
GLYCAM-Web	Glycam.org	thaliana) Tools for predicting 3D structures of	
GLI CAIVI- WED	Glycam.org	carbohydrates, glycoproteins and	Kirschner et al. (2008)
		carbohydrate-protein structures	
GLYCOSCIENCES.de	glycosciences.de	Various tools and databases for glycobiology,	Bohm et al. (2019)
		with focus on 3D structures and references to	
Glycostore	glycostore.org	related PDB entries Glycan chromatographic retention properties	
diyeostore	grycostorc.org		Zhao et al. (2018)
Glyco3D	glyco3d.cermav.cnrs.fr/home. php	Family of databases covering the 3D features	Perez et al. (2015)
		of mono-, poly- and oligo-saccharides, glycosyltransferases and lectins and	
		glycosyntansierases and rectins and glycosaminoglycan-binding proteins	
Glycomics@ExPASy	www.expasy.org/glycomics	Various glycomics tools developed at the	
,		Swiss Institute of Bioinformatics and links to	Mariethoz et al. (2018)
		other sites	
GlyCosmos	glycosmos.org	Portal for glycoscience data resources and repositories	•••
GlyGen	www.glygen.org	Computational and Informatics Resources	• • •
5., 56.1		for Glycoscience research	
GlyTouCan	glytoucan.org	International glycan structure repository	T'
KEGG	www.genome.jp/kegg/glycan/	Glycan structures, relevant reactions and	Tiemeyer et al. (2017)
GLYCAN ^b	www.genome.jp/kegg/gr/ear/	pathways	Kanehisa (2017)
MatrixDB	matrixdb.univ-lyon1.fr/	Database of extracellular matrix protein,	Cl. 1 (2010)
		proteoglycan and polysaccharide interactions	Clerc et al. (2019)
MonosaccharideDB	monosaccharidedb.org	Monosaccharide database	
SugarBindDB	sugarbind.expasy.org	Pathogen Sugar-Binding Database	Mariethoz et al. (2016)
UniCarb-DB	unicarb-db.expasy.org	Glycomics mass spectrometry database	Campbell et al. (2014)

Note: a Table only lists databases that follow a majority of the SNFG nomenclature guidelines, not all glycoscience resources. b SNFG adoption in progress.

Table II. SNFG drawing software

Name	Purpose	Reference
3D-SNFG	3D adaptation of SNFG to visualize glycans in pdb structures (web	Thieker et al. (2016)
	based, implemented in VMD software)	
3D-SNFG in LiteMol	Implementation of 3D-SNFG in LiteMol for 3D display of glycans	Sehnal and Grant (2019)
DrawGlycan-SNFG	Converts IUPAC string to SNFG drawings (web based, stand-alone)	Cheng et al. (2017)
SugarSketcher	Drag and drop tool to sketch glycans (web based)	Alocci et al. (2018)
GlycanBuilder2	GlycanBuilder extended for rendering SNFG sketches (stand-alone)	Tsuchiya et al. (2017)

composition (and thus mass) of the entity corresponds to the composition of the selected white generic type. For example, the bacterial glycan in Figure 1B contains a deoxyhexose variant with known composition. A white triangle with letter "A" is used since this deoxyhexose is not defined by any colored SNFG symbol. A footnote is provided to explain the exact usage. In another case, if a monosaccharide has no equivalent representation in the SNFG table as in Figure 1C, a pentagon is used. In this case, heparinase action on a glycosaminoglycan results in a chemically defined product, but the generic type of the entity does not correspond to any of the standard white symbols in the SNFG table. Thus, a white pentagon is used with the letter "A" and an accompanying footnote.

Third, the rules for describing substituents have been reviewed and more examples are provided. For example, Figure 1D shows a commonly used fluoro-glucose analog, with a footnote providing a full explanation of the modification. Figure 1E illustrates a multiplymodified sialic acid, where the substituents are presented as a sequential/concatenated string. To the extent possible, abbreviations used to describe substituents should follow guidelines described in footnote 7 of the updated SNFG page. The presence of variable amounts of substituents may be indicated using the \pm symbol or by indicating % presence if known, e.g. "70% 6Ac" to indicate presence of 6Ac on 70% of a residue or repeating unit (Figure 1F). Less common substituents like "4Fo", which are not among the standard monosaccharide modifications listed on the SNFG page, may also be indicated using footnote as illustrated. The final example illustrates the use of italicized "o" within a pink star to depict ribitol in an O-glycan that is found on mammalian dystroglycan (Figure 1G).

Please note that the meaning of single letter annotations in colored SNFG symbols is different from those in the white symbols. In the colored symbols, such annotations can only be used to denote either "D"/"L" configuration or ring closure information ("p", "f" or "o" for pyranose, furanose and alditol, respectively). In white symbols, they are used to annotate details regarding generic monosaccharide types as discussed in the above examples. More exhaustive examples of SNFG usage can be found at the NCBI-SNFG page, Essentials of Glycobiology textbook (https://www.ncbi.nlm.nih.gov/books/NBK310274/) and the database resources listed in Table I.

Overall, the goal of the SNFG is to make the field of glycobiology more visual and readily accessible, especially for new users and the larger biomedical community. As we make progress in this endeavor, the group anticipates working with the Glycan Informatics Advisory Group (GlyAg, www.ncbi.nlm.nih.gov/glycans/glyag.html) to populate more glycan-related pages at the NCBI and to establish links between these pages and other database resources (Table I). Comments from the scientific community are welcome, including examples of SNFG implementation in databases and software resources.

Author contributions

¹⁴Other members of the SNFG Discussion group: Alan Darvill, University of Georgia, USA; Anne Dell, Imperial College London, UK; Bernard Henrissat, Centre National de la Recherche Scientifique (CNRS), France; Carolyn Bertozzi, Stanford University, USA; Gerald Hart, University of Georgia, USA; Hisashi Narimatsu, Research Center of Medical Glycoscience, Japan; Hudson Freeze, Sanford-Burnham-Prebys Research Institute, USA; Issaku Yamada, The Noguchi Institute, Japan; James Paulson, Scripps Research Institute, USA; James Prestegard, University of Georgia, USA; Jamey Marth,

University of California Santa Barbara, USA; JFG Vliegenthart, Bijvoet Center, Netherlands; Marilynn Etzler, UC Davis, USA; Markus Aebi, ETH Zürich, Switzerland; Minoru Kanehisa, Kyoto University, Japan; Naoyuki Taniguchi, Riken Global Research Cluster, Japan; Nathan Edwards, Georgetown University, USA; Pauline Rudd, National Institute for Bioprocessing Research & Training, UK; Peter Seeberger, Max-Planck-Institute of Colloids and Interfaces, Germany; Raja Mazumder, The George Washington University, USA; Rene Ranzinger, University of Georgia, USA; Richard Cummings, Harvard Medical School, USA; Ronald Schnaar, Johns Hopkins University School of Medicine, USA; Serge Perez, French National Centre for Scientific Research, France; Stuart Kornfeld, Washington University in St. Louis, USA; Taroh Kinoshita, Osaka University, Japan; William York, University of Georgia, USA; Yuriy Knirel, Russian Academy of Sciences, Russia

Acknowledgements

This is a global community-driven project. Some of the individuals who volunteer their time as members of the SNFG Discussion Group have received grant support from national funding agencies including the US National Institutes of Health, Russian Science Foundation, Swiss National Science Foundation, Research Data Australia, Japan Science and Technology Agency and the National Bioscience Database Center of Japan.

Conflict of interest statement

None declared.

References

Alocci D, Suchankova P, Costa R, Hory N, Mariethoz J, Varekova RS, Toukach P, Lisacek F. 2018. SugarSketcher: Quick and intuitive online glycan drawing. *Molecules*. 23, e3206.

Bohm M, Bohne-Lang A, Frank M, Loss A, Rojas-Macias MA, Lutteke T. 2019. Glycosciences.DB: An annotated data collection linking glycomics and proteomics data (2018 update). *Nucleic Acids Res.* 47:D1195–D1201.

Campbell MP, Nguyen-Khuong T, Hayes CA, Flowers SA, Alagesan K, Kolarich D, Packer NH, Karlsson NG. 2014. Validation of the curation pipeline of UniCarb-DB: Building a global glycan reference MS/MS repository. *Biochim Biophys Acta*. 1844:108–116.

Cheng K, Zhou Y, Neelamegham S. 2017. DrawGlycan-SNFG: A robust tool to render glycans and glycopeptides with fragmentation information. *Glycobiology*. 27:200–205.

Clerc O, Deniaud M, Vallet SD, Naba A, Rivet A, Perez S, Thierry-Mieg N, Ricard-Blum S. 2019. MatrixDB: Integration of new data with a focus on glycosaminoglycan interactions. *Nucleic Acids Res.* 47:D376–D381.

Egorova KS, Knirel YA, Toukach PV. 2019. Expanding CSDB_GT glycosyltransferase database with Escherichia coli. *Glycobiology*. 29:285–287.

Haltiwanger RS. 2016. Symbol Nomenclature for Glycans. Glycobiology. 26:217.

Kanagawa M, Kobayashi K, Tajiri M, Manya H, Kuga A, Yamaguchi Y, Akasaka-Manya K, Furukawa JI, Mizuno M, Kawakami H et al. 2016. Identification of a post-translational modification with ribitol-phosphate and its defect in muscular dystrophy. Cell Rep. 14: 2209–2223.

Kanehisa M. 2017. KEGG GLYCAN. In: Aoki-Kinoshita KF, editor. A Practical Guide to Using Glycomics Databases. Japan: Springer. p. 177–193.

Katzenellenbogen E, Kocharova NA, Zatonsky GV, Witkowska D, Bogulska M, Shashkov AS, Gamian A, Knirel YA. 2003. Structural and serological studies on a new 4-deoxy-d-arabino-hexose-containing O-specific polysaccharide from the lipopolysaccharide of Citrobacter braakii PCM 1531 (serogroup O6). Eur J Biochem. 270:2732–2738.

S Neelamegham et al.

- Kirschner KN, Yongye AB, Tschampel SM, Gonzalez-Outeirino J, Daniels CR, Foley BL, Woods RJ. 2008. GLYCAM06: A generalizable biomolecular force field. Carbohydrates. J Comput Chem. 29:622–655.
- Maeda M, Fujita N, Suzuki Y, Sawaki H, Shikanai T, Narimatsu H. 2015.
 JCGGDB: Japan Consortium for Glycobiology and Glycotechnology Database. Methods Mol Biol. 1273:161–179.
- Mariethoz J, Alocci D, Gastaldello A, Horlacher O, Gasteiger E, Rojas-Macias M, Karlsson NG, Packer NH, Lisacek F. 2018. Glycomics@ExPASy: Bridging the gap. *Mol Cell Proteomics*. 17:2164–2176.
- Mariethoz J, Khatib K, Alocci D, Campbell MP, Karlsson NG, Packer NH, Mullen EH, Lisacek F. 2016. SugarBindDB, a resource of glycan-mediated host-pathogen interactions. *Nucleic Acids Res.* 44:D1243–D1250.
- Ovchinnikova OG, Bushmarinov IS, Kocharova NA, Toukach FV, Wykrota M, Shashkov AS, Knirel YA, Rozalski A. 2007. New structure for the O-polysaccharide of Providencia alcalifaciens O27 and revised structure for the O-polysaccharide of Providencia stuartii O43. Carbohydr Res. 342:1116–1121.
- Perez S, Sarkar A, Rivet A, Breton C, Imberty A. 2015. Glyco3D: A portal for structural glycosciences. Methods Mol Biol. 1273:241–258.
- Raman R, Venkataraman M, Ramakrishnan S, Lang W, Raguram S, Sasisekharan R. 2006. Advancing glycomics: Implementation strategies at the consortium for functional glycomics. *Glycobiology*. 16:82R–90R.
- Sehnal D, Grant OC. 2019. Rapidly display glycan symbols in 3D structures: 3D-SNFG in LiteMol. *J Proteome Res.* 18:770–774.
- Shaya D, Zhao W, Garron ML, Xiao Z, Cui Q, Zhang Z, Sulea T, Linhardt RJ, Cygler M. 2010. Catalytic mechanism of heparinase II investigated by

- site-directed mutagenesis and the crystal structure with its substrate. *J Biol Chem.* 285:20051–20061.
- Thicker DF, Hadden JA, Schulten K, Woods RJ. 2016. 3D implementation of the symbol nomenclature for graphical representation of glycans. *Glycobiology*. 26:786–787.
- Tiemeyer M, Aoki K, Paulson J, Cummings RD, York WS, Karlsson NG, Lisacek F, Packer NH, Campbell MP, Aoki NP et al. 2017. Gly-TouCan: An accessible glycan structure repository. Glycobiology. 27: 915–919.
- Tiemeyer M, Nakato H, Esko JD. 2015. Arthropoda. In: Varki A, Cummings RD, Esko JD, Stanley P, Hart GW, Aebi M, Darvill AG, Kinoshita T, Packer NH, Prestegard JH, et al., editors. Essentials of Glycobiology. New York: Cold Spring Harbor. p. 335–349.
- Toukach PV, Egorova KS. 2016. Carbohydrate structure database merged from bacterial, archaeal, plant and fungal parts. *Nucleic Acids Res.* 44:D1229–D1236.
- Tsuchiya S, Aoki NP, Shinmachi D, Matsubara M, Yamada I, Aoki-Kinoshita KF, Narimatsu H. 2017. Implementation of GlycanBuilder to draw a wide variety of ambiguous glycans. *Carbobydr Res.* 445:104–116.
- Varki A, Cummings RD, Aebi M, Packer NH, Seeberger PH, Esko JD, Stanley P, Hart G, Darvill A, Kinoshita T et al. 2015. Symbol nomenclature for graphical representations of glycans. Glycobiology. 25:1323–1324.
- Zhao S, Walsh I, Abrahams JL, Royle L, Nguyen-Khuong T, Spencer D, Fernandes DL, Packer NH, Rudd PM, Campbell MP. 2018. GlycoStore: A database of retention properties for glycan analysis. *Bioinformatics*. 34:3231–3232.