

CORRECTION

Open Access



Correction to: Circular RNA circ-CSPP1 regulates CCNE2 to facilitate hepatocellular carcinoma cell growth via sponging miR-577

Qian Sun ^{*}, Rui Yu, Chunfeng Wang, Jianning Yao and Lianfeng Zhang

Correction to: *Cancer Cell Int* 20:202 (2020)

<https://doi.org/10.1186/s12935-020-01287-8>

Following publication of the original article [1], the authors notified us that Fig. 5 was incorrect.

The corrected Fig. 5 is presented below.

Published online: 08 July 2020

The original article can be found online at <https://doi.org/10.1186/s12935-020-01287-8>.

*Correspondence: QianSundfg@163.com

Department of Gastroenterology and Hepatology, The First Affiliated Hospital of Zhengzhou University, 1 Jianshe Dong Lu, Erqi District, Zhengzhou 450052, Henan, China



© The Author(s) 2020. This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.




Fig. 5 The role of circ-CSP1 in the progression of HCC was dependent on regulating miR-577/CCNE2. **a** CCK-8 assay was used to determine cell proliferation. **b** The colony formation assay was performed. **c** The migratory ability of cells was decreased by wound healing assay. **d** The transwell assay showed the number of invasive cells. **e** The protein expression levels of CCNE2, p-Rb, E2F1, c-myc, E-cadherin and N-cadherin were detected by Western blotting. * $p < 0.05$; ** $p < 0.01$ and *** $p < 0.001$

Reference

1. Sun Q, Yu R, Wang C, Yao J, Zhang L. Circular RNA circ-CSPP1 regulates CCNE2 to facilitate hepatocellular carcinoma cell growth via sponging miR-577. *Cancer Cell Int*. 2020;20:202. <https://doi.org/10.1186/s12935-020-01287-8>.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.