



STUDY PROTOCOL

Social, ethical and behavioural aspects of COVID-19 [version 1; peer review: 1 approved, 1 approved with reservations]

Wirichada Pan-ngum^{1,2}, Tassawan Poomchaichote^{1,3}, Giulia Cuman ⁴, Phee-Kheng Cheah ⁵, Naomi Waithira^{1,6}, Mavuto Mukaka^{1,6}, Bhensri Naemiratch¹, Natinee Kulpijit¹, Rita Chanviriyavuth¹, Supa-at Asarath¹, Supanat Ruangkajorn¹, Margherita Silan⁷, Silvia Stoppa⁸, Gianpiero Della Zuanna⁷, Darlene Ongkili⁹, Phaik Kin Cheah¹⁰, Anne Osterrieder ^{1,6}, Mira Schneiders ^{1,6}, Constance R.S. Mackworth-Young ¹¹, Phaik Yeong Cheah ^{1,3,6}

¹Mahidol Oxford Tropical Medicine Research Unit, Faculty of Tropical Medicine, Mahidol University, Bangkok, 10400, Thailand

²Department of Tropical Hygiene, Faculty of Tropical Medicine, Mahidol University, Bangkok, 10400, Thailand

³The SoNAR-Global Network, Mahidol University, Bangkok, 10400, Thailand

⁴Paediatric Ethics Committee; Research Ethics Committee, University Hospital of Padua, Padua, Italy

⁵Sabah Women & Children's Hospital, Ministry of Health, Malaysia, Kota Kinabalu, Sabah, Malaysia

⁶Centre for Tropical Medicine & Global Health, Nuffield Department of Medicine, University of Oxford, Oxford, UK

⁷Department of Statistical Sciences, University of Padua, Padua, Italy

⁸Luoghi di Prevenzione, Reggio Emilia, Italy

⁹Queen Elizabeth Hospital, Ministry of Health, Kota Kinabalu, Sabah, Malaysia

¹⁰Faculty of Arts & Social Science, Universiti Tunku Abdul Rahman, Kampar, Malaysia

¹¹Department of Global Health and Development, London School of Hygiene and Tropical Medicine, London, UK

v1 First published: 07 May 2020, 5:90
<https://doi.org/10.12688/wellcomeopenres.15813.1>

Latest published: 25 Jun 2020, 5:90
<https://doi.org/10.12688/wellcomeopenres.15813.2>

Abstract

Introduction: Vaccines and drugs for the treatment and prevention of COVID-19 require robust evidence generated from clinical trials before they can be used. Decisions on how to apply non-pharmaceutical interventions such as quarantine, self-isolation, social distancing and travel restrictions should also be based on evidence. There are some experiential and mathematical modelling data for these interventions, but there is a lack of data on the social, ethical and behavioural aspects of these interventions in the literature.

Therefore, our study aims to produce evidence to inform (non-pharmaceutical) interventions such as communications, quarantine, self-isolation, social distancing, travel restrictions and other public health measures for the COVID-19 pandemic.

Methods: The study will be conducted in the United Kingdom, Italy, Malaysia and Thailand. We propose to conduct 600-1000 quantitative surveys and 25-35 qualitative interviews per country. Data collection will follow the following four themes: (1) Quarantine and self-isolation (2) social

Open Peer Review

Reviewer Status

Invited Reviewers
1 2

version 2

(revision)
25 Jun 2020

version 1
07 May 2020

report report

1 Teck Chuan Voo , National University of Singapore, Singapore, Singapore

2 Sharon Kaur Gurmukh Singh, University of Malaya, Kuala Lumpur, Malaysia

distancing and travel restrictions (3) wellbeing and mental health (4) information, misinformation and rumours. In light of limitations of travel and holding in-person meetings, we will use online/remote methods for collecting data. Study participant will be adults who have provided informed consent from different demographic, socio-economic and risk groups.

Any reports and responses or comments on the article can be found at the end of the article.

Discussion: At the time of writing, United Kingdom, Italy, Malaysia and Thailand have initiated strict public health measures and varying degrees of “lockdowns” to curb the pandemic. It is anticipated that these public health measures will continue in some countries (e.g. Italy, Malaysia) or be tightened further in other countries (e.g. Thailand, UK) to control the spread of the disease in the coming weeks and months. The data generated from our study could inform these strategies in real time.

Keywords

COVID-19, social, ethics, qualitative, Thailand, Malaysia, United Kingdom, Italy



This article is included in the [Mahidol Oxford Tropical Medicine Research Unit \(MORU\)](#) gateway.



This article is included in the [Coronavirus \(COVID-19\)](#) collection.

Corresponding author: Phaik Yeong Cheah (phaikyeong@tropmedres.ac)

Author roles: Pan-ngum W: Investigation, Methodology, Project Administration; Poomchaichote T: Investigation, Project Administration; Cuman G: Investigation, Methodology, Project Administration, Resources; Cheah PK: Investigation, Methodology, Project Administration, Resources, Supervision; Waithira N: Data Curation, Formal Analysis, Methodology, Software, Validation; Mukaka M: Data Curation, Formal Analysis, Visualization; Naemiratch B: Investigation, Methodology; Kulpitji N: Investigation; Chanviriyavuth R: Investigation; Asarath Sa: Investigation; Ruangkajorn S: Investigation; Silan M: Methodology, Visualization; Stoppa S: Formal Analysis, Investigation; Zuanna G: Formal Analysis, Methodology, Supervision; Ongkili D: Investigation, Methodology; Cheah PK: Data Curation, Formal Analysis, Investigation, Project Administration, Resources; Osterrieder A: Conceptualization, Formal Analysis, Methodology; Schneiders M: Data Curation, Investigation; Mackworth-Young CRS: Investigation, Methodology; Cheah PY: Conceptualization, Data Curation, Formal Analysis, Funding Acquisition, Investigation, Methodology, Project Administration, Resources, Supervision, Validation, Writing – Original Draft Preparation, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

Grant information: The study is supported by the Wellcome Trust through a Translation Partnership Award [210599] and a Wellcome Trust Strategic Award [096527]. The Mahidol Oxford Tropical Medicine Research Unit is funded by the Wellcome Trust [106698]. This study was also supported by the Sonar-Global project which has received funding from the European Union Horizon 2020 Research and Innovation Program [825671]. Funding from other donors are being sought. This research will be appropriately covered through the University of Oxford's legal liability insurances.

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2020 Pan-ngum W *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Pan-ngum W, Poomchaichote T, Cuman G *et al.* **Social, ethical and behavioural aspects of COVID-19 [version 1; peer review: 1 approved, 1 approved with reservations]** Wellcome Open Research 2020, 5:90
<https://doi.org/10.12688/wellcomeopenres.15813.1>

First published: 07 May 2020, 5:90 <https://doi.org/10.12688/wellcomeopenres.15813.1>

Introduction

COVID-19 is a respiratory disease caused by a novel coronavirus (SARS-CoV-2) and causes substantial morbidity and mortality. At the time of writing, there are no vaccines to prevent COVID-19 or infection with SARS-CoV-2 or therapeutic agents to treat COVID-19. Outbreak forecasting and mathematical modelling suggest that case numbers will continue to rise¹.

Managing the COVID-19 pandemic poses a considerable challenge for global and public health actors. Responding institutions and organizations have to utilise non-pharmaceutical interventions such as quarantine, self-isolation, social distancing, travel restrictions and other public health measures².

In the current situation of expanding transmission and uncertainty, it is important to have evidence to inform such public health interventions to ensure maximum public acceptance, success, and minimum disruption to the lives of those affected. It is also necessary to understand how people acquire, interpret and act upon diverse information about COVID-19. This will help public health authorities with approaches to communication, and choice of communication channels and messaging.

Vaccines and drugs for the treatment and prevention of COVID-19 require robust evidence generated from clinical trials before they can be used. Decisions on how to apply non-pharmaceutical interventions such as quarantine, self-isolation, social distancing and travel restrictions should also be based on evidence. There are some experiential and mathematical modelling data for these interventions^{3,4}, but there is a lack of data on the social, ethical and behavioural aspects of these interventions in the literature^{5,6}.

Therefore, our study aims to produce evidence to inform (non-pharmaceutical) interventions such as communications, quarantine, self-isolation, social distancing, travel restrictions and other public health measures for the COVID-19 pandemic. We propose to conduct a mixture of quantitative surveys and qualitative interviews to answer our research questions.

Description and rationale of study sites

At the time of writing, governments in Italy, UK, Malaysia and Thailand have initiated strict public health measures and varying degrees of “lockdowns” to curb the pandemic.

[Italy](#) has recorded one of the highest number of COVID-19 cases in the world and has been restricting the movements of its residents since 9 March 2020. On 22 March, the Italian government ordered the shutdown of all non-necessary activities and movement between cities. In the [United Kingdom](#), as of 23 March 2020, people have been requested to stay at home except to shop for basic necessities, attend to medical needs, travel to and from work (if they cannot work from home) and exercise once a day.

Malaysia and Thailand have recorded some of the highest numbers of COVID-19 cases in Southeast Asia. The Malaysian government declared a “[Movement Control Order](#)” on 16

March 2020 which prohibits mass movements and gathering, closure of non-essential businesses and closing its borders. On 25 March 2020, the Thai Prime Minister declared a state of emergency in [Thailand](#).

It is anticipated that these public health measures will continue in some countries (e.g. Italy, Malaysia) or be tightened further in other countries (e.g. Thailand, UK) to control the spread of the disease in the coming weeks and months. The data generated from our study could inform these strategies in real time.

Master protocol

Overarching objective

To produce evidence to inform (non-pharmaceutical) interventions such as communications, quarantine, self-isolation, travel restrictions and other public health measures for the COVID-19 epidemic.

Specific objectives

1. To understand the factors that impede and facilitate the compliance of quarantine, self-isolation, social distancing and travel restrictions at different phases of the epidemic;
2. To explore people’s understanding about quarantine, self-isolation, social distancing and travel restrictions;
3. To identify information sources and investigate any rumours/misinformation and to reverse and correct any rumours/misinformation about COVID-19

Research questions

1. What are the perceptions and experiences regarding quarantine, self-isolation, social distancing, and travel restrictions?
2. What are the economic, social and ethical impacts (e.g. lost wages, challenges in child care, food and household supplies, loneliness) of quarantine, self-isolation, social distancing, and travel restrictions?
3. How do people understand and define these terms (quarantine, self-isolation, social distancing and travel restrictions)? What are the barriers and enablers for complying with these measures? How do people cope?
4. What are individuals from various communities (e.g. parents, caretakers, people from different occupations) most fearful of (e.g. loss of wages, dying, spreading to others; being unable to care for children/older people/other family members; self-isolation; being unable to get care)?
5. What are the rumours circulating in social media, conversations and discussions? To what extent has public information been clear? How do people obtain information?

Project timeline

The duration of data collection is three months. It is expected that the primary analyses will be completed by December 2020. The secondary, more in-depth analyses will take another year.

Study design

We will conduct a mixed methods study using quantitative surveys and qualitative interviews to obtain contextual information from communities on the following four themes:

- (1) Quarantine and self-isolation
- (2) Social distancing and travel restrictions
- (3) Wellbeing and mental health
- (4) Information, misinformation and rumours

Study sites

The study will be conducted in the UK, Italy, Malaysia and Thailand. In light of limitations of travel and holding in-person meetings, we will use online/remote methods for collecting data.

Study participants

The study participant will be adults who have provided informed consent.

Inclusion criteria:

- Adults (age may vary by country)
- Residing in Thailand, Italy, Malaysia or the UK
- Provided consent to participate in the study
- Able to use a computer or smart phone

Exclusion Criterion:

- Individuals who are illiterate (because the data collection is online and the survey is self-administered)

Note: Individuals who are tested positive for coronavirus will not be excluded unless they meet the exclusion criterion

Study procedures

Recruitment:

Invitation to join the survey will be sent through professional and personal contacts via email, other online media, and recruitment posters.

There will be two ways of recruiting people to participate in the qualitative interviews:

1) Via quantitative survey – at the end of the online survey, participants will be asked if they wish to take part in the qualitative research. They will be asked to click on a link that will take them to a different webpage that will enable them to provide their email address if they are interested to participate in the qualitative interview. The email address will not be linked to the survey answers. The study team will email the people who provided their email address to seek invite them to join the qualitative interview.

2) Via recruitment posters advertised on partner websites and social media. Interested participants can contact the study team directly. The study team will email the people who provided their email address to join the qualitative interview.

Participants in the qualitative study will be selected with the aim to recruit a maximum variation sample, based on characteristics including participant age, gender, risk and socio-economic status.

Informed consent:

In light of the limitations of holding in-person meetings, participants will be asked to provide consent online. Consent will be taken separately for participation in the quantitative survey and the qualitative interviews.

Data collection methods, study participants, sample size and topics for discussion

We will conduct the following:

Quantitative method: About 600 online surveys per country. No formal sample size calculation has been performed. This number is more than what is recommended for a mixed methods study⁷. Furthermore, it is feasible for data collection within three months. Surveys will be self-administered. The online survey will be available in English, Thai and Italian (see extended data⁸).

Qualitative method: Online (via MS Teams, telephone, or other approved platforms) interviews and focus group discussions with 25–35 participants per country. Actual numbers will depend on context, changes in epidemic, and data saturation. Qualitative data collection will be conducted by in-country interviewers in the language (English, Malay, Thai or Italian) preferred by the participant. A pre-prepared topic guide will be used to direct conversations (extended data⁹).

Questions for both quantitative and qualitative will be guided by the following themes:

- (1) Quarantine and self-isolation
- (2) Social distancing and travel restrictions
- (3) Wellbeing and mental health
- (4) Information, misinformation and rumours

We will target different communities (based on age, gender, risk and socio-economic status) within Thailand, Italy, Malaysia and the UK. Potential communities include those working in the healthcare sector, tourism industry, taxi drivers, market vendors, university students and public advisory groups.

Data analysis and management

Quantitative data: Quantitative survey data will be entered and analysed using **SPSS** software. Data may also be analysed using **Stata** 15.0 (or later) software. The quantitative data will be retrieved from the online survey platform. The data can be accessed real time to monitor the response rate to boost the sharing of the link to reach the target sample size. Once the data have been collected we will review the data and bring together the related responses. Frequency counts and percentages will be used to summarise categorical data. Associations between categorical variables will be assessed using the Pearson Chi-Square tests or Fisher's exact tests as appropriate. Data will be presented in

different tables, graphical displays and summary statistics. Further analysis to investigate the relationship between different variables will be performed. Tests of significance will be performed at 5% significance level.

Qualitative data: Interviews and focus group discussions will be audio recorded where possible¹⁰. They will be transcribed, cleaned and translated to English where necessary and appropriate, and exported into NVivo (© QSR International Pty Ltd) or equivalent software that will be used to manage the data. In all other cases, detailed written notes taken immediately after each interview will serve as the data for analysis¹⁰. Audio files will be kept in country until they have been transcribed and interview transcripts will be kept securely. All audio files will be destroyed once all transcripts have been completed and verified. Codes will be established for each participant to enable appropriate collation of data sets, themes and sub-themes for qualitative analysis. Qualitative data analysis will be based on thematic content analysis. Initial themes and categories will be developed iteratively through successive coding of the raw data transcripts, and informed by the research objectives, issues emerging from the raw data and media. To support the validity and trustworthiness of data analysis, two researchers will independently develop their own coding categories, followed by a discussion of similarities and differences. Where information gathered by different methodologies is contradictory rather than complementary, divergences will be outlined and discussed in reports and publications.

Qualitative and quantitative data will be analysed by country and pooled for comparison between countries.

Direct access will be granted to authorised representatives from the sponsor, ethics committees, and regulatory authorities to ensure compliance with regulations.

De-identified data will be stored digitally and indefinitely. De-identified data may also be shared with other research groups. All applications for data sharing will be reviewed by the MORU Data Access Committee in consultation with country Principal Investigators. All researchers accessing the data need to adhere to a set of terms and conditions that aim to protect the interests of research participants and other relevant stakeholders.

Data generated from this study will adhere to the 2016 “[Statement on data sharing in public health emergencies](#)”.

Quality control and quality assurance procedures

The study will adhere to the relevant guidelines for surveys and qualitative research. All interviewers, and transcribers will be trained prior to the study.

The study will be conducted in accordance with relevant national and international guidance and regulations.

Survey questions have been pilot-tested and have undergone pilot testing in accordance with established cognitive interviewing and questionnaire design methodology¹¹.

Discontinuation/withdrawal of participants from study

Each participant has the right to withdraw from the study at any time. Withdrawal of consent to participate from this study will result in exclusion of the data for that participant from analysis. Withdrawn participants will not be replaced. If identified, the reason for withdrawal will be recorded.

In addition, investigators may discontinue participation of any individual from this study at any time if the investigator considers it necessary for any reason.

Audio recordings will be deleted if a participant decides to withdraw mid-interview. For those participating in a focus group discussion, if a participant withdraws mid-focus group, those portions of the audio recording that capture their views will be deleted.

Ethical and regulatory considerations

Risk and harm:

This is a minimal risk study posing minimal risk and harm to the participants.

The main ethical issues in this study relate to privacy and confidentiality. Care will be taken to maintain privacy during the audio recording of interviews and interactions with individual participants.

Approvals:

The protocol, informed consent form, participant information sheet and any associated materials have been approved by the following ethics committees:

Oxford Tropical Research Ethics Committee (OxTREC, 520-20); University Tunku Abdul Rahman Scientific and Ethical Review Committee (U/SERC/63/2020); Ministry of Health Malaysia Medical Research and Ethics Committee (NMRR-20-595-54437-IIR) and the Ethics Committee of the Faculty of Tropical Medicine, Mahidol University (MUTM 2020-031-01). Ethics committee approval is not required for the study to be conducted in Italy as OxTREC covers it.

The Chief and country Principal Investigators will submit and, where necessary, obtain approval from the above parties for all amendments to the original approved documents.

Participant confidentiality:

The study team members will ensure that the participants' confidentiality is maintained. The participants will be identified only by a participant identification number on all study documents and any electronic database. All documents will be stored securely and only accessible by study staff and authorised personnel. The study will comply with the EU General Data Protection Regulation (GDPR) and country specific data protection regulations.

Compensation:

Participants will not be offered any payment to complete the online survey. Participants who take part in the interviews and

focus groups will be compensated in kind according to country guidelines for their time.

Benefits:

There will be no immediate benefits for any of the study participants. The chief benefit to participation in this study is that participants will be afforded the opportunity to contribute to the generation of new knowledge.

Public engagement and involvement:

As part of the development of our study and data collection tools, we have conducted a series of public engagement or public involvement activities e.g. with the existing community advisory boards^{12,13} and Bangkok Health Research Interest Group. We believe that public engagement and involvement is necessary for ethical research¹⁴. The INVOLVE group, the UK's national advisory group for public involvement defines public involvement as research that is actively carried out 'with' or 'by' members of the public rather than 'to', 'about', or 'for' them.

Reporting:

The country Principal Investigators shall submit progress reports and end-of-study reports to the relevant ethics committees.

Publication policy

The Chief Investigator will lead writing and reviewing of drafts of the manuscripts, abstracts and any other publications arising from the overall study. The country Principal Investigators will lead the writing of country publications in collaboration with the Chief Investigator. Authorship will be based on the set of criteria outlined by the International Committee of Medical Journal Ethics. The study results will also be published as regular short reports, and an evaluation report of the online data collection approach.

Dissemination of information

Regular short reports will be made available in real time to public health authorities and researchers, including:

- WHO COVID-19 Research Roadmap Social Science Research Working Group (the Chief Investigator, PYC is a member of the group)
- UK Emergency Preparedness and Response Health Protection Research Unit
- Health professionals and healthcare staff from the Department of Disease Control, Thailand Ministry of Public Health, e.g. Division of Communicable Diseases, Bureau of Epidemiology, Health Intervention and Technology Assessment Program (HITAP)
- Italian Ministry of Health
- Italian Ministry of Innovation Technologies and Digitalisation
- Ministry of Health, Malaysia

- Network of research ethics committees in participating countries
- Research networks for pandemics and infectious diseases e.g. [SoNAR-Global Network](#), Public Health Emergency Preparedness and Response Ethics Network (PHEPREN)
- University researchers and other organisations working on COVID-19 response

Results of the will be published as academic publications and presented at academic conferences. They will also be available in lay language for dissemination to the wider public.

Details of the study are available from the study website: <https://www.tropmedres.ac/covid-19/sebcov>

Study status

Ethics approvals have been obtained. Data collection will commence soon.

Data availability

Underlying data

No data are associated with this article

Extended data

Zenodo: Online survey questions: Social, ethical and behavioural aspects of COVID-19. <http://doi.org/10.5281/zenodo.3764913>⁸

This project contain the following extended data:

- SEBCOV_Survey_AllVersions_V1.0_24Apr2020.pdf (Study survey questions in English, Thai and Italian)

Zenodo: Topic guide for qualitative study: Social, ethical and behavioural aspects of COVID-19. <http://doi.org/10.5281/zenodo.3777934>⁹

This project contains the following extended data:

- SEBCOVTopicGuide_30April2020.pdf (Topic guide for qualitative study)

Data are available under the terms of the [Creative Commons Attribution 4.0 International license](#) (CC-BY 4.0).

Acknowledgments

PYC and TP are members of the SoNAR-Global Network. They are grateful for the social science expertise and resources that are made available to them during the development of this project.

References

1. Wu JT, Leung K, Leung GM: Nowcasting and forecasting the potential domestic and international spread of the 2019-nCoV outbreak originating in Wuhan, China: a modelling study. *Lancet.* 2020; 395(10225): 689–97.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
2. Lewnard JA, Lo NC: Scientific and ethical basis for social-distancing interventions against COVID-19. *Lancet Infect Dis.* 2020; pii: S1473-3099(20)30190-0.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
3. Koo JR, Cook AR, Park M, et al.: Interventions to mitigate early spread of SARS-CoV-2 in Singapore: a modelling study. *Lancet Infect Dis.* 2020; pii: S1473-3099(20)30162-6.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
4. Ferguson NM, Laydon D, Nedjati-Gilani G, et al.: Impact of non-pharmaceutical interventions (NPIs) to reduce COVID-19 mortality and healthcare demand. 2020.
[Publisher Full Text](#)
5. Brooks SK, Webster RK, Smith LE, et al.: The psychological impact of quarantine and how to reduce it: rapid review of the evidence. *Lancet.* 2020; 395(10227): 912–20.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
6. WHO: WHO Novel Coronavirus Global research and innovation forum: towards a research roadmap. 2020.
[Reference Source](#)
7. Castro FG, Kellison JG, Boyd SJ, et al.: A Methodology for Conducting Integrative Mixed Methods Research and Data Analyses. *J Mix Methods Res.* 2010; 4(4): 342–60.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
8. Osterrieder A, Poomchaichote T, Cuman G, et al.: Online survey questions: Social, ethical and behavioural aspects of COVID-19 (Version Version 1.0 24 April 2020). Zenodo, 2020.
<http://www.doi.org/10.5281/zenodo.3764913>
9. Poomchaichote T, Naemiratch B, Schneiders M, et al.: Topic guide for qualitative study: Social, ethical and behavioural aspects of COVID-19 (Version Version 1.0, 30 April 2020). Zenodo, 2020.
<http://www.doi.org/10.5281/zenodo.3777934>
10. Rutakumwa R, Mugisha JO, Bernays S, et al.: Conducting in-depth interviews with and without voice recorders: a comparative analysis. *Qual Res.* 2019.
[Publisher Full Text](#)
11. Willis GB: **Cognitive Interviewing and Questionnaire Design: A Training Manual.** Washington, DC: Office of Research Methodology, National Center for Health Statistics, 1994.
[Reference Source](#)
12. Maung Lwin K, Cheah PY, Cheah PK, et al.: Motivations and perceptions of community advisory boards in the ethics of medical research: the case of the Thai-Myanmar border. *BMC Med Ethics.* 2014; 15: 12.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
13. Cheah PY, Lwin KM, Phaiphun L, et al.: Community engagement on the Thai-Burmes border: rationale, experience and lessons learnt. *Int Health.* 2010; 2(2): 123–9.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
14. Adhikari B, Pell C, Cheah PY: Community engagement and ethical global health research. *Glob Bioeth.* 2020; 31(1): 1–12.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)

Open Peer Review

Current Peer Review Status: ? ✓

Version 1

Reviewer Report 01 June 2020

<https://doi.org/10.21956/wellcomeopenres.17341.r38676>

© 2020 Kaur Gurmukh Singh S. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Sharon Kaur Gurmukh Singh

Faculty of Law, University of Malaya, Kuala Lumpur, Malaysia

This is an important study given that in the absence of any vaccine or effective treatment of COVID-19, State actors will have to rely on non-pharmaceutical interventions such as quarantine, self-isolation, social distancing and travel restrictions. It is vital that such interventions are based on evidence and because these measures are social in nature, it is appropriate and necessary to conduct the study using the proposed methods.

Significantly, the success of public health interventions are to a large extent dependent on public trust and the willingness of the public to adhere to the measures set out by the State. Transparency and credible state actions are essential criteria of establishing and maintaining public trust. State actors may design interventions and implement them in ways that they believe will meet these criteria, but until and unless there is evidence to demonstrate how the interventions are received and what the public are thinking, it is difficult to ascertain the genuine effectiveness of these strategies. The objectives of the study and research questions articulated by the authors will go some way toward answering a number of these key issues.

However, it is important to recognise that how the public experience and understand non-pharmaceutical public health interventions will be heavily influenced by contextual features such as political, social, cultural and religious norms. Therefore, any analysis must recognise the possible limitations of the evidence. Also, and perhaps more significantly, given that the method of data collection is online, there is some risk that people in rural communities or marginalised populations may not be reached. There is growing evidence that marginalised populations are put at greater risks by these interventions. A number of international organisations have highlighted the increased risk faced by migrants and stateless persons in Malaysia. It is also important to hear the voices of key populations at risk, their experiences and concerns.

References

1. Cetron M, Landwirth J: Public health and ethical considerations in planning for quarantine. *Yale J Biol Med.* 2005; **78** (5): 329-34 [PubMed Abstract](#)
2. Gostin L: Public health strategies for pandemic influenza: ethics and the law. *JAMA.* 2006; **295** (14):

[1700-4 PubMed Abstract](#) | [Publisher Full Text](#)

3. WHO: Pandemic Influenza Risk Management. 2017. [Reference Source](#)

4. Cooper LZ, Larson HJ, Katz SL: Protecting public trust in immunization. *Pediatrics*. 2008; **122** (1): 149-53 [PubMed Abstract](#) | [Publisher Full Text](#)

5. Larson HJ, Heymann DL: Public health response to influenza A(H1N1) as an opportunity to build public trust. *JAMA*. 2010; **303** (3): 271-2 [PubMed Abstract](#) | [Publisher Full Text](#)

Is the rationale for, and objectives of, the study clearly described?

Yes

Is the study design appropriate for the research question?

Yes

Are sufficient details of the methods provided to allow replication by others?

Yes

Are the datasets clearly presented in a useable and accessible format?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Research Ethics

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Author Response 23 Jun 2020

Phaik Yeong Cheah, Mahidol University, Bangkok, Thailand

Many thanks for your review and valuable comments.

Competing Interests: No competing interests were disclosed.

Reviewer Report 28 May 2020

<https://doi.org/10.21956/wellcomeopenres.17341.r38677>

© 2020 Voo T. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Teck Chuan Voo

Centre for Biomedical Ethics, Yong Loo Lin School of Medicine, National University of Singapore, Singapore, Singapore

This paper describes a protocol to collect empirical evidence related to the social, behavioural and ethical aspects of non-pharmaceutical interventions (NPI) implemented in response to the COVID-19 pandemic.

The protocol is reasonably described, and the data collected could be useful for informing NPIs, though what this means could be given more thought and clarity. The authors appear to justify this study by analogizing NPI to the pharmaceutical interventions (PI) - just as we need evidence for PI before we use them, we need evidence for NPI. However, the evaluative frame for PI is clear- are they safe and effective? NPI could be evaluated in terms of compliance, and the proposed study's data could be used to understand factors that support or undermine compliance. The data it would collect seems less useful to inform ethical evaluation of NPIs, which depends on public health ethical principles such as least infringement, and harm minimization or mitigation. So some research questions could be introduced to understand for e.g. whether there were any government measures to mitigate the burdens of NPIs and whether these are sufficient from the perspective of the participants, types of individual coping strategies etc.

In addition, the study's inclusion criteria - able to use computer/smart phone - might exclude members of communities who lack access to these resources and who are critical to NPI efficacy in limiting spread. Understandably, the study has to rely on online modes of data collection in the current situation. I'm not sure if the study design should explicitly acknowledge this limitation or whether this could simply be stated in any subsequent publication.

Other comments:

1. It is not clear why the study chooses to focus on the 4 countries – some explanation would be helpful.
2. "At the time of writing, there are no... therapeutic agents to treat COVID-19." This needs some updating on the efficacy of Remdesivir in shortening recovery time if administered early.
3. "Outbreak forecasting and mathematical modelling suggest that case numbers will continue to rise." What are the assumptions or under what conditions would this happen?
4. "To identify information sources and investigate any rumours/misinformation and to reverse and correct any rumours/misinformation about COVID-19" – I don't think that the underlined portion – which is an intervention – is or should be part of the study, unless you mean to identify when and how misinformation has been reversed and corrected.
5. "What are the rumours circulating in social media, conversations and discussions?" – this is one of the research questions but the objective is to examine "rumours/misinformation". Rumours may or may not be misinformation so the research question can be revised to be consistent with the objective. Is there a need to examine when rumours turn out not to be misinformation?

Is the rationale for, and objectives of, the study clearly described?

Partly

Is the study design appropriate for the research question?

Partly

Are sufficient details of the methods provided to allow replication by others?

Partly

Are the datasets clearly presented in a useable and accessible format?

Not applicable

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Research ethics & public health ethics, and their intersection

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Author Response 23 Jun 2020

Phaik Yeong Cheah, Mahidol University, Bangkok, Thailand

Thank you Teck Chuan for your valuable comments. I have updated the various sections accordingly. As for the update on treatment of COVID, I did not mention remdesivir, but changed the sentence so that this protocol will remain current and does not need updating every time a new drug/intervention shows promise.

Competing Interests: No competing interests were disclosed.