



## Review Article

# Persian medicine recommendations for the prevention of pandemics related to the respiratory system: a narrative literature review

Maryam Iranzadasl <sup>a</sup>, Yasin Karimi <sup>a</sup>, Fatemeh Moadeli <sup>a</sup>, Mehdi Pasalar <sup>b,\*</sup>,<sup>1</sup><sup>a</sup> Department of Traditional Persian Medicine, School of Medicine, Shahed University, Tehran, Iran<sup>b</sup> Research Center for Traditional Medicine and History of Medicine, School of Medicine, Shiraz University of Medical Sciences, Shiraz, Iran

## ARTICLE INFO

## Article history:

Received 20 May 2020

Received in revised form 2 July 2020

Accepted 12 July 2020

Available online 25 July 2020

## Keywords:

COVID-19

Pandemic

Persian medicine

Respiratory

Prevention

## ABSTRACT

**Background:** Pandemics of infectious diseases have long been regarded as societal challenges. This study aimed to summarize the theories of Persian medicine for controlling respiratory disease-related pandemics and to compare these theories with the findings of modern medicine.

**Methods:** We searched the classic medical reference books of the 9th to 19th centuries for the terms 'polluted air' and 'pandemic', and we searched 4 databases (PubMed, Google Scholar, Science Direct, and Scopus) with the keywords 'COVID-19', 'pandemic', 'history', and 'prevention programs'. The results were collected and subjected to content analysis.

**Results:** From the point of view of traditional Iranian physicians, disease prevention is primarily possible by avoiding pathogenic factors. As a secondary solution, reducing one's susceptibility to the disease is crucial; this can be achieved through cleansing the body and strengthening the mood, reducing food intake, decreasing the internal humidity, disinfecting the house with herbal fumigation, and making use of pleasant aromas. Some of these recommendations are reaffirmed by modern research.

**Conclusion:** Persian medicine techniques may be preventive during respiratory, influenza-like disease pandemics. However, rigorous studies are needed to confirm this hypothesis.

© 2020 Korea Institute of Oriental Medicine. Publishing services by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

## 1. Introduction

Throughout history, many reports of pandemics have been recorded, with respiratory infections such as influenza being among the most notorious and common.<sup>1,2</sup> In the earliest documents, historians reported the occurrence of an influenza-like pandemic in Greece in approximately 412 BC.<sup>2,3</sup> In each of the recent centuries, an average of two to three influenza pandemics have occurred worldwide.<sup>4</sup>

The geographic and political conditions of Iran have led to its involvement in a range of pandemics throughout its history.<sup>5</sup> Due to Iran's involvement in most global pandemics, related topics, especially respiratory infectious diseases, have remained prominent aspects of Persian medicine (PM). Accordingly, Persian physicians are familiar with respiratory, influenza-like pandemics, discussed under the title 'polluted air' (PA; *háwāy-e vábāī*) in reference books.<sup>6</sup> Avicenna considered *vábāī* to mean a general disease, i.e.,

the pandemic-like spread of a disease.<sup>7</sup> In fact, under PA conditions, various diseases such as smallpox, typhoid, plague, and various fevers and abscesses arise; symptoms such as fever, dyspnea, palpitations, and syncope result in a considerable number of deaths in the community.<sup>8</sup> Regarding pandemic respiratory infections with specific symptoms, terms such as 'polluted wind', 'postnasal drip related to common disease', 'fever related to common disease', and 'cough related to common disease' have been used in the Persian references.<sup>9,10</sup>

The coronavirus disease 2019 (COVID-19) pandemic has affected most countries across the world. The symptoms induced by SARS-CoV-2 virus are vastly similar to those of other viral infections of the respiratory tract (e.g., influenza).<sup>11</sup> The person-to-person transmission of this virus has facilitated the rapid, global spread of the disease.<sup>12,13</sup> Considering the fact that an effective modality of treatment for this newfound ailment has yet to be discovered, there is a significant need for preventive policies and the utilization of experiences from traditional medicine.<sup>14</sup>

The present study aimed to review the theories, experiences, and views of Persian medicine scholars and compare them with the findings of modern medicine for controlling respiratory disease pandemics.

\* Corresponding author at: Research Center for Traditional Medicine and History of Medicine, School of Medicine, Zand St., Shiraz 71348-45794, Iran.

E-mail address: [pasalar@sums.ac.ir](mailto:pasalar@sums.ac.ir) (M. Pasalar).

<sup>1</sup> ORCID: <https://orcid.org/0000-0003-2458-2626>.

## 2. Methods

In this narrative systematic review, the credible books of Persian medicine published between the 9th and 19th centuries AD, including *The Canon of Medicine* (Avicenna), *Al-Mansūrī on Medicine* (*Al-Mansūrī Fi al-Tibb*; Rhazes), *A Guide to Medical Learners* (*Hidayat al-Muta'allemin Fi al-Tibb*; Al-Akhawyni), *Zakhireye Khwarazmshahi* (Gorgani), *The Book of Experiences* (*Kitab al-tajarib*; Rhazes), *The Greatest Elixir* (*Exir Azam*; Hakim Azam Khan), *Tohfat Al-mo'menin* (Hakim Mu'min), *Summary of Wisdom* (*Kholaseh al-Hekmah*; Aghili Shirazi), and *Mofarah Al-Gholoob* (Hakim Arzani), were searched for the terms 'pandemic' (Persian: *Vábāī*) and 'polluted air' (Persian: *háwāy-e vábāī*) and all their equivalents in the Persian and Arabic languages.

In addition, the main medical databases, i.e., PubMed, Science Direct, Scopus, and Google Scholar, were searched for the terms 'COVID-19', 'pandemic', 'history', and 'prevention programs'. Data published prior to April 2020 were collected, and modern and traditional information was analyzed and compared.

First, we gathered all notes and documents to form a comprehensive file on a computer. Then, we reviewed the findings several times and made notes about relevant information. We made some initial codes to categorize the data into historical, preventive and incoherent groups. Subsequently, the recurring codes and items were combined into cohesive themes presented in text and tables.

## 3. Results

We gathered relevant data from the historical references and from a total of 1342 papers indexed in the electronic databases to form a one hundred twenty three-page Microsoft Word document. After a thorough review of the searched material, we finally reached a six-page dataset composed of the most applicable information from both the classical books and 64 novel articles.

In PM references to control PA conditions or the occurrence of pandemics, numerous recommendations have been issued for health preservation management via the six essential principles as well as the nonessential principles.<sup>15,16</sup> However, Persian physicians consider distancing from the disease area and self-quarantining at home to comprise the first and foremost preventive strategy.<sup>17</sup> Subsequent to the six essential principles, other factors, such as showering and oiling the body, are considered nonessential principles that also have significance in pandemic disease prevention.<sup>15</sup>

The first and foremost method to prevent the incidence of disease during pandemics is to move from the focus of the disease to healthy regions. However, as a secondary solution, it is necessary to self-quarantine in closed environments such as the house and to correct the internal environment.<sup>17</sup> Among the principles of correcting the internal environment is the removal of moisture using the incense of plants such as purple nutsedge (*Cyperus rotundus*), frankincense (*Boswellia carterii*), myrtle (*Myrtus communis*), Damask rose (*Rosa damascene*), sandalwood (*Santalum spp.*), and vinegar.<sup>7,15</sup> Another measure to correct the internal environment is to dissolve the *Ferula asafoetida* in vinegar and spray it several times inside the house and at its entrances (e.g., doors and windows).<sup>17</sup> Avicenna also introduced the use of vinegar as a deterrent of PA.<sup>15</sup>

Hunger and thirst are harmful to both healthy people and those afflicted with pandemic disease, as they augment the effect of PA.<sup>17</sup> On the other hand, drinking plenty of fluids is not recommended in PM.<sup>15</sup> In addition to reducing food intake (as the most prominent food strategy), measures such as increasing the number of meals, reducing the size of each meal, and consuming easily digestible foods should be considered.<sup>18–20</sup> Eating sour and drying foods such as sour grape soup, pomegranate soup, sumac soup, and vinegar

soup is also beneficial.<sup>17,18</sup> Another recommendation is to consume fragrant fruits such as apples (*Pyrus malus*) and quinces (*Cydonia oblonga*) as well as sour/astringent fruits such as pomegranates (*Punica granatum*).<sup>8,18,19</sup>

In PM, during epidemics, high-intensity exercise or activities that result in shortness of breath are considered harmful and are therefore prohibited.<sup>7,19</sup> The balance of evacuation (excretion of waste products) and retention (preservation of beneficial substances) should be maintained in such a way that while excess moisture is eliminated, weakness and reduction of vital force do not occur. Generally, sleep should be considered in terms of two aspects. The first is the sleep duration, which should be moderate, i.e., between 6 and 10 hours per day. The second is the timing of sleep, such that one should refrain from remaining awake through the night, sleeping late, or sleeping during the day. Avoiding mental conditions such as sadness, anxiety, emotional stress and anger can be effective in preventing the incidence of disease during PA.<sup>18</sup> Refraining from obsession is also essential and necessary.<sup>19</sup>

It is highly remarkable that, as evident in Table 1, the PM recommendations maintain a high level of agreement with the WHO guidelines for dealing with COVID-19.

There is some current evidence in support of the anti-infective properties of the Persian medications recommended for preventing PA in traditional resources (see Table 2). Current sleep research and guidelines also confirm the beneficial effects of adequate sleep on the immune system.<sup>27</sup> The necessity of social distancing during the peak of a pandemic, which includes restrictions on exercise (particularly team sports), has been reaffirmed recently.<sup>22</sup>

Furthermore, the incense of agents such as vinegar and sandalwood can minimize ambient humidity. Research has shown that the COVID-19 spreads more prominently in areas with a humidity of 47–49%.<sup>28</sup> The positive impact of reduced fear, stress and anxiety on the body's immunity and physical strength has also been confirmed in recent studies.<sup>29</sup>

## 4. Discussion

After examining and analyzing the findings of the present study, it can generally be inferred that PM considers the issue of prevention in the context of pandemics from two perspectives. First, it considers the etiological agent of the disease and recommends its avoidance by refraining from the area of outbreak or self-quarantining at home. In fact, this is the first and foremost recommendation of Persian physicians. The second substantial factor that should be considered is the background and susceptibility of individuals to the disease, with the risk of affliction being largely minimized if the suggested measures are taken. It should be noted that this susceptibility is broader than the issue of comorbidities mentioned in modern medicine because, from the perspective of PM, individuals who appear to lack any underlying conditions can be quite susceptible to infectious diseases. This is consistent with recent studies that have reported healthy subjects becoming severely affected by COVID-19.

Among the six essential principles, Persian physicians have placed greater emphasis on nutrition, air, and the excretion of waste products from the body, causing weight loss. Hence, obesity can increase the risk of acquiring influenza disease in the community.<sup>46</sup> Novel studies have demonstrated that calorie restriction (CR) affects various parts of the immune system and improves its function.<sup>47</sup> Currently, many studies have hypothesized that the olfactory system influences the immune system.<sup>48</sup> Accordingly, essential oils are also used in aromatherapy given their antimicrobial, anti-inflammatory, and immune system-enhancing properties.<sup>49–51</sup> Garlic is one agent that boosts the functioning of the immune system in such a way.<sup>44</sup> Another example is the onion,

**Table 1**

Comparison of the Persian Medicine Recommendations for the Prevention of Pandemics with the Guidelines of the World Health Organization Related to COVID-19

Persian medicine recommendations			World Health Organization guidelines
Essential principles	Air	Distance oneself from the disease area; self-quarantine <sup>17</sup> ; eat things like the purple nutsedge and frankincense <sup>7,15</sup> ; spray vinegar and sour grape juice at home <sup>17</sup> ; make the house smell pleasant with rose water and sandalwood. <sup>8</sup>	Observe social distancing and personal hygiene (frequent hand washing, use of gloves and masks); trace suspicious cases. <sup>21-23</sup>
	Eating and drinking	Reduce food intake <sup>19</sup> ; consume antidotes <sup>7</sup> ; eat garlic, onion, and vinegar <sup>17</sup> ; consume sour foods <sup>17,18</sup> and fragrant fruits such as apples and quinces. <sup>18</sup>	Wash and disinfect food products (no specific diet); avoid drugs and alcohol. <sup>21,23</sup>
	Activity and rest	Avoid relatively high-intensity exercise <sup>19</sup> ; avoid excessive rest/immobilization. <sup>18</sup>	Avoid group exercise/sport; take up appropriate, regular exercise during quarantine. <sup>22,23</sup>
	Evacuation and retention	Consume stool softeners such as the <i>Terminalia chebula</i> and <i>Cassia fistula</i> <sup>19</sup> ; avoid excessive sexual intercourse. <sup>18</sup>	–
	Sleep and wakefulness	Moderate sleep duration; sleep early at night and wake up early; avoid daytime sleep. <sup>19</sup>	Have adequate rest and regular sleep. <sup>22</sup>
	Psychological and mental reactions	Avoid harmful mental states such as sadness, fear, anxiety, stress and obsession. <sup>18,19</sup>	Reduce stress in the home environment. <sup>22,23</sup>
	Olfaction	Use perfume <sup>15</sup> ; vapor bath and inhale the fragrances of vinegar, garlic, onion, and bergamot. <sup>17,24</sup>	–
	Showering	Avoid excessive showering with hot water. <sup>25,26</sup>	–
	Embrocation	Apply suitable oils to the body. <sup>19</sup>	–

**Table 2**

Therapeutic effects of some Persian herbal medicines recommended in the prevention and treatment of infectious diseases and the supporting evidence

Scientific name	Common name	Traditional name	Route of consumption	Supporting evidence
<i>Cyperus rotundus</i>	Purple nutsedge	Sád	Fumigation	Antimicrobial effect against six important pathogens <sup>30</sup>
<i>Boswellia carterii</i>	Frankincense	Kondor	Fumigation	Suppression of Influenza virus (H1N1) infectivity by essential oil in a dose-dependent manner <i>in vitro</i> <sup>31</sup>
<i>Myrtus communis</i>	Myrtle	Mürd	Fumigation	Treatment of herpes simplex infection by essential oil in animal model <sup>32</sup>
<i>Rosa damascene</i>	Damask rose	Várd	Fumigation	Antimicrobial activity of oil against a large number of Gram positive and Gram negative bacteria, yeast and filamentous fungi <sup>33</sup>
<i>Santalum spp.</i>	Sandalwood	Sandal	Fumigation	Antibacterial activity against Gram-negative strains <i>in vitro</i> <sup>34</sup>
<i>Ferula asafetida</i>	Asafetida	Heltít	Inhalation	Antimicrobial activity against five different bacterial strains <i>in vitro</i> <sup>35</sup>
<i>Berberis vulgaris</i>	Barberries	Zereshk	Oral	Effect against <i>Vibrio cholerae</i> and <i>Escherichia coli</i> diarrhea; possible use as a mild expectorant during the treatment of chronic airway diseases <sup>36</sup>
<i>Pyrus malus</i>	Apple	Síb	Oral	Anti-inflammatory effect on mucous membranes, esp. of the nose or throat (Anticatarrhal) <sup>37</sup>
<i>Cydonia oblonga</i>	Quinces	Beh	Oral	Antibacterial effect of quince extracts <i>in vitro</i> and <i>in vivo</i> <sup>38</sup>
<i>Punica granatum</i>	Pomegranates	Ánár	Oral	In vitro and <i>in vivo</i> antibacterial activity of the peel <sup>39</sup>
<i>Rheum ribes</i>	Syrian rhubarb	Rívás	Oral	Antibacterial activity of the ethanol, aqueous, and organic extracts of the root <sup>40</sup>
<i>Cinnamomum camphora</i>	Camphor	Káfür	Oral	Reducing effect on nosocomial infections in a hospital setting <sup>41</sup>
<i>Terminalia chebula</i>	Myrobalan	Hálileh	Oral	Inhibiting effect on influenza A virus infections <sup>42</sup>
<i>Cassia fistula</i>	Amaltas	Folús	Oral	Antibacterial and antifungal activity <sup>43</sup>
<i>Allium sativum</i>	Garlic	Sír	Inhalation	Antimicrobial and immune system-enhancing properties <sup>44</sup>
<i>Allium cepa</i>	Onion	Píyáz	Oral/Inhalation	Decreases obesity and subsequently reduces obesity-related immune disorders <sup>45</sup>

which should be eaten or inhaled during steam therapy according to a PA-related recommendation of PM.

As a novel finding, the cardiac symptoms in COVID-19 patients<sup>52</sup> may be related to the PM theory of cardiac involvement during PA. Such issues must be examined in detail to be proven or disproven in future research. Furthermore, the loss of the smell and taste senses in many patients with COVID-19<sup>53</sup> may be related to PM physicians' emphasis on the use of fumigation therapy with fragrant plants; this can form the basis of studies on the effects of these substances on stimulating the olfactory system and recovering the senses of patients, which is a promising sign during treatment.

In the current pandemic, due to the ease of person-to-person transmission and the rapid, global spread of COVID-19 in the absence of definitive treatment and vaccination, the World Health Organization's key policies are the observation of personal hygiene and the establishment of social distancing through quarantining cities and limiting crowding or attendance in public places. By comparing the strategies of PM in encountering all kinds of pandemics (especially those of respiratory infections) with the current policies and actions of the health systems in countries affected by the pandemic, no contradictory matters of great significance were seen. Furthermore, PM places distinctive emphasis on the lifestyle of the individual, with various suggestions in the form of the six essential principles as well as the nonessential principles. These recommendations can increase the body's ability to deal with the pathogen by strengthening its temperament through the use of appropriate natural medicines and products, providing complementary and effective solutions to scientists and health policymakers in the fight against the COVID-19 pandemic.

The main limitation of the current study is the difficulty of exploring causality because it is based on beliefs and judgments rather than outcomes. Additionally, the statistical representation of findings is not applicable here, rendering this work difficult to replicate. Some mentioned medicines and practices such as fumigation and embrocation seem safe to be utilized for decreasing the chance of infection in respiratory outbreaks. We also suggest conducting pilot clinical trials assessing the effectiveness of the fruits introduced in the PM literature (apples, quinces, and pomegranates) in treating antibacterial infections given adequate *in vivo* and *in vitro* evidence.

In conclusion, no significant contradictions were found in this study between current guidelines for the control of pandemics and those of traditional Persian physicians. Therefore, it is essential to pay attention to factors that may currently be overlooked (e.g., nutrition, body cleansing, strengthening the temperament) and to assess the multifactorial and cumulative effects of these factors.

## Acknowledgments

The authors would like to thank Dr. Seyed Ali Hosseini of Shiraz University of Medical Sciences for editing the English language of this manuscript.

## Data availability

Conceptualization: MI, YK, FM and MP. Methodology: FM, MI and MP. Data Curation: FM, MI and MP. Formal Analysis: MI and YK. Investigation: MP, FM and MI. Software & resources: FM. Writing – Original Draft: MI, YK and MP. Writing – Review & Editing: FM, MI and MP. Supervision: MP and MI. All authors read and approved the final manuscript.

The authors have no conflicts of interest to declare.

None.

Not applicable for this manuscript as this work did not involve human subjects or laboratory animals.

Data will be made available upon request.

## References

1. Maurice J. Cost of protection against pandemics is small. *Lancet* 2016;387:e12, [http://dx.doi.org/10.1016/s0140-6736\(16\)00156-2](http://dx.doi.org/10.1016/s0140-6736(16)00156-2).
2. Rewar S, Mirdha D, Rewar P. Treatment and prevention of pandemic H1N1 influenza. *Ann Glob Health* 2015;81:645–53, <http://dx.doi.org/10.1016/j.aogh.2015.08.014>.
3. Voudoukis E, Pappas A, Panoutsopoulos A, Xynos K, Rozi F, Giannakopoulou K, et al. Novel influenza A (H1N1) infection vs. common influenza-like illness: a prospective study. *Med Sci Monit* 2011;17:Cr185–8, <http://dx.doi.org/10.12659/msm.881713>.
4. Potter CW. A history of influenza. *J Appl Microbiol* 2001;91:572–9, <http://dx.doi.org/10.1046/j.1365-2672.2001.01492.x>.
5. Salahi-Moghadam A, Khoshdel A, Habibi-Nokhandan M, Sedaghat M. Medical Climatology of Iran. *J Army Uni Med Sci* 2012;2:49–56.
6. Ahmadian Attaria M. A new look to chapter of "Vabaie Weather" in Iranian Traditional Medicine. *J Islam Iran Trad Med* 2013;3:406–23.
7. Sina HA. *Dafee al Mazar An al Abdan al Ensaniat*. Tehran: Almali; 2008.
8. Akhaveini. *Hedayat al-Motealemin fi al-Teb*. Mashhad: Ferdosi University of Mashhad Publication; 1992.
9. Schlimmer J. *Terminologie Medico-Pharmaceutique et Anthropologique francaise-Persane*. Tehran: Tehran University Press; 1970.
10. Chashati MAK. *Exir-e Azam Great Elixir*. Tehran: The Institute for Medical History-Islamia and Complementary Medicine, Iran University of Medical Sciences; 2004 [in Persian].
11. Chan JF, Yuan S, Kok KH, To KK, Chu H, Yang J, et al. A familial cluster of pneumonia associated with the 2019 novel coronavirus indicating person-to-person transmission: a study of a family cluster. *Lancet* 2020;395:514–23, [http://dx.doi.org/10.1016/s0140-6736\(20\)30154-9](http://dx.doi.org/10.1016/s0140-6736(20)30154-9).
12. Wu Z, McGoogan JM. Characteristics of and important lessons from the coronavirus disease 2019 (COVID-19) outbreak in China: summary of a report of 72 314 cases from the Chinese Center for Disease Control and Prevention. *JAMA* 2020;323:1239–42.
13. Phan LT, Nguyen TV, Luong QC, Nguyen TV, Nguyen HT, Le HQ, et al. Importation and human-to-human transmission of a novel coronavirus in Vietnam. *N Engl J Med* 2020;382:872–4, <http://dx.doi.org/10.1056/NEJMc2001272>.
14. Chen Y, Liu Q, Guo D. Emerging coronaviruses: genome structure, replication, and pathogenesis. *J Med Virol* 2020;92:418–23, <http://dx.doi.org/10.1002/jmv.25681>.
15. Sina HA. *Al-Qanun fi al-Tibb*. In: *The canon of medicine*. Beirut, Lebanon: Alaalam Library; 2005.
16. Rezaeizadeh H, Alizadeh M, Naseri M, Ardakani M. The traditional iranian medicine point of view on health. *Iran J Publ Health* 2009;38:169–72.
17. Razi B. *Kholas al Tajarob*. Tehran: Tehran University Press; 2011.
18. Aghili Shirazi MH. *Kholase al hekmah*. Quom: Esmailian; 2006 [in Persian].
19. Arzani MA. *Mofareh Al-Gholub*. Lahaor: Salim Lahaor; 1915.
20. Razi M. *Al-Mansouri fi al-Tibb*. Kuwait: Al-Monazzamt al-Tarbiat va al-Saghafat va al-Oloom; 1987.
21. Organization WH. *Rational use of personal protective equipment (PPE) for coronavirus disease (COVID-19): interim guidance, 19 March 2020*. Geneva: World Health Organization; 2020.
22. Hellewell J, Abbott S, Gimma A, Bosse NI, Jarvis CI, Russell TW, et al. Feasibility of controlling COVID-19 outbreaks by isolation of cases and contacts. *Lancet Glob Health* 2020;8:e488–96, [http://dx.doi.org/10.1016/S2214-109X\(20\)30074-7](http://dx.doi.org/10.1016/S2214-109X(20)30074-7).
23. Sohrabi C, Alsafi Z, O'Neill N, Khan M, Kerwan A, Al-Jabir A, et al. World Health Organization declares global emergency: a review of the 2019 novel coronavirus (COVID-19). *Int J Surg* 2020.
24. Tonkaboni MM. *Tohfeh al-Momenin*. Tehran: Shahid Beheshti University of Medical Sciences; 2007 [in Persian].
25. Jorjani E. *Zakhireye Kharazm Shahi*. In: *Treasure of Kharazm Shah*. Tehran: Iranian Medical Academy; 2001.
26. Elgood C. *Iran medical history and the regions of eastern caliphate*. Tehran: Amir-Kabir; 1992.
27. Ali T, Choe J, Awab A, Wagener TL, Orr WC. Sleep, immunity and inflammation in gastrointestinal disorders. *World J Gastroenterol* 2013;19:9231–9, <http://dx.doi.org/10.3748/wjg.v19.i48.9231>.
28. Feng Y, Marchal T, Sperry T, Yi H. Influence of wind and relative humidity on the social distancing effectiveness to prevent COVID-19 airborne transmission: a numerical study. *J Aerosol Sci* 2020;105585, <http://dx.doi.org/10.1016/j.jaerosci.2020.105585>.
29. Pondejuk N, Lugovic-Mihic L. Stress-induced interaction of skin immune cells, hormones, and neurotransmitters. *Clin Ther* 2020, <http://dx.doi.org/10.1016/j.clinthera.2020.03.008>.
30. Sharma SK, Singh AP. Antimicrobial investigations on rhizomes of *Cyperus rotundus* Linn. *Der Pharmacia Lett* 2011;3:427–31.
31. Wu S, Patel KB, Booth IJ, Metcalf JP, Lin HK, Wu W. Protective essential oil attenuates influenza virus infection: an *in vitro* study in MDCK cells. *BMC Complement Altern Med* 2010;10:69, <http://dx.doi.org/10.1186/1472-6882-10-69>.

32. Oulia P, Saderi H, Aghaei H, Yaraee R, Zaeri F. The effect of *Myrtus communis* L. essential oil on treatment of herpes simplex infection in animal model. *Iran J Med Aroma Plant* 2007;23.
33. Mahboubi M, Kazempour N, Khamechian T, Fallah MH, Kermani MM. Chemical composition and antimicrobial activity of *Rosa damascena* Mill. essential oil. *J Biol Active Prod Nature* 2011;1:19–26, <http://dx.doi.org/10.1080/22311866.2011.10719069>.
34. Kalantar E, Deopurkar R, Kapadnis B. Antimicrobial activity of indigenous strains of aureobasidium isolated from *santalum album* leaves. *Iran J Pharmaceut Res* 2006;5:59–64.
35. Bhatnager R, Rani R, Dang AS. Antibacterial activity of *Ferula asafoetida*: a comparison of red and white type. *J Appl Biol Biotechnol* 2015;3:18–21.
36. Imanshahidi M, Hosseinzadeh H. Pharmacological and therapeutic effects of *Berberis vulgaris* and its active constituent, berberine. *Phytother Res* 2008;22:999–1012, <http://dx.doi.org/10.1002/ptr.2399>.
37. Rigat M, Valles J, Iglesias J, Garnatje T. Traditional and alternative natural therapeutic products used in the treatment of respiratory tract infectious diseases in the eastern Catalan Pyrenees (Iberian Peninsula). *J Ethnopharmacol* 2013;148:411–22, <http://dx.doi.org/10.1016/j.jep.2013.04.022>.
38. Alizadeh H, Rahnema M, Semnani SN, Hajizadeh N. Detection of compounds and antibacterial effect of quince (*Cydonia oblonga* Miller) extracts in vitro and *in vivo*. *J Biol Active Prod Nature* 2013;3:303–9.
39. Choi JG, Kang OH, Lee YS, Chae HS, Oh YC, Brice OO, et al. In vitro and *in vivo* antibacterial activity of *Punica granatum* peel ethanol extract against salmonella. *Evid Based Complement Alternat Med* 2011:690518, <http://dx.doi.org/10.1093/ecam/nep105>.
40. Alaadin AM, Al-Khateeb EH, Jäger AK. Antibacterial activity of the Iraqi *Rheum ribes*. Root. *Pharmaceut Biol* 2008;45:688–90, <http://dx.doi.org/10.1080/13880200701575049>.
41. Blanchard J-M. Cinnamomum camphora à cinéole (ravintsara), une plante au service de la prévention des infections nosocomiales en milieu hospitalier? *Phytothérapie* 2007;5:15–20.
42. Ma H, Diao Y, Zhao D, Li K, Kang T. A new alternative to treat swine influenza A virus infection: extracts from *Terminalia chebula* Retz. *Afr J Microbiol Res* 2010;4:497–9.
43. Duraipandiyar V, Ignacimuthu S. Antibacterial and antifungal activity of *Cassia fistula* L.: an ethnomedicinal plant. *J Ethnopharmacol* 2007;112:590–4, <http://dx.doi.org/10.1016/j.jep.2007.04.008>.
44. Schepetkin IA, Kirpotina LN, Khlebnikov AI, Balasubramanian N, Quinn MT. Neutrophil immunomodulatory activity of natural organosulfur compounds. *Molecules* 2019;24:1809, <http://dx.doi.org/10.3390/molecules24091809>.
45. Marrelli M, Amodeo V, Statti G, Conforti F. Biological properties and bioactive components of *Allium cepa* L.: focus on potential benefits in the treatment of obesity and related comorbidities. *Molecules* 2019;24:119.
46. Dixit VD. Adipose-immune interactions during obesity and caloric restriction: reciprocal mechanisms regulating immunity and health span. *J Leukoc Biol* 2008;84:882–92, <http://dx.doi.org/10.1189/jlb.0108028>.
47. Nikolic-Zugich J, Messaoudi I. Mice and flies and monkeys too: caloric restriction rejuvenates the aging immune system of non-human primates. *Exp Gerontol* 2005;40:884–93, <http://dx.doi.org/10.1016/j.exger.2005.06.007>.
48. Alves CJ, Vismari L, Lazzarini R, Merusse JL, Palermo-Neto J. Odor cues from tumor-bearing mice induces neuroimmune changes. *Behav Brain Res* 2010;214:357–67, <http://dx.doi.org/10.1016/j.bbr.2010.06.003>.
49. Ali B, Al-Wabel NA, Shams S, Ahamed A, Khan SA, Anwar F. Essential oils used in aromatherapy: a systemic review. *Asian Pac J Trop Biomed* 2015;5:601–11.
50. Edris AE. Pharmaceutical and therapeutic potentials of essential oils and their individual volatile constituents: a review. *Phytther Res* 2007;21:308–23.
51. Gandhi GR, Vasconcelos ABS, Haran GH, Calisto VKdS, Jothi G, Quintans JdSS, et al. Essential oils and its bioactive compounds modulating cytokines: a systematic review on anti-asthmatic and immunomodulatory properties. *Phytomedicine* 2019;152854, <http://dx.doi.org/10.1016/j.phymed.2019.152854>.
52. Huang L, Zhao P, Tang D, Zhu T, Han R, Zhan C, et al. Cardiac involvement in recovered COVID-19 patients identified by magnetic resonance imaging. *JACC: Cardiovasc Imaging* 2020, <http://dx.doi.org/10.1016/j.jcmg.2020.05.004>.
53. Xydakis MS, Dehgani-Mobaraki P, Holbrook EH, Geisthoff UW, Bauer C, Hautefort C, et al. Smell and taste dysfunction in patients with COVID-19. *Lancet Infect Dis* 2020, [http://dx.doi.org/10.1016/S1473-3099\(20\)30293-0](http://dx.doi.org/10.1016/S1473-3099(20)30293-0).