



Published in final edited form as:

Immunity. 2020 April 14; 52(4): 716–718. doi:10.1016/j.immuni.2020.03.018.

Insulin-like Growth Factor 1 Supports a Pulmonary Niche that Promotes Type 3 Innate Lymphoid Cell Development in Newborn Lungs

Katherine Oherle¹, Elizabeth Acker¹, Madeline Bonfield², Timothy Wang³, Jerilyn Gray¹, Ian Lang¹, James Bridges⁴, Ian Lewkowich⁵, Yan Xu⁴, Shawn Ahlfeld³, William Zacharias⁶, Theresa Alenghat⁷, Hitesh Deshmukh^{8,*}

¹Division of Neonatology, Cincinnati Children's Hospital Medical Center, Cincinnati, OH 45219, USA.

²Division of Neonatology, Cincinnati Children's Hospital Medical Center, Cincinnati, OH 45219, USA; Immunology Graduate Program, University of Cincinnati College of Medicine, Cincinnati, OH 45267, USA.

³Division of Neonatology, Cincinnati Children's Hospital Medical Center, Cincinnati, OH 45219, USA; Department of Pediatrics, University of Cincinnati College of Medicine, Cincinnati, OH 45267, USA.

⁴Division of Neonatology, Cincinnati Children's Hospital Medical Center, Cincinnati, OH 45219, USA; Division of Pulmonary Biology, Cincinnati Children's Hospital Medical Center, Cincinnati, OH 45219, USA; Department of Pediatrics, University of Cincinnati College of Medicine, Cincinnati, OH 45267, USA.

⁵Division of Immunobiology, Cincinnati Children's Hospital Medical Center, Cincinnati, OH 45219, USA; Department of Pediatrics, University of Cincinnati College of Medicine, Cincinnati, OH 45267, USA.

⁶Division of Pulmonary Biology, Cincinnati Children's Hospital Medical Center, Cincinnati, OH 45219, USA; Department of Medicine, University of Cincinnati College of Medicine, Cincinnati, OH 45267, USA.

⁷Division of Immunobiology, Cincinnati Children's Hospital Medical Center, Cincinnati, OH 45219, USA; Center for Inflammation and Tolerance, Cincinnati Children's Hospital Medical Center, Cincinnati, OH 45219, USA; Department of Pediatrics, University of Cincinnati College of Medicine, Cincinnati, OH 45267, USA.

⁸Division of Neonatology, Cincinnati Children's Hospital Medical Center, Cincinnati, OH 45219, USA; Division of Pulmonary Biology, Cincinnati Children's Hospital Medical Center, Cincinnati, OH 45219, USA; Center for Inflammation and Tolerance, Cincinnati Children's Hospital Medical Center, Cincinnati, OH 45219, USA; Department of Pediatrics, University of Cincinnati College of Medicine, Cincinnati, OH 45267, USA.

*Correspondence: hitesh.deshmukh@cchmc.org.

In the initially published Figure 3, the numbers of ZBTB16^{iDTR} mice (n = 9) or Rosa26^{iDTR} treated with DT (n = 8) in Figure 3I was incorrect. The error occurred because the text in Figure 1I had accidentally been copied to Figure 3I. The revised Figure 3I now appears online and in print here with the corrected number of ZBTB16^{iDTR} mice (n = 7) or Rosa26^{iDTR} treated with DT (n = 7). The statistical analysis in the published manuscript was done using n = 7 for each group. Therefore, this involves no change in the conclusion or statistical relevance. Furthermore, in the originally published Figure S3B, an incorrect panel was copied. This error was made during the preparation of final figures. The corrected figure now appears online and in print here. The authors humbly accept these mistakes and sincerely apologize for any confusion that these errors might have made for the readers.




Figure 3I. Pulmonary ZBTB16⁺ ILC Precursors Contributed to the Homeostatic Pool of Mature ILC3 in the Newborn Lung (corrected)




Figure 3I.
 Pulmonary ZBTB16⁺ ILC Precursors Contributed to the Homeostatic Pool of Mature ILC3 in the Newborn Lung (original)




Figure S3B.
Pulmonary ZBTB16⁺ ILC precursors contribute to the homeostatic pool of mature ILC3 in the newborn lung (corrected)




Figure S3B.
 Pulmonary ZBTB16⁺ ILC precursors contribute to the homeostatic pool of mature ILC3 in the newborn lung (original)