

CORRIGENDUM

In the article by Li et al.,¹ the published version of Table 4 is incorrect. Its content is identical with Table 5

The correct version of Table 4 is displayed below:

TABLE 4 Analysis of DSS for histologic subtypes within specific DMS

Histology Type	Bone metastasis		Brain metastasis		Liver metastasis		Lung metastasis	
	HR (95% CI)	P value	HR (95% CI)	P value	HR (95% CI)	P value	HR (95% CI)	P value
IDC	REF ^a	-	REF	-	REF	-	REF	-
MBC	1.06(0.525-2.14)	.87	0.894 (0.318-2.515)	.832	0.949 (0.236-3.823)	.942	1.381 (0.895-2.133)	.145
Medullary	- ^b	-	-	-	-	-	2.812 (0.696-11.357)	.147
IDC and LC	1.202 (0.703-2.054)	.502	0.627 (0.197-1.99)	.428	0.804 (0.397-1.629)	.545	0.72 (0.23-2.252)	.572
LC	0.693 (0.43-1.117)	.132	1.438 (0.351-5.884)	.613	1.549 (0.764-3.139)	.225	3.787 (1.205-11.905)	.023
IDC and other	1.289 (0.574-2.893)	.539	0.528 (0.073-3.801)	.526	1.017 (0.377-2.738)	.974	0.534 (0.219-1.298)	.166
Apocrine	1.619 (0.403-6.51)	.497	-	-	3.772(0.525-27.092)	.187	-	-
Inflammatory	1.425 (0.861-2.358)	.169	1.282 (0.558-2.945)	.558	1.53(0.783-2.989)	.213	1.11(0.636-1.936)	.714

Bold indicates statistically significant value.

^aFor calculation of HR value, a group of patients were defined as reference.

^bThe number of patients was not enough for further calculation.

The authors apologize for this error.

REFERENCE

- Li Y, Su P, Wang Y, et al. Impact of histotypes on preferential organ-specific metastasis in triple-negative breast cancer. *Cancer Med.* 2020;9:872–881. <https://doi.org/10.1002/cam4.2759>

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

© 2020 The Authors. *Cancer Medicine* published by John Wiley & Sons Ltd.