

**Correction to:** Accelerating evidence gathering and approval of precision medicine therapies: the FDA takes aim at rare mutations

Amalia M. Issa, PhD, MPH<sup>1,2,3</sup>, Adrian Thorogood, JD<sup>3</sup>, Yann Joly, JD, PhD<sup>3</sup> and Bartha M. Knoppers, JD, PhD<sup>3</sup>

*Genetics in Medicine* (2019) 21:1894–1900; <https://doi.org/10.1038/s41436-018-0264-5>

Correction to: *Genet Med* advance online publication 10 July 2018; <https://doi.org/10.1038/s41436-018-0099-0>

In the original version of this Article, the affiliation details for Personalized Medicine & Targeted Therapeutics, USA were incorrectly given as Personalized Medicine & Targeted Therapeutics, University of the Sciences in Philadelphia, Philadelphia, Pennsylvania, USA. This has now been corrected in both the PDF and HTML versions of the Article.

---

<sup>1</sup>Personalized Medicine & Targeted Therapeutics, Philadelphia, Pennsylvania, USA; <sup>2</sup>Pharmaceutical Sciences; Health Policy & Public Health, University of the Sciences in Philadelphia, Philadelphia, Pennsylvania, USA; <sup>3</sup>Centre of Genomics and Policy, McGill University, Montreal, Quebec, Canada. Correspondence: Amalia M. Issa ([amalia.issa2@mcgill.ca](mailto:amalia.issa2@mcgill.ca))

Published online: 4 September 2018

**Correction:** Arterial tortuosity syndrome: 40 new families and literature review

Aude Beyens, MD<sup>1</sup>, Juliette Albuissou, MD, PhD<sup>2</sup>, Annekatrien Boel, MSc<sup>1</sup>, Mazen Al-Essa, MD<sup>3</sup>, Waheed Al-Manea, MD<sup>4</sup>, Damien Bonnet, MD, PhD<sup>5</sup>, Ozlem Bostan, MD<sup>6</sup>, Odile Boute, MD<sup>7</sup>, Tiffany Busa, MD<sup>8</sup>, Nathalie Canham, MD<sup>9</sup>, Ergun Cil, MD, PhD<sup>6</sup>, Paul J. Coucke, PhD<sup>1</sup>, Margot A. Cousin, MD<sup>10,11</sup>, Majed Dasouki, MD<sup>12</sup>, Julie De Backer, MD, PhD<sup>1,13</sup>, Anne De Paepe, MD, PhD<sup>1</sup>, Sofie De Schepper, MD, PhD<sup>14</sup>, Deepthi De Silva, MBChB, MRCP<sup>15,16</sup>, Koenraad Devriendt, MD, PhD<sup>17</sup>, Inge De Wandele, PhD<sup>1</sup>, David R. Deyle, MD<sup>10,18,19</sup>, Harry Dietz, MD, PhD<sup>20</sup>, Sophie Dupuis-Girod, MD<sup>21</sup>, Eudice Fontenot, MD<sup>22</sup>, Björn Fischer-Zirnsak, PhD<sup>23</sup>, Alper Gezdirici, MD<sup>24</sup>, Jamal Ghoumid, MD, PhD<sup>25</sup>, Fabienne Giuliano, MD<sup>26</sup>, Neus Baena, PhD, MD<sup>27</sup>, Mohammed Z. Haider, MD, PhD<sup>3</sup>, Joshua S. Hardin, MD<sup>28</sup>, Xavier Jeunemaitre, MD, PhD<sup>2</sup>, Eric W. Klee, PhD<sup>8,9,18</sup>, Uwe Kornak, MD, PhD<sup>23</sup>, Manuel F. Landecho, MD, PhD<sup>29</sup>, Anne Legrand, MD<sup>2</sup>, Bart Loeys, MD, PhD<sup>30</sup>, Stanislas Lyonnet, MD, PhD<sup>31</sup>, Helen Michael, MD<sup>32</sup>, Pamela Mocerri, MD<sup>33</sup>, Shehla Mohammed, MD<sup>34</sup>, Laura Muiño-Mosquera, MD<sup>1</sup>, Sheela Nampoothiri, MD, PhD<sup>35</sup>, Karin Pichler, MD, PhD<sup>36</sup>, Katrina Prescott, MD<sup>37</sup>, Anna Rajeb, MD, PhD<sup>23</sup>, Maria Ramos-Arroyo, MD<sup>38</sup>, Massimiliano Rossi, MD<sup>39</sup>, Mustafa Salih, MD<sup>40</sup>, Mohammed Z. Seidahmed, MD<sup>4</sup>, Elise Schaefer, MD<sup>41</sup>, Elisabeth Steichen-Gersdorf, MD<sup>36</sup>, Sehime Temel, MD, PhD<sup>42,43,44</sup>, Fahrettin Uysal, MD<sup>6</sup>, Marine Vanhomwegen, BSc<sup>1</sup>, Lut Van Laer, PhD<sup>30</sup>, Lionel Van Maldergem, MD, PhD<sup>45</sup>, David Warner, MD<sup>28</sup>, Andy Willaert, PhD<sup>1</sup>, Tom R. Collins II, MD<sup>22</sup>, Andrea Taylor, BN<sup>46</sup>, Elaine C. Davis, PhD<sup>47</sup>, Yuri Zarate, MD<sup>10</sup> and Bert Callewaert, MD, PhD<sup>1</sup>

*Genetics in Medicine* (2019) 21:1894; <https://doi.org/10.1038/s41436-018-0035-3>

**Correction to:** *Genet Med* 2017; <https://doi.org/10.1038/gim.2017.253> published online 11 January 2018

In the published version of this paper the author Neus Baena's name was incorrectly given as Neus Baena Diez.

This has now been corrected in both the HTML and PDF versions of the paper.

<sup>1</sup>Center For Medical Genetics Ghent, Ghent University Hospital, Ghent, Belgium; <sup>2</sup>APH, Hôpital Européen Georges Pompidou, Centre de Référence des Maladies Vasculaires Rares, INSERM, U970, Université Descartes Paris, Sorbonne Cité, Paris, France; <sup>3</sup>Pediatrics Department, Kuwait University, Kuwait City, Kuwait; <sup>4</sup>Pediatric Department, Security Forces Hospital, Riyadh, Saudi Arabia; <sup>5</sup>Medical Genetics Service, Hôpital Necker-Enfants Malades, Paris, France; <sup>6</sup>Department of Pediatric Cardiology, University of Uludag, Bursa, Turkey; <sup>7</sup>Clinical Genetics Service “Guy Fontaine,” Hôpital Calmette, Lille, France; <sup>8</sup>Service de Génétique Clinique, Département de Génétique, AP-HM CHU Timone Enfants, Marseille, France; <sup>9</sup>North West Thames Regional Genetics Service, Northwick Park Hospital, Harrow, United Kingdom; <sup>10</sup>Department of Health Sciences Research, Mayo Clinic, Rochester, Minnesota, USA; <sup>11</sup>Center for Individualized Medicine, Mayo Clinic, Rochester, Minnesota, USA; <sup>12</sup>Department of Pediatrics, University of Kansas, Kansas City, Kansas, USA; <sup>13</sup>Department of Cardiology, Ghent University Hospital, Ghent, Belgium; <sup>14</sup>Department of Dermatology, Ghent University Hospital, Ghent, Belgium; <sup>15</sup>Department of Physiology, University of Kelaniya, Ragama, Sri Lanka; <sup>16</sup>Faculty of Medicine, University of Kelaniya, Ragama, Sri Lanka; <sup>17</sup>Center for Human Genetics, Leuven University Hospital, Leuven, Belgium; <sup>18</sup>Department of Clinical Genomics, Mayo Clinic, Rochester, Minnesota, USA; <sup>19</sup>Department of Molecular Medicine, Mayo Clinic, Rochester, Minnesota, USA; <sup>20</sup>Department of Pediatrics, Johns Hopkins University School of Medicine, Baltimore, Maryland, USA; <sup>21</sup>Hospices Civils de Lyon, Hôpital Femme-Mère-Enfants, Service de Génétique et Centre de Référence Pour la Maladie de Rendu-Osler, Université Lyon, Lyon, France; <sup>22</sup>Division of Cardiology, Department of Pediatrics, University of Arkansas for Medical Sciences, Little Rock, Arkansas, USA; <sup>23</sup>Institute of Medical and Human Genetics, Charité-Universitätsmedizin Berlin, Berlin, Germany; <sup>24</sup>Department of Medical Genetics, Kanuni Sultan Suleyman Training and Research Hospital, Istanbul, Turkey; <sup>25</sup>Department of Medical Genetics, Lille University Hospital, CHU Lille, Lille, France; <sup>26</sup>Department of Physical Medicine and Rehabilitation, Raymond Poincaré Hospital, Garches, France; <sup>27</sup>Genetics Laboratory UDIAT Diagnostic Center, Parc Tauli University Hospital, Sabadell, Spain; <sup>28</sup>Department of Ophthalmology, Arkansas Children’s Hospital, Little Rock, Arkansas, USA; <sup>29</sup>Department of Internal Medicine, Clínica Universidad de Navarra, Pamplona, Spain; <sup>30</sup>Center of Medical Genetics, University Hospital of Antwerp, Antwerp, Belgium; <sup>31</sup>Medical Genetics Service, Hôpital Necker-Enfants Malades, Paris, France; <sup>32</sup>Paediatric Cardiology and Transition, Leeds General Infirmary, Leeds, United Kingdom; <sup>33</sup>Cardiology Department, Université Côte d’Azur, CHU de Nice et Hôpitaux Universitaires Pédiatriques Lenval, Nice, France; <sup>34</sup>South East Thames Regional Genetics Service, Guy’s Hospital, London, United Kingdom; <sup>35</sup>Department of Pediatric Genetics, Amrita Institute of Medical Sciences and Research Center, Cochin, Kerala, India; <sup>36</sup>Clinic for Pediatrics I, Medical University of Innsbruck, Innsbruck, Austria; <sup>37</sup>Clinical Genetics, Yorkshire Regional Genetics Service, Leeds, United Kingdom; <sup>38</sup>Medical Genetics Service, Complejo Hospitalario de Navarra, Pamplona, Spain; <sup>39</sup>Genetic Department, Femme-Mère-Enfant Hospital, Hospices Civils de Lyon and INSERM U1028, CNRS UMR5292, Centre de Recherche en Neurosciences de Lyon, GENDEV Team, Université Claude Bernard Lyon 1, Bron, France; <sup>40</sup>Division of Pediatric Neurology, King Saud University, Riyadh, Saudi Arabia; <sup>41</sup>Medical Genetics Service, CHU Strasbourg, Strasbourg, France; <sup>42</sup>Department of Histology and Embryology, Faculty of Medicine, Near East University, Lefkoşa, Cyprus; <sup>43</sup>Department of Histology and Embryology, Faculty of Medicine, University of Uludag, Bursa, Turkey; <sup>44</sup>Department of Medical Genetics, Faculty of Medicine, University of Uludag, Bursa, Turkey; <sup>45</sup>Centre for Human Genetics, Université de Franche Comté, Besançon, France; <sup>46</sup>A Twist of Fate-ATS, Owasso, Oklahoma, USA; <sup>47</sup>Department of Anatomy and Cell Biology, McGill University, Montreal, Quebec, Canada. Correspondence: Bert Callewaert (bert.callewaert@ugent.be)  
J.A. and A.B. share joint second authorship.

Published online: 10 September 2018

## Open

**Correction:** The effect of NOTCH3 pathogenic variant position on CADASIL disease severity: NOTCH3 EGFr 1–6 pathogenic variant are associated with a more severe phenotype and lower survival compared with EGFr 7–34 pathogenic variant

Julie W. Rutten, MD, PhD<sup>1,2</sup>, Bastian J. Van Eijsden, BSc<sup>1</sup>, Marco Duering, MD<sup>3</sup>, Eric Jouvent, MD, PhD<sup>4</sup>, Christian Opherck, MD<sup>5</sup>, Leonardo Pantoni, MD, PhD<sup>6</sup>, Antonio Federico, MD, PhD<sup>7</sup>, Martin Dichgans, MD, PhD<sup>3</sup>, Hugh S. Markus, MD, PhD<sup>8</sup>, Hugues Chabriat, MD, PhD<sup>4</sup> and Saskia A. J. Lesnik Oberstein, MD, PhD<sup>1</sup>

*Genetics in Medicine* (2019) 21:1895; <https://doi.org/10.1038/s41436-018-0306-z>

Correction to: *Genetics in Medicine*; <https://doi.org/10.1038/s41436-018-0088-3>; published online 22 July 2018

This Article was originally published under Nature Research’s License to Publish, but has now been made available under a [CC BY 4.0] license. The PDF and HTML versions of the Article have been modified accordingly.



**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2018

<sup>1</sup>CADASIL Research Group, Department of Clinical Genetics, Leiden University Medical Center, Leiden, The Netherlands; <sup>2</sup>Department of Human Genetics, Leiden University Medical Center, Leiden, The Netherlands; <sup>3</sup>Institute for Stroke and Dementia Research, University Hospital (LMU), Munich, Germany; <sup>4</sup>Department of Neurology, AP-HP, Lariboisière Hospital, Paris, France; <sup>5</sup>Department of Neurology, SLK-Kliniken Heilbronn, Heilbronn, Germany; <sup>6</sup>“L. Sacco” Department of Biomedical and Clinical Sciences, University of Milan, Milan, Italy; <sup>7</sup>Department of Medicine, Surgery and Neurosciences, Medical School, University of Siena, Siena, Italy; <sup>8</sup>Stroke Research Group, Department of Clinical Neurosciences, University of Cambridge, Cambridge, UK. Correspondence: Julie W. Rutten (j.w.rutten@lumc.nl)

Published online: 20 September 2018

**Correction:** The landscape of epilepsy-related GATOR1 variants

Sara Baldassari, PhD<sup>1,2,3,4,5</sup>, Fabienne Picard, MD<sup>6</sup>, Nienke E. Verbeek, MD, PhD<sup>7</sup>, Marjan van Kempen, PhD<sup>7</sup>, Eva H. Brilstra, MD, PhD<sup>7</sup>, Gaetan Lesca, PhD<sup>8</sup>, Valerio Conti, PhD<sup>9</sup>, Renzo Guerrini, MD, PhD<sup>9</sup>, Francesca Bisulli, MD<sup>10</sup>, Laura Licchetta, MD, PhD<sup>10</sup>, Tommaso Pippucci, PhD<sup>11</sup>, Paolo Tinuper, MD<sup>10</sup>, Edouard Hirsch, MD<sup>12</sup>, Anne de Saint Martin, MD<sup>13</sup>, Jamel Chelly, PhD<sup>14</sup>, Gabrielle Rudolf, PhD<sup>14</sup>, Mathilde Chipaux, MD, PhD<sup>15</sup>, Sarah Ferrand-Sorbets, MD<sup>15</sup>, Georg Dorfmüller, MD<sup>15</sup>, Sanjay Sisodiya, MD, PhD<sup>16</sup>, Simona Balestrini, MD, PhD<sup>16</sup>, Natasha Schoeler, PhD<sup>16</sup>, Laura Hernandez-Hernandez, PhD<sup>16</sup>, S. Krithika, PhD<sup>16</sup>, Renske Oegema, MD, PhD<sup>7</sup>, Eveline Hagebeuk, MD, PhD<sup>17</sup>, Boudewijn Gunning, MD, PhD<sup>17</sup>, Charles Deckers, MD, PhD<sup>17</sup>, Bianca Berghuis, MD<sup>17</sup>, Ilse Wegner, MD, PhD<sup>17</sup>, Erik H. Niks, MD<sup>18</sup>, Floor E. Jansen, MD, PhD<sup>19</sup>, Kees Braun, MD, PhD<sup>19</sup>, Daniëlle de Jong, MD<sup>20</sup>, Guido Rubboli, MD<sup>21</sup>, Inga Talvik, MD<sup>22</sup>, Valentin Sander, MD<sup>22</sup>, Peter Uldall, MD<sup>23</sup>, Marie-Line Jacquemont, MD<sup>24</sup>, Caroline Nava, PhD<sup>1,2,3,4,5</sup>, Eric Leguern, MD, PhD<sup>1,2,3,4,5</sup>, Sophie Julia, MD<sup>25</sup>, Antonio Gambardella, MD<sup>26</sup>, Giuseppe d'Orsi, MD<sup>27</sup>, Giovanni Crichiutti, MD, PhD<sup>28</sup>, Laurence Faivre, MD<sup>29</sup>, Veronique Darmency, MD<sup>30</sup>, Barbora Benova, MD<sup>31</sup>, Pavel Krsek, MD, PhD<sup>31</sup>, Arnaud Biraben, MD<sup>32</sup>, Anne-Sophie Lebre, PhD<sup>33</sup>, Mélanie Jennesson, MD<sup>34</sup>, Shifteh Sattar, MD<sup>35</sup>, Cécile Marchal, MD<sup>36</sup>, Douglas R Nordli Jr, MD<sup>37</sup>, Kristin Lindstrom, MD<sup>38</sup>, Pasquale Striano, MD, PhD<sup>39</sup>, Lysa Boissé Lomax, MD<sup>40,41</sup>, Courtney Kiss, MS, CGC, CCGC<sup>41</sup>, Fabrice Bartolomei, MD, PhD<sup>42</sup>, Anne Fabienne Lepine, MD, PhD<sup>42</sup>, An-Sofie Schoonjans, MD<sup>43</sup>, Katrien Stouffs, PhD<sup>44</sup>, Anna Jansen, MD, PhD<sup>44</sup>, Eleni Panagiotakaki, MD<sup>45</sup>, Brigitte Ricard-Mousnier, MD<sup>46</sup>, Julien Thevenon, PhD<sup>47</sup>, Julitta de Bellescize, MD<sup>45</sup>, Hélène Catenox, MD<sup>45</sup>, Thomas Dorn, MD<sup>48</sup>, Martin Zenker, MD<sup>49</sup>, Karen Müller-Schlüter, MD<sup>50</sup>, Christian Brandt, MD<sup>51</sup>, Ilona Krey, MD<sup>52</sup>, Tilman Polster, MD<sup>51</sup>, Markus Wolff, MD<sup>53</sup>, Meral Balci, MD<sup>54</sup>, Kevin Rostasy, MD<sup>54</sup>, Guillaume Achaz, PhD<sup>55</sup>, Pia Zacher, MD<sup>56</sup>, Thomas Becher<sup>57</sup>, Thomas Cloppenborg, MD<sup>51</sup>, Christopher J. Yuskaitis, MD, PhD<sup>58,59,60</sup>, Sarah Weckhuysen, MD, PhD<sup>61</sup>, Annapurna Poduri, MD, PhD<sup>58,59,60</sup>, Johannes R. Lemke, MD<sup>52</sup>, Rikke S. Møller, PhD<sup>62</sup> and Stéphanie Baulac, PhD<sup>1,2,3,4,5</sup>

*Genetics in Medicine* (2019) 21:1896; <https://doi.org/10.1038/s41436-018-0325-9>

Correction to: *Genetics in Medicine* <https://doi.org/10.1038/s41436-018-0060-2>; published online 10 August 2018

The original version of this article contained an error in the spelling of the author Erik H. Niks, which was incorrectly given as Erik Niks. This has now been corrected in both the PDF and HTML versions of the article.

<sup>1</sup>Sorbonne Université, UPMC Univ Paris 06, UMR S 1127, F-75013 Paris, France; <sup>2</sup>INSERM, U1127, F-75013 Paris, France; <sup>3</sup>CNRS, UMR 7225, F-75013 Paris, France; <sup>4</sup>Institut du Cerveau et de la Moelle épinière (ICM), Hôpital Pitié-Salpêtrière, F-75013 Paris, France; <sup>5</sup>Department of Genetics, Assistance Publique des Hôpitaux de Paris (AP-HP), Hôpital Pitié-Salpêtrière, F-75013 Paris, France; <sup>6</sup>Department of Clinical Neurosciences, University Hospitals and Medical School of Geneva, Geneva, Switzerland; <sup>7</sup>Department of Genetics, University Medical Center Utrecht, Utrecht, The Netherlands; <sup>8</sup>Service de Génétique, Hospices Civils de Lyon – GHE; CNRS UMR 5292, INSERM U1028, CNRL, et Université Claude Bernard Lyon 1, GHE, Lyon, France; <sup>9</sup>Pediatric Neurology, Neurogenetics, and Neurobiology Unit and Laboratories, A. Meyer Children's Hospital, Florence, Italy; <sup>10</sup>IRCCS, Istituto delle Scienze Neurologiche of Bologna; Department of Biomedical and Neuromotor Sciences, University of Bologna, Bologna, Italy; <sup>11</sup>Medical Genetics Unit, Polyclinic Sant' Orsola-Malpighi University Hospital, Bologna, Italy; <sup>12</sup>Department of Neurology-centre de référence des epilepsies rares, University Hospital of Strasbourg, Strasbourg, France; <sup>13</sup>Department of Pediatrics - centre de référence des epilepsies rares, University Hospital of Strasbourg, Strasbourg, France; <sup>14</sup>IGBMC, INSERM, CNRS, Strasbourg University, Strasbourg, France; <sup>15</sup>Department of Pediatric Neurosurgery, Fondation Rothschild, F-75013 Paris, France; <sup>16</sup>Department of Clinical and Experimental Epilepsy, UCL Institute of Neurology, WC1N 3BG, and Chalfont Centre for Epilepsy, Bucks, UK; <sup>17</sup>Stichting Epilepsie Instellingen Nederland, Zwolle/Heemstede, The Netherlands; <sup>18</sup>Leiden University Medical Center, Leiden, The Netherlands; <sup>19</sup>Department of Child Neurology, Brain Centre Rudolf Magnus, University Medical Center, Utrecht, The Netherlands; <sup>20</sup>Department of Neurology, Academic Center for Epileptology Kempenhaeghe, Heeze, The Netherlands; <sup>21</sup>Danish Epilepsy Centre, Dianalund, University of Copenhagen, Copenhagen, Denmark; <sup>22</sup>Department of Neurology and Rehabilitation, Tallinn Children's Hospital, Tallinn, Estonia; <sup>23</sup>Danish Epilepsy Centre, Dianalund, Denmark; <sup>24</sup>Unit of Medical Genetics, CHU La Réunion, Saint Pierre F-97448, France; <sup>25</sup>Service de Génétique Médicale, Pavillon Lefebvre, Hôpital Purpan CHU Toulouse, Toulouse, France; <sup>26</sup>Institute of Neurology, Department of Medical and Surgical Sciences, University Magna Græcia, Catanzaro, Italy; <sup>27</sup>Epilepsy Center, Clinic of Nervous System Diseases, University of Foggia, Riuniti Hospital, Foggia, Italy; <sup>28</sup>Department of Pediatrics, Institute of Medicine, University Hospital of Udine, Udine, Italy; <sup>29</sup>Centre de Référence Anomalies du Développement et Syndromes Malformatifs et FHU TRANSLAD, CHU de Dijon et Université de Bourgogne, Dijon, France; <sup>30</sup>Service de neurophysiologie et pédiatrie 1, CHU de Dijon, Dijon, France; <sup>31</sup>Department of Paediatric Neurology, Motol University Hospital, 2nd faculty of medicine Charles University, Prague, Czech Republic; <sup>32</sup>Centre Hospitalier Universitaire de Rennes, F-35000 Rennes, France; <sup>33</sup>CHU Reims, Hôpital Maison Blanche, Pôle de Biologie, Service de Génétique, Reims F-51092, France; <sup>34</sup>CHU Reims, American Memorial Hospital, Service de Pédiatrie, Reims F-51092, France; <sup>35</sup>Department of Pediatric Neurology, Rady Children's Hospital/University of California, San Diego, CA, USA; <sup>36</sup>Service d'Epileptologie Clinique, CHU de Bordeaux, France; <sup>37</sup>Children's Hospital Los Angeles, Keck School of Medicine, University of Southern California, Los Angeles, CA, USA; <sup>38</sup>Division of Genetics and Metabolism, Phoenix Children's Hospital, Phoenix, Arizona, USA; <sup>39</sup>Pediatric Neurology and Muscular Diseases Unit, Department of Neurosciences, Rehabilitation, Ophthalmology, Genetics, Maternal and Child Health, University of Genoa, "G. Gaslini" Institute, Genoa, Italy; <sup>40</sup>Department of Medicine, Divisions of Neurology and Respirology, Queen's University, Kingston, Ontario, Canada; <sup>41</sup>Kingston Health Sciences Centre, Kingston, Ontario K7L 2V7, Canada; <sup>42</sup>Pediatric Neurology Department, Timone Hospital, APHM, Marseille, France; <sup>43</sup>Department of Pediatric Neurology, Antwerp University Hospital, Edegem, Belgium; <sup>44</sup>Vrije Universiteit Brussel (VUB), Universitair Ziekenhuis Brussel (UZ Brussel), Neurogenetics Research Group, Laarbeeklaan 101, 1090 Brussels, Belgium; <sup>45</sup>Paediatric Clinical Epileptology, Sleep disorders and Functional Neurology, University Hospitals of Lyon (HCL), Lyon, France; <sup>46</sup>Unité d'épileptologie, Service de Neurologie, CHU, Angers, France; <sup>47</sup>InsERM UMR 1231 GAD Team, Genetics of Developmental Anomalies, et FHU-TRANSLAD, CHU/Université de Bourgogne-Franche Comté, Dijon, France; <sup>48</sup>Clinique Bernoise, Crans, Montana, Switzerland; <sup>49</sup>Institute of Human Genetics, University Hospital, Magdeburg, Germany; <sup>50</sup>Epilepsy Center for Children, Brandenburg Medical School, University Hospital, Neuruppin, Germany; <sup>51</sup>Bethel Epilepsy Centre, Bielefeld, Germany; <sup>52</sup>Institute of Human Genetics, University of Leipzig Hospitals and Clinics, Leipzig, Germany; <sup>53</sup>Department of Pediatric Neurology and Developmental Medicine, University Children's Hospital, Tübingen, Germany; <sup>54</sup>Department of Pediatric Neurology, Children's Hospital Datteln, Witten/Herdecke University, Datteln, Germany; <sup>55</sup>Institut de Systématique, Evolution, Biodiversité, ISYEB, UMR 7205 CNRS MNHN UPMC EPHE, Paris, France; <sup>56</sup>The Saxon Epilepsy Center Kleinwachau, Radeberg, Germany; <sup>57</sup>Kinderneurologisches Zentrum, Düsseldorf-Gerresheim, Sana Kliniken, Düsseldorf, Germany; <sup>58</sup>Department of Neurology, F.M. Kirby Neurobiology Center, Boston Children's Hospital, Boston, Massachusetts, USA; <sup>59</sup>Division of Epilepsy and Clinical Neurophysiology and Epilepsy Genetics Program, Boston Children's Hospital, Boston, Massachusetts, USA; <sup>60</sup>Department of Neurology, Harvard Medical School, Boston, Massachusetts, USA; <sup>61</sup>Neurogenetics Group, VIB-Department of Molecular Genetics, University of Antwerp, Antwerp, Belgium; <sup>62</sup>Danish Epilepsy Centre, Dianalund; Institute for Regional Health research, University of Southern Denmark, Odense, Denmark. Correspondence: Stéphanie Baulac ([stephanie.baulac@upmc.fr](mailto:stephanie.baulac@upmc.fr))

## Open

**Correction:** IQSEC2-related encephalopathy in males and females: a comparative study including 37 novel patients

Cyril Mignot, MD, PhD<sup>1,2</sup>, Aoife C. McMahon, PhD<sup>3</sup>, Claire Bar, MD<sup>4,5,6</sup>, Philippe M. Campeau, MD<sup>7</sup>, Claire Davidson, PhD<sup>3</sup>, Julien Buratti, MS<sup>2</sup>, Caroline Nava, MD, PhD<sup>1,2</sup>, Marie-Line Jacquemont, MD<sup>8</sup>, Marilyn Tallot, MD<sup>8</sup>, Mathieu Milh, MD, PhD<sup>9,10</sup>, Patrick Edery, MD, PhD<sup>11,12,13</sup>, Pauline Marzin, MD<sup>2</sup>, Giulia Barcia, MD, PhD<sup>5,6,14</sup>, Christine Barnerias, MD<sup>15</sup>, Claude Besmond, PhD<sup>5,6</sup>, Thierry Bienvenu, PhD<sup>16,17</sup>, Ange-Line Bruel, PhD<sup>18,19</sup>, Ledia Brunga, MD<sup>20</sup>, Berten Ceulemans, MD, PhD<sup>21</sup>, Christine Coubes, MD<sup>22</sup>, Ana G. Cristancho, MD, PhD<sup>23</sup>, Fiona Cunningham, PhD<sup>3</sup>, Marie-Bertille Dehouck, MD<sup>24</sup>, Elizabeth J. Donner, MD<sup>20</sup>, Bénédicte Duban-Bedu, MD<sup>24</sup>, Christèle Dubourg, PhD<sup>25</sup>, Elena Gardella, MD, PhD<sup>26,27</sup>, Julie Gauthier, PhD<sup>7</sup>, David Geneviève, MD, PhD<sup>22,28</sup>, Stéphanie Gobin-Limballe, PhD<sup>14</sup>, Ethan M. Goldberg, MD, PhD<sup>23</sup>, Eveline Hagebeuk, MD, PhD<sup>29</sup>, Fadi F. Hamdan, PhD<sup>7</sup>, Miroslava Hančárová, PhD<sup>30</sup>, Laurence Hubert, MS<sup>5,6</sup>, Christine Ios, MD<sup>31</sup>, Shoji Ichikawa, PhD<sup>32</sup>, Sandra Janssens, MD, PhD<sup>33</sup>, Hubert Journal, MD<sup>34</sup>, Anna Kaminska, MD<sup>35</sup>, Boris Keren, MD, PhD<sup>2</sup>, Marije Koopmans, MD, PhD<sup>36</sup>, Caroline Lacoste, PhD<sup>37</sup>, Petra Lašuthová, PhD<sup>38</sup>, Damien Lederer, MD, PhD<sup>39</sup>, Daphné Lehalle, MD<sup>18,40</sup>, Dragan Marjanovic, MD<sup>26</sup>, Julia Métreau, MD<sup>41</sup>, Jacques L. Michaud, MD<sup>7</sup>, Kathryn Miller, MS<sup>42</sup>, Berge A. Minassian, MD<sup>20</sup>, Joannella Morales, PhD<sup>3</sup>, Marie-Laure Moutard, MD<sup>43,44</sup>, Arnold Munnich, MD, PhD<sup>5,6,14</sup>, Xilma R. Ortiz-Gonzalez, MD, PhD<sup>23</sup>, Jean-Marc Pinard, MD<sup>45</sup>, Darina Prchalová, PhD<sup>30</sup>, Audrey Putoux, MD<sup>11,12,13</sup>, Chloé Quelin, MD<sup>46</sup>, Alyssa R. Rosen, MD<sup>23</sup>, Joelle Roume, MD<sup>47</sup>, Elsa Rossignol, MD<sup>48</sup>, Marleen E. H. Simon, MD<sup>36</sup>, Thomas Smol, MD<sup>49</sup>, Natasha Shur, MD<sup>42</sup>, Ivan Shelihan, MD<sup>7</sup>, Katalin Štěrbová, MD<sup>38</sup>, Emílie Vyhnáková, MD<sup>30</sup>, Catheline Vilain, MD, PhD<sup>50,51,52</sup>, Julie Soblet, PhD<sup>50,51,52</sup>, Guillaume Smits, MD, PhD<sup>50,51,52</sup>, Samuel P. Yang, MD<sup>53</sup>, Jasper J. van der Smagt, MD<sup>36</sup>, Peter M. van Hasselt, MD, PhD<sup>54</sup>, Marjan van Kempen, PhD<sup>36</sup>, Sarah Weckhuysen, MD, PhD<sup>55,56</sup>, Ingo Helbig, MD<sup>23</sup>, Laurent Villard, PhD<sup>10,37</sup>, Delphine Héron, MD<sup>2</sup>, Bobby Koeleman, PhD<sup>36</sup>, Rikke S. Møller, PhD<sup>25,26</sup>, Gaetan Lesca, MD, PhD<sup>11,12,13</sup>, Katherine L. Helbig, MS<sup>23</sup>, Rima Nabbout, MD, PhD<sup>4,5,6</sup>, Nienke E. Verbeek, MD, PhD<sup>36</sup> and Christel Depienne, PhD<sup>1,57,58</sup>

<sup>1</sup>INSERM, U 1127, CNRS UMR 7225, Sorbonne Universités, UPMC Univ Paris 06 UMR S 1127, Institut du Cerveau et de la Moelle épinière, ICM, Paris, France; <sup>2</sup>APHP, Hôpital Pitié-Salpêtrière, Département de Génétique et de Cytogénétique; Centre de Référence Déficience Intellectuelle de Causes Rares, GRC UPMC «Déficience Intellectuelle et Autisme», Paris, France; <sup>3</sup>European Molecular Biology Laboratory, European Bioinformatics Institute, Wellcome Genome Campus, Hinxton, Cambridge, UK; <sup>4</sup>APHP, Référence Centre for Rare Epilepsies, Necker-Enfants Malades Hospital, Imagine Institute, Paris Descartes University, Paris, France; <sup>5</sup>INSERM U1163, Imagine Institute, Paris, France; <sup>6</sup>Paris Descartes University, Paris, France; <sup>7</sup>Division of Medical Genetics, Department of Pediatrics, CHU Sainte-Justine and University of Montreal, Montreal, QC, Canada; <sup>8</sup>CHU La Réunion-Groupe Hospitalier Sud Réunion, La Réunion, France; <sup>9</sup>APHM, Hôpital d'Enfants de La Timone, Service de Neurologie Pédiatrique, centre de référence déficiences intellectuelles de cause rare, Marseille, France; <sup>10</sup>Aix Marseille University, INSERM, MMG, UMR-S 1251, Faculté de médecine, Marseille, France; <sup>11</sup>Service de Génétique, Centre de Référence Anomalies du Développement, Hospices Civils de Lyon, Bron, France; <sup>12</sup>INSERM U1028, CNRS UMR5292, Centre de Recherche en Neurosciences de Lyon, GENDEV Team, Université Claude Bernard Lyon 1, Bron, France; <sup>13</sup>Claude Bernard Lyon I University, Lyon, France; <sup>14</sup>APHP, Service de génétique médicale, Necker- Enfants Malades Hospital, Imagine Institute, Paris Descartes University, Paris, France; <sup>15</sup>APHP, Unite fonctionnelle de Neurologie, Necker-Enfants Malades Hospital, Imagine Institute, Paris Descartes University, Paris, France; <sup>16</sup>APHP, Laboratoire de Génétique et Biologie Moléculaires, Hôpital Cochin, HUPC, Paris, France; <sup>17</sup>Université Paris Descartes Paris, Institut de Psychiatrie et de Neurosciences de Paris, Inserm U894, Paris, France; <sup>18</sup>FHU-TRANSLAD, Université de Bourgogne/CHU Dijon, Dijon, France; <sup>19</sup>INSERM UMR 1231 GAD team, Genetics of Developmental disorders, Université de Bourgogne-Franche Comte, Dijon, France; <sup>20</sup>Division of Neurology, Department of Paediatrics, The Hospital for Sick Children, University of Toronto, Toronto, ON, Canada; <sup>21</sup>Department of Pediatric Neurology, University Hospital and University of Antwerp, Antwerp, Belgium; <sup>22</sup>Département de Génétique Médicale, Maladies rares et Médecine Personnalisée, CHU de Montpellier, Montpellier, France; <sup>23</sup>Division of Neurology, Children's Hospital of Philadelphia, Philadelphia, PA, USA; <sup>24</sup>Centre de Génétique Chromosomique, Hôpital St-Vincent-de-Paul, GHICL, Lille, France; <sup>25</sup>CHU Rennes, Service de Génétique Moléculaire et Génomique, Rennes, France; <sup>26</sup>Danish Epilepsy Centre Filadelfia, Dianalund, Denmark; <sup>27</sup>Institute for Regional Health Services, University of Southern Denmark, Odense, Denmark; <sup>28</sup>INSERM, U1183 Montpellier, France; <sup>29</sup>Stichting Epilepsie Instellingen Nederland, SEIN, Zwolle, The Netherlands; <sup>30</sup>Department of Biology and Medical Genetics, Charles University 2nd Faculty of Medicine and University Hospital Motol, Prague, Czech Republic; <sup>31</sup>APHP, University Hospital of Paris île-de-France ouest, Raymond Poincaré Hospital, Garches, France; <sup>32</sup>Department of Clinical Diagnostics, Ambry Genetics, Aliso Viejo, CA, USA; <sup>33</sup>Centre for Medical Genetics Ghent, Ghent University Hospital, C. Heymanslaan 10, Ghent, Belgium; <sup>34</sup>Service de Génétique Médicale, Hôpital Chubert, Vannes, France; <sup>35</sup>APHP, Department of Clinical Neurophysiology, Necker-Enfants Malades Hospital, Paris, France; <sup>36</sup>Department of Genetics, University Medical Center Utrecht, Utrecht, The Netherlands; <sup>37</sup>Département de Génétique Médicale, APHM, Hôpital d'Enfants de La Timone, Marseille, France; <sup>38</sup>Child Neurology Department, 2nd Faculty of Medicine, Charles University and Motol Hospital, Prague, Czech Republic; <sup>39</sup>Centre de Génétique Humaine, Institut de Pathologie et de Génétique, Gosselies, Belgium; <sup>40</sup>Unite fonctionnelle de génétique clinique, Centre Hospitalier Intercommunal de Creteil, Creteil, France; <sup>41</sup>APHP, Service de neurologie pédiatrique, Hôpital Universitaire Bicêtre, Le Kremlin-Bicêtre, France; <sup>42</sup>Department of Pediatrics, Albany Medical Center, Albany, NY, USA; <sup>43</sup>APHP, Hôpital Trousseau, service de neuropédiatrie, Paris, France; <sup>44</sup>Sorbonne Université, GRC n°19, pathologies Congénitales du Cervelet-LeucoDystrophies, APHP, Hôpital Armand Trousseau, Paris, France; <sup>45</sup>Division of Neuropédiatrie, CHU Raymond Poincaré (APHP), Garches, France; <sup>46</sup>Service de Génétique Médicale, CLAD Ouest CHU Hôpital Sud, Rennes, France; <sup>47</sup>Unite de Génétique Médicale, Centre de Référence des Maladies rares du Développement (AnD DI Rares), CHI Poissy-St Germain en Laye, Poissy, France; <sup>48</sup>Departments of Pediatrics and Neurosciences, CHU Sainte-Justine and University of Montreal, Montreal, Canada; <sup>49</sup>Institut de Génétique Médicale, CHRU Lille, Université de Lille, Lille, France; <sup>50</sup>Department of Genetics, Hôpital Universitaire des Enfants Reine Fabiola, ULB Center of Human Genetics, Université Libre de Bruxelles, Brussels, Belgium; <sup>51</sup>Department of Genetics, Hôpital Erasme, ULB Center of Human Genetics, Université Libre de Bruxelles, Brussels, Belgium; <sup>52</sup>Interuniversity Institute of Bioinformatics in Brussels, Université Libre de Bruxelles, Brussels, Belgium; <sup>53</sup>Clinical Genomics & Predictive Medicine, Providence Medical Group, Dayton, WA, USA; <sup>54</sup>Department of Metabolic Diseases, Wilhelmina Children's Hospital, University Medical Center, Utrecht, The Netherlands; <sup>55</sup>Neurogenetics Group, Center of Molecular Neurology, VIB, Antwerp, Belgium; <sup>56</sup>Neurology Department, University Hospital Antwerp, Antwerp, Belgium; <sup>57</sup>IGBMC, CNRS UMR 7104/INSERM U964/Université de Strasbourg, Illkirch, France; <sup>58</sup>Institute of Human Genetics, University Hospital Essen, University of Duisburg-Essen, Essen, Germany. Correspondence: Cyril Mignot (cyril.mignot@aphp.fr) or Christel Depienne(christel.depienne@uni-due.de)

Published online: 2 October 2018

# CORRECTION

*Genetics in Medicine* (2019) 21:1897–1898; <https://doi.org/10.1038/s41436-018-0327-7>

Correction to: *Genetics in Medicine* <https://doi.org/10.1038/s41436-018-0268-1>; published online 12 September 2018

This article was originally published under Nature Research's License to Publish, but has now been made available under a CC BY 4.0 license. The PDF and HTML versions of the Article have been modified accordingly.



**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2018

Open

**Correction:** Mapping the genomic landscape of inherited retinal disease genes prioritizes genes prone to coding and noncoding copy-number variations

Kristof Van Schil, PhD<sup>1</sup>, Sarah Naessens, MSc<sup>1</sup>, Stijn Van de Sompele, MSc<sup>1</sup>, Marjolein Carron, MSc<sup>1</sup>, Alexander Aslanidis, PhD<sup>2</sup>, Caroline Van Cauwenbergh, PhD<sup>1</sup>, Anja K. Mayer, MSc<sup>3</sup>, Mattias Van Heetvelde, MSc<sup>1</sup>, Miriam Bauwens, MSc<sup>1</sup>, Hannah Verdin, PhD<sup>1</sup>, Frauke Coppieters, PhD<sup>1</sup>, Michael E. Greenberg, PhD<sup>4</sup>, Marty G. Yang, MSc<sup>4</sup>, Marcus Karlstetter, PhD<sup>2</sup>, Thomas Langmann, PhD<sup>2</sup>, Katleen De Preter, PhD<sup>1</sup>, Susanne Kohl, PhD<sup>3</sup>, Timothy J. Cherry, PhD<sup>5,6</sup>, Bart P. Leroy, MD, PhD<sup>1,7,8</sup> CNV Study Group and Elfride De Baere, MD, PhD<sup>1</sup>

*Genetics in Medicine* (2019) 21:1898; <https://doi.org/10.1038/s41436-018-0305-0>

Correction to: *Genetics in Medicine*; <https://doi.org/10.1038/gim.2017.97>; published online 27 July 2017

The original version of this Article contained an error in the spelling of the author Anja K. Mayer, which was incorrectly given as Anja Kathrin Mayer. This has now been corrected in both the PDF and HTML versions of the Article.



**Open Access** This article is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License, which permits any non-commercial use, sharing, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, and provide a link to the Creative Commons license. You do not have permission under this license to share adapted material derived from this article or parts of it. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-nd/4.0/>.

© The Author(s) 2018

<sup>1</sup>Center for Medical Genetics, Ghent University and Ghent University Hospital, Ghent, Belgium; <sup>2</sup>Laboratory for Experimental Immunology of the Eye, Department of Ophthalmology, University of Cologne, Cologne, Germany; <sup>3</sup>Molecular Genetics Laboratory, Institute for Ophthalmic Research, Centre for Ophthalmology, University of Tuebingen, Tuebingen, Germany; <sup>4</sup>Department of Neurobiology, Harvard Medical School, Boston, Massachusetts, USA; <sup>5</sup>Department of Pediatrics, University of Washington School of Medicine, Seattle, Washington, USA; <sup>6</sup>Center for Developmental Biology and Regenerative Medicine, Seattle Children's Research Institute, Seattle, Washington, USA; <sup>7</sup>Department of Ophthalmology, Ghent University and Ghent University Hospital, Ghent, Belgium; <sup>8</sup>Division of Ophthalmology, The Children's Hospital of Philadelphia, Philadelphia, Pennsylvania, USA. Correspondence: Elfride De Baere (email: [Elfride.DeBaere@UGent.be](mailto:Elfride.DeBaere@UGent.be))

Published online: 8 October 2019

## Open

**Correction:** TANGO2: expanding the clinical phenotype and spectrum of pathogenic variants

Jennifer N. Dines, MD<sup>1,2</sup>, Katie Golden-Grant, MS<sup>2</sup>, Amy LaCroix, BS<sup>3</sup>, Alison M. Muir, PhD<sup>3</sup>, Dianne Laboy Cintrón<sup>3</sup>, Kirsty McWalter, MS<sup>4</sup>, Megan T. Cho, ScM<sup>4</sup>, Angela Sun, MD<sup>3</sup>, J. Lawrence Merritt, MD<sup>3</sup>, Jenny Thies, MS<sup>2</sup>, Dmitriy Niyazov, MD<sup>5</sup>, Barbara Burton, MD<sup>6</sup>, Katherine Kim, MS<sup>6</sup>, Leah Fleming, MD<sup>7</sup>, Rachel Westman, MS<sup>7</sup>, Peter Karachunski, MD<sup>8</sup>, Joline Dalton, MS<sup>8</sup>, Alice Basinger, MD, PhD<sup>9</sup>, Can Ficicioglu, MD, PhD<sup>10</sup>, Ingo Helbig, MD<sup>10,11</sup>, Manuela Pendziwiat, MS<sup>11</sup>, Hiltrud Muhle, MD<sup>11</sup>, Katherine L. Helbig, MS<sup>10</sup>, Almuth Caliebe, MD<sup>12</sup>, René Santer, MD<sup>13</sup>, Kolja Becker, MD<sup>11</sup>, Sharon Suchy, PhD<sup>4</sup>, Ganka Douglas, PhD<sup>4</sup>, Francisca Millan, MD<sup>4</sup>, Amber Begtrup, PhD<sup>4</sup>, Kristin G. Monaghan, PhD<sup>4</sup> and Heather C. Mefford, MD, PhD<sup>3</sup>

*Genetics in Medicine* (2019) 21:1899; <https://doi.org/10.1038/s41436-018-0336-6>

Correction to: *Genetics In Medicine*; <https://doi.org/10.1038/s41436-018-0137-y>; online publication 24 September 2018

The original version of this Article contained an error in the spelling of the author J. Lawrence Merritt, which was incorrectly given as Lawrence Merritt. This has now been corrected in both the PDF and HTML versions of the Article.



**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2018

<sup>1</sup>Department of Medicine, Division of Medical Genetics, University of Washington, Seattle, Washington, USA; <sup>2</sup>Division of Genetic Medicine, Seattle Children's Hospital, Seattle, Washington, USA; <sup>3</sup>Department of Pediatrics, University of Washington, Seattle, Washington, USA; <sup>4</sup>GeneDx, Gaithersburg, Maryland, USA; <sup>5</sup>Division of Medical Genetics, Ochsner Health System and University of Queensland, Brisbane, Australia; <sup>6</sup>Ann & Robert H. Lurie Children's Hospital of Chicago, Northwestern University Feinberg SOM, Chicago, Illinois, USA; <sup>7</sup>Genetics and Metabolic Clinic, St. Luke's Children's Hospital System, Boise, Idaho, USA; <sup>8</sup>Department of Neurology, University of Minnesota, Minneapolis, Minnesota, USA; <sup>9</sup>Cook's Children Genetic Center, Fort Worth, Texas, USA; <sup>10</sup>Division of Neurology, Children's Hospital of Philadelphia, Philadelphia, Pennsylvania, USA; <sup>11</sup>Department of Neuropediatrics, Universitätsklinikum Schleswig Holstein Campus Kiel, Kiel, Germany; <sup>12</sup>Institute for Human Genetics, Universitätsklinikum Schleswig Holstein Campus Kiel, Kiel, Germany; <sup>13</sup>Department of Pediatrics, University Medical Center Eppendorf, Hamburg, Germany

**Correction:** Effectiveness of plasma lyso-Gb3 as a biomarker for selecting high-risk patients with Fabry disease from multispecialty clinics for genetic analysis

Hiroki Maruyama, MD, PhD<sup>1</sup>, Kaori Miyata, BA<sup>2</sup>, Mariko Mikame, BE<sup>1</sup>, Atsumi Taguchi, PhD<sup>1</sup>, Chu Guili, MD, PhD<sup>1</sup>, Masaru Shimura, MD<sup>3</sup>, Kei Murayama, MD, PhD<sup>3</sup>, Takeshi Inoue, MD, PhD<sup>4</sup>, Saori Yamamoto, MD, PhD<sup>5</sup>, Koichiro Sugimura, MD, PhD<sup>5</sup>, Koichi Tamita, MD<sup>6</sup>, Toshihiro Kawasaki, RDCS<sup>6</sup>, Jun Kajihara, MD<sup>7</sup>, Akifumi Onishi, MD<sup>8</sup>, Hitoshi Sugiyama, MD, PhD<sup>8</sup>, Teiko Sakai, MD<sup>9</sup>, Ichijiro Murata, MD, PhD<sup>10</sup>, Takamasa Oda, MD, PhD<sup>11</sup>, Shigeru Toyoda, MD, PhD<sup>12</sup>, Kenichiro Hanawa, MD, PhD<sup>13</sup>, Takeo Fujimura, MD, PhD<sup>14</sup>, Shigehisa Ura, MD<sup>15</sup>, Mimiko Matsumura, MD<sup>16</sup>, Hideki Takano, MD, PhD<sup>16</sup>, Satoshi Yamashita, MD<sup>17</sup>, Gaku Matsukura, MD<sup>17</sup>, Ryushi Tazawa, MD, PhD<sup>18</sup>, Tsuyoshi Shiga, MD, PhD<sup>19</sup>, Mio Ebato, MD, PhD<sup>20</sup>, Hiroshi Satoh, MD, PhD<sup>21</sup> and Satoshi Ishii, PhD<sup>22</sup>

*Genetics in Medicine* (2019) 21:1900; <https://doi.org/10.1038/s41436-018-0258-3>

Correction to: *Genetics in Medicine*; <https://doi.org/10.1038/gim.2018.31>; published online 15 March 2018

The PDF and HTML versions of the article have been updated to include the Creative Commons Attribution 4.0 International License information.



**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2018

<sup>1</sup>Department of Clinical Nephroscience, Niigata University Graduate School of Medical and Dental Sciences, Niigata, Japan; <sup>2</sup>Sanofi K.K., Sanofi Genzyme Medical Operations, Rare Disease Medical, Medical Science Liaison, Tokyo, Japan; <sup>3</sup>Department of Metabolism, Chiba Children's Hospital, Chiba, Japan; <sup>4</sup>Department of Pediatrics, Dokkyo Medical University Koshigaya Hospital, Koshigaya, Japan; <sup>5</sup>Department of Cardiovascular Medicine, Tohoku University Graduate School of Medicine, Sendai, Japan; <sup>6</sup>Nishinomiya Watanabe Cardiovascular Center, Nishinomiya, Japan; <sup>7</sup>Department of Cardiology, Fujinomiya City General Hospital, Fujinomiya, Japan; <sup>8</sup>Department of Human Resource Development of Dialysis Therapy for Kidney Disease, Okayama University Graduate School of Medicine, Dentistry and Pharmaceutical Science, Okayama, Japan; <sup>9</sup>Sukoyaka Clinic, Gifu, Japan; <sup>10</sup>Department of Chronic Kidney Disease, Gifu University Graduate School of Medicine, Gifu, Japan; <sup>11</sup>Yamaguchi Prefectural Grand Medical Center, Hofu, Japan; <sup>12</sup>Department of Cardiovascular Medicine, Dokkyo Medical University, Mibu, Japan; <sup>13</sup>Department of Cardiology, Internal Medicine, Iwaki Kyoritsu General Hospital, Iwaki, Japan; <sup>14</sup>Department of Nephrology, Kashiwazaki General Hospital and Medical Center, Kashiwazaki, Japan; <sup>15</sup>Division of Neurology, Japanese Red Cross Asahikawa Hospital, Asahikawa, Japan; <sup>16</sup>Department of Nephrology, Tokyo Teishin Hospital, Tokyo, Japan; <sup>17</sup>Department of Cardiology, Japanese Red Cross Hamamatsu Hospital, Hamamatsu, Japan; <sup>18</sup>Division of Medical Genetics, Bioscience Medical Research Center, Niigata University Medical and Dental Hospital, Niigata, Japan; <sup>19</sup>Department of Cardiology, Tokyo Women's Medical University, Tokyo, Japan; <sup>20</sup>Division of Cardiology, Showa University Fujigaoka Hospital, Yokohama, Japan; <sup>21</sup>Division of Cardiology, Internal Medicine III, Hamamatsu University School of Medicine, Hamamatsu, Japan; <sup>22</sup>Glyco Pharma Corporation, Oita, Japan