

**Corrigendum to “Tonelli M, Nkunu V, Varghese C, et al. Framework for establishing integrated kidney care programs in low- and middle-income countries” *Kidney Int Suppl.* 2020;10:e19–e23**

*Kidney International Supplements* (2020) **10**, e186; <https://doi.org/10.1016/j.kisu.2020.11.001> Copyright © 2020, International Society of Nephrology. Published by Elsevier Inc. All rights reserved.



The authors regret that Bassam Bernieh was inadvertently left out as an author of the article. The authors and affiliations are as follows.

Marcello Tonelli<sup>1,2</sup>, Victoria Nkunu<sup>1</sup>, Cherian Varghese<sup>3</sup>, Ali K. Abu-Alfa<sup>4</sup>, Mona N. Alrukhaimi<sup>5</sup>, Bassam Bernieh<sup>6,7</sup>, Louise Fox<sup>8</sup>, John Gill<sup>9</sup>, David C.H. Harris<sup>10</sup>, Fan Fan Hou<sup>11</sup>, Philip J. O’Connell<sup>12,13</sup>, Harun Ur Rashid<sup>14</sup>, Abdou Niang<sup>15</sup>, Shahrzad Ossareh<sup>16</sup>, Vladimir Tesar<sup>17</sup>, Elena Zakharova<sup>18,19,20</sup> and Chih-Wei Yang<sup>21</sup>

<sup>1</sup>Department of Medicine, University of Calgary, Calgary, Alberta, Canada; <sup>2</sup>Pan American Health Organization/World Health Organization’s Collaborating Centre in Prevention and Control of Chronic Kidney Disease, University of Calgary, Calgary, Alberta, Canada; <sup>3</sup>World Health Organization, Geneva, Switzerland; <sup>4</sup>Division of Nephrology and Hypertension, Department of Internal Medicine, American University of Beirut, Beirut, Lebanon; <sup>5</sup>Department of Medicine, Dubai Medical College, Dubai, United Arab Emirates; <sup>6</sup>HHD for Home Dialysis, Al Ain, United Arab Emirates; <sup>7</sup>The Heart Medical Center, Al Ain, United Arab Emirates; <sup>8</sup>Green Fox Consulting Ltd., Oxford, UK; <sup>9</sup>Department of Medicine, University of British Columbia, Vancouver, British Columbia, Canada; <sup>10</sup>Centre for Transplantation and Renal Research, Westmead Institute for Medical Research, University of Sydney, Sydney, New South Wales, Australia; <sup>11</sup>State Key Laboratory of Organ Failure Research, National Clinical Research Center for Kidney Disease, Division of Nephrology, Nanfang Hospital, Southern Medical University, Guangzhou, China; <sup>12</sup>Renal Unit, University of Sydney at Westmead Hospital, Sydney, New South Wales, Australia; <sup>13</sup>Westmead Clinical School, The Westmead Institute for Medical Research, Westmead, New South Wales, Australia; <sup>14</sup>Department of Nephrology, Kidney Foundation Hospital and Research Institute, Dhaka, Bangladesh; <sup>15</sup>Department of Nephrology, Dalal Jamm Hospital, Cheikh Anta Diop University Teaching Hospital, Dakar, Senegal; <sup>16</sup>Division of Nephrology, Department of Medicine, Hasheminejad Kidney Center, Iran University of Medical Sciences, Tehran, Iran; <sup>17</sup>Department of Nephrology, General University Hospital, Charles University, Prague, Czech Republic; <sup>18</sup>Department of Nephrology, Moscow City Hospital named after S.P. Botkin, Moscow, Russian Federation; <sup>19</sup>Department of Nephrology, Moscow State University of Medicine and Dentistry, Moscow, Russian Federation; <sup>20</sup>Department of Nephrology, Russian Medical Academy of Continuous Professional Education, Moscow, Russian Federation; and <sup>21</sup>Kidney Research Center, Department of Nephrology, Chang Gung Memorial Hospital, Chang Gung University College of Medicine, Taoyuan, Taiwan

The authors would like to apologize for any inconvenience caused.