


CORRECTION

Correction: Reduced activity, reactivity and functionality of the sympathetic nervous system in fibromyalgia: An electrodermal study

Gustavo A. Reyes del Paso, Pablo de la Coba

In [Table 1](#), the values in the last three rows of column “ p ” are mistakenly duplicated in column “ η^2 .” Please see the correct [Table 1](#) here.



OPEN ACCESS

Citation: Reyes del Paso GA, de la Coba P (2020) Correction: Reduced activity, reactivity and functionality of the sympathetic nervous system in fibromyalgia: An electrodermal study. PLoS ONE 15(12): e0244830. <https://doi.org/10.1371/journal.pone.0244830>

Published: December 28, 2020

Copyright: © 2020 Reyes del Paso, de la Coba. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Table 1. Demographic, clinical, medication use (number of participants and percentage in brackets) and physiological data in fibromyalgia (FMS) patients and healthy participants.

	FMS (n = 45)	Healthy (n = 38)	t or χ^2	p	η^2
Age (years)	51.53±8.89	50.08±10.22	.693	.490	.006
BMI	27.26±4.76	26.17±3.64	1.184	.240	.016
State Anxiety (STAI)	21.87±12.16	13.00±7.47	4.07	< .001	.159
N° of pain points (MPQ)	21.98±6.76	4.00±3.84	15.17	< .001	.722
Sensorial pain (MPQ)	32.11±21.73	13.00±7.33	5.54	< .001	.248
Total MPQ Score	49.29±30.67	20.45±11.35	5.85	< .001	.271
Current pain intensity (MPQ)	2.62±1.27	0.84±0.79	7.81	< .001	.411
Fatigue (FSS)	49.42±11.31	20.66±13.48	10.57	< .001	.580
Antidepressant use (%)	23 (51.11)	3 (6.67)	17.89	< .001	.215
Anxiolytic use (%)	29 (64.44)	7 (15.56)	17.768	< .001	.214
Analgesic use (%)	36 (90)	4 (8.89)	39.828	< .001	.480
Opiate use (%)	19 (42.22)	0 (0)	20.808	< .001	.251
SC level (μ S)	2.02±2.11	3.56 ±2,11	-2.15	.034	.054
Slope SC (μ S/m)	-0.153±.237	-0.344±.584	2.01	.048	.047
Hand Temperature (C°)	35.91±1.03	35.92±.82	-.039	.969	< .001

Note: Results of group comparisons are also reported (Student *t* test or χ^2). Effect size was reported as adjusted eta squared (η^2). MPQ = McGill Pain Questionnaire; FSS = Fatigue Severity Scale.

<https://doi.org/10.1371/journal.pone.0244830.t001>

Reference

1. Reyes del Paso GA, de la Coba P (2020) Reduced activity, reactivity and functionality of the sympathetic nervous system in fibromyalgia: An electrodermal study. PLoS ONE 15(10): e0241154. <https://doi.org/10.1371/journal.pone.0241154> PMID: 33119628